

anthologie
QUARTETT



LIGHTING FINE LIGHTING FINE LIGHTING FI



NUNZIA CARBONE & TIZIANO VUDAFIERI 2013

cellula.led

anthologie quartett 2013

hängeleuchte

aluminium.edelstahl.kristallglas.

transparent.handgeschliffen

led 24 V (2700 kelvin)

abhängungslänge 2500 mm

suspension

aluminium.stainless steel.crystal glass.

transparent.ground by hand

led 24 V (2700 kelvin)

suspension length 2500 mm

suspension

aluminium.acier inox.cristal

transparent taillé à la main

led 24 V (2700 kelvin)

longueur du câble de suspension 2500 mm

sospensione

alluminio.acciaio inox.cristallo

trasparente molato a mano

led 24 V (2700 kelvin)

cavetti per sospensioni 2500 mm

600x30x400 mm

9,6 W (558 lumen)

CV02.05.06.10.T **960,00**

800x30x400 mm

17,6 W (1023 lumen)

CV02.05.08.10.T **1.240,00**

1000x30x400 mm

24,0 W (1395 lumen)

CV02.05.10.10.T **1.530,00**

1200x30x400 mm

32,0 W (1860 lumen)

CV02.05.12.10.T **1.760,00**

1400x30x400 mm

38,4 W (2232 lumen)

CV02.05.14.10.T **2.170,00**

1600x30x400 mm

44,8 W (2604 lumen)

CV02.05.16.10.T **2.560,00**

andere maße auf anfrage

other dimensions on request

autres dimensions sur demande

misure diverse su richiesta



NUNZIA CARBONE & TIZIANO VUDAFIERI 2013

cellula.led

anthologie quartett 2013

wandleuchte

1 halterung

aluminium.edelstahl.kristallglas.

transparent *handgeschliffen*

led 24 V (2700 kelvin)

wall lamp

1 bracket

aluminium.stainless steel.crystal glass.

transparent *ground by hand*

led 24 V (2700 kelvin)

applique

1 élément de fixation

aluminium.acier inox.cristal

transparent *taillé à la main*

led 24 V (2700 kelvin)

lampada da parete

1 elemento di supporto

alluminio.acciaio inox.cristallo

trasparete *molato a mano*

led 24 V (2700 kelvin)

200x125x410 mm


3,2 W (186 lumen)

CV01.04.02.10.0 **510,00**

400x125x410 mm

9,6 W (558 lumen)

CV01.04.04.10.0 **985,00**



NUNZIA CARBONE & TIZIANO VUDAFIERI 2013

cellula.led

anthologie quartett 2013

deckenleuchte

1 halterung

aluminium.edelstahl.kristallglas.

transparent *handgeschliffen*

led 24 V (2700 kelvin)

ceiling lamp

1 bracket

aluminium.stainless steel.crystal glass.

transparent *ground by hand*

led 24 V (2700 kelvin)

plafonnier

1 élément de fixation

aluminium.acier inox.cristal

transparent *taillé à la main*

led 24 V (2700 kelvin)

lampada da soffitto

1 elemento di supporto

alluminio.acciaio inox.vetro di cristallo

trasparente *molato a mano*

led 24 V (2700 kelvin)

200x80x520 mm

3,2 W (186 lumen)

CV02.06.02.10.0 **510,00**

400x80x520 mm

9,6 W (558 lumen)

CV02.06.04.10.0 **985,00**