

estiluz[®]

LIGHTING A LIFETIME

WE ILLUMINATE EXPERIENCES
WITH SOLUTIONS DESIGNED
FOR A LIFETIME

Life's special moments and its everyday events are made memorable by recalling mood and ambience: romantic dinners lit by candles, playtimes under a brilliant sun, serene evenings softly illuminated in glowing pools of lamplight. How the quality of light changes mood and memory is a science we understand very well after almost 50 years' experience in designing lighting. We believe that light can furnish a room with color and texture as much as any object. We create our collections of contemporary lighting with attention to every detail and can also adapt our products to your specific needs or develop custom products on request.

Los acontecimientos cotidianos de la vida y sus momentos especiales se convierten en memorables gracias a la experiencia de los sentidos: cenas románticas a la luz de la luna, juegos bajo un sol radiante o noches serenas suavemente iluminadas cerca del mar. Después de casi 50 años de experiencia en el diseño de iluminación contemporánea, sabemos que la calidad de la luz cambia el estado de ánimo y la memoria llenando una sala de color y textura, como si se tratara de un bonito objeto. Esta sensación se refleja en la creación de nuestras colecciones que, pensadas hasta el último detalle y a través del desarrollo de productos a medida, permanecen vivas y en constante evolución para adaptarse a tus necesidades específicas o a las que nacen de tus inquietudes.

ertiluz®

COLLECTIONS



REVOLTA
page 8




VOLTA
page 30



PILA
page 58




ARO
page 68



BUTTON
page 86

COLLECTIONS



DUO
page 188



KANT
page 192



FOLIO
page 198



OBS
page 200



SISO
page 208




ECLIPSI
page 100



NIT
page 104



CORNET
page 110



CANUT
page 116



LEO
page 124



SISS
page 214




PLUMA
page 216




IRIS
page 222



POULPE
page 240




BALLOON
page 246



MAINE
page 128



ÀNIMA
page 142



LUNE
page 146



PIU
page 154




SMILE
page 158



DOT
page 252




NAN
page 262



TWILI
page 270



CARPET
page 274



MOON
page 278



EMMA
page 164



LUCK
page 170



BENT
page 178



MIKONOS
page 180



SHADOW
page 184



FINA
page 282



NÈBULA
page 284



ICONS
page 286



CLASSICS
page 298




BASICS
page 304




ESSENTIALS
page 312

FUNCTIONAL INDEX

SUSPENSIONS
SUSPENSIONES



WALL LAMPS
APLIQUES



FUNCTIONAL INDEX

CEILING LAMPS
PLAFONES






TABLE LAMPS
SOBREMESAS



FLOOR LAMPS
PIES



OUTDOOR LAMPS
EXTERIOR



REVOLTA

by Nahtrang Studio

Open circles sketched in the air,
or frames for fabric panels to soften sound.
Pendant cylinders have aluminum heads
and acrylic diffusers.

Icónicos círculos dibujan al aire distintos
conjuntos que se llenan de color con paneles
tapizados para atenuar el sonido. Pantallas
de aluminio con difusores de metacrilato.



INTERIOR
DESIGN
NYC
DESIGN
2017 AWARDS WINNER








T-3635-W

LED 6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 Non Dimmable / Compositions
 are dimmable.

T-3635-M

LED 6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 703 lumens
 Non Dimmable / Compositions
 are dimmable.




T-3636-W

LED 2x6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 2x665 lumens
 Dimmable Triac

T-3636-M

LED 2x6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 2x703 lumens
 Dimmable Triac



Finish body

■ 26 BLK

Finish head

■ 26 BLK
 ■ 61 S GLD

Finish body

□ 71 WH

Finish head

□ 71 WH

Finish acoustic panel

■ 82 BL Blue
 ■ 83 EGP Eggplant
 ■ 84 SLM Salmon

Additional

50° angle acrylic optic lens conversion kit.

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products




Create your own custom suspension light combining them individually or with our selection of canopies.

Crea tu propio diseño combinando suspensiones de forma independiente o con nuestra selección de sujeciones múltiples.


Revolta L73.2D







Revolta L73.1S1D





Revolta L92.1S1D




Revolta L165.5D




Revolta R40.1S1D



Revolta R70.3S



Revolta R100.5S






Revolta offers a unique and decorative solution to soften room noise with fabric-covered acoustic panels of sound-absorptive foam. Revolta can also be used to divide large spaces into discrete areas.

Revolta ofrece una solución única y decorativa para atenuar el ruido de una estancia gracias a sus paneles acústicos forrados de espuma y tejido que absorben el sonido. Además, se puede utilizar para dividir grandes espacios en zonas más íntimas.

Revolta L165.5D



Finish acoustic panel

- 82 BL Blue
- 83 EGP Eggplant
- 84 SLM Salmon

Additional

Sound absorbing panels without light are available upon request.

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products

α=0.4

Revolta L73.2D



Revolta L73.1S1D



Revolta L92.1S1D









Revolta R40.1S1D



Revolta R70.3S




Revolta R100.5S






**Sculpture that illuminates:
Revolta stands alone on table or desk.**

La lámpara de sobremesa Revolta impacta por su carácter escultural decorando una mesa, barra o mueble bufet.






M-3637-W

LED 6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 Sensor dimmer

M-3637-M

LED 6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 703 lumens
 Sensor dimmer



A-3630-W

LED 6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 Non Dimmable

A-3630-M

LED 6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 703 lumens
 Non Dimmable

Finish body

■ 26 BLK

Finish body

□ 71 WH

Finish head

■ 26 BLK
 ■ 61 S GLD

Finish head

□ 71 WH

Additional

50° angle acrylic optic lens
 conversion kit.

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*





VOLTA


by Nahtrang Studio

Delicate arches and simple cylinders in a family of lights which can be used singly or in clusters of brilliance. Aluminum heads with acrylic diffusers.

Delicados arcos y simples cilindros forman esta familia de lámparas individuales o combinadas en grupos. Pantalla de aluminio con difusor de metacrilato.








T-3535-W

LED 2x6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 2x665 lumens
 Dimmable Triac

T-3535-M

LED 2x6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 2x703 lumens
 Dimmable Triac



T-3536-W

LED 3x6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 3x665 lumens
 Dimmable Triac

T-3536-M

LED 3x6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 3x703 lumens
 Dimmable Triac

Finish body

- 26 BLK

Finish head

- 26 BLK
- 61 S GLD

Finish body

- 71 WH

Finish head

- 71 WH

Additional

50° angle acrylic optic lens conversion kit.

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products






Volta L165.3D2T




Create your own custom suspension light combining them individually or with our selection of canopies

Crea tu propio diseño combinando suspensiones de forma independiente o con nuestra selección de sujetiones múltiples.



Volta L73.2D



Volta L165.3D



Volta L78.1D1T









Volta L92.2T




Volta L165.1D2T



Volta L165.1D2T




Volta R70.3D





Volta R100.5D










A-3530-W

LED 6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 Non Dimmable

A-3530-M

LED 6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 703 lumens
 Non Dimmable




A-3531-W


LED 6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 Non Dimmable

A-3531-M

LED 6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 703 lumens
 Non Dimmable



Cord&Plug accessory



Finish body

- 26 BLK

Finish head

- 26 BLK
- 61 S GLD

Finish body

- 71 WH

Finish head

- 71 WH

Additional

50° angle acrylic optic lens conversion kit.

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



T-3534-W

LED 6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 Non Dimmable (dimmable upon request)
 Compositions are dimmable

T-3534-M

LED 6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 703 lumens
 Non Dimmable (dimmable upon request)
 Compositions are dimmable

Finish body

■ 26 BLK

Finish body


□ 71 WH

Finish head

■ 26 BLK
 ■ 61 S GLD

Finish head

□ 71 WH



Additional


50° angle acrylic optic lens conversion kit.

We offer custom finishes, sizes, and alternate lamping for projects.


Photographs may show non-standard products




Volta L73.3S




Volta L92.4S




Volta L165.6S




Volta R40.3S



Volta R70.7S



Volta R100.17S




M-3537-W

LED 6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 On/Off switch

M-3537-M

LED 6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 703 lumens
 On/Off switch



Finish body

■ 26 BLK

Finish head

■ 26 BLK
 ■ 61 S GLD

Finish body

□ 71 WH

Finish head

□ 71 WH

Additional

50° angle acrylic optic lens conversion kit.

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products





p-3538-W

LED 6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 On/Off switch

p-3538-M

LED 6,1W **A++**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 703 lumens
 On/Off switch

Additional

50° angle acrylic optic lens conversion kit.

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



Finish body

■ 26 BLK

Finish body



□ 71 WH

Finish head

■ 26 BLK
 ■ 61 S GLD

Finish head

□ 71 WH



PILA

by Crouscologero



The tactile warmth of natural cork provides a contrast in texture to matt-finished spun aluminum. Acrylic diffuser.

La calidez del corcho natural proporciona un contraste con la textura de la pantalla de aluminio. Difusor de metacrilato.





T-3555-W

LED 10W **A+**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 850 lumens
 Dimmable Triac



Finish body

- 56 BLK
- 74 WH

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*





M-3557-W

LED 10W **A+**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 850 lumens
 Floor support & plug
 Non Dimmable


Finish body

- 56 BLK
- 74 WH



Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



Pila M5



Pila L73.3







Pila L92.4

Pila L165.6

Pila R40.3

Pila R70.7

Pila R100.13



ARO

by Jordi Blasi



Simple to spectacular, Aro offers a minimalist ring of lamps or a single strip of lamps. Aro allows you to create an ambience of beauty and dimension.


Aro está formado por un conjunto de pantallas minimalistas de aluminio incorporadas a un anillo o una barra. Esta composición, simple y espectacular, aporta volumen y permite crear una bella atmósfera.



Delta Finalist
ADI Awards
2016







T-3542-W

LED 5X10W **A++**
 (2700K / Ang.116° / >80 CRI / 700mA)
 Universal Voltage / Typ* 5x1437 lumens
 Dimmable 1-10V


Finish

■ 56 BLK

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



T-3543-W

LED 7X10W **A++**
 (2700K / Ang.116° / >80 CRI / 700mA) / Universal Voltage /
 Typ* 7x1437 lumens
 Dimmable 1-10V


Finish

■ 56 BLK

Additional

We offer custom finishes, sizes, and alternate lamping for projects.


Photographs may show non-standard products



Aluminum heads with acrylic diffusers rotate 106° on its stem.

Pantallas de aluminio con difusores de metacrilato y rotación de 106°.

Aro R40.1M1L




Aro R40.1M1L



**One Aro ring can be a singularly distinctive pendant,
or by combining the two sizes, Aro becomes a chandelier for modern times.
Each pendant ring can be installed with its lamps facing upward or downward.**

Anillo con múltiples pantallas disponible en dos tamaños que pueden ser combinados para convertirse en una lámpara de araña con un diseño muy actual. Ofrece la posibilidad de instalar cada anillo con sus pantallas dirigidas hacia arriba o hacia abajo.



T-3541-W

LED 3X10W **A++**
 (2700K / Ang.116° / >80 CRI / 700mA)
 Universal Voltage / Typ* 3x1437 lumens
 Non Dimmable

Finish

■ 56 BLK

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*








Acrylic diffuser and sensor dimmer on the head.

Difusor de metacrilato y regulador táctil en la pantalla.



T-3545

LED 10W **A++**
 (2700K / Ang.116° / >80 CRI / 700mA)
 Universal Voltage / Typ* 1437 lumens
 Sensor Dimmer / Remote Driver

Finish body

74 WH M


Finish head


56 BLK M

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products





M-3547

LED 10W **A++**
 (2700K / Ang.116° / >80 CRI / 700mA)
 Universal Voltage / Typ* 1437 lumens
 Sensor Dimmer

Finish body

74 WH M


Finish head

56 BLK M

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.


*Photographs may show
 non-standard products*



**Acrylic diffuser and sensor
 dimmer on the head.**

Difusor de metacrilato y regulador
 táctil en la pantalla.





p-3548

LED 10W **A+**
(2700K / Ang.116° / >80 CRI / 700mA)
Universal Voltage / Typ* 1437 lumens
Sensor Dimmer

Finish body

74 WH M

Finish head

56 BLK M

Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*





reddot award 2016
winner

BUTTON

by Francesc Rifé




A suspended track system with independently positionable and dimmable heads also leads a double life as a shelf. The family includes a pendant lamp.

Carril en forma de suspensión con pantallas que permiten su colocación y regulación de forma independiente y con la versatilidad de poder ser utilizado como estante. La familia incluye una suspensión individual.



Delta Finalist
ADI Awards
2016





FRANCESCRIFFESTUDIO



**Position lights anywhere along the track.
 Each light is independently dimmable.
 Display favorite objects or books on Button's topside shelf.
 Safely holds up to 30Kg / 65lbs.**

Coloca las pantallas en cualquier punto del carril.
 Cada pantalla se puede regular, encender y apagar de forma independiente.
 Decora el estante superior con tus objetos favoritos o libros.
 Sostiene con seguridad hasta 30Kg.



Create unique lighting systems with two or more suspended tracks.

Crea un sistema de iluminación singular combinando varios carriles suspendidos.

Finish

- 26 BLK
- 71 WH
- 93 GR LM

Additional

Additional heads available



* Field cuttable stems.


We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products




T-3305-M

LED 3x10W **A++**
 (3000K / Ang.58° / >80 CRI / 350mA)
 Universal Voltage / Typ* 3x1073 lumens
 Sensor Dimmer




T-3306-M

LED 4x10W **A++**
 (3000K / Ang.58° / >80 CRI / 350mA)
 Universal Voltage / Typ* 4x1073 lumens
 Sensor Dimmer



T-3307-M

LED 5x10W **A++**
 (3000K / Ang.58° / >80 CRI / 350mA)
 Universal Voltage / Typ* 5x1073 lumens
 Sensor Dimmer







T-3302S-M

LED 10W **A++**
 (3000K / Ang.58° / >80 CRI / 350mA)
 230V / Typ* 1073 lumens.
 Non Dimmable

Finish

- 26 BLK
- 71 WH
- 93 GR LM

Additional


We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*

* Field cuttable stems.




T-3302S




*field cuttable

T-3302C



Button L73.3



Button L92.4



Button L165.6









Button R40.3



Button R70.7




Button R100.13



ECLIPSI


by Josep Lluís Xuclà




**A play of light and shadow through the superposition of two disks.
The user creates the illusion of an eclipse by rotating the top disk
to reveal soft, indirect light.**

Un juego de luces y sombras a partir de la superposición de dos círculos,
generando un mágico efecto de eclipse mediante la rotación
de la pantalla superior, con iluminación indirecta.





Ø 400 mm
Ø 15.3/4"




100 mm
3.7/8"

Ø 500 mm
Ø 19.5/8"

A-3700

LED 23W **A+**
(3000K / Ang.120° / >80 CRI)
230V / Typ* 1995 lumens.
Dimmable Triac

Ø 640 mm
Ø 25.1/4"



100 mm
3.7/8"

Ø 800 mm
Ø 31.1/2"

A-3701

LED 34W **A+**
(3000K / Ang.120° / >80 CRI)
230V / Typ* 2890 lumens.
Dimmable Triac

Finish

74 WH

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products




NIT

by Crouscologero



Multi-tasking: a pivoting arm reading light with a wood shelf and integrated USB charger.

Un estante polivalente con brazo de lectura orientable y cargador USB integrado. Cuerpo metálico y parte superior acabada en madera.






80 FSN O



81 ZB



A-3520

LED 1W **A++**
 (3000K / Ang.60° / >80 CRI / 350mA)
 230V / Typ* 96 lumens
 Non Dimmable. On/off switch.
 2Amp USB Charger

Finish body

□ 74 WH

Shelf

- 80 FSN O
- 81 ZB

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



Plug & charge your phone or tablet (USB)

Conecta y carga tu móvil o tablet (USB)



Additional

Customize the shelf with your own design using Virtual Melt printing technology by Valresa.

Personaliza la superficie del estante con tu propio diseño mediante la tecnología de impresión Virtual Melt de Valresa.

CORNET


by Gabriel Teixidó



Reading lamp of small dimensions formed by two conical pieces joined at their ends. Its aesthetics and name refer us to a Cornet, the wind instrument that inspired this design.

Aplique de lectura de dimensiones reducidas formado por dos piezas cónicas unidas por sus extremos, una de las cuales es una pantalla orientable para iluminación puntual y de lectura. Su estética y su nombre nos remiten a una corneta, el instrumento de viento que ha servido de inspiración para dar forma a este diseño.





A-3330

LED 3,2W **A++**
 (2700K / Ang.120° / 350mA)
 Universal Voltage / Typ* 370 lumens
 On/Off Switch

Finishes


- 74 WH
- 47 GR M

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*





M-3335

LED 3,2W **A++**
 (2700K / Ang. 120° / 350mA)
 Universal Voltage / Typ* 370 lumens
 On/Off Switch

Finishes

- 74 WH
- 47 GR M

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*




CANUT

by Ximo Roca Diseño



Two independently adjustable reading lights mounted horizontally allows one to read without disturbing the rest of a sleeping partner. The vertically mounted version has an adjustable reading light and fixed indirect light.

Dos brazos orientables montados en horizontal en el centro de la cama proyectan la luz hacia el exterior, permitiendo una lectura agradable y sin molestar. Versión vertical formada por un brazo de lectura orientable e iluminación indirecta.







A-3571

LED 3W **A+**
 (3000K / Ang.50° / >80 CRI / 350mA)
 Universal Voltage / Typ* 381 lumens.
 On/Off push button switch
 Non Dimmable



LED 1W **A+**
 (3000K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 145 lumens.
 Non Dimmable


Finish body

- 26 BLK
- 47 NI M
- 74 WH

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products





A-3570

LED 2x3W **A++**
 (3000K / Ang.50° / >80 CRI / 350mA)
 Universal Voltage / Typ* 2x381 lumens.
 2x On/Off push button switch.
 Non Dimmable


Finish body

- 26 BLK
- 47 NI M
- 74 WH

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



LEO

by Estudi Ribaudí



Elegant minimalism in a floor lamp which brilliantly illumines its space with an uplight and a soft downlight. The stem allows adjustment of the head tilt for optimal effect.

Minimalismo elegante en una lámpara de pie que ilumina el espacio con intensidad. Las varillas permiten la inclinación de la pantalla para un efecto óptimo. Iluminación mayoritariamente indirecta.



Adjustment of the head angle changes the mood of the room with its light reflected on the ceiling or wall to create intimate space.

Con la inclinación de la pantalla podemos crear un espacio íntimo y potenciar la reflexión de la luz en el techo o la pared.



P-3568

LED 2x17W **A+**
 (3000K / Ang.120° / >80 CRI / 700mA)
 Universal Voltage / Typ* 4120 lumens
 Dimmer on the base and on/off foot switch.

Placement of the decorative ring is optional


Finish body

■ 26 BLK
 Golden Accent

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



MAINE


by Goula / Figuera



This collection of small and large lamps with metal shades and large, diffused lights offers different solutions for lighting spaces both public and private. Acrylic diffuser.

Esta colección de lámparas grandes y pequeñas con pantalla metálica e iluminación difusa ofrece soluciones para espacios públicos y privados. Pantalla de aluminio y metacrilato inferior.








Finish

- 26 BLK
- 74 WH
- 44 CP
- 61 S GLD

Additional


We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products




T-3415L-W

LED 10W **A+**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 850 lumens
 Dimmable Triac




T-3416L-W


LED 15W **A+**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 1275 lumens
 Dimmable Triac




Maine M5S




Maine L73.3S




Maine L92.4S




Maine L165.6S




Maine R40.3S



Maine R70.7S



Maine R100.17S



Maine L73.2M



Maine L92.3M



Maine L165.4M









Maine R40.2S1M




Maine R70.4S3M




Maine R100.7S4M





t-3410L-W / A-3410L-W

LED 10W **A+**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 850 lumens
 Dimmable Triac



t-3411L-W

LED 15W **A**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 1275 lumens.
 Dimmable Triac.

Finish

- 26 BLK
- 74 WH
- 44 CP
- 61 S GLD



Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products

Accessories

Difusser with serigraphy for t-3410L reduces glare for wall- mounted versions



ÀNIMA

by Roger Vancells



An elegant loop offers both direct light and subtle indirect light within its distinctive profile. Rigid polyurethane with acrylic diffuser.

Una elegante pantalla de forma curvada emite luz directa y se ilumina sutilmente en su interior. Pantalla de espuma rígida de poliuretano con difusor de metacrilato.





T-3515-M

LED 10W **A***
 (3000K / Ang. 120° / >80CRI / 350mA)
 Universal Voltage / Typ* 1073 lumens
 Dimmable Triac

Finish body


□ 74 WH L

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*

CE



INDOOR
&
OUTDOOR

LUNE

by Joan Cinca / laproductora



Diffused light illuminates and informs. A curved metal front plate offers optional laser-cut signage for indoor and outdoor use. Acrylic shade with metal front plate.

Luz difusa que ilumina e informa. Una placa metálica curvada proporciona señalización opcional para interior y exterior. Corte láser. Pantalla de polietileno translúcido.








**Custom creations include ideograms,
logos and alpha/numeric text.**


Creaciones personalizadas incluyen
ideogramas, logos y textos.



Ø220 mm
Ø8.5/8"




Ø120 mm
Ø4.3/4"



101 mm
3.7/8"

A-3370-W

LED 10W **A+**
(2700K / Ang.120° / >80 CRI)
230V / Typ* 850 lumens
Dimmable Triac



INDOOR & OUTDOOR

Finish in&out

- 26 BLK
- 74 WH
- 80 RT

Finish indoor only


- 37 NI
- 61 S.GLD

Additional

Optional laser-cut signage


We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*



PIU


by Serge & Robert Cornelissen



Elegantly understated, a rectangle with an asymmetric fold creates a visually rich shape. Architectural minimalism takes on a different look from every angle while subtly casting light above and below.

Un rectángulo sobrio y elegante dotado de un pliegue asimétrico crea una forma visualmente rica. Su minimalismo arquitectónico adquiere una perspectiva diferente desde todos los ángulos mientras la luz se escapa sutilmente por arriba y por debajo.





A-3320L

LED 15W **A**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 1275 lumens
 Dimmable Triac

Finishes

□ 74 WH

Additional

Optional laser-cut signage

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



SMILE


by Joan Cinca / Laproduçtora



A stroke of light that can be mounted horizontally or vertically to provide subtle yet bright illumination. Metal front plate can be solid or with additional cut-out for brighter direct light; with acrylic diffuser.

Un trazo de luz horizontal o vertical con iluminación sutil pero intensa. Pantalla frontal íntegramente metálica o con recorte para mayor iluminación directa. Difusor de metacrilato translúcido.





A-3350

El. fluorescent **A**
24W / T5 / 230V
Non Dimmable

A-3351

El. fluorescent **A**
39W / T5 / Universal Voltage
Non Dimmable

A-3352

El. fluorescent **A**
54W / T5 / Universal Voltage
Non Dimmable

Finish

- 22 CH
- 74 WH
- 44 CP

Additional

Optional laser-cut signage


We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products




Customized designs or text can also be laser-cut-in the metal front plate for unique, illuminated signage.

Personalización con textos, ideogramas y logos para señalización. Corte láser.




A-3350A

El. fluorescent **A**
 24W / T5 / 230V
 Non Dimmable




A-3351A

El. fluorescent **A**
 39W / T5 / Universal Voltage
 Non Dimmable



A-3352A

El. fluorescent **A**
 54W / T5 / Universal Voltage
 Non Dimmable



Finish

- 22 CH
- 74 WH

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



EMMA

by Goula / Figuera



A generous expanse of diffused light is framed in metal and comprises a family of pendants, sconces and ceiling fixtures for every interior. Acrylic diffuser.

Un despliegue generoso de luz difusa se enmarca en metal y forma una familia de suspensiones, apliques y plafones para interior. Difusor de metacrilato.









T-3405L

LED 20W **A**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 1700 lumens
 Dimmable Triac




A-3401L / t-3401L

LED 20W **A**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 1700 lumens
 Dimmable Triac



A-3400L / t-3400L

LED 15W **A**
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 1275 lumens
 Dimmable Triac



Finish

- 22 CH
- 71 WH

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



LUCK


by Ximo Roca



A bell-shaped metal structure that holds a transparent crystal globe with a crosscut in the base, similar to an upside down fish bowl.

Pantalla metálica en forma de campanilla que culmina con un original globo de cristal transparente con un corte en diagonal, similar al de una pecera invertida.





T-2443

LED or C.Fluor up to 20W **A+ A**
 Globe $\varnothing 95 \text{ mm}$ / E27 / 230V
 Dimmable when using dim. lamps

Finishes

- 37 NI
- 27 WH


Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



Luck M5



Luck L73.3







Luck L92.4

Luck L165.6

Luck R40.3

Luck R70.7

Luck R100.11




BENT

by Oriol Guimerà



Satin-glass shaped like a billowed sail and fitted with a metal backplate transforms a space. Used in multiples, Bent creates an undulating wall of soft light. Combining a smaller number creates a flower of glowing petals.

Vidrio satinado en forma de vela ondulada y acompañado por una sujeción metálica de idéntica forma. La combinación de múltiples unidades crea una pared iluminada con ondulaciones. Con sólo unas pocas, crea una espectacular flor de pétalos brillantes.



t-2752L

LED 20W **A**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 1700 lumens
 Dimmable Triac

Finishes

- 37 NI
- 22 CH

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



MIKONOS

by Estudi Estiluz



The luminaire looks like an enormous metal bracelet that widens as it approaches the wall. The diffuser glass at the top and bottom create a diaphanous, pleasant light projected vertically on the wall.


Este aplique representa una enorme pulsera que se ensancha al aproximarse a la pared. El cristal difusor en la parte superior e inferior crea una luz diáfana y agradable proyectada verticalmente en la pared.





A-2520

LED or Fluor. up to 20W **A+**
 Max. 112mm / E27 / 230V
 Dimmable when using dim. lamps.



Finishes

■ 37 NI

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*





SHADOW

by Jordi Vayreda

Rectangular pieces of bent lacquered aluminum and an internal polycarbonate diffuser that distributes the light evenly throughout the lamp. An intense light expands through the top and bottom, casting an evocative play of warm, carefully-designed light and shade.

Piezas rectangulares de aluminio lacado dobladas y un difusor interior de policarbonato que distribuye la luz uniformemente por toda la lámpara. La luz se expande por la parte superior e inferior y a través de las piezas que la componen, proporcionando un evocador juego de luces y sombras cálidas, pero intensas y estudiadas.

T-2935

El. fluorescent 2x55W **B**
2G11 base / Universal Voltage
Non dimmable

Finishes


□ 76 WH

Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*

CE   650° 



DUO


by Ramon Valls



The sleek metal structure provides a dual lighting effect, offering both direct and background illumination at the same time.

La esbelta estructura metálica produce un doble efecto lumínico, creando un ambiente único con iluminación directa e indirecta.





P-3259

LED or Hal. up to 200W
A* A* A B C
 118mm / R7s base / 230V
 Dimmable



LED or Hal. up to 2x50W
A* A* A B C
 PAR16 / GU-10 base / 230V
 On/Off Switch


Finishes

- 26 BLK
- 74 WH

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



KANT

by Estudi Ribaudí



Simple, straight lines shows architectural purity in this collection of reading lamps. The swing-arm and adjustable head are both practical and elegant details. A flat, rectangular counterweight anchors the floor lamp.


Diseños simples y rectilíneos dibujan una arquitectura de formas puras en esta colección de lámparas de lectura. La pantalla basculante y regulable es un detalle práctico y elegante. Un contrapeso plano, rectangular ancla la lámpara de pie al suelo.







A-3260L (left - facing)



p-3268

LED 6W **A***
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 504 lumens
 On/Off cord switch

Finishes

- 22 CH
- 74 WH

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



A-3260L / A-3260R

LED 6W **A***
 (2700K / Ang.120° / >80 CRI)
 230V / Typ* 504 lumens
 On/Off switch

Finishes

- 22 CH
- 74 WH


Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.


*Photographs may show
 non-standard products*



A-3260L (left - facing)



A-3260R (right - facing)




FOLIO

by Pablo Figuera



Folio is an aluminium minimalist lamp with clean lines. Lateral folds, which serve as a shade while hiding the LED source, protect users from glare and offer precise lighting.

Folio es una lámpara de aluminio de líneas limpias y estilo minimalista. Sus formas puristas y pliegues laterales han sido cuidadosamente estudiados para ocultar el led e impedir que deslumbre, ofreciendo una iluminación precisa.



M-3245

LED 13W **A+**
 (2700K / Ang.120° / >80 CRI / 350mA)
 230V / Typ* 1055 lumens
 On/Off Switch


Finishes

- 11 BL AN
- 56 BLK
- 74 WH

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



OBS

by Estudi Ribaudí



Obs' stylized lines are inspired by natural forms. Its pleasing indirect light is projected onto surfaces, giving a warm ambience to the room.

Luminaria de líneas estilizadas inspirada en las formas esenciales de la naturaleza. Emite una agradable iluminación indirecta que proporciona una luz cálida a la estancia.











A-3220L

LED 15W **A***
 (2700K / Ang. 120° /
 >80 CRI) 230V /
 Typ* 1275 lumens
 Dimmable Triac




t-3222L

LED 20W **A***
 (2700K / Ang. 120° /
 >80 CRI) 230V /
 Typ* 1700 lumens
 Dimmable Triac



T-3225

LED 5x10W **A***
 (2700K / Ang.120° /
 >80 CRI) 230V /
 Typ* 5x850 lumens
 Dimmable Triac



T-3226

LED 3x10W **A***
 (2700K / Ang.120° /
 >80 CRI) 230V /
 Typ* 3x850 lumens
 Dimmable Triac

Finishes

- 76 WH
- 61 S.GLD

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



SISO


by Estudi Ribaudí



Three bands of polished aluminum describe orbital paths around the satin glass shade of this elegant pendant.


Tres anillos de aluminio entrelazados orbitan alrededor de una esfera de cristal satinado formando esta elegante suspensión.





T-2995

LED or Fluor. up to 3x20W **A+>A**
 E27 / 230V / Dimmable when
 using dim. lamps



T-2996

LED or Fluor. up to 3x20W **A+>A**
 E27 / 230V / Dimmable when
 using dim. lamps


Finishes

- 22 CH
- 71 WH
- 44 CP

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



M-2997

LED or Fluor. up to 2x20W **A+>A**
 E27 / 230V / Dimmable when
 using dim. lamps


Finishes


- 22 CH
- 74 WH

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*





A-2990

LED or C. Fluor. up to 20W **A+>A**
 E27 / 230V / Dimmable when
 using dim. lamps

Finishes

■ 22 CH

Additional


We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*




SISS

by Estudi Ribaudí



t-3212L

LED 3x10W **A+**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 3x850 lumens
 Dimmable Triac



t-3213L

LED 3x10W **A+**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 3x850 lumens
 Dimmable Triac

Finishes

- 22 CH
- 71 WH
- 44 CP

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products






PLUMA

by Estudi Ribaudí

A collection that re-defines the cantilever lamp. The shade is poised at the end of a graceful extendable arch for the floor lamp. A variation on the theme for the ceiling version features an adjustable extendable rotating arm.

Una colección de lámparas con un brazo fino, curvado y extensible en las que la pantalla reposa elegantemente en un solo punto al final del arco, potenciando la imagen esbelta y la sensación de equilibrio. La versión de techo también ofrece rotación del brazo.



T-2955

LED or Fluor. up to 20W **A++>A**
 E27 / 230V / Dimmable when
 using dim. lamps

Finish body

■ 26 BLK

Finish shade

■ 64 BLK L
 □ 27 WH

Additional

Bottom acrylic diffuser kit
 for black shade.

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*

CE □ IP 20 650°





P-2959

LED or Fluor. up to 20W **A+>A**
 E27 / 230V / Dimmable when
 using dim. lamps

Finish body

- 22 CH
- 26 BLK

Finish shade



- 64 BLK L
- 27 WH

Additional

Bottom acrylic diffuser kit
 for black shade.

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



IRIS

by Estudi Estiluz




**Textures complement each other in a comprehensive family of lamps.
A satin-finished glass diffuser glows with light above and below, enclosed
within a woven polyester shade and polished metal ring.**

Diferentes texturas que se complementan en una amplia familia de lámparas.
El difusor de cristal satinado superior e inferior se ilumina intensamente dentro
de una pantalla de tejido de poliéster decorada con un anillo metálico.







T-2714


LED or Fluor. up to 3x20W **A+ > A**
 E27 / 230V / Dimmable when
 using dim. lamps

Finish body

- 37 NI

Finish shade

- 26 BLK
- 27 WH
- 38 GR



T-2715

LED or Fluor. up to 3x30W **A+ > A**
 E27 / 230V / Dimmable when
 using dim. lamps

Finish body

- 26 BLK
- 27 WH

Finish shade


- 26 BLK
- 27 WH
- 38 GR

Additional

We offer custom
 finishes, sizes,
 and alternate
 lamping for
 projects.

*Photographs may show
 non-standard products*





T-2711

LED or Fluor. up to 6x11W **A+ > A**
 Candle / E14 / 230V
 Dimmable when using
 dim. lamps

Finish body

■ 37 NI


Finish shade

■ 26 BLK
 □ 27 WH
 ■ 38 GR

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



T-2716


LED or Fluor. up to 4x11W **A+ > A**
 Candle / E14 / 230V
 Dimmable when using
 dim. lamps

Finish body

■ 37 NI

Finish shade

■ 26 BLK
 □ 27 WH
 ■ 38 GR



P-2718

LED or Fluor. up to 3x20W **A* > A**
 E27 / 230V / Dimmable when
 using dim. lamps

Finish body

- 37 NI
- 22 CH



Finish shade

- 26 BLK
- 27 WH
- 38 GR


Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*







P-2719

LED or Fluor. up to 3x20W **A+ > A**
E27 / 230V / Dimmable when
using dim. lamps

Finish body

- 37 NI
- 22 CH

Finish shade


- 26 BLK
- 27 WH
- 38 GR



Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*



M-2717

LED or Fluor. up to 3x20W **A+ > A**
E27 / 230V / Dimmable when
using dim. lamps

Finish body

- 37 NI
- 22 CH


Finish shade


- 26 BLK
- 27 WH
- 38 GR

Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*





A-2710L

LED 10W **A+**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 850 lumens
 Dimmable Triac

Finish body

■ 37 NI


Finish shade

■ 26 BLK
 □ 27 WH
 ■ 38 GR

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.


*Photographs may show
 non-standard products*






t-2712

LED or Fluor. up to 3x20W **A+ > A**
 E27 / 230V / Dimmable when
 using dim. lamps



t-2713

LED or Fluor. up to 3x20W **A+ > A**
 E27 / 230V / Dimmable when
 using dim. lamps



Finish body

- 37 NI

Finish shade

- 26 BLK
- 27 WH
- 38 GR

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



POULPE

by Oriol Llahona



The poulpe lamp sheds a subtle and delicate light under its large, evocative shape. Its conical polyurethane foam shade emerges gently from four legs that join it to the base.

Poulpe envuelve la luz de forma sutil y delicada dejándola escurrir a través de su voluminoso y sugestivo cuerpo. Su pantalla cónica de espuma de poliuretano emerge de forma natural de las cuatro patas que la unen con la base.










P-2949

LED or Fluor. up to 20W **A+ > A**
E27 / 230V / Dimmable when
using dim. lamps



T-2945

LED or Fluor. up to 20W **A+ > A**
E27 / 230V / Dimmable when
using dim. lamps



Finishes

- 26 BLK
- 74 WH L

Additional

We offer custom
finishes, sizes,
and alternate lamping
for projects.

*Photographs may show
non-standard products*

BALLOON

by Crouscologero




A childhood memory is happily recalled in this charming lamp. Appearing to float effortlessly on wall or from the ceiling, the shade of translucent, satinated polyethylene provides a uniform glowing light.

Esta encantadora lámpara parece flotar sin esfuerzo en el techo o la pared, evocando recuerdos de una infancia feliz. Su pantalla de polietileno satinado translúcido proporciona una luz intensa y uniforme.







A-3050


LED or Fluor. up to 20W **A+ > A**
E27 / 230V

On/Off Switch

A-3050L

LED or Fluor. up to 20W **A+ > A**
E27 / 230V

⊕
LED 0,5W / E14
230V / nightlight
3-way switch



t-3052

LED or Fluor. up to 20W **A+ > A**
E27 / 230V /
Dimmable when
using dim. lamps


Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products

Finishes

74 WH



DOT

by Serra & Delarocha



A single element "formed exclusively by light, a body without matter."
The shade of white matt satinated polyethylene takes on many different variations in this family of light.

Un solo elemento "formado exclusivamente por luz, un cuerpo sin materia".
La pantalla de polietileno satinado blanco se presenta en diferentes variantes en esta familia de lámparas.






INDOOR & OUTDOOR

M-2907X

LED or Fluor. up to 2x30W **A+ > A**
E27 / 230V / Dimmable when
using dim. lamps



M-2907BT

LED 2.5W **A++**
(3000K / Ang. 120° / >80 CRI /
Li on battery / 520mA) / Typ* 290 lumens
230V / induction charging base /
Three position dimming switch operated
by a remote control. Battery life 8 hours.



Finish body

79 WH



Finish table top

64 BLK L

Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*







OUTDOOR

P-2909X

LED or Fluor. up to 2x20W **A+ > A**
E27 / 230V

Finish body

79 WH

CE IP 54 850°

INDOOR

P-2909

LED or Fluor. up to 2x30W **A+ > A**
E27 / 230V / On/Off Switch

Finish body


76 WH

CE IP 20 850°

Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*





INDOOR & OUTDOOR

t-2902X

LED or Fluor. up to 2x30W **A+ > A**
E27 / 230V / Dimmable when
using dim. lamps


Finish body

☐ 79 WH

Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*



INDOOR

T-2905

LED or Fluor. up to 2x30W **A+ > A**
E27 / 230V / Dimmable when
using dim. lamps


Finish body

☐ 76 WH

Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*



NAN

by Guimeràicinca



A smooth, glowing cone of light, Nan goes outdoors too. The translucent shade is white satinated polyethylene, fixed to a slender metal base.

Un cono suave y resplandeciente de luz: la lámpara Nan de exterior. Su pantalla translúcida es de polietileno satinado blanco, fijado a una esbelta base de metal.





INDOOR & OUTDOOR

M-3044X

LED or Fluor. up to 20W **A+ > A**
E27 / 230V


Finishes

79 WH L

Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*



INDOOR & OUTDOOR

A-3040LX

LED 20W **A+ A**
(2700K / Ang. 120° / >80 CRI)
230V / Typ* 1700 lumens
Dimmable Triac

Finishes


79 WH L

Additional

We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*

CE  IP 65  850°



TWILI

by Estudi Ribaudí



Ribbons are woven in a complex pattern to create the shade of this indoor/outdoor lamp. The tripod base is stainless steel with a special coating that protects it for outdoor use.

Cintas tejidas en un complejo patrón para crear la pantalla de esta lámpara de interior/exterior. La base del trípode es de acero inoxidable con una protección especial para uso exterior.





INDOOR & OUTDOOR

P-3349X

LED or Fluor. up to 30W **A+ > A**
E27 / 230V

Finish body

■ 85 CN

Finish shade


■ 85 CN
□ 27 WH

Additional

Custom finishes, sizes,
We offer custom finishes, sizes,
and alternate lamping for projects.

*Photographs may show
non-standard products*

CE  IP 65  850° 



CARPET



by serra&delarocha



A glowing translucent rectangle with a molded shade that softly illumines. The bedside version has an adjustable reading arm that focuses light. Made of thermoformed acrylic that is smoothly malleable and strong.


Carpet parte de la deformación de un metacrilato blanco termoconformado que se integra de manera natural en cualquier espacio mediante una suave curvatura. El aplique para cabezal de cama incluye un brazo de lectura orientable.





A-2910L

LED 15W **A**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 1275 lumens
 Dimmable Triac



A-2911L

LED 15W **A**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 1275 lumens
 On/Off Switch



LED 1W **A+**
 (3000K / Ang.60° / >80 CRI / 350mA)
 Universal Voltage / Typ* 96 lumens
 On/Off Switch

Finishes

79 WH

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



MOON


by Estudi Ribaudí



A reading lamp composed of two shallow metal and acrylic shades mounted atop an articulated stem. The versatile Moon is easily adjusted for precisely-directed illumination.

Una lámpara de lectura con una fina pantalla de metal y metacrilato situada en el extremo de un brazo articulado que proporciona una iluminación muy precisa.



**P-3007**

LED 6,1W **A+**
 (2700K / Ang. 120° / >80 CRI / 350MA)
 Universal Voltage / Typ* 665 lumens
 Sensor Dimmer

Finishes

■ 22 CH

Trim Cover

■ 26 BLK

Additional


We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



FINA

by Estudi Estiluz



T-3105

LED 4x7W **A**
 (3000K / Ang.60° / >80 CRI /
 700mA) Universal Voltage /
 Typ* 4x402 lumens
 Dimmable Triac


Finishes

■ 37 NI

Additional


We offer custom finishes,
 sizes, and alternate lamping
 for projects.

*Photographs may show
 non-standard products*



NÈBULA

by Estudi Estiluz



t-3133

LED or Fluor. up to 3x20W **A+ > A**
 E27 / 230V / Dimmable when
 using dim. lamps

Finishes

74 WH

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*

ICONS

by Leonardo Marelli

This collection of classic icons derives its timelessness from the organic shape of its shade. Mounted off-center top a slender stem, light emanates from below and above. On its articulated arm, light is precisely directed.

Esta colección de iconos clásicos debe su atemporalidad a la forma orgánica de su pantalla. Descentrada en la parte superior de una delgada varilla, la luz emana verticalmente. En el brazo articulado, la luz es dirigida de forma precisa y funcional.







P-1129

LED or Hal. up to 200W
A++>A>A>B>C
 118mm / R7s base /
 230V / Dimmable

Finishes


- 21 GLD
- 22 CH
- 23 BLK P
- 26 BLK
- 36 BR
- 37 NI
- 61 S.GLD
- 74 WH

P-1129L

LED 36W **A++**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 2932 lumens
 Dimmable Triac

Finishes

- 37 NI
- 61 S.GLD



Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products





P-1127

LED or Hal. up to 200W
 A+ A A B C
 118mm / R7s base / 230V
 Dimmable



Hal. 50W / 12V C
 GY 6,35 base
 Universal Voltage
 On/Off Switch


Finishes

- 21 GLD
- 22 CH
- 26 BLK
- 36 BR
- 37 NI
- 61 S.GLD

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



p-1139

Hal. 50W / 12V C
 GY 6,35 base
 Universal Voltage
 On/Off Switch

Finishes

- 36 BR
- 37 NI
- 61 S.GLD

p-1139L

LED 6,1W A+
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 On/Off Switch


Finishes


- 37 NI

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products






A-1136L

LED 6,1W **A++**
 (2700K / Ang. 120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 On/Off Switch



Articulated wall-mounted version has two joints to provide full movement and adjustment.

Brazo de lectura articulado destaca por su versatilidad y diversidad de movimientos.



M-1137L

LED 6,1W **A++**
 (2700K / Ang.120° / >80 CRI / 350mA)
 Universal Voltage / Typ* 665 lumens
 On/Off Switch

Finishes

■ 37 NI

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



CLASSICS

by Estudi Estiluz

A collection of lamps composed of satin-glass framed in metal. A simple and discreet design that suits any space


Colección de lámparas formada por un vidrio blanco satinado envuelto por una fina y elegante estructura metálica circular. Su simplicidad y discreción se adapta a cualquier estilo decorativo.






t-2124L

LED 20W **A**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 1700 lumens
 Dimmable Triac



t-2125L

LED 20W **A**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 1700 lumens
 Dimmable Triac



Finishes

■ 37 NI

Additional


We offer custom finishes, sizes,
 and alternate lamping for projects.


*Photographs may show
 non-standard products*



T-2128

LED or Fluor. up to 2x20W **A* > A**
 E27 / 230V / Dimmable when
 using dim. lamps





Paris T-2418

LED or Fluor. up to 3x20W **A+ > A**
 max. 112mm / E27 / 230V
 Dimmable when using dim. lamps

Finishes

■ 37 NI

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*

CE IP 20 960°


BASICS

by Estudi Estiluz

The simplest forms offering up/down or just down light. So simple, so basic that it merges with the background.


Formas simples en las que la luz se propaga con intensidad hacia arriba y abajo o sólo hacia abajo. Tan simple, tan básico que se integra con el fondo.





P-2455

LED or Hal. up to 2x130W **C**
 118mm / R7s base / 230V
 Dimmable



T-1158

LED or Hal. up to 3x130W **C**
 118mm / R7s base / 230V
 Dimmable

Finishes


■ 37 NI


Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products








Venezia T-2535

LED or Hal. up to 3x130W **C**
 118mm / R7s base / 230V
 Dimmable



Venezia A-2530

LED or Hal. up to 130W **C**
 118mm / R7s base / 230V
 Dimmable



Finishes

■ 37 NI

Additional

We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



A-2038L

LED 10W **A***
 (3000K / Ang.120° / >80 CRI / 350mA)
 230V / Typ* 850 lumens
 Dimmable Triac

Finishes

■ 37 NI

Additional


We offer custom finishes, sizes, and alternate lamping for projects.

Photographs may show non-standard products



ESSENTIALS

by Leonardo Marelli



t-2601L

LED 20W **A**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 1700 lumens
 Dimmable Triac

t-2602L

LED 20W **A**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 1700 lumens
 Dimmable Triac


Finishes

■ 37 NI

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



A-8000L

LED 15W **A**
 (2700K / Ang. 120° / >80 CRI)
 230V / Typ* 1275 lumens
 Dimmable Triac

Finishes

□ 37 NI
 ■ 61 S.GLD

Additional

We offer custom finishes, sizes,
 and alternate lamping for projects.

*Photographs may show
 non-standard products*



TECHNICAL FEATURES / DATOS TÉCNICOS

SYMBOLS / SÍMBOLOS

CE Products manufactured according to the European safety and electromagnetic standards (EN 60598-1 and EN 60598-2-1)

Productos fabricados acorde con las directrices de seguridad y emisiones electromagnéticas según la legislación europea aplicable (EN 60598-1 y EN 60598-2-1)

650°
850°
960° **YI** This product has passed successfully the test of the glow wire test at this temperature (standards NF C 20-455 and EN-60-598-1).

Productos que han superado con éxito el ensayo de hilo incandescente a la temperatura indicada (normas NF C 20-455 y EN-60-598-1).

IP 20 Product protected against the penetration of solid bodies equal or bigger than 12 mm and against the access with a finger. No protection to the water (standard NF C 20 010).

Producto protegido contra la penetración de cuerpos sólidos de diámetro superior o igual a 12 mm. No accesible con los dedos. Sin protección al agua (norma NF C 20 010)

IP 44 Protected against the penetration of solid bodies equal or bigger than 1mm and against water sprayed from all directions - limited ingress permitted.

Producto protegido contra la penetración de cuerpos sólidos de diámetro superior o igual a 1 mm y contra agua pulverizada.

IP 54 Protected against dust limited ingress (no harmful deposit) and against water sprayed from all directions - limited ingress permitted.

Protegido contra la suciedad (sin sedimentos nocivos) y contra agua pulverizada.

IP 65 Totally protected against the entry of dust and against jetting water in all directions.

Totalmente estanco al polvo y protegido contra chorros de agua en todas las direcciones.

IP 66 Totally protected against the entry of dust and against heavy water (under influence of strong jets or heavy seawater must not enter through envelope in harmful quantities).

Totalmente estanco al polvo y protegido contra fuertes chorros de agua o mar, el agua no deberá penetrar en la envolvente en cantidades perjudiciales.

⏚ Basic insulation with earth wire (products class I).

Aislamiento básico con toma de tierra (productos de Clase I).

□ Reinforced or double insulation, without earth wire (products class II).

Aislamiento reforzado o doble, sin toma de tierra (productos de Clase II).

|||| Dimmer / Regulador

Typ* Typical performance (average)

Rendimiento típico (promedio)

Ang.(x)° **Beam angle** / Ángulo de apertura

α Sound Absorption Coefficient - the fraction of randomly incident sound energy absorbed or otherwise not reflected off a surface.

Coefficiente de absorción de sonido - fracción de energía acústica absorbida o de lo contrario no reflejada en una superficie.

FINISHES / ACABADOS

■ **11 BL. AN** Blue anodized / Anodizado azul noche

■ **21 GLD** 24 Carat gold / Oro 24q

■ **22 CH** Polished chrome / Cromo

■ **23 BLK P** Black pearl / Perla negro

■ **26 BLK** Black matt / Negro mate

□ **27 WH** White satin, RAL 9010
Blanco lacado satinado, RAL 9010

■ **36 BR** Bronze / Bronce

■ **37 NI** Brushed Nickel / Níquel

■ **44 CP** Satin Copper / Cobre satinado

■ **47 NI M** Nickel matt / Níquel mate

■ **47 GR M** Grey metallic / gris metalizado

■ **56 BLK** Black matt / Negro mate

■ **61 S GLD** 24 carat satin gold / Oro 24 q. Satinado

■ **64 BLK L** Black lacquered, glossy / Negro lacado brillante

□ **71 WH** White satin, RAL 9010 / Blanco lacado satinado, RAL 9010

□ **74 WH** White satin, RAL 9010 / Blanco lacado satinado, RAL 9010

□ **74 WH L** White lacquer: glossy RAL 9003 / Blanco lacado brillante, RAL 9003

□ **76 WH** White satin, RAL 9010 / Blanco lacado satinado, RAL 9010

□ **79 WH** White satin, RAL 9010 / Blanco lacado satinado, RAL 9010

□ **79 WH L** White lacquer: glossy, RAL 9003 / Blanco lacado brillante, RAL 9003

■ **80 RT** Rust / Óxido

■ **85 CN** Cinder / Ceniza

■ **93 GR LM** Grey-limestone / Gris pardo

SHADES / PANTALLAS

■ **64 BLK L** Black acrylic, glossy / Metacrilato negro brillante

■ **85 CN** Cinder polyester ribbon / Cinta poliéster ceniza

■ **26 BLK** Black screen / Screen negro

□ **27 WH** White screen / Screen blanco

■ **38 GR** Gray / Gris

ACCESSORIES / ACCESORIOS

■ **80 FSN O** Olive ash / Fresno olivado


■ **81 ZB** Zebra wood / Zebrano

■ **82 BL** Blue / Azul

■ **83 EGP** Eggplant / Berenjena

■ **84 SLM** Salmon / Salmón

PHOTOMETRICS / CURVAS FOTOMÉTRICAS



Available at / Disponibles en / estiluz.com/downloads

RESPONSIBILITY FOR THE PLANET RESPONSABILIDAD CON EL PLANETA

Responsibility for the planet is part of our corporate philosophy. Estiluz is aware of the impact of our daily activities and has formed a committee to create a culture that embraces all the processes of sustainability for our environment.

More at www.estiluz.com

La responsabilidad con el planeta forma parte de nuestra filosofía corporativa. Conscientes del impacto de nuestras actividades diarias en el entorno, hemos formado un comité para crear una cultura que abarque todos los procesos de sostenibilidad.

Más información en www.estiluz.com



MODIFICATIONS / MODIFICACIONES

Estiluz reserves the right to modify or discontinue, without previous notice, products in the catalog.

Please check our web for current product availability and specifications. Lumens on LED's indicate the lumen output without diffuser.

Estiluz se reserva el derecho a modificar o anular, sin previo aviso, productos de este catálogo.

Por favor visite nuestra web para conocer los productos y especificaciones actuales.

Los lúmenes indicados son de salida, sin difusor.

COMMENTS/ OBSERVACIONES

All ESTILUZ, S.A. products are designed and manufactured to keep customers satisfied, consequently please note the following:

1. Due to the high quality of our finishes, we recommend using a soft dry polish cloth for cleaning, avoiding the use of special cleaning products that could damage the finish.
2. Do not use lamps of a higher power than indicated.
3. All models are patent protected.
4. Conformity Certificates and technical information of our products are available upon request.

Los productos de ESTILUZ, S.A han sido diseñados y fabricados para satisfacer al máximo a nuestros clientes, debiendo por ello informarles de:

1. Dada la alta calidad de nuestros acabados, aconsejamos efectuar la limpieza exclusivamente con una gamuza seca, evitando el uso de productos especiales que podrían dañar la superficie.
2. No deberán utilizarse bombillas de potencia superior a la indicada.
3. Modelos protegidos por el Registro de la Propiedad Industrial.
4. Certificados de Conformidad e información técnica de nuestros productos disponibles bajo consulta.

Ref:	Page:	Ref:	Page:	Ref:	Page:
P-1127	294	P-2949	244	A-3352A	162
P-1129	290	T-2955	218	A-3370	152
A-1136L	296	P-2959	220	t-3400L	169
M-1137L	296	A-2990	212	t-3401L	169
p-1139L	294	T-2995	211	T-3405L	169
T-1158	306	T-2996	211	t-3410L	141
A-2038L	311	M-2997	211	t-3411L	141
t-2124L	300	p-3007	281	T-3415L	132
t-2125L	300	A-3040LX	268	T-3416L	132
T-2128	301	M-3044X	266	T-3515	145
T-2418	303	A-3050	251	A-3520	108
T-2443	172	t-3052	251	A-3530	49
P-2455	306	T-3105	282	A-3531	49
A-2520	182	t-3133	284	T-3534	50
A-2530L	310	t-3212L	214	T-3535	34
T-2535L	310	t-3213L	214	T-3536	34
t-2601L	312	A-3220L	206	M-3537	54
t-2602L	312	t-3222L	206	p-3538	57
A-2710L	236	T-3225	206	T-3541	76
T-2711	229	T-3226	206	T-3542	72
t-2712	239	M-3245	199	T-3543	73
t-2713	239	P-3259	190	T-3545	80
T-2714	226	A-3260	197	M-3547	82
T-2715	226	p-3268	197	p-3548	85
T-2716	229	T-3302	97	T-3555	60
M-2717	234	T-3305	92	M-3557	63
P-2718	231	T-3306	92	P-3568	126
P-2719	234	T-3307	93	A-3570	122
t-2752L	178	A-3320L	156	A-3571	121
t-2902	261	A-3330	113	A-3630	28
T-2905	261	M-3335	114	T-3635	14
M-2907X	255	P-3349X	273	T-3636	14
P-2909X	258	A-3350	160	M-3637	28
A-2910L	276	A-3350A	162	A-3700	102
A-2911L	276	A-3351	160	A-3701	102
T-2935	186	A-3351A	162	A-8000L	312
T-2945	244	A-3352	160		

Name:	Page:	Name:	Page:	Name:	Page:
A		F		O	
ànima	142	fina	282	obs	200
aro	68	folio	198		
B		I		P	
balloon	246	icons	286	parís	302
basics	304	iris	222	pila	58
bent	178			piu	154
button	86	K		pluma	216
		kant	192	poulpe	240
C		L		R	
carpet	274	leo	124	revolta	8
canut	116	luck	170		
classics	298	lune	146	S	
cornet	110			shadow	184
D		M		siso	208
dot	252	maine	128	siss	214
duo	188	mikonos	180	smile	158
		moon	278		
E		N		T	
eclipsi	100	nan	262	twili	270
emma	164	nèbula	284		
essentials	312	nit	104	V	
				volta	30
				venezia	308

**ESTILUZ
(Headquarters)**

Carretera d'Ogassa s/n
E-17860 St Joan de les Abadesses
(Girona) Spain
T + 34 972 720 125
F + 34 972 720 796
estiluz@estiluz.com


ESTILUZ Inc. USA & CANADA

330 West 38th St. Suite 710
New York, NY 10018 USA
T +1 (646) 454 - 1285
F + 1 (646) 454 - 1799
info@estiluzusa.com

www.estiluz.com

**This catalog has been designed by Tactica. www.tactica42.com
Photography by Jordi Anguera • Virtual Photography by Estudi Cread.**

Consulting by Mireia Cervera Interiors & Contract. Thanks for their projects and images: Altafulla Mar Hotel,
Alti Lighting, Arlex, Catalonia Hotels, Carles Grauches Interiors, Cualiti Photo Studio, Dear Design,
Dom Arquitectura, DyD interiorismo, Elena Domínguez i Francisco Serra, Francesc Rifé, Grandvalira Andorra,
Harrison Varma, Hilton Gdansk, Hotel Barceló Atenea Mar, Jordi Vayreda, Jordi Miralles, Luniglass,
Molins Interiors, Peter Clarke Photography, Rosa Colet Interiors,
Rossend Cortès interiors, Xavi Torrent Photography.



estiluz[®]