

European price list

20 26

MARCH 1st

Recommended price list without VAT.

* This price list supersedes the previous ones.

1 MARZO

Prezzo consigliato senza IVA.

* Questo listino annulla il precedente.

1 MARSCH

Die Preise verstecken sich zzgl.
Der gesetzlich gültigen mwst.

* Diese preisliste ersetzt die vorangegangene.

1 MARS

Prix publics conseillés hors taxes.

* Ce tarif annule les précédents.

Due to constant changes in LED technology, please check our web for current product specifications.

Lumens on LED's indicate the lumen output without diffuser.

Debido a los constantes cambios en la tecnología LED, por favor visite nuestra web para conocer las especificaciones actuales.

Los lúmenes indicados son de salida sin difusor

www.estiluz.com

estiluz[®]

ALPHABETIC INDEX
A

Alfi	05
Arco	08
Aro	10

B

Balloon.....	11
Belt.....	11
Bols.....	20

C

Canut	22
Circ.....	22
Compass	29
Cupolina	33
Cyls.....	34

E

Eclipsi	35
---------------	----

F

Flow	36
Frame	37

G

Gada.....	39
-----------	----

I

Icons	40
-------------	----

L

Laverd.....	40
Loop.....	42
Lune.....	43

M

Maine.....	43
Mood.....	44
Morse.....	48

N

Nit	49
-----------	----

O

Obs	49
-----------	----

P

Pluma	49
-------------	----

R

Revolta.....	49
--------------	----

S

Shapes	54
--------------	----

T

Thales	55
Tik	57

V

Volta.....	58
------------	----

General terms of sale	65
-----------------------------	----

FINISHES

20	Metallic Gold, RAL 1036
26	Black matt, RAL 9005
37	Brushed nickel
45	Metallic Copper
55	Beige, RAL 1019
59	Terracotta NCS S 4030-Y80R
61	24 carat satin gold
74	White satin, RAL 9002
87	Bronze NCS S 8005-Y20R
88	Grey Stone, RAL 7039
89	Pale Green, RAL 7033
91	Nude NCS S 0804-Y90R
93	Grey-limestone, RAL 7013
94	Champagne RAL 1035
96	Anthracite RAL 7021
XX	Code according to colour

SHADES

26	Black screen
27	White screen
50	Marble textured vinyl
51	Concrete textured vinyl
52	Wood textured vinyl
64	Black acrylic, glossy

ACCESSORIES

00	Incolore
23	Smoked Grey
26	Black matt, RAL 9005
55	Beige, RAL 1019
65	Smoked Bronze
74	White satin, RAL 9002
75	Beige
90	Grey
95	Green
97	Light grey

SYMBOLS

*	Bulbs included
	Dimmer on the lamp
	Secondary bulb /

CONFIGURATOR FOR SUSPENSIONS CLUSTERS**Create / Visualize / Share****1. Create**

- **Create your own design**
- **Combine shapes, heights, finishes and colors**
- **Collections: Belt, Volta, Revolta, Loop, Thales, Flow, Alfi**

2. Visualize

- **Visualize it in 3D or Augmented Reality (AR)**
- **Preview your design in a virtual room or place it in your real space using your mobile device.**

3. Share

- **Save, download and share.**
- **Generate a technical PDF, request a quote and share it with your team.**

Start now at

<https://configurator.estiluz.com>


Scan the QR code to access to the configurator



Explore without limits. Create without barriers. Shape the light with Estiluz.

ALFI

ALF_3740S - WITH SURFACE CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI
350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

244
251


Other dimming options

TRIAC Driver (remote) 671000076
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

22
107
58

ALF_3740R - WITH RECESSED CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI
350mA) / 230V / Typ 350 lumens
Remote driver included / Dimmable Triac

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

240
248

∅40 mm drill on dry wall

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

ALFI

ALF_3740AS - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI
350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

286
301


Other dimming options

TRIAC Driver (remote) 671000076
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

22
107
58

ALF_3740AR - WITH RECESSED CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI
350mA) / 230V / Typ 350 lumens
Remote driver included / Dimmable Triac

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

282
298

∅40 mm drill on dry wall

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

ALFI

ALF_3740A1S - WITH SURFACE CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €


286
301

Other dimming options

TRIAC Driver (remote) 671000076
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

22
107
58



ALF_3740A1R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 230V / Typ 350 lumens
Remote driver included / Dimmable Triac

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

282
298

Ø40 mm drill on dry wall

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

ALFI

ALF_3741R - WITH RECESSED CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 230V / Typ 350 lumens
Remote driver included / Dimmable Triac

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

407
420

Ø40 mm drill on dry wall

Minimum order 13 units

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

ALFI

ALF_3744S - WITH SURFACE CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V) 100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

382
394

Other dimming options

TRIAC Driver (remote) 671000068
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000100

EURO €

53
107
69

ALF_3744R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V) 230V / Typ 300 lumens
Remote driver included / Non Dimmable (Dimmable Triac upon request for min. 3 units)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
20 METALLIC GOLD

EURO €

381
389

Ø60 mm drill on dropped ceiling

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000100


EURO €

107
69


ALFI

ALF_3744AS - WITH SURFACE CANOPY

T-3744AS



T-3744AR



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

424
444

Other dimming options

TRIAC Driver (remote) 671000068
CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000100

EURO €

53
107
69

ALF_3744AR - WITH RECESSED CANOPY

FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
230V / Typ 300 lumens
Remote driver included / Non Dimmable
(Dimmable Triac upon request for min. 3 units)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
20 METALLIC GOLD

EURO €

422
440

Ø60 mm drill on dropped ceiling

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000100

EURO €

107
69

ALFI

ALF_L92S4 - WITH SURFACE CANOPY



FEATURES

* LED 4x3W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 4x300 lumens
Driver included / Dimmable Triac

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

1416
1521

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 671000101

EURO €

107
112

ALFI

ALF_R40S3A - WITH SURFACE CANOPY



FEATURES

* LED 3x3W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 3x300 lumens
Driver included / Dimmable Triac

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

1337
1495

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 671000101

EURO €

107
112

ALFI

ALF_R100S17 - WITH SURFACE CANOPY



FEATURES

* LED 17x3W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 17x300 lumens
Driver included / Dimmable Triac

FINISHES

26 BLACK
20 METALLIC GOLD

EURO €

5752
6234

Other dimming options


CASAMBI for TRIAC driver 2 units of 671000003
DALI Driver 2 units of 671000101

EURO €

214
224

ARCO

ARC 4000X



IP
65

FEATURES

* LED 12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 1092 lumens
Remote driver included / Dimmable Triac

FINISHES

96 ANTHRACITE

EURO €

706

Other dimming options

DALI Driver (remote) 671000101

EURO €

112

114002960

Surface mounted canopy with IP/65 junction box. Fits driver.



EURO €

156

Direct light:



Indirect light:



ARC 4000X2

* LED 2x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 2x1092 lumens
Remote driver included / Dimmable Triac

FINISHES

96 ANTHRACITE

EURO €

1400


Other dimming options

DALI Driver (remote) 671000101

EURO €

112

Possible shapes:



ARC 4000X3


* LED 3x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 3x1092 lumens
Remote driver included / Dimmable Triac

FINISHES

96 ANTHRACITE

EURO €

2098



Other dimming options

DALI Driver (remote) 671000108

EURO €

57

ARCO

ARC_4002X

IP
65


FEATURES

* LED 12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 1092 lumens
Remote driver included / Dimmable Triac

FINISHES

96 ANTHRACITE

EURO €
609



Other dimming options



DALI Driver (remote) 671000101

EURO €
112



114002960

Surface mounted canopy with IP/65 junction box. Fits driver.



EURO €
156



Three recommended installations for optimal design (1150 mm, 950mm, 750mm)



Possible shapes:



ARC_4002X2

FEATURES

* LED 2x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 2x1092 lumens
Remote driver included / Dimmable Triac

FINISHES

96 ANTHRACITE

EURO €
1207

Other dimming options

DALI Driver (remote) 671000101

EURO €
112

ARC_4002X3

FEATURES

* LED 3x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 3x1092 lumens
Remote driver included / Dimmable Triac

FINISHES


96 ANTHRACITE

EURO €
1807

Other dimming options


DALI Driver (remote) 671000108

EURO €
57



ARO

ARO_3541S - WITH SURFACE CANOPY



FEATURES

* LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens
Driver included / Dimmable Triac

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK

EURO €

1438

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000101

EURO €

107

1112

ARO_3541R - WITH RECESSED CANOPY



FEATURES

* LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK

EURO €

1355

Ø 60mm drill on dropped ceiling

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000101


EURO €

107

112

ARO

ARO_3542S - WITH SURFACE CANOPY



FEATURES

* LED 5x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 5x1106 lumens
Driver included / Dimmable 0-10V

FINISHES

26 BLACK

EURO €

2764

Other dimming options


TRIAC Driver 671000104
CASAMBI for TRIAC driver 671000003
DALI Driver 671000105

EURO €

157

107

87



123815262 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof.
Maximum 30kg

FINISHES


26 BLACK

EURO €

2296

ARO

ARO_3543S - WITH SURFACE CANOPY



FEATURES

* LED 7x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 7x1106 lumens
Driver included / Dimmable 0-10V

FINISHES

26 BLACK

EURO €

3554

Other dimming options


TRIAC Driver 671000106
CASAMBI for TRIAC driver 671000003
DALI Driver 671000105

EURO €

233

107

87



123815262 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof.
Maximum 30kg

FINISHES


26 BLACK

EURO €


2296

ARO

ARO_R40S1M1L - WITH SURFACE CANOPY



max. 3100 mm
max. 122"



Ø 1200 mm
Ø 48"

FEATURES

* LED 12x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 12x1106 lumens
Driver included / Dimmable 0-10V

FINISHES

26 BLACK

EURO €

5870

Other dimming options

TRIAC Driver 1 unit of 671000104 + 1 unit of 671000106
CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000105

EURO €

390

107



174

BALLOON

BAL_3050

Ø 260 mm
Ø 10.1/4"

Ø 255 mm
Ø 10.1/8"



FEATURES

LED up to 20W / E27 / 120V - 240V
On/Off Switch

FINISHES

74 WHITE

EURO €

289

BAL_3050L

FEATURES

LED up to 20W / E27 / 120V - 240V

FINISHES

74 WHITE

EURO €

355


* LED 0,5W / E14 / 120V - 240V

Nightlight / 3-way switch

BALLOON

BAL_3052

Ø 260 mm
Ø 10.1/4"



835 mm
32.7/8"

FEATURES

LED up to 20W
E27 / 120V - 240V
Dimmable when using dim. lamps

FINISHES

74 WHITE

EURO €


286

BELT

BEL_4140MG


Ø 350 mm
Ø 13.3/4"

360 mm
20.1/4"



340 mm
13.3/8"

116 mm
4.5/8"



130 mm
5.1/8"

Ø 110 mm
Ø 4.3/8"

513 mm
20.1/4"

FEATURES

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Dimmable Triac

FINISHES

89 PALE GREEN

94 CHAMPAGNE

96 ANTHRACITE

EURO €

507

520

498

BEL_4140-W (2700K Typ 725 lumens)

BEL_4140-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099


EURO €

107

58

BELT

BEL_4144S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

BEL_4144S-W (2700K Typ 725 lumens)
BEL_4144S-M (3000K Typ 763 lumens)

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

EURO €

304
307
299


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

BEL_4144R - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4144R-W (2700K Typ 725 lumens)
BEL_4144R-M (3000K Typ 763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

EURO €

286
288
283

Ø 45mm drill on dropped ceiling


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

BEL_4144SG - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

BEL_4144S-W (2700K Typ 725 lumens)
BEL_4144S-M (3000K Typ 763 lumens)

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

EURO €

395
395
391


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

BEL_4144RG - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4144R-W (2700K Typ 725 lumens)
BEL_4144R-M (3000K Typ 763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

EURO €

377
380
374

Ø 45mm drill on dropped ceiling

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

BELT

BEL_4145SS - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

BEL_4145S-W (2700K Typ 725 lumens)
BEL_4145S-M (3000K Typ 763 lumens)

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

EURO €

372
378
366


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

BEL_4145RS - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4145R-W (2700K Typ 725 lumens)
BEL_4145R-M (3000K Typ 763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE


EURO €

354
360
350


Other dimming options same as above (remote)

Ø 45mm drill on dropped ceiling

Possible shapes without glass shade:



BEL_4145SSG - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

BEL_4145S-W (2700K Typ 725 lumens)
BEL_4145S-M (3000K Typ 763 lumens)

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

EURO €

463
470
458


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58

BEL_4145RSG - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4145R-W (2700K Typ 725 lumens)
BEL_4145R-M (3000K Typ 763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE


EURO €

446
451
441

Other dimming options same as above (remote)


Ø 45mm drill on dropped ceiling

Possible shapes with glass shade:



BELT

BEL_4145SM - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES

89 PALE GREEN	388
94 CHAMPAGNE	395
96 ANTHRACITE	382


BEL_4145S-W (2700K Typ 725 lumens)
BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58



BEL_4145RM - WITH RECESSED CANOPY

FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

FINISHES



Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	371
94 CHAMPAGNE	376
96 ANTHRACITE	365

BEL_4145R-W (2700K Typ 725 lumens)
BEL_4145R-M (3000K Typ 763 lumens)

Other dimming options same as above (remote)

Ø 45mm drill on dropped ceiling

Possible shapes without glass shade:



BEL_4145SMG - WITH SURFACE CANOPY

FEATURES

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES

89 PALE GREEN	480
94 CHAMPAGNE	486
96 ANTHRACITE	473


BEL_4145S-W (2700K Typ 725 lumens)
BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58



BEL_4145RMG - WITH RECESSED CANOPY

FEATURES

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

FINISHES


Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	462
94 CHAMPAGNE	468
96 ANTHRACITE	457

BEL_4145R-W (2700K Typ 725 lumens)
BEL_4145R-M (3000K Typ 763 lumens)

Other dimming options same as above (remote)


Ø 45mm drill on dropped ceiling

Possible shapes with glass shade:



BELT

BEL_4145SL - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES

FINISHES	EURO €
89 PALE GREEN	406
94 CHAMPAGNE	414
96 ANTHRACITE	399

BEL_4145S-W (2700K Typ 725 lumens)

BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58


124145890 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof. Suitable for pendant with large metal shade.



EURO €

446



BEL_4145RL - WITH RECESSED CANOPY

FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

FINISHES

FINISHES	EURO €
Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	388
94 CHAMPAGNE	395
96 ANTHRACITE	383



BEL_4145R-W (2700K Typ 725 lumens)

BEL_4145R-M (3000K Typ 763 lumens)

Possible shapes without glass shade:

Ø 45mm drill on dropped ceiling

Other dimming options same as above (remote)



BEL_4145SLG - WITH SURFACE CANOPY

FEATURES

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

FINISHES

FINISHES	EURO €
89 PALE GREEN	497
94 CHAMPAGNE	405
96 ANTHRACITE	491

BEL_4145S-W (2700K Typ 725 lumens)

BEL_4145S-M (3000K Typ 763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000099

EURO €

107
58


124145890 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof. Suitable for pendant with large metal shade.



EURO €

446



BEL_4145RLG - WITH RECESSED CANOPY

FEATURES

* LED 6,2W (Ang. 70° / >90 CRI / 350mA)
230V / Remote driver included
Dimmable Triac

FINISHES

FINISHES	EURO €
Canopy: 26 BLACK	
74 WHITE	
Body: 89 PALE GREEN	480
94 CHAMPAGNE	486
96 ANTHRACITE	474

BEL_4145R-W (2700K Typ 725 lumens)

BEL_4145R-M (3000K Typ 763 lumens)

Possible shapes with glass shade:


Ø 45mm drill on dropped ceiling

Other dimming options same as above (remote)



BELT

BEL_L73S3SG - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W (Ang. 70° / >90 CRI 350mA) 230V / Driver included
Dimmable Triac

FINISHES

89 PALE GREEN	1467
94 CHAMPAGNE	1505
96 ANTHRACITE	1406

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Multi-color version available with white canopy

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 671000092

EURO €

107
89

BELT

BEL_L73S2MG - WITH SURFACE CANOPY



FEATURES

* LED 2x6,2W (Ang. 70° / >90 CRI 350mA) 230V / Driver included
Dimmable Triac

FINISHES

89 PALE GREEN	1107
94 CHAMPAGNE	1139
96 ANTHRACITE	1047

W (2700K Typ 2x725 lumens)
M (3000K Typ 2x763 lumens)

Multi-color version available with white canopy


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 671000092

EURO €


107
89

Possible compositions shapes:



BELT

BEL_L92S3MG - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W (Ang. 70° / >90 CRI 350mA) 230V / Driver included
Dimmable Triac

FINISHES

89 PALE GREEN	1517
94 CHAMPAGNE	1554
96 ANTHRACITE	1452

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Multi-color version available with white canopy

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 671000092

EURO €

107
89

BELT

BEL_L165S1G2SG1MG1L1LG - WITH SURFACE CANOPY



FEATURES

* LED 6x6,2W (Ang. 70° / >90 CRI 350mA) 230V / Driver included
Dimmable Triac

FINISHES

89 PALE GREEN	2719
94 CHAMPAGNE	2783
96 ANTHRACITE	2618

W (2700K Typ 6x725 lumens)
M (3000K Typ 6x763 lumens)


Multi-color version available with white canopy

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092

EURO €

107
178

BELT**BEL_R40S3G - WITH SURFACE CANOPY****FEATURES**

* LED 3x6,2W (Ang. 70° / >90 CRI
350mA) 230V / Driver included
Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 671000092

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE


Multi-color version available with white canopy

EURO €

1342
1376
1283

EURO €

107
89

BELT**BEL_R40S2SG1MG - WITH SURFACE CANOPY****FEATURES**

* LED 3x6,2W (Ang. 70° / >90 CRI
350mA) 230V / Driver included
Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 671000092

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

Multi-color version available with white canopy



EURO €

1563
1607
1499

EURO €

107
89

Possible compositions shapes:

**BELT****BEL_R70S1M2MG1L2LG - WITH SURFACE CANOPY****FEATURES**

* LED 6x6,2W (Ang. 70° / >90 CRI
350mA) 230V / Driver included
Dimmable Triac

W (2700K Typ 6x725 lumens)
M (3000K Typ 6x763 lumens)

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE


Multi-color version available with white canopy

EURO €

3022
3114
2900


EURO €

107
178



BELT

BEL_4147



FEATURES

* LED 6W (2700K / Ang. 70° / >90 CRI / 24V)
230V / Typ 1026 lumens
Touch dimmer on the cord
Universal plug

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE


EURO €

318
321
318



BELT

BEL_4148



FEATURES

* LED 6,2W (2700K / Ang. 60° / >90 CRI
350mA) 230V / Typ 725 lumens
Push button dimmer on the head

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE


EURO €

681
699
667

Upon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost

BEL_4148G



FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) 230V / Typ 725 lumens
Push button dimmer on the head

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

EURO €


772
790
758

Upon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost

BELT

BEL_4149M



FEATURES

* LED 6,2W (2700K / Ang. 60° / >90 CRI
350mA) 230V / Typ 725 lumens
Push button dimmer on the head

Upon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE


EURO €

766
787
749

Possible shapes without glass shade:



BEL_4149MG



FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) 230V / Typ 725 lumens
Push button dimmer on the head

Upon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost


FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

EURO €


857
879
840

Possible shapes with glass shade:



BELT

BEL_4149L



FEATURES

* LED 6,2W (2700K / Ang. 60° / >90 CRI
350mA) 230V / Typ 725 lumens
Push button dimmer on the head

Upon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost

FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE


EURO €

783
805
767

Possible shapes without glass shade:



BEL_4149LG



FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) 230V / Typ 725 lumens
Push button dimmer on the head

Upon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost


FINISHES

89 PALE GREEN
94 CHAMPAGNE
96 ANTHRACITE

EURO €


875
897
858

Possible shapes with glass shade:



BOLS

BOL_4022X - OUTDOOR



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

59 TERRACOTTA
96 ANTHRACITE

EURO €

1058
1058

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

107
112

BOLS

BOL_4023X - OUTDOOR



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

55 BEIGE

EURO €

1167

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

107
112

BOLS

BOL_4024X - OUTDOOR



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

59 TERRACOTTA
96 ANTHRACITE

EURO €

1175
1175

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

107
112

BOLS

BOL_4025X - OUTDOOR



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

55 BEIGE

EURO €

1286

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

107
112

BOLS

BOL_4027X - OUTDOOR

IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Non Dimmable

FINISHES

96 ANTHRACITE

EURO €
1212

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001


EURO €

107

112

TABLE KIT

124027962
Polypropylene flower
pot + metal table top
Maximum 3kg



FINISHES

96 ANTHRACITE

EURO €

98

FLOWER POT KIT

124027963
Polypropylene flower pot
for natural vegetation
Maximum 5,5kg



FINISHES

96 ANTHRACITE

EURO €

53

VEGETATION KIT

124027967
Artificial greenery + tray



FINISHES

96 ANTHRACITE

EURO €

669

BOLT DOWN FLOOR BASE KIT
KIT ANCLAJE A SUELO

124027966
Metal base



FINISHES


96 ANTHRACITE

EURO €

112

BOLS

BOL_4028X - OUTDOOR

IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Non Dimmable

FINISHES

59 TERRACOTTA

96 ANTHRACITE

EURO €

1125

1125

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

107

112

TABLE KIT

124028XX2
Polypropylene flower
pot + metal table top
Maximum 5kg



FINISHES

59 TERRACOTTA

96 ANTHRACITE

EURO €

125

125

FLOWER POT SET

Ø160mm
124028XX4
Includes 3 flower pots + tray



FINISHES

59 TERRACOTTA

96 ANTHRACITE


EURO €

67

67

FLOWER POT SET

Ø180mm
124028XX5
Includes 3 flower pots + tray



FINISHES

59 TERRACOTTA

96 ANTHRACITE

EURO €

72

72

VEGETATION KIT

124028XX7
Artificial greenery + tray



FINISHES

59 TERRACOTTA

96 ANTHRACITE

EURO €

922

922

BOLT DOWN FLOOR BASE KIT
KIT ANCLAJE A SUELO

124027XX6
Metal base



FINISHES

59 TERRACOTTA

96 ANTHRACITE


EURO €

112

112

CANUT

CAN_3571



FEATURES

* LED 3W (3000K / Ang. 50° / >90 CRI 350mA) / 100V - 240V
 Typ 350 lumens
 Non Dimmable
 On/Off switch for reading light (2 circuits)

FINISHES

26 BLACK
 94 WHITE

EURO €

366
 366


Chrome swivel on all the finishes



* LED 1W (3000K / Ang. 120° >80 CRI / 24V)
 100V - 240V
 Typ 150 lumens
 Non Dimmable

CIRC

CIR_3702



IP
 44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES

23 SMOKED GREY
 65 SMOKED BRONZE

EURO €

455
 455

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

CIRC

CIR_3704



IP
 44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES

00 PLAIN

EURO €

579

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

CIRC

CIR_3706



IP
 44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES

00 PLAIN

EURO €

587

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

CIR_3706A - WITH MISTING TREATMENT

IP
 44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES

00 PLAIN

EURO €

738

Mirror with misting treatment
 Espejo con sistema anti vaho

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

CIRC

CIR_3714S - WITH SURFACE CANOPY



Ø 110 mm
Ø 4.3/8"

FEATURES

* LED 6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

549

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver 671000099

EURO €

107

58

CIR_3714R - WITH RECESSED CANOPY

FEATURES

* LED 6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

557


484

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling

CIRC

CIR_3715S - WITH SURFACE CANOPY



Ø 110 mm
Ø 4.3/8"

FEATURES

* LED 2x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 2x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

815

685

736

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver 671000092

EURO €

107

89

CIR_3715R - WITH RECESSED CANOPY

FEATURES

* LED 2x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 2x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

785

656


706

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling

CIRC

CIR_3716S - WITH SURFACE CANOPY



Ø 110 mm
Ø 4.3/8"

FEATURES

* LED 3x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 3x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

1210

993

1036

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver 671000092

EURO €

107

89

CIR_3716R - WITH RECESSED CANOPY

FEATURES

* LED 3x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 3x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

1180


964

1007

Other dimming options same as above (remote)

CIRC

CIR_3720 - INDOOR



FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES

61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

356
314
329

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

CIR_3720B - BATHROOM

IP
44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES

61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

377
332
349

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

CIR_3720X - OUTDOOR

IP
55

FEATURES

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES

26 BLACK
87 BRONZE

EURO €

337
353

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

Signage - IN & OUT


Optional laser-cut signage
Minimum order 10 units
Custom finishes available

FINISHES

In & Out: 55 BEIGE
Indoor only: 94 CHAMPAGNE


EURO €

42
43



CIRC

CIR_3722 - INDOOR



FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES

61 SATIN GOLD
26 BLACK
87 BRONZE

EURO €

417
382
400

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

CIR_3722X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES

26 BLACK
87 BRONZE

EURO €

362
382

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

CIRC

CIR_3726X - OUTDOOR



IP
67

FEATURES

* LED 2,5W (3000K / Ang. 120° / >80 CRI)
5200mAh) 230V / Typ 290 lumens
Polyethylene shade

FINISHES

In & Out: 26 BLACK
Indoor only: 61 SATIN GOLD


EURO €

328
348

Li on battery / Three position dimming / Remote control
Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

CIR_3727X - OUTDOOR



FEATURES

* LED 2,5W (3000K / Ang. 120° / >80 CRI
5200mAh) 230V / Typ 290 lumens
Polyethylene shade

FINISHES

In & Out: 26 BLACK
Indoor only: 61 SATIN GOLD


EURO €

380
428

Li on battery / Three position dimming / Remote control
Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

CIR_3728 - INDOOR



FEATURES

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES

61 SATIN GOLD
26 BLACK

EURO €

686
526


DIMMABLE UPON REQUEST / REGULABLE BAJO PEDIDO

Push button dimmer on the cord

EURO €

176

CIR_3728X - OUTDOOR



FEATURES

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Non Dimmable
Polyethylene shade

FINISHES


26 BLACK

EURO €

509

CIRC

CIR_3729 - INDOOR



FEATURES

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES

61 SATIN GOLD
26 BLACK

EURO €

803
601


DIMMABLE UPON REQUEST / REGULABLE BAJO PEDIDO

Push button dimmer on the cord

EURO €

176

CIR_3729X - OUTDOOR



FEATURES

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Non Dimmable
Polyethylene shade





FINISHES

26 BLACK

EURO €

692

CIRC



CIRC 3815S - WITH SURFACE CANOPY

FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

1495
1714

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092

EURO €

107
178

CP CIRC 3815R - WITH RECESSED CANOPY

FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD





EURO €

1371
1598

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling

CIRC



CIRC 3816S - WITH SURFACE CANOPY

FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Dimmable Triac / Glass shade

FINISHES

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

2302
2708

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 3 units of 671000092

EURO €

107
267

CIRC 3816R - WITH RECESSED CANOPY

FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD





EURO €

2178
2584

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling

CIRC



CIRC R30S1SP1MP - WITH SURFACE CANOPY

FEATURES

* LED 11x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 11x725 lumens
Dimmable Triac / Glass shade

FINISHES

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

3571
4199

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 5 units of 671000092

EURO €

107
445

CIRC R12R1SP1MP - WITH RECESSED CANOPY

FEATURES

* LED 11x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 11x725 lumens
Dimmable Triac / Glass shade

FINISHES

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €


3450
4074

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling

CIRC

CIR_R3OS1MP1VK - WITH SURFACE CANOPY



FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Driver included / Dimmable Triac
Glass shade


FINISHES

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

4589
5004

Vegetation KIT with artificial greenery.
Not waterproof / Maximum 30kg




Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 3 units of 671000092

EURO €

107
267

CIR_R12R1MP1VK - WITH RECESSED CANOPY



FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver / Dimmable Triac
Glass shade


FINISHES

Canopy: 26 BLACK
Ring: 26 BLACK
61 SATIN GOLD

EURO €

4474
4880

Vegetation KIT with artificial greenery.
Not waterproof / Maximum 30kg



Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 3 units of 671000092

EURO €

107
267

CIRC

CIR_R3OS1S1M - WITH SURFACE CANOPY



FEATURES

* LED 2x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 2x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

26 BLACK

EURO €

838


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 671000092

EURO €

107
89

CIR_R12R1S1M - WITH RECESSED CANOPY



FEATURES

* LED 2x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 2x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

26 BLACK

EURO €

714

Ø 50mm drill on dropped ceiling 

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000092

EURO €

107
89

CIRC

CIR_R30S2S1M - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 3x725 lumens
Driver included / Dimmable Triac / Glass shade

FINISHES

26 BLACK

EURO €

1114

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 671000092

EURO €

107

89

CIR_R12R2S1M - WITH RECESSED CANOPY



FEATURES

* LED 3x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 3x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

26 BLACK

EURO €


990

∅ 50mm drill on dropped ceiling

Other dimming options same as above (remote)

CIRC

CIR_R30S2S2M - WITH SURFACE CANOPY



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac / Glass shade

FINISHES

26 BLACK

EURO €

1453

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092

EURO €

107

178

CIR_R12R2S2M - WITH RECESSED CANOPY



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

26 BLACK

EURO €


1329

∅ 50mm drill on dropped ceiling

Other dimming options same as above (remote)

CIRC

CIR_R30S4S2M - WITH SURFACE CANOPY



FEATURES

* LED 6x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 6x725 lumens
Driver included / Dimmable Triac / Glass shade

FINISHES

26 BLACK

EURO €

2005

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092

EURO €

107

178

CIR_R12R4S2M - WITH RECESSED CANOPY



FEATURES

* LED 6x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 6x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

26 BLACK

EURO €


1881

∅ 50mm drill on dropped ceiling

Other dimming options same as above (remote)

CIRC

CIR_3824S



FEATURES

* LED 3x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 3x725 lumens
Driver included / Dimmable Triac
Glass shade and acoustic panel

FINISHES

Canopy: 26 BLACK
Panels: 97 LIGHT GREY

EURO €

1579

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 671000092


EURO €

107

89

CIRC

CIR_3825S



FEATURES

* LED 5x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 5x725 lumens
Driver included / Dimmable Triac
Glass shade and acoustic panel

FINISHES

Canopy: 26 BLACK
Panels: 97 LIGHT GREY

EURO €

2064

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092


EURO €

107

178

CIRC

CIR_R12R4S - WITH RECESSED CANOPY



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

26 BLACK

EURO €

1397

Ø 50mm drill on dry wall

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 2 units of 671000092


EURO €

107

178

CIRC

CIR_R30S6S - WITH SURFACE CANOPY



FEATURES

* LED 6x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 6x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

26 BLACK

EURO €

2118

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI Driver 2 units of 671000092


EURO €

107

178

CIRC

123815263 - SUSPENSION FLOWER POT KIT



FEATURES

Flower pot KIT for greenery in black anthracite polyethylene. Plants not included.
Waterproof / Maximum 1,5kg

FINISHES

26 BLACK ANTHRACITE


EURO €

211

KIT de vegetación para plantas. Plantas no incluidas.
Maceta de polietileno negro antracita.
Resistente al agua / Máximo 1,5kg

COMPASS

COM_4070S



FEATURES / CARACTERÍSTICAS

* LED 3W (Ang.38° / >90CRI / 350mA)
100V - 240V / Non Dimmable

FINISHES

26 BLACK
55 BEIGE
59 TERRACOTTA

EURO €

367

367

367

A-4070-W (2700K Typ 285 lumens)
A-4070-M (3000K Typ 367 lumens)

Other dimming options

TRIAC driver (remote) 671000076
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €


22

107

58

COMPASS

COM_4071S




FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 350mA)
 100V - 240V
 Driver included / Non Dimmable

FINISHES
 26 BLACK
 55 BEIGE
 59 TERRACOTTA

EURO €
 419
 419
 419

A-4071-W (2700K Typ 285 lumens)
 A-4071-M (3000K Typ 367 lumens)

Bathroom version IP44 upon request
 Versión para baño IP44 bajo pedido



Luminarie can be mounted off the center


Other dimming options

TRIAC driver (remote) 671000076
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €
 22
 107
 58

COMPASS

COM_4072S



FEATURES / CARACTERÍSTICAS
 * LED 2x3W (Ang.38° / >90CRI / 350mA)
 100V - 240V
 Driver included / Non Dimmable

FINISHES
 26 BLACK
 55 BEIGE
 59 TERRACOTTA

EURO €
 701
 701
 701

A-4072-W (2700K Typ 2x285 lumens)
 A-4072-M (3000K Typ 2x367 lumens)


Other dimming options

TRIAC driver (remote) 671000076
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €
 22
 107
 58

COMPASS

COM_4073R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 350mA)
 230V / Remote driver / Non Dimmable

FINISHES
 26 BLACK
 55 BEIGE
 59 TERRACOTTA

EURO €
 288
 288
 288

A-4073-W (2700K Typ 285 lumens)
 A-4073-M (3000K Typ 367 lumens)

Ø 60mm drill on dry wall


Other dimming options

TRIAC driver (remote) 671000076
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €
 22
 107
 58

COMPASS

COM_4073S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 350mA)
 230V / Driver included / Non Dimmable

FINISHES
 26 BLACK
 55 BEIGE
 59 TERRACOTTA

EURO €
 276
 276
 276

A-4073-W (2700K Typ 285 lumens)
 A-4073-M (3000K Typ 367 lumens)


Other dimming options

TRIAC driver (remote) 671000076
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €
 22
 107
 58

COMPASS

COM_4074S



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang.38° / >90CRI / 300mA)
230V / Dimmable Triac


T-4074-W (2700K Typ 625 lumens)
T-4074-M (3000K Typ 652 lumens)

FINISHES

26 BLACK
55 BEIGE
59 TERRACOTTA

EURO €

365
365
365



Can be mounted on the wall

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 6710000103

EURO €

107
50

COMPASS

COM_R21S2 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang.38° / >90CRI / 300mA)
230V / Dimmable Triac


T-4074-W (2700K Typ 2x625 lumens)
T-4074-M (3000K Typ 2x652 lumens)

FINISHES

26 BLACK
55 BEIGE
59 TERRACOTTA

EURO €

812
812
812



1800 mm - 2000 mm
70.7/8" - 78.3/4"

Scheme parameters:
Ceiling height = 2500mm
Table length = 1800 - 2000mm
Table width = 900mm

Consult spec sheets for other possible shapes



114074XX2R

Optional recessed canopy

Ø 50mm drill on dropped ceiling



EURO €

182

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 6710000103

EURO €

107
50

COMPASS

COM_R21S4 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (Ang.38° / >90CRI / 300mA)
230V / Dimmable Triac


T-4074-W (2700K Typ 4x625 lumens)
T-4074-M (3000K Typ 4x652 lumens)

FINISHES

26 BLACK
55 BEIGE
59 TERRACOTTA

EURO €

1339
1339
1339



2300 mm - 2600 mm
90.1/2" - 102.3/8"

Scheme parameters:
Ceiling height = 2500mm
Table length = 2300 - 2600mm
Table width = 900mm

Consult spec sheets for other shape possibilities



114074XX2R

Optional recessed canopy

Ø 50mm drill on dropped ceiling



EURO €

182

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 2 units of 6710000103

EURO €

107
100

COMPASS


COM_R21S6 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6x6,2W (Ang.38° / >90CRI / 300mA)
 230V / Dimmable Triac
 T-4074-W (2700K Typ 6x625 lumens)
 T-4074-M (3000K Typ 6x652 lumens)

FINISHES
 26 BLACK
 55 BEIGE
 59 TERRACOTTA

EURO €
 1866
 1866
 1866



Scheme parameters:
 Ceiling height = 2500mm
 Table diameter = 1600 - 2000mm
 Consult spec sheets for other possible shapes



114074XX2R
 Optional recessed canopy



Ø 50mm drill on dropped ceiling



EURO €
 182


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
 DALI Driver (remote) 3 units of 6710000103

EURO €
 107
 150

COMPASS

COM_4077



FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 24V)
 100V - 240V / Push button dimmer on the cord
 Universal plug


FINISHES
 26 BLACK
 55 BEIGE
 59 TERRACOTTA

EURO €
 484
 484
 484

M-4077-W (2700K Typ 300 lumens)
 M-4077-M (3000K Typ 330 lumens - check lead time)

COMPASS

COM_4078



FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 24V)
 100V - 240V / Push button dimmer on the cord
 Universal plug


FINISHES
 26 BLACK
 55 BEIGE
 59 TERRACOTTA

EURO €
 616
 616
 616

p-4078-W (2700K Typ 300 lumens)
 p-4078-M (3000K Typ 330 lumens - check lead time)

COMPASS

COM_4079



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang.38° / >90CRI / 300mA)
 100V - 240V / Push button dimmer on the cord
 Universal plug


FINISHES
 26 BLACK
 55 BEIGE
 59 TERRACOTTA

EURO €
 700
 700
 700

P-4079-W (2700K Typ 625 lumens)
 P-4079-M (3000K Typ 652 lumens)

CUPOLINA

CUP_3930



FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Shelf: maximum 2kg

FINISHES

26 BLACK
59 TERRACOTTA

EURO €

429
472

Other dimming options


TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58

CUPOLINA

CUP_3934S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non Dimmable

FINISHES

26 BLACK
59 TERRACOTTA

EURO €


298
311

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58



CUP_3934R - WITH RECESSED CANOPY

FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
59 TERRACOTTA

EURO €

285
292

Ø 45mm drill on dropped ceiling

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

107
58

CUPOLINA

CUP_3935



FEATURES

* LED 6x6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 230V / Typ 6x725 lumens
Driver included / Dimmable Triac

FINISHES

26 BLACK

EURO €

1594

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver 2 units of 671000092

EURO €

107
178

CUPOLINA

CUP_3937



FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES


26 BLACK
59 TERRACOTTA

EURO €

438
470

CUPOLINA

CUP_3939



FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES


26 BLACK
59 TERRACOTTA

EURO €

711
765

CYLS

CYL_3900



FEATURES

LED up to 10W / E14 / 230V
Dimmable When using dim. lamps

FINISHES

26 BLACK

EURO €

153

100006400


LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €

17

CYLS

CYL_3906



FEATURES


LED up to 20W / E27 / 230V
On/Off cord switch

FINISHES

26 BLACK

EURO €

184



CYL_3906P

FEATURES

LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES

Shade: 27 WHITE
Body: 26 BLACK

EURO €

315

100019420


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

40

CYLS

CYL_3907



FEATURES
LED up to 10W
E14 / 230V
On/Off cord switch

FINISHES
26 BLACK

EURO €
337


100006400

LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €
17

CYLS


CYL_3908



FEATURES
LED up to 20W / E27 / 230V
On/Off cord switch

FINISHES
26 BLACK

EURO €
581



CYL_3908P

FEATURES
LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES
Shade: 27 WHITE
Body: 26 BLACK

EURO €
717


100019420

LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €
40

ECLIPSI


ECL_3700



FEATURES
* LED 2x10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x870 lumens
Dimmable Triac
Weight: 4,5Kg

FINISHES
74 WHITE

EURO €
542



Can be mounted on the ceiling

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000101

EURO €
112


Signage

Optional laser-cut signage / Minimum order 18 units
Señalización opcional con láser / Pedido mínimo 18 unidades

EURO €
40

ECLIPSI


ECL_3701



FEATURES
* LED 2x15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x1245 lumens
Dimmable Triac
Weight: 8,5Kg

FINISHES
74 WHITE

EURO €
737




Can be mounted on the ceiling

Other dimming options

TRIAC Led DALI Dimmer (remote) 671000101

EURO €
112

FLOW
FLO_3730

FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non dimmable

FINISHES

61 SATIN GOLD
26 BLACK

EURO €


383
338

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58

FLOW
FLO_3734S - WITH SURFACE CANOPY

FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €


371
348

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58


FLO_3734R - WITH RECESSED CANOPY
FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES


Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €

358
334

Other dimming options same as above (remote)

∅ 45mm drill on dropped ceiling

FLOW
FLO_3735S - WITH SURFACE CANOPY

FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €


395
371

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58


FLO_3735R - WITH RECESSED CANOPY
FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK


EURO €

382
358

Other dimming options same as above (remote)

∅ 45mm drill on dropped ceiling

FLOW



FLOW_3736S - WITH SURFACE CANOPY

FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €


399
377

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58



FLOW_3736R - WITH RECESSED CANOPY

FEATURES

* LED 6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €

386
364

Ø 45mm drill on dropped ceiling


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

107
58

FLOW



FLO_L92S4S - WITH SURFACE CANOPY

FEATURES

* LED 3x6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 3x725 lumens
Driver included / Dimmable Triac

FINISHES

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €

1404
1311

Up to 3 additional FLOW can be added
Posibilidad de añadir hasta 3 FLOW


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

107
178

FLOW



FLO_R40S3S - WITH SURFACE CANOPY

FEATURES

* LED 3x6,2W (2700K / Ang. 90° / >90 CRI
350mA) / 100V - 240V / Typ 3x725 lumens
Driver included / Dimmable Triac

FINISHES

Canopy: 26 BLACK
74 WHITE
Shade: 61 SATIN GOLD
26 BLACK

EURO €

1157
1088


Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

107
89

FRAME



FRA_4050 - INDOOR

FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Transparent pyrex glass

FINISHES

87 BRONZE
96 ANTHRACITE

EURO €

289
284

Other dimming options


TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58

FRAME

FRA_4051X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Transparent pyrex glass

FINISHES

87 BRONZE
96 ANTHRACITE

EURO €
415
402

Other dimming options


TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €
43
107
58

Signage

Optional laser-cut signage / Minimum order 5 units

EURO €
64




124051960 VEGETATION KIT

KIT for greenery. Plants not included.

EURO €
37

FRAME

FRA_4053X - OUTDOOR



IP
65

FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Transparent pyrex glass

FINISHES

87 BRONZE
96 ANTHRACITE

EURO €
402
393


Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €
43
107
58

FRAME

FRA_4054X - OUTDOOR



IP
65

FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass

FINISHES

87 BRONZE
96 ANTHRACITE

EURO €
416
402


Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €
43
107
58

FRAME

FRA_4055X - OUTDOOR



IP
65

FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass

FINISHES

87 BRONZE
96 ANTHRACITE

EURO €
435
418


Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €
43
107
58

FRAME

FRA_4056X - OUTDOOR

IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass

FINISHES

87 BRONZE
96 ANTHRACITE

EURO €

480
460

Other dimming options


TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58

GADA

GAD_3921



FEATURES

* LED 22W (3000K / Ang. 90° / >90 CRI
500mA) / 230V / Typ 3150 lumens
Dimmable Triac

FINISHES

Shade: 74 WHITE
Textured vinyl shade:
50 MARBLE
51 CONCRETE
52 WOOD

EURO €

462
521
521
521

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000107

EURO €

107
54

Signage


Optional laser-cut signage / Minimum order 13 units

EURO €

42

GADA

GAD_3924S - WITH SURFACE CANOPY



FEATURES

* LED 22W (3000K / Ang. 90° / >90 CRI
500mA) / 230V / Typ 3150 lumens
Driver included / Dimmable Triac

FINISHES

Shade: 74 WHITE
Textured vinyl shade:
50 MARBLE
51 CONCRETE
52 WOOD

EURO €

608
667
667
667


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000107

EURO €

107
54

GAD_3924R - WITH RECESSED CANOPY



FEATURES

* LED 22W (3000K / Ang. 90° / >90 CRI
500mA) / 230V / Typ 3150 lumens
Remote driver included / Dimmable Triac

FINISHES

Shade: 74 WHITE
Textured vinyl shade:
50 MARBLE
51 CONCRETE
52 WOOD

EURO €

526
584
584
584

∅ 55mm drill on dropped ceiling

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000107

EURO €

107
54

GADA

GAD_3925S - WITH SURFACE CANOPY



FEATURES

* LED 33W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 4725 lumens
Driver included / Dimmable Triac

FINISHES

Shade: 74 WHITE
Textured vinyl shade:
50 MARBLE
51 CONCRETE
52 WOOD

EURO €


749
814
814
814

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000108

EURO €

107
57



GAD_3925R - WITH RECESSED CANOPY

FEATURES

* LED 33W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 4725 lumens
Remote driver included / Dimmable Triac

FINISHES

Shade: 74 WHITE
Textured vinyl shade:
50 MARBLE
51 CONCRETE
52 WOOD

EURO €

667
732
732
732

Ø 55mm drill on dropped ceiling

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000108

EURO €

107
57

GADA

GAD_3927



FEATURES

* LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
On/Off switch on the base

FINISHES


Shade: 74 WHITE
Textured vinyl shade:
50 MARBLE
51 CONCRETE
52 WOOD

EURO €

655
695
695
695

ICONS

ICO_1129



FEATURES

* Hal. up to 200W / 118mm / R7s base
230V / Dimmable

FINISHES

61 SATIN GOLD
37 NICKEL
26 BLACK


EURO €

886
792
660

Compatible with Dimmable LED
118mm / R7s base / 230V
Not included

LAVERD

LAV_3805S



FEATURES

* LED 8x3W up + 8x3W down (2700K Ang. 60° / >90 CRI / 24V) 100V - 277V
Typ 8x300 lumens up + 8x300 lumens down
Driver included / Dimmable 0-10V
Up and down light

FINISHES

Canopy: 26 BLACK
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

2262
2450


Other dimming options

DALI driver 671000105

EURO €


87

Possible shapes / compositions



LAVERD

LAV_3806S - WITH SURFACE CANOPY



FEATURES

* LED 12x3W up + 12x3W down (2700K
Ang. 60° / >90 CRI / 24V) 100V - 277V
Typ 12x300 lumens up + 12x300 lumens down
Driver included / Dimmable 0-10V
Up and down light

FINISHES

Canopy: 26 BLACK
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €


3586
3871

Other dimming options


DALI driver 671000105

EURO €

87




Possible shapes / compositions



LAVERD

LAV_R11S1S1M - WITH SURFACE CANOPY



FEATURES

* LED 20x3W up + 20x3W down (2700K
Ang. 60° / >90 CRI / 24V) 100V - 277V
Typ 20x300 lumens up + 20x300 lumens down
Driver included / Dimmable 0-10V
Up and down light

FINISHES

Canopy: 26 BLACK
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €


5849
6322

Other dimming options


DALI driver 2 units of 671000105

EURO €

174




Possible shapes / compositions



LAVERD

LAV_R11S1M1VK - WITH SURFACE CANOPY



FEATURES

* LED 12x3W up + 12x3W down (2700K
Ang. 60° / >90 CRI / 24V) 100V - 277V
Typ 12x300 lumens up + 12x300 lumens down
Driver included / Dimmable 0-10V
Up and down light

FINISHES

Canopy: 26 BLACK
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €


5882
6167

Other dimming options

DALI driver 671000105


EURO €

87



LOOP

LOO_4120



FEATURES

* LED 6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 1026 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
26 BLACK

EURO €

341
331

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000100

EURO €

107
69

LOOP

LOO_4125S - WITH SURFACE CANOPY



FEATURES

* LED 6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 1026 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
26 BLACK

EURO €

547
526


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000100

EURO €

107
69

LOO_4125R - WITH RECESSED CANOPY



FEATURES

* LED 6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 1026 lumens
Remote Driver included / Dimmable Triac

FINISHES

Canopy: 74 WHITE
26 BLACK
Body: 20 METALLIC GOLD
26 BLACK

EURO €

529
509

Ø 60mm drill on dropped ceiling

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000100

EURO €

107
69

LOOP

LOO_L92S3 - WITH SURFACE CANOPY



FEATURES

* LED 3x6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 3x1026 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
26 BLACK

EURO €

1749
1619

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 671000101

EURO €

107
112

LOOP

LOO_L165S6 - WITH SURFACE CANOPY



FEATURES

* LED 6x6W (2700K / Ang. 120° / >90 CRI
24V) / 230V / Typ 6x1026 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
26 BLACK

EURO €






3369
3120

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000101


EURO €

107
224

LOOP 	LOO_R40S3 - WITH SURFACE CANOPY FEATURES * LED 3x6W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 3x1026 lumens Driver included / Dimmable Triac FINISHES 20 METALLIC GOLD 26 BLACK EURO € 1854 1689 Other dimming options CASAMBI for TRIAC driver 671000003 DALI driver 671000101 EURO € 107 112
LOOP 	LOO_R70S6 - WITH SURFACE CANOPY FEATURES * LED 6x6W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 6x1026 lumens Driver included / Dimmable Triac FINISHES 20 METALLIC GOLD 26 BLACK EURO € 3485 3348 Other dimming options CASAMBI for TRIAC driver 671000003 DALI driver 2 units of 671000101 EURO € 107 224
LUNE 	LUN_3370 - OUTDOOR IP 65 FEATURES * LED 10W (2700K / Ang. 120° / >90 CRI) 230V / Typ 870 lumens Dimmable Triac FINISHES In & Out: 26 BLACK 74 WHITE Indoor only: 61 SATIN GOLD EURO € 408 408 464 Signage Optional laser-cut signage / Minimum order 5 units EURO € 64 Other dimming options TRIAC Led DALI Dimmer (remote) 671000001 EURO € 112
MAINE 	MAI_3410 FEATURES * LED 10W (2700K / Ang. 90° / >90 CRI) 230V / Typ 870 lumens / Dimmable Triac FINISHES 45 METALLIC COPPER 20 METALLIC GOLD EURO € 320 320 Other dimming options TRIAC Led DALI Dimmer (remote) 671000001 EURO € 112
MAINE 	MAI_3415S - WITH SURFACE CANOPY FEATURES * LED 10W (2700K / Ang. 90° / >90 CRI) 230V / Typ 870 lumens Dimmable Triac FINISHES Canopy: 26 BLACK 74 WHITE Shade: 45 METALLIC COPPER 20 METALLIC GOLD EURO € 421 421 Other dimming options TRIAC Led DALI Dimmer (remote) 671000001 EURO € 112
MAINE 	MAI_R40S3 - WITH SURFACE CANOPY FEATURES * LED 3x10W (2700K / Ang. 90° / >90 CRI) 230V / Typ 3x870 lumens Dimmable Triac FINISHES Canopy: 26 BLACK 74 WHITE Shade: 45 METALLIC COPPER 20 METALLIC GOLD EURO € 1365 1365 Other dimming options TRIAC Led DALI Dimmer (remote) 671000001 EURO € 112

MOOD

MOO_4064S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 1800 lumens
Driver included / Dimmable Triac

FINISHES

74 WHITE
91 NUDE

EURO €

531
531

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000101


EURO €

107
112

Possible shapes:



MOO_4064R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 1800 lumens
Remote driver included / Dimmable Triac

FINISHES

74 WHITE
91 NUDE

EURO €

449
449

Ø 60mm drill on dropped ceiling

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000101

EURO €

107
112

MOOD

MOO_4062S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 2x1800 lumens
Driver included / Dimmable Triac

FINISHES

74 WHITE
91 NUDE

EURO €



1164
1164

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver 2 units of 671000101

EURO €

107
224



MOO_4062R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 2x1800 lumens
Remote driver included / Dimmable Triac

FINISHES

74 WHITE
91 NUDE

EURO €

1040
1040



Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 2 units of 671000101


EURO €

107
224

Ø 60mm drill on dropped ceiling



MOO_L92S2D - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x19W (2700K / Ang.120° / >80CRI
24V) / 230V / Typ 4x1800 lumens
Driver included / Dimmable 0-10V

FINISHES

74 WHITE
91 NUDE

EURO €

2014
2014

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver 4 units of 671000101

EURO €

107
448

MOOD

MOO_4063S - WITH SURFACE CANOPY



max. 2040 mm
max. 80.3/8"

FEATURES / CARACTERÍSTICAS

* LED 3x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 3x1800 lumens
Driver included / Dimmable 0-10V

FINISHES

74 WHITE
91 NUDE

EURO €


1816
1816

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver 3 units of 671000101

EURO €


107
336



\varnothing 270 mm
 \varnothing 10.5/8"



MOO_4063R - WITH RECESSED CANOPY



max. 2040 mm
max. 80.3/8"

FEATURES / CARACTERÍSTICAS

* LED 3x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 3x1800 lumens
Remote driver included / Dimmable 0-10V

FINISHES

74 WHITE
91 NUDE

EURO €

1692
1692


 \varnothing 65mm drill on dropped ceiling

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 3 units of 671000101

EURO €


107
336



\varnothing 270 mm
 \varnothing 10.5/8"



MOO_L92S1D1T - WITH SURFACE CANOPY



1063 mm
41.7/8"

FEATURES / CARACTERÍSTICAS

* LED 5x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 5x1800 lumens
Driver included / Dimmable 0-10V

FINISHES

74 WHITE
91 NUDE

EURO €

2814
2814


Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver 5 units of 671000101

EURO €

107
560

MOO_L92S2T - WITH SURFACE CANOPY



1063 mm
41.7/8"

FEATURES / CARACTERÍSTICAS

* LED 6x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 6x1800 lumens
Driver included / Dimmable 0-10V

FINISHES

74 WHITE
91 NUDE

EURO €

3376
3376

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver 6 units of 671000101


EURO €

107
672

MOOD


MOO_4066

40 mm
1.5/8"



∅ 270 mm
∅ 10.5/8"

3000 mm
118.1/8"



3500 mm
137.3/4"



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug

FINISHES

74 WHITE
91 NUDE

EURO €


375
375

MOOD

MOO_4060 - FLAT WALL SUPPORT


9 mm
3/8"

∅ 43 mm
∅ 1.3/4"



∅ 270 mm
∅ 10.5/8"

3000 mm
118.1/8"



3500 mm
137.3/4"



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct light

FINISHES

74 WHITE
91 NUDE

EURO €

406
406

40 mm
1.5/8"



16 mm
5/8"

∅ 22 mm
∅ 7/8"

124060262

Cable holder to guide the cord

EURO €


22

MOOD

MOO_4061 - WALL SUPPORT STEM


150 mm
5.7/8"

90°
90°



∅ 270 mm
∅ 10.5/8"

3000 mm
118.1/8"



3500 mm
137.3/4"



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct or indirect light



FINISHES

74 WHITE
91 NUDE

EURO €


509
509

Possible shapes:



MOOD

MOO_4065 - CEILING SUPPORT



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct or indirect light


FINISHES

74 WHITE
91 NUDE

EURO €


438
438

Possible shapes:



MOOD

MOO_4067 - TABLE SUPPORT



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct or indirect light

FINISHES

74 WHITE
91 NUDE

EURO €


560
560

Possible shapes:



MOOD

MOO_4068 - FLOOR SUPPORT



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI
24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct or indirect light


FINISHES

74 WHITE
91 NUDE

EURO €


675
675

Possible shapes:



MORSE

MOR_3915S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (2700K / Ang. 30° / >90 CRI
 350mA) 230V / Typ 3x725 lumens
 Driver included / Dimmable Triac

FINISHES
 26 BLACK
 94 CHAMPAGNE

EURO €
 1205
 Pending

Other dimming options
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver 671000092




EURO €
 107
 89

6700000100 (x3) - OPTIONAL
 3 units of acrylic optic lens 60°

EURO €
 18

123915002
 Union KIT for more than one Morse

EURO €
 21



MOR_3915R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (2700K / Ang. 30° / >90 CRI
 350mA) 230V / Typ 3x725 lumens
 Remote driver included / Dimmable Triac

FINISHES
 Canopy: 26 BLACK
 74 WHITE
 Body: 26 BLACK
 94 CHAMPAGNE

EURO €
 1175
 Pending

Ø 55mm drill on dropped ceiling

Other dimming options
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000092



EURO €
 107
 89

6700000100 (x3) - OPTIONAL
 3 units of acrylic optic lens 60°

EURO €
 18


123915002
 Union KIT for more than one Morse

EURO €
 21



NIT

NIT_3520



FEATURES

* LED 1W (3000K / Ang. 60° / >80 CRI / 350mA)
100V - 240V / Typ 123 lumens
On/Off switch
2 Amp USB Charger
Low ripple

FINISHES

26 BLACK
74 WHITE


EURO €

416
416

Available until end of stock

OBS

OBS_3220



FEATURES

* LED 15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 1245 lumens
Dimmable Triac

FINISHES

61 SATIN GOLD
74 WHITE

EURO €

365
261

Other dimming options


TRIAC Led DALI Dimmer (remote) 671000001

EURO €

112

PLUMA

PLU_2959



FEATURES

* LED 13W (2700K / Ang. 120° / >80 CRI)
E27 / Typ 1521 lumens / 230V
Dimmable

FINISHES

Body: 26 BLACK MATT
Shade: 64 BLACK SHINY

EURO €

2196

122959000 - KIT T-2959


Bottom acrylic diffuser kit optional for black shade.

EURO €

162

REVOLTA

REV_3630



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
100V - 240V / Non Dimmable
A-3630-W (2700K Typ 725 lumens)
A-3630-M (3000K Typ 763 lumens)

FINISHES

Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

414

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58

123530XX3 - OPTIONAL

Embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD

EURO €

31
32

REVOLTA

REV_3635S - WITH SURFACE CANOPY



FEATURES

*LED 6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

T-3635S-W (2700K Typ 725 lumens)
T-3635S-M (3000K Typ 763 lumens)

FINISHES

Canopy & Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

580

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

107

58

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES

Acoustic Fabric Panel:
75 BEIGE
90 GREY
95 GREEN

EURO €

334

334

334

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)

FINISHES

Acoustic Foam Panel:
26 BLACK

EURO €

141

Other finishes available, consult our offices

123530XX3 - OPTIONAL

Embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD

EURO €

31

32

REV_3635R - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Remote driver included / Dimmable Triac

T-3635R-W (2700K Typ 725 lumens)
T-3635R-M (3000K Typ 763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

580

Ø 50mm drill on dropped ceiling
Oficio Ø 50mm en falso techo

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

107

58

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES

Acoustic Fabric Panel:
75 BEIGE
90 GREY
95 GREEN

EURO €

334

334

334

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)

FINISHES

Acoustic Foam Panel:
26 BLACK

EURO €

141

Other finishes available, consult our offices

123530XX3 - OPTIONAL

Embedded optic lens 30°


FINISHES

26 BLACK
61 SATIN GOLD

EURO €

31

32

REVOLTA
REV_3636S - WITH SURFACE CANOPY

FEATURES

* LED 2x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

FINISHES

Canopy & Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

773

T-3636S-W (2700K Typ 2x725 lumens)
T-3636S-M (3000K Typ 2x763 lumens)

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000092

EURO €

107

89

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES

Acoustic Fabric Panel:
75 BEIGE
90 GREY
95 GREEN

EURO €

466

466

466

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)

FINISHES

Acoustic Foam Panel:
26 BLACK

EURO €

187

Other finishes available, consult our offices

123530XX3 (x2) - OPTIONAL

2 units of embedded optic lens 30°


FINISHES

26 BLACK
61 SATIN GOLD

EURO €

62

64

REV_3636R - WITH RECESSED CANOPY

FEATURES

*LED 2x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

773

T-3636R-W (2700K Typ 2x725 lumens)
T-3636R-M (3000K Typ 2x763 lumens)

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000092

EURO €

107

89

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES

Acoustic Fabric Panel:
75 BEIGE
90 GREY
95 GREEN

EURO €

466

466

466

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)

FINISHES

Acoustic Foam Panel:
26 BLACK

EURO €

187

Other finishes available, consult our offices

123530XX3 (x2) - OPTIONAL

2 units of embedded optic lens 30°

FINISHES

26 BLACK
61 SATIN GOLD


EURO €

62

64

REVOLTA

REV_L73S2D - WITH SURFACE CANOPY



FEATURES

* LED 4x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 4x725 lumens)
M (3000K Typ 4x763 lumens)

Optional, not included:

- Up to 2 acoustic panels 123636XX0X

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1574

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

107
178

123530XX3 (x4) - OPTIONAL

4 units of embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD

EURO €

124
128

REVOLTA

REV_L73S1S1D - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1381

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

107
89

123530XX3 (x3) - OPTIONAL

3 units of embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD

EURO €

93
96

REVOLTA

REV_L92S1S1D - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1381

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

107
89

123530XX3 (x3) - OPTIONAL

3 units of embedded optic lens 30°


FINISHES

26 BLACK
61 SATIN GOLD

EURO €

93
96

REVOLTA



REV_L165S5D - WITH SURFACE CANOPY

FEATURES

* LED 10x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 10x725 lumens)
M (3000K Typ 10x763 lumens)

Optional, not included:

- Up to 5 acoustic panels 123636XX0X

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

3686

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 5 units of 671000092

EURO €

107

445

123530XX3 (x10) - OPTIONAL

10 units of embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD

EURO €

310

320

REVOLTA



REV_L40S1S1D - WITH SURFACE CANOPY

FEATURES

* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1617

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

107

89

123530XX3 (x3) - OPTIONAL

3 units of embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD

EURO €

93

96

REVOLTA



REV_R70S3S - WITH SURFACE CANOPY

FEATURES

* LED 3x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 3x725 lumens)
M (3000K Typ 3x763 lumens)

Optional, not included:

- Up to 3 acoustic panels 123635XX0X

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

1913

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 671000092

EURO €

107

89

123530XX3 (x3) - OPTIONAL

3 units of embedded optic lens 30°

FINISHES

26 BLACK
61 SATIN GOLD


EURO €

93

96

REVOLTA

REV_R100S5S - WITH SURFACE CANOPY



FEATURES

* LED 5x6,2W (Ang. 60° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

W (2700K Typ 5x725 lumens)
M (3000K Typ 5x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

3170

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

107
178

123530XX3 (x5) - OPTIONAL

5 units of embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD

EURO €

155
160

REVOLTA

REV_3637



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
100V - 240V / Push button dimmer on the base

M-3637-W (2700K Typ 725 lumens)
M-3637-M (3000K Typ 763 lumens)

FINISHES

Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

EURO €

673

123530XX3 - OPTIONAL

Embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD

EURO €

31
32

SHAPES

SHA_4100



FEATURES

* LED 15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 1245 lumens
Dimmable Triac

FINISHES

74 WHITE
94 CHAMPAGNE
87 BRONZE

EURO €

285
290
296

Signage

Optional laser-cut signage / Minimum order 5 units

EURO €

64

Other dimming options


CASAMBI for TRIAC driver 671000003
TRIAC Led DALI Dimmer (remote) 671000001

EURO €

107
89

SHAPES

SHA_4100X



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 1000 lumens
Dimmable Triac

FINISHES

96 ANTHRACITE
87 BRONZE

EURO €

402
413

Signage


Optional laser-cut signage / Minimum order 5 units

EURO €

64

SHAPES

SHA_4100.5



FEATURES

* LED 5x15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 5x1245 lumens
Dimmable Triac

FINISHES

Composition:
2 units of 94 CHAMPAGNE
3 units of 87 BRONZE

EURO €

1711

Other dimming options


CASAMBI for TRIAC driver 671000003
TRIAC Led DALI Dimmer (remote) 3 units of 671000001

EURO €

107
336

THALES

THA_4080

IP
44

FEATURES

* LED 6,2W (2700K / Ang. 120° / >90 CRI
350mA) / 230V / Typ 725 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

272
272
272

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000092




EURO €

107
89

THALES

THA_4085S - WITH SURFACE CANOPY

IP
20

FEATURES

* LED 9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 1430 lumens
Driver included / Dimmable Triac

FINISHES


20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

428
430
424

Other dimming options


CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000092



EURO €

107
89

THA_4085R - WITH RECESSED CANOPY

IP
20

FEATURES

* LED 9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 1430 lumens
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE


EURO €

395
395
392

Ø 45mm drill on dropped ceiling

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI Driver (remote) 671000092




EURO €

107
89

THALES

THA_L73S3 - WITH SURFACE CANOPY



FEATURES

* LED 3x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 3x1430 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

1346
1289
1257

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

107
267

THALES

THA_L92S3 - WITH SURFACE CANOPY



FEATURES

* LED 3x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 3x1430 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

1346
1289
1257

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

107
267

THALES

BEL_L165S6 - WITH SURFACE CANOPY



FEATURES

* LED 6x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 6x1430 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

2564
2452
2398

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 6 units of 671000092

EURO €

107
534

THALES

THA_R40S3 - WITH SURFACE CANOPY



FEATURES

* LED 3x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 3x1430 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

1451
1361
1335

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

107
267

THALES

THA_R70S6 - WITH SURFACE CANOPY



FEATURES

* LED 6x9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 6x1430 lumens
Driver included / Dimmable Triac

FINISHES

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €

2680
2690
2640

Other dimming options


CASAMBI for TRIAC driver 671000003
DALI driver 6 units of 671000092

EURO €

107
534

THALES

THA_4087



FEATURES


* LED 9W (2700K / Ang. 120° / >90 CRI
350mA) 230V / Typ 1430 lumens
On/Off cord switch

FINISHES

20 METALLIC GOLD
87 BRONZE
96 ANTHRACITE

EURO €


329
329
329

TIK		TIK_4090X - OUTDOOR		
 <p> \varnothing 35 mm \varnothing 1.378" </p> <p> 127 mm 5" </p> <p> \varnothing 65 mm \varnothing 2.172" </p> <p> \varnothing 155 mm \varnothing 6.178" </p>	IP 65	FEATURES / CARACTERÍSTICAS * LED 3W (2700K / Ang. 60° / >90CRI 24V) / 100V - 240V / Typ 300 lumens Remote driver included / Non Dimmable Non-adjustable tube enclosing light source	FINISHES 88 GREY STONE 89 PALE GREEN 96 ANTHRACITE	EURO € 370 370 370

Other dimming options

TRIAC driver (remote) 671000068
 DALI driver (remote) 671000100


EURO €
 53
 69

TIK		TIK_4090 - INDOOR		
 <p> \varnothing 35 mm \varnothing 1.378" </p> <p> 28 mm 1.178" </p> <p> \varnothing 90 mm \varnothing 3.478" </p> <p> \varnothing 152 mm 6" </p> <p> \varnothing 155 mm \varnothing 6.178" </p>	IP 20	FEATURES / CARACTERÍSTICAS * LED 6,2W (2700K / Ang. 30° / >90CRI 300mA) / 230V / Typ 652 lumens Driver included / Dimmable Triac Non-adjustable tube enclosing light source	FINISHES 61 SATIN GOLD 88 GREY STONE 96 ANTHRACITE	EURO € 474 356 356

Other dimming options

DALI driver (remote) 671000092


EURO €
 89

TIK		TIK_4091X - OUTDOOR		
 <p> \varnothing 65 mm \varnothing 2.172" </p> <p> 127 mm 5" </p> <p> \varnothing 328 mm \varnothing 12.778" </p> <p> \varnothing 35 mm \varnothing 1.378" </p>	IP 65	FEATURES / CARACTERÍSTICAS * LED 2x3W (2700K / Ang. 60° / >90CRI 24V) / 230V / Typ 2x300 lumens Remote driver included / Non Dimmable Non-adjustable tube enclosing light source	FINISHES 88 GREY STONE 89 PALE GREEN 96 ANTHRACITE	EURO € 452 452 452

Other dimming options

TRIAC driver (remote) 671000063
 DALI driver (remote) 671000100


EURO €
 89
 69

TIK		TIK_4091 - INDOOR		
 <p> \varnothing 90 mm \varnothing 3.478" </p> <p> 28 mm 1.178" </p> <p> \varnothing 328 mm \varnothing 12.778" </p> <p> \varnothing 152 mm 6" </p> <p> \varnothing 35 mm \varnothing 1.378" </p>	IP 20	FEATURES / CARACTERÍSTICAS * LED 2x3W (2700K / Ang. 30° / >90CRI 300mA) / 230V / Typ 2x350 lumens Driver included / Dimmable Triac Non-adjustable tube enclosing light source	FINISHES 61 SATIN GOLD 88 GREY STONE 96 ANTHRACITE	EURO € 586 430 430

Other dimming options

DALI driver (remote) 671000092

EURO €
 89

TIK		TIK_4096X - OUTDOOR		
 <p> \varnothing 35 mm \varnothing 1.378" </p> <p> 340 mm 13.378" </p> <p> 150 mm 5.778" </p> <p> \varnothing 100 mm \varnothing 3.778" </p> <p> \varnothing 35 mm \varnothing 1.378" </p>	IP 65	FEATURES / CARACTERÍSTICAS * LED 6,2W (2700K / Ang. 60° / >90 CRI 350mA) / 230V / Typ 725 lumens Non dimmable / Hard wired (no plug) Non-adjustable tube enclosing light source	FINISHES 88 GREY STONE 89 PALE GREEN 96 ANTHRACITE	EURO € 430 430 430


Other dimming options

TRIAC driver (remote) 671000061
 DALI driver (remote) 671000092

EURO €
 43
 89

TIK

TIK_4097X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 60° / >90 CRI
 350mA) / 230V / Typ 725 lumens
 Non dimmable / Hard wired (no plug)
 Non-adjustable tube enclosing light source

FINISHES
 88 GREY STONE
 89 PALE GREEN
 96 ANTHRACITE

EURO €
 435
 435
 345


Other dimming options

TRIAC driver (remote) 671000061
 DALI driver (remote) 671000092

EURO €
 43
 89

TIK

TIK_4098X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 60° / >90 CRI
 350mA) / 230V / Typ 725 lumens
 Non dimmable / Hard wired (no plug)
 Non-adjustable tube enclosing light source

FINISHES
 88 GREY STONE
 89 PALE GREEN
 96 ANTHRACITE

EURO €
 496
 496
 496


Other dimming options

TRIAC driver (remote) 671000061
 DALI driver (remote) 671000092

EURO €
 43
 89

TIK

TIK_4099X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 60° / >90 CRI
 350mA) / 230V / Typ 725 lumens
 Non dimmable / Hard wired (no plug)
 Non-adjustable tube enclosing light source

FINISHES
 88 GREY STONE
 96 ANTHRACITE

EURO €
 523
 523


Other dimming options

TRIAC driver (remote) 671000061
 DALI driver (remote) 671000092

EURO €
 43
 89

VOLTA

VOL_3530



FEATURES
 * LED 6,2W (Ang. 60° / >90 CRI / 350mA)
 100V - 240V / Non Dimmable
 A-3530-W (2700K Typ 725 lumens)
 A-3530-M (3000K Typ 763 lumens)

FINISHES
 Body: 26 BLACK
 Head: 26 BLACK
 61 SATIN GOLD
 Body & Head: 74 WHITE
 Body & Head: 87 BRONZE

EURO €
 375
 375
 375
 394

Other dimming options

TRIAC driver (remote) 671000061
 CASAMBI for TRIAC driver (remote) 671000003
 DALI driver (remote) 671000099

EURO €
 43
 107
 58

123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.

EURO €
 40



123530XX3 - OPTIONAL


Embedded optic lens 30°

FINISHES
 26 BLACK
 61 SATIN GOLD
 74 WHITE
 87 BRONZE

EURO €
 31
 32
 31
 31

VOLTA

VOL_3531



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
100V - 240V / Non Dimmable

A-3531-W (2700K Typ 725 lumens)

A-3531-M (3000K Typ 763 lumens)

FINISHES

Body: 26 BLACK

Head: 26 BLACK

61 SATIN GOLD

Body & Head: 74 WHITE

Body & Head: 87 BRONZE

EURO €

419

419

419

441

Other dimming options

TRIAC driver (remote) 671000061

CASAMBI for TRIAC driver (remote) 671000003

DALI driver (remote) 671000099

EURO €

43

107

58

123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.

EURO €

40



123530XX3 - OPTIONAL

Embedded optic lens 30°

FINISHES

26 BLACK

61 SATIN GOLD

74 WHITE

87 BRONZE

EURO €

31


32

31

31

VOLTA

VOL_3533S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 30° / >90 CRI / 350mA)
100V - 240V

Driver included / Non Dimmable

Additional 80° optic lens included

VOL_3533S-W (2700K Typ 725 lumens)

VOL_3533S-M (3000K Typ 763 lumens)

FINISHES

26 BLACK

EURO €

253

Other dimming options

TRIAC driver (remote) 671000061

CASAMBI for TRIAC driver (remote) 671000003

DALI driver (remote) 671000099


EURO €

43

107

58

VOL_3533R - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (Ang. 30° / >90 CRI / 350mA)
230V

Remote driver included / Dimmable Triac

Additional 80° optic lens included

VOL_3533R-W (2700K Typ 725 lumens)

VOL_3533R-M (3000K Typ 763 lumens)

FINISHES

26 BLACK

EURO €

194

∅ 55mm drill on dropped ceiling

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003

DALI driver (remote) 671000099


EURO €

107

58

VOLTA

VOL_3534S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
100V - 240V / Driver included / Non dimmable

T-3534S-W (2700K Typ 725 lumens)
T-3534S-M (3000K Typ 763 lumens)

FINISHES

Canopy & Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

Canopy & Body & Head:
87 BRONZE

EURO €

341
341

355

Other dimming options

TRIAC driver (remote) 671000061
CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

43
107
58

123530XX3 - OPTIONAL

Embedded optic lens 30°


FINISHES

26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

31
32
31

VOL_3534R - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote driver included / Dimmable Triac

T-3534R-W (2700K Typ 725 lumens)
T-3534R-M (3000K Typ 763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE

Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

Canopy & Body & Head:
87 BRONZE

EURO €

328
328

Ø 45mm drill on dropped ceiling

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000099

EURO €

107
58

123530XX3 - OPTIONAL

Embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

31
32
31

VOLTA

VOL_L92S4S - WITH SURFACE CANOPY



FEATURES

* LED 4x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 4x725 lumens)
M (3000K Typ 4x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE

Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

Canopy & Body & Head:
87 BRONZE

EURO €

1285
1285
1342

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

107
178

123530XX3 (x4) - OPTIONAL

4 units of embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

124
128
124

VOLTA

VOL_3535S - WITH SURFACE CANOPY



FEATURES

* LED 2x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

T-3535S-W (2700K Typ 2x725 lumens)
T-3535S-M (3000K Typ 2x763 lumens)

FINISHES

Canopy & Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD

Canopy & Body & Head:
87 BRONZE

EURO €

653
653

684

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000092

EURO €

107
89

123530XX3 (x2) - OPTIONAL


2 units of embedded optic lens 30°

FINISHES

26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

62
64
62



VOL_3535R - WITH RECESSED CANOPY

FEATURES

* LED 2x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac

T-3535R-W (2700K Typ 2x725 lumens)
T-3535R-M (3000K Typ 2x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €


653
653
679

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling

VOLTA

VOL_3536S - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

T-3536S-W (2700K Typ 3x725 lumens)
T-3536S-M (3000K Typ 3x763 lumens)

FINISHES

Canopy & Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €

849
849
892

Other dimming options

CASAMBI for TRIAC driver (remote) 671000003
DALI driver (remote) 671000092

EURO €

107
89

123530XX3 (x3) - OPTIONAL


3 units of embedded optic lens 30°

FINISHES

26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

93
96
96



VOL_3536R - WITH RECESSED CANOPY

FEATURES

* LED 3x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac

T-3536R-W (2700K Typ 3x725 lumens)
T-3536R-M (3000K Typ 3x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €


849
849
887

Other dimming options same as above (remote)

Ø 50mm drill on dropped ceiling

VOLTA

VOL_L73S2D - WITH SURFACE CANOPY



FEATURES

* LED 4x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 4x725 lumens)
M (3000K Typ 4x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €

1334
1334
1398

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

107
178

123530XX3 (x4) - OPTIONAL

4 units of embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

124
128
124

VOLTA

VOL_L78S1D1T - WITH SURFACE CANOPY



FEATURES

* LED 5x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 5x725 lumens)
M (3000K Typ 5x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €

1530
1530
1606

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

107
178

123530XX3 (x5) - OPTIONAL

5 units of embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

155
160
155

VOLTA

VOL_L92S2T - WITH SURFACE CANOPY



FEATURES

* LED 6x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 6x725 lumens)
M (3000K Typ 6x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Canopy & Body & Head:
87 BRONZE

EURO €

1726
1726
1814

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 2 units of 671000092

EURO €

107
178

123530XX3 (x6) - OPTIONAL

6 units of embedded optic lens 30°

FINISHES


26 BLACK
61 SATIN GOLD
87 BRONZE

EURO €

186
192
186

VOLTA

VOL_L165S3D - WITH SURFACE CANOPY



FEATURES

* LED 6x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 6x725 lumens)
M (3000K Typ 6x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Monofinish: 87 BRONZE

EURO €

2015
2015
2112

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

107
267

123530XX3 (x6) - OPTIONAL

6 units of embedded optic lens 30°

FINISHES



26 BLACK or 87 BRONZE
61 SATIN GOLD

EURO €

186
192

VOLTA

VOL_L165S1T1D1T - WITH SURFACE CANOPY



FEATURES

* LED 8x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 8x725 lumens)
M (3000K Typ 8x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Monofinish: 87 BRONZE

EURO €

2407
2407
2528

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

107
267

123530XX3 (x8) - OPTIONAL

8 units of embedded optic lens 30°

FINISHES


26 BLACK or 87 BRONZE
61 SATIN GOLD

EURO €

248
256

VOLTA

VOL_L165S1D2T - WITH SURFACE CANOPY



FEATURES

* LED 8x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 8x725 lumens)
M (3000K Typ 8x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Monofinish: 87 BRONZE

EURO €

2407
2407
2525

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 3 units of 671000092

EURO €

107
267

123530XX3 (x8) - OPTIONAL

8 units of embedded optic lens 30°

FINISHES


26 BLACK or 87 BRONZE
61 SATIN GOLD

EURO €

248
256

VOLTA

VOL_L165S3D2T - WITH SURFACE CANOPY



FEATURES

* LED 12x6,2W (Ang. 60° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

W (2700K Typ 12x725 lumens)
M (3000K Typ 12x763 lumens)

FINISHES

Canopy: 26 BLACK
74 WHITE
Body: 26 BLACK
Head: 26 BLACK
61 SATIN GOLD
Monofinish: 87 BRONZE

EURO €

3478
3478
3650

Other dimming options

CASAMBI for TRIAC driver 671000003
DALI driver 5 units of 671000092

EURO €

107
445

123530XX3 (x12) - OPTIONAL

12 units of embedded optic lens 30°

FINISHES


26 BLACK or 87 BRONZE
61 SATIN GOLD

EURO €

372
384

VOLTA

VOL_R70S3D - WITH SURFACE CANOPY




FEATURES	FINISHES	EURO €
* LED 6x6,2W (Ang. 60° / >90 CRI / 350mA) 230V / Driver included / Dimmable Triac	Canopy: 26 BLACK 74 WHITE	
W (2700K Typ 6x725 lumens)	Body: 26 BLACK	2134
M (3000K Typ 6x763 lumens)	Head: 26 BLACK 61 SATIN GOLD	2134
	Canopy & Body & Head: 87 BRONZE	2237

Other dimming options	EURO €
CASAMBI for TRIAC driver 671000003	107
DALI driver 3 units of 671000092	267

123530XX3 (x6) - OPTIONAL	FINISHES	EURO €
6 units of embedded optic lens 30°	26 BLACK	186
	61 SATIN GOLD	192
	87 BRONZE	186

VOLTA

VOL_R100S5D - WITH SURFACE CANOPY




FEATURES	FINISHES	EURO €
* LED 10x6,2W (Ang. 60° / >90 CRI / 350mA) 230V / Driver included / Dimmable Triac	Canopy: 26 BLACK 74 WHITE	
W (2700K Typ 10x725 lumens)	Body: 26 BLACK	3539
M (3000K Typ 10x763 lumens)	Head: 26 BLACK 61 SATIN GOLD	3539
	Canopy & Body & Head: 87 BRONZE	3708

Other dimming options	EURO €
CASAMBI for TRIAC driver 671000003	107
DALI driver 5 units of 671000092	445

123530XX3 (x10) - OPTIONAL	FINISHES	EURO €
10 units of embedded optic lens 30°	26 BLACK	310
	61 SATIN GOLD	320
	87 BRONZE	310

VOLTA

VOL_3537




FEATURES	FINISHES	EURO €
* LED 6,2W (Ang. 60° / >90 CRI / 350mA) / 230V On/Off switch on the base	Body: 26 BLACK Head: 26 BLACK 61 SATIN GOLD	431 431
M-3537-W (2700K Typ 725 lumens)		
M-3537-M (3000K Typ 763 lumens)		

123530XX3 - OPTIONAL	FINISHES	EURO €
Embedded optic lens 30°	26 BLACK	31
	61 SATIN GOLD	32

VOLTA

VOL_3538



FEATURES	FINISHES	EURO €
* LED 6,2W (Ang. 60° / >90 CRI / 350mA) / 230V Push button dimmer on the head	Body: 26 BLACK Head: 26 BLACK 61 SATIN GOLD	564 564
p-3538-W (2700K Typ 725 lumens)	Body & Head: 87 BRONZE	593
p-3538-M (3000K Typ 763 lumens)		

123530XX3 - OPTIONAL	FINISHES	EURO €
Embedded optic lens 30°	26 BLACK	31
	61 SATIN GOLD	32

**GENERAL TERMS OF SALE
CONDICIONES GENERALES DE VENTA**

GENERAL TERMS OF SALE

1. Terms

Sales of our products are subject to present general conditions, which prevail over any other terms of purchase, unless there is a formal written agreement between Estiluz and the client.

2. Prices

All prices published in the Price List are recommended retail prices without taxes. Bulbs are not included with the exception of the items marked accordingly.

3. Project Registration

For the protection of our distributors and agents, all projects should be registered with our Estiluz office.

4. Discounts

The standard discount granted to a distributor does not apply in case of projects registered by another distributor or agent. The distributor shall contact Estiluz to inquire about these projects and ask for pricing.

5. Special Orders

All orders including non-standard products must be pre-paid at the confirmation of the order.

6. Terms

All past due invoices are subject to interest penalties at current legal rates.

7. Transportation

Freight will be paid by the client. Freight due (FCA Barcelona or EXW). Estiluz will not be responsible for any damages that may occur in transit. Exceptions: Consult specific policies per country.

8. Order confirmations and cancellations

Orders must be sent in writing, either by mail, email or fax. Estiluz is not responsible for any mistakes on orders that have not been received in writing. Orders will not be cancelled unless we receive notice from customer prior to shipment. Special orders cannot be cancelled.

9. Claims and returns

Estiluz will only accept claims filed within 15 days after shipment of merchandise. Returned merchandise will not be accepted unless prior arrangements have been made with our Customer Service department. Handling and Repair fees will apply if the product is not received in perfect conditions and its original packaging. All returns due to reasons for which Estiluz cannot be held responsible, will be charged 20% restocking fee and original freight.

10. Delivery

If the merchandise received is not in good condition or does not match the packing slip, it should be noted on the packing slip prior to signature. Estiluz should also receive a written notice in the following three days.

11. Property Rights

The merchandise will remain property of Estiluz until it is paid in full. Estiluz reserves the right to retrieve all unpaid goods without advanced notice. If that is the case, the client is responsible for all costs involved with the return and assume the risk of damage.

12. Warranty

Our manufactured products (except for bulbs) are guaranteed against any manufacturing defects for two years from date of delivery. The warranty is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto. This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

13. Modifications

Estiluz reserves the right to modify and/or discontinue any products illustrated in this Price list.

14. Disputes

Any disputes are subject to arbitration in equity in Barcelona, according to the Spanish law.

CONDIZIONI GENERALI DI VENDITA

1. Validità

Le vendite dei nostri prodotti sono soggette ai presenti termini e condizioni, che prevalgono su qualsiasi altra condizione di acquisto, a meno che non vi sia un accordo formale scritto tra Estiluz e il suo cliente.

2. Prezzi

I prezzi indicati sul presente listino sono prezzi al dettaglio consigliati e non includono le tasse. Le lampadine non sono incluse, tranne per i prodotti dove indicato.

3. Registrazione dei progetti

Per garantire la tutela del lavoro svolto da distributori e agenti, tutti i progetti devono essere registrati presso i nostri uffici.

4. Sconti commerciali

Lo sconto abituale per i distributori non si applica nel caso di progetti registrati da un altro distributore o agente. Il distributore deve contattare Estiluz per ottenere il prezzo netto di questi progetti.

5. Ordini speciali

Tutti gli ordini che includono prodotti non standard devono essere pagati anticipatamente.

6. Pagamenti

A meno che non vi sia un accordo esplicito tra Estiluz e il Cliente, tutte le fatture devono essere pagate entro un massimo di 30 giorni dalla data della fattura. Le penali per i ritardi di pagamento saranno addebitate al tasso di interesse legale in vigore.

7. Trasporto

Tutti gli ordini saranno spediti in porto franco (FCA Barcelona o EXW Factory). Estiluz non è responsabile di eventuali incidenti che possono verificarsi durante il trasporto. Eccezioni: si prega di consultare le politiche specifiche di ciascun Paese.

8. Formalizzazione di ordini e cancellazioni

Gli ordini devono essere effettuati per iscritto, per posta, e-mail o fax. Estiluz non sarà responsabile di eventuali errori negli ordini che non siano stati effettuati per iscritto. Non consideriamo annullato alcun ordine senza un preavviso da parte dei nostri clienti prima che la merce lasci le nostre strutture. Gli ordini di prodotti speciali e di modifiche non possono essere annullati.

9. Reclami e resi

I reclami ricevuti per iscritto saranno trattati entro 15 giorni dalla consegna della merce. I resi non saranno accettati senza la nostra preventiva autorizzazione e ci riserviamo il diritto di rifiutarli se ci arrivano in porto franco e con un imballaggio insufficiente. Se il prodotto non è in perfette condizioni, ci riserviamo il diritto di addebitare i costi di gestione e riparazione. I resi senza una causa giustificata o per motivi che esulano dal controllo di Estiluz saranno soggetti a una tassa di gestione del 20%. Le spese di spedizione sono a carico del cliente.

10. Consegna

Se la merce non arriva al cliente in buone condizioni o non corrisponde alla bolla di consegna, questo deve essere annotato sulla bolla di consegna del vettore al momento della firma e Estiluz deve essere informata entro un massimo di tre giorni per posta, e-mail o fax.

11. Clausola di riserva di proprietà

La merce rimane di proprietà di Estiluz fino al completo pagamento. Il rifiuto del pagamento può comportare la richiesta di restituzione della merce da parte dell'azienda. In questo caso, l'acquirente dovrà sostenere tutti i costi e i rischi che la spedizione comporta.

12. Garanzia

I nostri prodotti (escluse le lampadine) sono garantiti per due anni dalla data di consegna al cliente, contro qualsiasi difetto o malfunzionamento, a condizione che siano stati utilizzati correttamente e che siano state rispettate le condizioni d'uso riportate sul dispositivo.

13. Modifiche

Estiluz si riserva il diritto di modificare e/o cancellare i modelli del presente listino.

14. Controversie

In caso di controversia, entrambe le parti si sottopongono alla giurisdizione dei tribunali di Barcellona.

ALLGEMEINE GESCHÄFTSBEDINGUNGEN

1. Gültigkeit

Der Verkauf unserer Produkte unterliegt den allgemeinen Geschäftsbedingungen, die vor allen anderen Kaufbedingungen gültig sind, es sei denn, es existiert eine gesonderte schriftliche Vereinbarung zwischen Estiluz und seinem Kunden.

2. Preise

Die in der Preistabelle aufgeführten Preise verstehen sich als Preisempfehlungen und enthalten keine Steuern. In den Produkten sind, wenn nicht anders angegeben, keine Glühlampen enthalten.

3. Projektanmeldung

Zur Gewährleistung des Schutzes der von Vertriebspartnern und Vertragshändlern erbrachten Leistungen müssen alle Projekte, in unseren Büros registriert werden.

4. Händlerrabatte

Der übliche Rabatt für Vertriebspartner kann dann nicht zur Anwendung kommen, wenn ein Projekt, von einem anderen Vertriebspartner oder Repräsentanten registriert worden ist. Der Vertriebspartner muss sich mit Estiluz in Verbindung zu setzen, um die Produkte zum Nettopreis zu erhalten.

5. Sonderbestellungen

Alle Bestellungen die nicht dem Standard entsprechen müssen im Voraus bezahlt werden.

6. Zahlungen

Sofern keine anders lautende, ausdrückliche Vereinbarung zwischen Estiluz und dem Kunden besteht, müssen alle Rechnungen spätestens bis 30 Tage nach Rechnungsdatum bezahlt sein. Bei Zahlungsverzug kommt ein Strafzins in Höhe des gesetzlichen Zinssatzes zur Anwendung.

7. Lieferung und Versand

Alle Bestellungen sind unfrei (FCA Barcelona oder ab Werk). Estiluz übernimmt für etwaige Vorkommnisse während des Transports keinerlei Verantwortung. Ausnahmen: Länderspezifische Richtlinien werden berücksichtigt.

8. Bestellformen und Stornierung

Bestellungen müssen in schriftlicher Form vorgenommen werden, sei es per Brief, E-Mail oder Fax. Estiluz haftet nicht für Fehler und Irrtümer bei Bestellungen, die nicht in schriftlicher Form vorgenommen wurden.

Stornierungen werden von uns nicht anerkannt, wenn diese uns kundenseits nicht mitgeteilt wurden, bevor die Ware unsere Einrichtungen verlassen hat. Sonderbestellungen und Bestelländerungen können nicht storniert werden.

9. Reklamationen und Rücksendungen

Es können nur schriftliche Reklamationen berücksichtigt werden, die innerhalb eines Zeitraums von 15 Tagen ab Warenübergabe bei uns eingegangen sind.

Bitte nehmen Sie keine Rücksendungen ohne unsere vorherige Genehmigung vor, da wir uns das Recht zur Verweigerung der Annahme vorbehalten, falls die Ware unfrei und unzureichend verpackt an uns versandt wird. Sollte sich das zurückgesandte Produkt nicht mehr in einwandfreiem Zustand befinden, behalten wir uns das Recht vor, Verwaltungs- und Reparaturkosten in Rechnung zu stellen.

Für Rücksendungen ohne gerechtfertigten Grund oder andere nicht einsichtige Motive erhebt Estiluz eine zusätzliche Verwaltungsgebühr von 20 %. Die Versandkosten gehen zu Lasten des Kunden.

10. Lieferung

Sollte die Ware den Kunden nicht in einwandfreiem Zustand erreichen oder nicht mit dem Lieferschein übereinstimmen, ist der Lieferant bei der Unterzeichnung sofort darauf hinzuweisen und Estiluz innerhalb von maximal drei Tagen per Brief, E-Mail oder Fax davon in Kenntnis zu setzen.

11. Eigentumsvorbehalt

Die gelieferte Ware bleibt bis zur Bezahlung sämtlicher Forderungen Eigentum von Estiluz. Die Zahlungsverweigerung kann zur Folge haben, dass das Unternehmen die Rückgabe seines Eigentums fordert. In diesem Fall trägt der Käufer alle Kosten und Risiken, die aus dem Versand entstehen.

12. Garantie

Unsere Produkte (ausgenommen Glühlampen) besitzen einen Garantieanspruch von zwei Jahren ab Datum der Übergabe an den Kunden. Diese Garantie gilt für jede Art von Defekt oder Fehlfunktion, jedoch nur unter Voraussetzung der sachgerechten Nutzung und der Einhaltung der auf dem Gerät angegebenen Nutzungsbedingungen.

13. Preisänderungen

Estiluz behält sich das Recht vor, die aktuellen Preismodelle zu verändern oder außer Kraft zu setzen.

14. Streitfälle

Im Streitfall unterliegen beide Parteien der Gerichtsbarkeit der zuständigen Gerichte von Barcelona.

CONDITIONS GÉNÉRALES DE VENTE

1. Validité

Nos ventes sont soumises aux présentes conditions générales qui prévalent sur toute autre condition d'achat, sauf accord formel écrit entre Estiluz et son client.

2. Prix

Les prix indiqués dans nos tarifs sont des prix public conseillés et s'entendent hors taxes (H.T.). Les ampoules ne sont pas fournies excepté avec certains produits pour lesquels cette information est clairement spécifiée.

3. Enregistrement des projets

Afin de garantir la protection du travail effectué par les distributeurs et les agents, tous les projets doivent être enregistrés auprès de notre société.

4. Rabais commerciaux

Le rabais habituellement accordé à un distributeur peut ne pas s'appliquer en cas de projets enregistré par un autre distributeur ou représentant. Le distributeur devra contacter Estiluz pour obtenir le prix net de ces projets.

5. Commandes spéciales

Toutes les commandes qui incluent des articles non standards doivent être prépayées à la commande ferme.

6. Paiements

Sauf convention expresse entre Estiluz et le Client, toutes les factures doivent être réglées dans un délai de 30 jours suivant leur date d'émission. En cas de retard de paiement, des pénalités de retard seront appliquées au taux d'intérêt légal en vigueur.

7. Transport

Toutes les commandes seront envoyées en port dû (FCA Barcelona ou EXW Factory). Estiluz ne sera pas tenu pour responsable des pertes ou dommages survenus pendant le transport. Exceptions : consultez les politiques spécifiques par pays.

8. Passation et annulation de commande

Toute commande doit être passée par écrit, par courrier postal, courriel ou fax. Nous déclinons toute responsabilité en cas d'erreur dans une commande qui n'aurait pas été validée par écrit. Nous ne pourrions considérer une commande comme définitivement annulée qu'après notification de l'annulation par le client, cette notification devant nous être parvenue avant le départ des marchandises de nos entrepôts. Les commandes de produits spéciaux et modifiés ne peuvent pas être annulées.

9. Réclamations et retours de marchandises

Les réclamations doivent nous parvenir par écrit au plus tard dans les 15 jours qui suivent la date de livraison.

Aucun retour de marchandises ne sera accepté sans notre autorisation préalable. Nous nous réservons le droit de refuser tout retour qui nous parviendrait en port dû ou insuffisamment emballé. Si le produit n'est pas en parfait état, des frais de manutention et de réparation pourront être facturés.

Tout retour non justifié ou non imputable à Estiluz donnera lieu à une majoration pour manutention de 20 %. Les frais de port seront à la charge du client.

10. Livraison

Si la marchandise livrée est en mauvais état ou ne correspond pas au bordereau de livraison, le client devra constater les anomalies détectées sur le bordereau de livraison du transporteur au moment de sa signature et en informer Estiluz dans un délai maximum de trois jours par courrier postal, courriel ou fax.

11. Clause de réserve de propriété

Les marchandises restent la propriété d'Estiluz jusqu'au paiement intégral du prix. Le défaut de paiement pourra entraîner la revendication des biens. Dans ce cas, l'acheteur devra renvoyer les marchandises à ses frais et risques.

12. Garantie

Nos produits (excepté les ampoules) sont garantis deux ans à compter de la date de livraison au client contre tout défaut de fonctionnement ou tout dysfonctionnement, hormis en cas de mauvaise utilisation ou de non-respect des conditions d'utilisation spécifiées sur l'appareil.

13. Modifications

Estiluz se réserve le droit de modifier et/ou d'annuler à tout moment les modèles commercialisés.

14. Litiges

En cas de litige, les deux parties se soumettent à la juridiction des tribunaux de Barcelone.

ESTILUZ (Headquarters) / Carretera d'Ogassa s/n
E- 17860 St Joan de les Abadesses (Girona) Spain
T +34 972 720 125
estiluz@estiluz.com

www.estiluz.com

estiluz[®]