



kreon pricelist 2025

Euro version

Alle Preise zzgl. ges. MwSt.

The mentioned lumen values are the fixture lumen measured at room temperature using standard luminaires with flood optics and white finishes, for CRI90 and 2700K (unless otherwise indicated or not available).

Colours	5		prologe	352
			raga	364
Light	6		rei	366
	36		rokko	368
	80		side	370
	82		side in-line	376
	86		stripe	382
	88		up	384
	128		up in-line	392
	132		vergo	396
	140		wabi	398
	170			
	208	Systems	track systems	402
	210			
	220	Integration	ventilation	438
	223		audio	440
	276			
	282	Offices		448
	284			
	298			
	300			
	306			
	329			
	330			

kreon colours

Alphabetical order

BB	BG	BS	BR			FG	GD
brushed bronze	brushed gold	brushed silver	bronze	carrara bianco	chrome	fume grey	gold
GB					NG		
gun black	kreon black	kreon black and kreon white	kreon grey	kreon white	natural grey	nero marquina	

kreon aplis 40				Base price (EUR excl. VAT)						Optional accessories	
		Colour	KR-code		Light sources	9027 2700K, CRI95+	9030 3000K, CRI95+	SP Spot (12°)	FL Flood (24°)		WFL Wide flood (38°)
	aplis 40 directional Ø 45 H 80 Glare snoot: incl.		KR957731	①	137,00	—	—	—	—	—	
			KR957732	①	137,00	—	—	—	—	—	
	aplis 40 downlight Ø 45 H 80		KR957031	②	120,00	—	—	—	—	—	
			KR957032	②	120,00	—	—	—	—	—	
	aplis 40 wallwasher Ø 45 H 80		KR957331	③	198,00	—	—				
			KR957332	③	198,00	—	—				
	aplis 40 HE wallwasher Ø 45 H 75		KR957341	④	151,00	—	—				
			KR957342	④	151,00	—	—				

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	2W	700mA	121lm
				3,2W	1050mA	143lm
②	LED	CRI90+	2700K/3000K	2W	700mA	138lm
				3,2W	1050mA	172lm
③	LED	CRI90+	2700K/3000K	2W	700mA	47lm
				3,2W	1050mA	71lm
④	LED	CRI90	2700K/3000K	4W	700mA	291lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	KR737602	34,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	KR707301	26,00	Louvre IP44, white
	KR707302	26,00	Louvre IP44, black
Driver	KR752430	17,00	LED driver, 700mA, ON/OFF, 1,75-3,15W, IP65 (only for downlight)
	KR752530	17,00	LED driver, 700mA, ON/OFF, 2,8-6,3W, IP65 (only for wallwasher)
	KR752633	66,00	LED driver, 700mA, DALI, 10W
	KR772631	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
	KR772632	60,00	LED driver, 700mA, 0/1-10V, 7-12W
	KR772633	66,00	LED driver, 700mA, DALI, 10W
	KR772142	80,00	LED driver, 1050mA, 1-10V, 39W
	KR772443	136,00	LED driver, 1050mA, DALI, 60W
	KR772249	145,00	LED driver, 1050mA, Casambi, 38W (min. 4 modules)

kreon aplis 40

			Base price (EUR excl. VAT)	Required accessories	Optional accessories
	Colour	KR-code			
 aplis 40 downlight for LED engine 35 Ø 45 H 80		<u>KR957101</u> ②	80,00		
		<u>KR957102</u> ②	80,00		

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-SP</u>	35,00	LED engine 35, 3000K, CRI90+, 16°, 6W, 180mA (398lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
■ Optional accessories			
Plasterkit concrete	<u>KR737602</u>	34,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

kreon aplis 60
module

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	aplis 60 directional for LED engine 35		<u>KR937641</u>	87,00		
	⌀ 68 D 80 ⬡ Glare snoot: incl., LED engine: excl., gear: excl., IP20		<u>KR937642</u>	87,00		

kreon aplis 60 accessories
module

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-SP</u>	35,00	LED engine 35, 3000K, CRI90+, 16°, 6W, 180mA (398lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
■ Optional accessories			
Plasterkit concrete	<u>KR737372</u>	31,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

kreon aplis 60
standard

aplis 60 standard				Base price (EUR excl. VAT)				SP Spot (20°)	FL Flood (36°)	WFL Wide flood (45°)	Optional accessories
		Colour	KR-code		9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+				
	aplis 60 directional		<u>KR937941</u>	①	170,00	—	—	—	—	—	
	Ø68 D 95 Glare snoot: incl., gear: excl., IP20		<u>KR937942</u>	①	170,00	—	—	—	—	—	
	aplis 60 downlight		<u>KR937041</u>	②	155,00	—	—	—	—	—	
	Ø68 D 95 Gear: excl., IP20		<u>KR937042</u>	②	155,00	—	—	—	—	—	
	aplis 60 downlight IP44		<u>KR937141</u>	②	164,00	—	—	—	—	—	
	Ø68 D 95 Gear: excl., IP44		<u>KR937142</u>	②	164,00	—	—	—	—	—	

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI95+	2700K/3000K/4000K		12,6W	700mA	734lm
	LED (FL)	CRI95+	2700K/3000K/4000K		12,6W	700mA	845lm
	LED (WFL)	CRI95+	2700K/3000K/4000K		12,6W	700mA	837lm
②	LED (SP)	CRI95+	2700K/3000K/4000K		12,6W	700mA	830lm
	LED (FL)	CRI95+	2700K/3000K/4000K		12,6W	700mA	936lm
	LED (WFL)	CRI95+	2700K/3000K/4000K		12,6W	700mA	879lm

kreon aplis 60 accessories
standard

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Plasterkit concrete		<u>KR737372</u>	31,00	Plasterkit for concrete installation
Driver		<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
		<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
		<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 2,1-20W
		<u>KR752733</u>	66,00	LED driver, 700mA, DALI, 2,1-20W
		<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W

kreon aplis 60
high efficiency

kreon aplis 60																					
high efficiency																					
		Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Optional accessories			
	aplis 60 HE downlight		<u>KR937051</u>	①	175,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	—	—				
	Ø 68 D 90  Gear: excl., IP20		<u>KR937052</u>	①	175,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	—	—				
	aplis 60 HE downlight IP44		<u>KR937151</u>	①	183,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	—	—				
	Ø 68 D 90  Gear: excl., IP44		<u>KR937152</u>	①	183,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	—	—				

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
		CRI95+				TBD
	LED (SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	709lm
		CRI95+				640lm
		CRI90+	TW 2700K-5000K	2x11W		TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
	LED (FL)	CRI90+	2700K/3000K/4000K	12W	350mA	1112lm
		CRI95+				806lm
		CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
	LED (WFL)	CRI90+	2700K/3000K/4000K	12W	350mA	1106lm
		CRI95+				816lm

kreon aplis 60 accessories
high efficiency

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR737372</u>	31,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W

kreon

aplis 60

high efficiency - low louvre

kreon aplis 60																		
high efficiency - low louvre																		
		Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Optional accessories
	aplis 60 HE downlight low louvre Ø 68 D 87  Gear: excl., IP20		<u>KR937361</u>	①	175,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—			
			<u>KR937362</u>	①	175,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—			
	aplis 60 HE downlight low louvre Ø 68 D87  Gear: excl., IP20		<u>KR937371</u>	②	175,00	—	—	—	15,00	15,00	15,00	23,00	11,00			—	—	
			<u>KR937372</u>	②	175,00	—	—	—	15,00	15,00	15,00	23,00	11,00			—	—	
	aplis 60 HE wallwasher Ø 68 D 92  Gear: excl., IP20		<u>KR937561</u>	③	218,00	—	—	—	15,00	15,00	15,00	23,00	11,00					
			<u>KR937562</u>	③	218,00	—	—	—	15,00	15,00	15,00	23,00	11,00					

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	566lm
	LED (SP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	775lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	835-1053lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1260lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	907-1153lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm
	LED (WFL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1312lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	926-1225lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	891lm
③	LED (WW)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	837lm - 1111lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	831lm

kreon aplis 60 accessories

high efficiency - low louvre

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	KR737372	31,00	Plasterkit for concrete installation
Driver 300mA for SSP, SP & wallwasher	KR747464	42,00	LED driver, 300mA, ON/OFF, 16W
	KR747562	64,00	LED driver, 300mA, 1-10V, 15W
	KR747666	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	KR772209	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	KR747064	42,00	LED driver, 350mA, ON/OFF, 18W
	KR747162	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	KR747267	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	KR772219	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	KR747766	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	KR747866	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR737702</u>	36,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white

kreon aplis 80

				Base price (EUR excl. VAT)													
		Colour	KR-code		9027	9030	9040	9527	9530	9540	TW	DTW	SSP	SP	FL	WFL	Optional accessories
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Dim-to-warm, CRI97+	Superspot (18°)	Spot (35°)	Flood (52°)	Wide flood (69°)	
	aplis 80 HE fixed SP & SSP Ø 90 H 105 Gear: excl., IP40	○	KR937221	①	195,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—			■
		●	KR937222	①	195,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—			■
	aplis 80 HE fixed FL & WFL Ø 90 H 105 Gear: excl., IP40	○	KR937321	②	195,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—	■
		●	KR937322	②	195,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—	■
	aplis 80 HE fixed IP44 SP & SSP Ø 90 H 105 Gear: excl., IP44	○	KR937721	①	200,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—			■
		●	KR937722	①	200,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—			■
	aplis 80 HE fixed IP44 FL & WFL Ø 90 H 105 Gear: excl., IP44	○	KR937711	②	200,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—	■
		●	KR937712	②	200,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP/ SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
		CRI95+	2700K/3000K/4000K	9,9W	300mA	
		CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	
②	LED (FL/ WFL)	CRI90+	2700K/3000K/4000K	12W	300mA	TBD
		CRI95+	2700K/3000K/4000K	12W	300mA	
		CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR737702</u>	36,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white

kreon aplis 80

				Base price (EUR excl. VAT)										
				Colour	KR-code	Light sources								
 aplis 80 HE wallwasher Ø 90 H 92 Gear: excl., IP40		<u>KR937421</u>	①	235,00	9027 2700K, CRI90+	—	—	—	15,00	15,00	15,00	23,00	11,00	
		<u>KR937422</u>	①	235,00	9030 3000K, CRI90+	—	—	—	15,00	15,00	15,00	23,00	11,00	
								9040 4000K, CRI90+						
								9527 2700K, CRI95+						
								9530 3000K, CRI95+						
								9540 4000K, CRI95+						
								TW Tunable white, CRI90+						
								DTW Dim-to-warm, CRI97+						
							Optional accessories							

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (WW)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	837lm-1111lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Plasterkit concrete		<u>KR737702</u>	36,00	Plasterkit for concrete installation
Driver 300mA for wallwasher		<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
		<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
		<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
		<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver (tunable white)		<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, 2x16,5W, tunable white
		<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, 20W, tunable white

aplis 80				Base price (EUR excl. VAT)							Required accessories	Optional accessories	
		Colour	KR-code		Light sources	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (18°)	FL Flood (28°)			WFL Wide flood (38°)
	aplis 80 directional LED		<u>KR937931</u>	①	185,00	—	—	—	—	—	—		
	⊙ Ø 90 H 120  Filter holder: incl., glare snoot: incl.		<u>KR937932</u>	①	185,00	—	—	—	—	—	—		
	aplis 80 directional LED MR16		<u>KR937801</u>	②	105,00								
	⊙ Ø 90 H 110  Filter holder: incl., lamp: excl.		<u>KR937802</u>	②	105,00								
	aplis 80 directional LED PAR16		<u>KR937841</u>	③	105,00								
	⊙ Ø 90 H 125  Filter holder: incl., lamp: excl.		<u>KR937842</u>	③	105,00								
	aplis 80 directional for LED engine 50		<u>KR937201</u>		94,00								
	⊙ Ø 90 H 120  Glare snoot: incl.		<u>KR937202</u>		94,00								

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		11,9W	350mA	665lm
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732300-9027-SP</u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u>KR732300-9027-FL</u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u>KR732300-9027-WFL</u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u>KR732300-9030-SP</u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u>KR732300-9030-FL</u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u>KR732300-9030-WFL</u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
■ Optional accessories			
Plasterkit concrete	<u>KR737702</u>	36,00	Plasterkit for concrete installation
Lenses (for LED)	<u>KR704100</u>	27,00	Sculpture lens
	<u>KR704200</u>	27,00	Diffusing lens
	<u>KR772342</u>	30,00	Anti-glare louvre
Driver LED and LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752743</u>	64,00	LED driver, 350mA, phase dim, 0,7-17W (only for LED)
	<u>KR752740</u>	21,00	LED driver, 350mA, phase dim, 4,5-14W (only for LED engine)
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W

kreon aplis 80

				Base price (EUR excl. VAT)				SP Spot (24°)	FL Flood (38°)	WFL Wide flood (45°)	Required accessories	Optional accessories
		Colour	KR-code		9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+					
	aplis 80 downlight LED ⊙ Ø 90 H 100 ◆	○	<u>KR937031</u>	①	165,00	—	—	—	—	—		■
		●	<u>KR937032</u>	①	165,00	—	—	—	—	—		■
	aplis 80 downlight LED IP44 ⊙ Ø 90 H 100 ◆	○	<u>KR937111</u>	①	170,00	—	—	—	—	—		■
		●	<u>KR937112</u>	①	170,00	—	—	—	—	—		■
	aplis 80 downlight LED MR16 ⊙ Ø 90 H 110 ◆ Lamp: excl.	○	<u>KR937231</u>	②	100,00							■
		●	<u>KR937232</u>	②	100,00							■
	aplis 80 downlight LED PAR16 ⊙ Ø 90 H 130 ▢ Lamp: excl.	○	<u>KR937251</u>	③	100,00							■
		●	<u>KR937252</u>	③	100,00							■
	aplis 80 downlight for LED engine 50 ⊙ Ø 90 H 120 ◆	○	<u>KR937101</u>		89,00						■	■
		●	<u>KR937102</u>		89,00						■	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		12,6W	700mA	TBD
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

kreon aplis 80 accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
LED engine	KR732300-9027-SP	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)	
	KR732300-9027-FL	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)	
	KR732300-9027-WFL	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)	
	KR732300-9030-SP	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)	
	KR732300-9030-FL	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)	
	KR732300-9030-WFL	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)	
■ Optional accessories				
Plasterkit concrete	KR737702	36,00	Plasterkit for concrete installation	
LED driver	KR772034	42,00	LED driver, 700mA, ON/OFF, 20W,	
	KR772232	64,00	LED driver, 700mA, 1-10V, 20W	
	KR772236	76,00	LED driver, 700mA, DALI, 18W	
	KR772430	37,00	LED driver, 700mA, phase dim, 25W	
	KR772931	32,00	LED driver, 700mA, phase dim, 14W	
	KR772239	145,00	LED driver, 700mA, Casambi, 36W	
Driver for LED engine	KR747064	42,00	LED driver, 350mA, ON/OFF, 0,7-19W	
	KR772511	52,00	LED driver, 350mA, phase dim, 3,5-16,8W	
	KR752740	21,00	LED driver, 350mA, phase dim, 4,5-14W	
	KR747162	64,00	LED driver, 350mA, 1-10V, 6-18W	
	KR747266	76,00	LED driver, 350mA, DALI, 3,5-17W	
	KR772219	145,00	LED driver, 350mA, Casambi, 3,5-18,5W	

kreon aplis 120

kreon aplis 120				Base price (EUR excl. VAT)											
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+	9840 4000K, CRI98+	SP Spot (12°)	FL Flood (28°)	WFL Wide flood (34°)	Optional accessories	
	aplis 120 directional ⊙ Ø 128 H 140 Filter holder: incl., glare snoot: incl.		KR957931	①	273,00	—	—	—	28,00	28,00	28,00	—	17,00	17,00	
			KR957932	①	273,00	—	—	—	28,00	28,00	28,00	—	17,00	17,00	
	aplis 120 downlight low output ⊙ Ø 128 H 110		KR957231	②	250,00	—	—	—	28,00	28,00	28,00	—	—	—	
			KR957232	②	250,00	—	—	—	28,00	28,00	28,00	—	—	—	
	aplis 120 downlight high output ⊙ Ø 128 H 130		KR957241	③	260,00	—	—	—	28,00	28,00	28,00	—	—	—	
			KR957242	③	260,00	—	—	—	28,00	28,00	28,00	—	—	—	

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K/4000K	15,6W	700mA	800lm
			CRI98+	2700K/3000K/4000K	15,2W	700mA	573lm
		FL&WFL	CRI90+	2700K/3000K/4000K	17,1W	700mA	987lm
			CRI98+	2700K/3000K/4000K	12,9W	700mA	691lm
②	LED	SP	CRI90+	2700K/3000K/4000K	15,6W	700mA	1004lm
			CRI98+	2700K/3000K/4000K	15,2W	700mA	839lm
		FL&WFL	CRI90+	2700K/3000K/4000K	17,1W	700mA	1609lm
			CRI98+	2700K/3000K/4000K	12,9W	700mA	1127lm
③	LED		CRI90+	2700K/3000K/4000K	25,7W	1050mA	2697lm
			CRI98+	2700K/3000K/4000K	20W	1050mA	1605lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	KR737612	41,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	KR707406	39,00	Louvre IP44, white
	KR707402	39,00	Louvre IP44, black
Lenses (only for directional)	KR750100	28,00	Sculpture lens
	KR750200	28,00	Diffusing lens
	KR750800	38,00	Softening lens
Driver	KR772034	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	KR772232	64,00	LED driver, 700mA, 1-10V, 1,4-20W
	KR772236	76,00	LED driver, 700mA, DALI, 5,5-18W
	KR772430	37,00	LED driver, 700mA, phase dim, 13-25W
	KR772239	145,00	LED driver, 700mA, Casambi, 7-36W
	KR772140	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	KR772142	80,00	LED driver, 1050mA, 1-10V, 1-39W
	KR772143	90,00	LED driver, 1050mA, DALI, 16-35W
	KR772249	145,00	LED driver, 1050mA, Casambi, 10-38W

kreon aplis 120

kreon aplis 120				Base price (EUR excl. VAT)							Optional accessories	
		Colour	KR-code		Light sources	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+		9840 4000K, CRI98+
	aplis 120 wallwasher low output Ø 128 H 150 Wallwash reflector: incl.	●	<u>KR957532</u>	①	389,00	—	—	—	28,00	28,00	28,00	
	aplis 120 wallwasher high output Ø 128 H 170 Wallwash reflector: incl.	●	<u>KR957542</u>	②	389,00	—	—	—	28,00	28,00	28,00	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	17,1W	700mA	906lm
		CRI98+	2700K/3000K/4000K	12,9W	700mA	633lm
②	LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1275lm
		CRI98+	2700K/3000K/4000K	20W	1050mA	840lm

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Plasterkit concrete		<u>KR737612</u>	41,00	Plasterkit for concrete installation
Driver		<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
		<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
		<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 18W
		<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 25W
		<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 36W
		<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 1-39W
		<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 16-35W
		<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 10-38W

				Base price (EUR excl. VAT)								
				Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	Required accessories	Optional accessories
	aplis 165 directional high output Ø Ø 175 H 250 Filter holder: incl., glare snoot: incl.			○	<u>KR937341</u>	①	373,00	—	—	—	■	■
				●	<u>KR937342</u>	①	373,00	—	—	—	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1874lm
		CRI98+	2700K/3000K/4000K	20W	1050mA	1249lm

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Reflector		<u>KR720032</u>	46,00	Reflector LED, spot 13°
		<u>KR720034</u>	46,00	Reflector LED, flood 23°
		<u>KR720036</u>	46,00	Reflector LED, wide flood 40°
■ Optional accessories				
Plasterkit concrete		<u>KR737712</u>	41,00	Plasterkit for concrete installation
Lenses		<u>KR720100</u>	31,00	Sculpture lens
		<u>KR720200</u>	31,00	Diffusing lens
		<u>KR720800</u>	44,00	Softening lens
Driver		<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 36W
		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
		<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 35W
		<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	aplis 165 directional high output LE111 Ø Ø 175 H 175 glare snoot: incl.	○	<u>KR937351</u>	202,00	■	■
		●	<u>KR937352</u>	202,00	■	■
		●	<u>KR937353</u>	202,00	■	■
	aplis 165 fixed high output LE111 Ø Ø 175 H 95	○	<u>KR937451</u>	180,00	■	■
		●	<u>KR937452</u>	180,00	■	■

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732100-9030-SP</u>	56,00	LED engine 111, 3000K, CRI90+, 15°, 25,7W, 700mA (2350lm)
	<u>KR732100-9030-FL</u>	56,00	LED engine 111, 3000K, CRI90+, 24°, 36,9W, 1050mA (3450lm)
	<u>KR732100-9030-WFL</u>	56,00	LED engine 111, 3000K, CRI90+, 60°, 36,8W, 1050mA (3150lm)
■ Optional accessories			
Driver	<u>KR772530</u>	73,00	LED driver, 700mA, ON/OFF, 28W
	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	<u>KR772233</u>	90,00	LED driver, 700mA, DALI, 8,4-27W
	<u>KR772643</u>	189,00	LED driver, 1050mA, DALI, 40W

kreon aplis in-line 20

aplis in-line 20				Base price (EUR excl. VAT)										
		Colour	KR-code		Light sources	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	DL Dark light (36°)	WDL Wide dark light (60°)	Required accessories	Optional accessories		
O	aplis in-line 20 downlight H 136		<u>KR939021</u>	①	125,00	—	—	—	22,00	22,00				
			<u>KR939022</u>	①	125,00	—	—	—	22,00	22,00				

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI90+	2700K/3000K	4W	1400mA	300lm
	LED (DL/WDL)	CRI90+	2700K/3000K	12,4W	1050mA	462lm

kreon aplis in-line 20 accessories

		Base price (EUR excl. VAT)	
■ Required accessories			
Chassis	KR739020	73,00	Chassis aplis in-line 20
Plasterkit	KR717104	25,00	Plasterkit, front mounting, no shadowgap ☉ Ø102
	KR717108	25,00	Plasterkit, front mounting, shadowgap ☉ Ø102
	KR717000	36,00	Plasterkit, back mounting, no shadowgap ☉ Ø83
Concrete plasterkit	KR717102	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Installation kit	KR717100	36,00	Installation kit, back mounting
■ Optional accessories			
Blind cover	KR709220	15,00	Blind cover
Driver	KR752333	52,00	LED driver, 900mA, phase dim, 3,5-20W
	KR772543	76,00	LED driver, 1050mA, DALI2, 2,1-20W
	KR772743	90,00	LED driver, 1050mA, touchdim DALI2/dim-to-warm, 10-38W
	KR772249	145,00	LED driver, 1050mA, Casambi/dim-to-warm, 10,5-38W
	KR772952	60,00	LED driver, 1400mA, 0-10V, 30W
	KR772956	80,00	LED driver, 1400mA, DALI, 2,8-30W

kreon aplis in-line 40

				Base price (EUR excl. VAT)								
					9027 2700K, CRI95+	9030 3000K, CRI95+	SP Spot (10°)	FL Flood (24°)	WFL Wide flood (46°)		Required accessories	Optional accessories
	aplis in-line 40 directional ⦿ H 80 Glare snoot: incl.		KR907733	①	109,00	—	—	—	—	—		
	aplis in-line 40 downlight ⦿ H 80		KR907033	②	91,00	—	—	—	—	—		
	aplis in-line 40 wallwasher ⦿ H 80		 KR907331	③	162,00	—	—					
			 KR907332	③	162,00	—	—					
	aplis in-line 40 HE wallwasher ⦿ H 75		 KR907341	④	124,00	—	—					
			 KR907342	④	124,00	—	—					

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	2W	700mA	121lm
				3,2W	1050mA	143lm
②	LED	CRI90+	2700K/3000K	2W	700mA	138lm
				3,2W	1050mA	172lm
③	LED	CRI90+	2700K/3000K	2W	700mA	47lm
				3,2W	1050mA	71lm
④	LED	CRI90+	2700K/3000K	4W	700mA	291lm

kreon aplis in-line 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit, front mounting		<u>KR707104</u>	18,00	Plasterkit, front mounting, no shadowgap ☉ Ø63
		<u>KR707000</u>	28,00	Plasterkit, Ø40, trimless, back installation, 13+mm panel ☉ Ø48
		<u>KR707002</u>	28,00	Plasterkit, Ø40, trimless, back installation, 9-13mm ☉ Ø48
Installation kit, backside mounting		<u>KR707100</u>	23,00	Installation kit Ø40, trimless, backside mounting, 13+mm panel ☉ Ø42
		<u>KR707102</u>	23,00	Installation kit Ø40, trimless, backside mounting ☉ Ø42
Plasterkit concrete		<u>KR707101</u>	33,00	Plasterkit for concrete installation ☉ Ø85
Deep recessed installation (only for downlight)		<u>KR707704</u>	21,00	Plasterkit, front mounting, deep recessed, no shadowgap ☉ Ø63
		<u>KR707701</u>	36,00	Plasterkit for concrete installation, deep recessed, no shadowgap ☉ Ø85

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Louvre		<u>KR707106</u>	17,00	Louvre, white
		<u>KR707122</u>	17,00	Louvre, black
		<u>KR707124</u>	42,00	Louvre, brushed bronze
		<u>KR707127</u>	42,00	Louvre, brushed silver
		<u>KR707128</u>	42,00	Louvre, brushed gold
		<u>KR707129</u>	42,00	Louvre, gun black
Dropped louvre (only for downlight)		<u>KR707806</u>	30,00	Dropped louvre, white
		<u>KR707802</u>	30,00	Dropped louvre, black
		<u>KR707804</u>	55,00	Dropped louvre, brushed bronze
		<u>KR707807</u>	55,00	Dropped louvre, brushed silver
		<u>KR707808</u>	55,00	Dropped louvre, brushed gold
		<u>KR707809</u>	55,00	Dropped louvre, gun black
Louvre IP44 (only for downlight)		<u>KR707301</u>	26,00	Louvre IP44, white
		<u>KR707302</u>	26,00	Louvre IP44, black
Deep recessed louvre (only for downlight)		<u>KR707706</u>	20,00	Deep recessed louvre, white
		<u>KR707702</u>	20,00	Deep recessed louvre, black
		<u>KR707604</u>	45,00	Deep recessed louvre, brushed bronze
		<u>KR707607</u>	45,00	Deep recessed louvre, brushed silver
		<u>KR707608</u>	45,00	Deep recessed louvre, brushed gold
		<u>KR707609</u>	45,00	Deep recessed louvre, gun black

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver		<u>KR752430</u>	17,00	LED driver, 700mA, ON/OFF, 1,75-3,15W, IP65 (only for downlight)
		<u>KR752530</u>	17,00	LED driver, 700mA, ON/OFF, 2,8-6,3W, IP65 (only for wallwasher)
		<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W
		<u>KR772631</u>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
		<u>KR772632</u>	60,00	LED driver, 700mA, 0/1-10V, 7-12W
		<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 1,4-8,4W
		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
		<u>KR772443</u>	136,00	LED driver, 1050mA, DALI, 60W
		<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 38W (min. 4 modules)
Distance ring		<u>KR707307</u>	23,00	Distance ring 2mm (set of 5 pcs.)
		<u>KR707308</u>	28,00	Distance ring 3mm (set of 5 pcs.)
		<u>KR707309</u>	33,00	Distance ring 5mm (set of 5 pcs.)

kreon aplis in-line 40

		KR-code	Light sources	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	aplis in-line 40 downlight for LED engine 35	<u>KR907003</u>	①	23,00		
	● H 80 ◆ Glare snoot: incl.					

kreon aplis in-line 40 accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
LED engine	KR732400-9027-SP	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)	
	KR732400-9027-FL	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)	
	KR732400-9027-WFL	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)	
	KR732400-9030-SP	35,00	LED engine 35, 3000K, CRI90+, 16°, 6W, 180mA (398lm)	
	KR732400-9030-FL	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)	
	KR732400-9030-WFL	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)	
Plasterkit, front mounting	KR707104	18,00	Plasterkit, front mounting, no shadowgap Ø 63	
	KR707000	28,00	Plasterkit, Ø40, trimless, back installation, 13+mm panel Ø 48	
	KR707002	28,00	Plasterkit, Ø40, trimless, back installation, 9-13mm Ø 48	
Installation kit, backside mounting	KR707100	23,00	Installation kit Ø40, trimless, backside mounting, 13+mm panel Ø 42	
	KR707102	23,00	Installation kit Ø40, trimless, backside mounting Ø 42	
Plasterkit concrete	KR707101	33,00	Plasterkit for concrete installation Ø 85	
Deep recessed installation (only for downlight)	KR707704	21,00	Plasterkit, front mounting, deep recessed, no shadowgap Ø 63	
	KR707701	36,00	Plasterkit for concrete installation, deep recessed, no shadowgap Ø 85	

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Louvre	<u>KR707106</u>	17,00	Louvre, white
	<u>KR707122</u>	17,00	Louvre, black
	<u>KR707124</u>	42,00	Louvre, brushed bronze
	<u>KR707127</u>	42,00	Louvre, brushed silver
	<u>KR707128</u>	42,00	Louvre, brushed gold
	<u>KR707129</u>	42,00	Louvre, gun black
Dropped louvre (only for downlight)	<u>KR707806</u>	30,00	Dropped louvre, white
	<u>KR707802</u>	30,00	Dropped louvre, black
	<u>KR707804</u>	55,00	Dropped louvre, brushed bronze
	<u>KR707807</u>	55,00	Dropped louvre, brushed silver
	<u>KR707808</u>	55,00	Dropped louvre, brushed gold
	<u>KR707809</u>	55,00	Dropped louvre, gun black
Deep recessed louvre (only for downlight)	<u>KR707706</u>	20,00	Deep recessed louvre, white
	<u>KR707702</u>	20,00	Deep recessed louvre, black
	<u>KR707604</u>	45,00	Deep recessed louvre, brushed bronze
	<u>KR707607</u>	45,00	Deep recessed louvre, brushed silver
	<u>KR707608</u>	45,00	Deep recessed louvre, brushed gold
	<u>KR707609</u>	45,00	Deep recessed louvre, gun black

kreon aplis in-line 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
LED driver		<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
		<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
		<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
		<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W
Distance ring		<u>KR707307</u>	23,00	Distance ring 2mm (set of 5 pcs.)
		<u>KR707308</u>	28,00	Distance ring 3mm (set of 5 pcs.)
		<u>KR707309</u>	33,00	Distance ring 5mm (set of 5 pcs.)

kreon

aplis in-line 60
module

		KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	aplis in-line 60 directional for LED engine 35 ⦿ D 80 ⬡ Glare snoot: incl., LED engine: excl., gear: excl., IP20	<u>KR917663</u>	61,00		

kreon aplis in-line 60 accessories
module

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-SP</u>	35,00	LED engine 35, 3000K, CRI90+, 16°, 6W, 180mA (398lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
Plasterkit	<u>KR707174</u>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø80
	<u>KR707070</u>	33,00	Plasterkit, back mounting, no shadowgap ☉ Ø68
Installation kit	<u>KR707170</u>	28,00	Installation kit, back mounting ☉ Ø63
Plasterkit concrete	<u>KR707172</u>	34,00	Plasterkit for concrete installation, no shadowgap ☉ Ø105
Louvre	<u>KR717176</u>	19,00	Louvre, white
	<u>KR717172</u>	19,00	Louvre, black
	<u>KR717174</u>	44,00	Louvre, brushed bronze
	<u>KR717177</u>	44,00	Louvre, brushed silver
	<u>KR717178</u>	44,00	Louvre, brushed gold
	<u>KR717179</u>	44,00	Louvre, gun black
■ Optional accessories			
LED driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

kreon aplis in-line 60
standard

			KR-code	Light source	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (20°)	FL Flood (36°)	WFL Wide flood (45°)	Required accessories	Optional accessories
	aplis in-line 60 directional D 95 Glare snoot: incl., gear: excl., IP20		KR917943	①	136,00	—	—	—	—	—	—		
	aplis in-line 60 downlight D 95 Gear: excl., IP20		KR917043	②	124,00	—	—	—	—	—	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	734lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	845lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	837lm
②	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	830lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	936lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	879lm

kreon aplis in-line 60 accessories
standard

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	<u>KR707174</u>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø80
	<u>KR707070</u>	33,00	Plasterkit, back mounting, no shadowgap ☉ Ø68
Installation kit	<u>KR707170</u>	28,00	Installation kit, back mounting ☉ Ø63
Plasterkit concrete	<u>KR707172</u>	34,00	Plasterkit for concrete installation, no shadowgap
Louvre	<u>KR717176</u>	19,00	Louvre, white
	<u>KR717172</u>	19,00	Louvre, black
	<u>KR717174</u>	44,00	Louvre, brushed bronze
	<u>KR717177</u>	44,00	Louvre, brushed silver
	<u>KR717178</u>	44,00	Louvre, brushed gold
	<u>KR717179</u>	44,00	Louvre, gun black
Louvre IP44 (only for downlight)	<u>KR717376</u>	26,00	Louvre IP44, white
	<u>KR717372</u>	26,00	Louvre IP44, black
■ Optional accessories			
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 2,1-20W
	<u>KR752733</u>	66,00	LED driver, 700mA, DALI, 2,1-20W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W

kreon aplis in-line 60
high efficiency

	aplis in-line 60 HE downlight Ⓢ D 90 Ⓢ Gear: excl., IP20	KR 917053	①	140,00	aplis in-line 60 high efficiency													
					KR-code	Light source	Base price (EUR excl. VAT)											
					9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
		CRI95+				TBD
	LED (SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	709lm
		CRI95+				640lm
		CRI90+	TW 2700K-5000K	2x11W		TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
	LED (FL)	CRI90+	2700K/3000K/4000K	9,9W	350mA	1112lm
		CRI95+				806lm
		CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
	LED (WFL)	CRI90+	2700K/3000K/4000K	12W	350mA	1106lm
		CRI95+				816lm

kreon aplis in-line 60 accessories
high efficiency

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR707174</u>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø80
		<u>KR707070</u>	33,00	Plasterkit, back mounting, no shadowgap ☉ Ø68
Installation kit		<u>KR707170</u>	28,00	Installation kit, back mounting ☉ Ø63
Plasterkit concrete		<u>KR707172</u>	34,00	Plasterkit for concrete installation, no shadowgap
Louvre		<u>KR717176</u>	19,00	Louvre, white
		<u>KR717172</u>	19,00	Louvre, black
		<u>KR717174</u>	44,00	Louvre, brushed bronze
		<u>KR717177</u>	44,00	Louvre, brushed silver
		<u>KR717178</u>	44,00	Louvre, brushed gold
		<u>KR717179</u>	44,00	Louvre, gun black
Louvre IP44		<u>KR717376</u>	26,00	Louvre IP44, white
		<u>KR717372</u>	26,00	Louvre IP44, black
■ Optional accessories				
Driver 300mA for SSP & SP		<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
		<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
		<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W
		<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 350mA for FL & WFL		<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
		<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
		<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
		<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W
Installation tool for downlight		<u>KR707760</u>	13,00	Installation tool

kreon

aplis in-line 60

high efficiency - low louvre

and deep recessed louvre

		KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories
	aplis in-line 60 HE downlight low louvre D 87-113 Gear: excl.	KR907363	①	140,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—				
	aplis in-line 60 HE downlight low louvre D 87-113 Gear: excl.	KR907763	②	140,00	—	—	—	15,00	15,00	15,00	23,00	11,00			—	—		
	aplis in-line 60 HE wallwasher D 92 Gear: excl.	KR907561	③	176,00	—	—	—	15,00	15,00	15,00	23,00	11,00						
		KR907562	③	176,00	—	—	—	15,00	15,00	15,00	23,00	11,00						

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+ CRI95+	2700K/3000K/4000K	9,9W	300mA	566lm
	LED (SP)	CRI90+ CRI95+	2700K/3000K/4000K	9,9W	300mA	775lm
		CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	835-1053lm 726lm
②	LED (FL)	CRI90+ CRI95+	2700K/3000K/4000K	12W	350mA	1260lm
		CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	907-1153lm 823lm
	LED (WFL)	CRI90+ CRI95+	2700K/3000K/4000K	12W	350mA	1312lm
		CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	926-1225lm 891lm
③	LED (WW)	CRI90+ CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	837lm - 1111lm 831lm

kreon aplis in-line 60 accessories
high efficiency - low louvre
and deep recessed louvre

KR-code

Base price (EUR excl. VAT)

■ Required accessories

Plasterkit	<u>KR707164</u>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø83
Plasterkit concrete	<u>KR707161</u>	34,00	Plasterkit for concrete installation, no shadowgap ☉ Ø105
Louvre for downlight	<u>KR707366</u>	19,00	Low louvre, white
	<u>KR707362</u>	19,00	Low louvre, black
Louvre for wallwasher	<u>KR707561</u>	17,00	Low louvre, white
	<u>KR707562</u>	17,00	Low louvre, black
Deep recessed installation (only for downlight)	<u>KR707666</u>	23,00	Deep recessed louvre, white
	<u>KR707662</u>	23,00	Deep recessed louvre, black
	<u>KR707664</u>	48,00	Deep recessed louvre, brushed bronze
	<u>KR707667</u>	48,00	Deep recessed louvre, brushed silver
	<u>KR707668</u>	48,00	Deep recessed louvre, brushed gold
	<u>KR707669</u>	48,00	Deep recessed louvre, gun black

kreon aplis in-line 60 accessories
high efficiency - low louvre

Kreon aplis in-line 60 accessories high efficiency - low louvre		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver 300mA for SSP, SP & wallwasher ①	KR747464	42,00	LED driver, 300mA, ON/OFF, 16W	
	KR747562	64,00	LED driver, 300mA, 1-10V, 15W	
	KR747666	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)	
	KR772209	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)	
Driver 350mA for FL & WFL ②	KR747064	42,00	LED driver, 350mA, ON/OFF, 18W	
	KR747162	64,00	LED driver, 350mA, 1-10V, 18W	
Driver 350mA (dim-to-warm)	KR747267	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm	
	KR772219	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)	
Driver (tunable white)	KR747766	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white	
	KR747866	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white	
Installation tool for downlight	KR707760	13.00	Installation tool	

kreon aplis in-line 80

		KR-code	Light sources	Base price (EUR excl. VAT)													
					9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	Required accessories	Optional accessories
	aplis in-line 80 HE directional SSP & SP Ⓢ H 120 ⬠ Gear: excl., IP40	<u>KR917023</u>	①	185,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—			
	aplis in-line 80 HE directional FL Ⓢ H 120 ⬠ Gear: excl., IP40	<u>KR917123</u>	②	185,00	—	—	—	15,00	15,00	15,00	23,00	11,00			—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	500lm
	LED (SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	736lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	820-1055lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+	2700K/3000K/4000K	12W	350mA	995lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	914-1172lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm

kreon aplis in-line 80

		KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	WFL Wide flood (69°)	Required accessories	Optional accessories
	aplis in-line 80 HE fixed SSP & SP ⦿ H 105 ⬡ Gear: excl., IP40	<u>KR917223</u>	①	156,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—				
	aplis in-line 80 HE fixed FL & WFL ⦿ H 105 ⬡ Gear: excl., IP40	<u>KR917323</u>	②	156,00	—	—	—	15,00	15,00	15,00	23,00	11,00				—		
	aplis in-line 80 HE fixed SSP & SP ⦿ H 105 ⬡ Gear: excl., IP44	<u>KR917723</u>	①	161,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—				
	aplis in-line 80 HE fixed FL & WFL ⦿ H 105 ⬡ Gear: excl., IP44	<u>KR917713</u>	②	161,00	—	—	—	15,00	15,00	15,00	23,00	11,00				—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP/ SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
		CRI95+	2700K/3000K/4000K	9,9W	300mA	
		CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	
②	LED (FL/ WFL)	CRI90+	2700K/3000K/4000K	12W	300mA	TBD
		CRI95+	2700K/3000K/4000K	12W	300mA	
		CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap ☉ Ø102
	<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap ☉ Ø102
	<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap ☉ Ø86
Plasterkit concrete	<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) Ø140
Installation kit	<u>KR717100</u>	31,00	Installation kit, no shadowgap Ø83
Louvre	<u>KR717106</u>	21,00	Louvre, white
	<u>KR717122</u>	21,00	Louvre, black
	<u>KR717124</u>	46,00	Louvre, brushed bronze
	<u>KR717127</u>	46,00	Louvre, brushed silver
	<u>KR717128</u>	46,00	Louvre, brushed gold
	<u>KR717129</u>	46,00	Louvre, gun black
Deep recessed louvre (only for downlight)	<u>KR717921</u>	25,00	Deep recessed louvre, white
	<u>KR717922</u>	25,00	Deep recessed louvre, black
	<u>KR717924</u>	50,00	Deep recessed louvre, brushed bronze
	<u>KR717927</u>	50,00	Deep recessed louvre, brushed silver
	<u>KR717928</u>	50,00	Deep recessed louvre, brushed gold
	<u>KR717929</u>	50,00	Deep recessed louvre, gun black

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white
Distance ring	<u>KR717307</u>	28,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	33,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	43,00	Distance ring 5mm (set of 5 pcs.)

kreon aplis in-line 80

aplis in-line 80				Base price (EUR excl. VAT)												
	Colour	KR-code	Light sources													
	aplis in-line 80 HE wallwasher		<u>KR917421</u>	①	201,00	9027 2700K, CRI90+	—	—	—	15,00	15,00	15,00	23,00	11,00		
	 H 92 															
	Gear: excl., IP40		<u>KR917422</u>	①	201,00	—	—	—	15,00	15,00	15,00	23,00	11,00			

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED (WW)	CRI90+/ CRI95+	2700K/3000K/4000K		9,9W	300mA	807lm
		CRI90+ CRI97+	TW 2700K-5000K	2x12W	300mA		837lm-1111lm
			DTW 1800K-3000K	12,6W	350mA		TBD

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap ☉ Ø102
		<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap ☉ Ø102
		<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap ☉ Ø86
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Installation kit		<u>KR717100</u>	31,00	Installation kit, no shadowgap ☉ Ø83
Louvre		<u>KR717106</u>	21,00	Louvre, white
		<u>KR717122</u>	21,00	Louvre, black
■ Optional accessories				
Driver 300mA		<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
		<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
		<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
		<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver (tunable white)		<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, 2x16,5W, tunable white
		<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, 20W, tunable white
Distance ring		<u>KR717307</u>	28,00	Distance ring 2mm (set of 5 pcs.)
		<u>KR717308</u>	33,00	Distance ring 3mm (set of 5 pcs.)
		<u>KR717309</u>	43,00	Distance ring 5mm (set of 5 pcs.)

kreon aplis in-line 80

	kreon	aplis in-line 80	KR-code	Light sources	Base price (EUR excl. VAT)	9527 — 2700K; CRI95+	9530 — 3000K; CRI95+	9540 — 4000K; CRI95+	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (38°)	Required accessories	Optional accessories
		aplis in-line 80 directional LED ☉ H 120 ◆ Filter holder: incl., glare snoot: incl.	<u>KR917933</u>	①	151,00	—	—	—	—	—	—		
		aplis in-line 80 directional LED MR16 ☉ H 110 ◆ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917803</u>	②	74,00								
		aplis in-line 80 directional LED PAR16 ☉ H 125 □ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917843</u>	③	74,00								
		aplis in-line 80 directional for LED engine 50 ☉ Ø 102 H 120 ◆ Glare snoot: incl.	<u>KR917163</u>		66,00								

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		11,9W	350mA	665lm
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732300-9027-SP</u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u>KR732300-9027-FL</u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u>KR732300-9027-WFL</u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u>KR732300-9030-SP</u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u>KR732300-9030-FL</u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u>KR732300-9030-WFL</u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap ☉ Ø102
	<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap ☉ Ø102
	<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap ☉ Ø86
Plasterkit concrete	<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Installation kit	<u>KR717100</u>	31,00	Installation kit, no shadowgap ☉ Ø83
Louvre	<u>KR717106</u>	21,00	Louvre, white
	<u>KR717122</u>	21,00	Louvre, black
	<u>KR717124</u>	46,00	Louvre, brushed bronze
	<u>KR717127</u>	46,00	Louvre, brushed silver
	<u>KR717128</u>	46,00	Louvre, brushed gold
	<u>KR717129</u>	46,00	Louvre, gun black

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses (for LED)	<u>KR704100</u>	27,00	Sculpture lens
	<u>KR704200</u>	27,00	Diffusing lens
	<u>KR772342</u>	30,00	Anti-glare louvre
Driver LED and LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752743</u>	64,00	LED driver, 350mA, phase dim, 0,7-17W (only for LED)
	<u>KR752740</u>	21,00	LED driver, 350mA, phase dim, 4,5-14W (only for LED engine)
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
Distance ring	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W
	<u>KR717307</u>	28,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	33,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	43,00	Distance ring 5mm (set of 5 pcs.)

kreon aplis in-line 80

				Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (24°)	FL Flood (38°)	WFL Wide flood (45°)	Required accessories	Optional accessories
	aplis in-line 80 downlight LED				<u>KR917033</u>	①	132,00	—	—	—	—	—	—		
	aplis in-line 80 downlight LED IP44				<u>KR917133</u>	①	137,00	—	—	—	—	—	—		
	aplis in-line 80 downlight LED MR16				<u>KR917233</u>	②	70,00								
	aplis in-line 80 downlight LED PAR16				<u>KR917253</u>	③	70,00								
	aplis in-line 80 downlight for LED engine 50				<u>KR917113</u>		62,00								

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		12,6W	700mA	TBD
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732300-9027-SP</u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u>KR732300-9027-FL</u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u>KR732300-9027-WFL</u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u>KR732300-9030-SP</u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u>KR732300-9030-FL</u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u>KR732300-9030-WFL</u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap ☉ Ø102
	<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap ☉ Ø102
	<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap ☉ Ø86
Plasterkit concrete	<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Installation kit	<u>KR717100</u>	31,00	Installation kit, no shadowgap ☉ Ø83

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Louvre		<u>KR717106</u>	21,00	Louvre, white
		<u>KR717122</u>	21,00	Louvre, black
		<u>KR717124</u>	46,00	Louvre, brushed bronze
		<u>KR717127</u>	46,00	Louvre, brushed silver
		<u>KR717128</u>	46,00	Louvre, brushed gold
		<u>KR717129</u>	46,00	Louvre, gun black
Dropped louvre		<u>KR717906</u>	43,00	Dropped louvre, white
		<u>KR717902</u>	43,00	Dropped louvre, black
		<u>KR717804</u>	68,00	Dropped louvre, brushed bronze
		<u>KR717807</u>	68,00	Dropped louvre, brushed silver
		<u>KR717808</u>	68,00	Dropped louvre, brushed gold
		<u>KR717809</u>	68,00	Dropped louvre, gun black

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
LED driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 1,4-20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 5,5-18W
	<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 13-25W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W
Driver LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752740</u>	21,00	LED driver, 350mA, phase dim, 4,5-14W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W
Distance ring	<u>KR717307</u>	28,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	33,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	43,00	Distance ring 5mm (set of 5 pcs.)

kreon aplis in-line 120

			KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+	9840 4000K, CRI98+	SP Spot (12°)	FL Flood (28°)	WFL Wide flood (34°)	Required accessories	Optional accessories
	aplis in-line 120 directional ⊙ H 140 Filter holder: incl., glare snoot: incl		KR907933	①	227,00	—	—	—	28,00	28,00	28,00	—	17,00	17,00		
	aplis in-line 120 downlight low output ⊙ H 110		KR907233	②	208,00	—	—	—	28,00	28,00	28,00	—	—	—		
	aplis in-line 120 downlight high output ⊙ H 150		KR907243	③	218,00	—	—	—	28,00	28,00	28,00		—	—		

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K/4000K	15,6W	700mA	800lm
			CRI98+	2700K/3000K/4000K	15,2W	700mA	573lm
		FL&WFL	CRI90+	2700K/3000K/4000K	17,1W	700mA	987lm
			CRI98+	2700K/3000K/4000K	12,9W	700mA	691lm
②	LED	SP	CRI90+	2700K/3000K/4000K	15,6W	700mA	1004lm
			CRI98+	2700K/3000K/4000K	15,2W	700mA	839lm
		FL&WFL	CRI90+	2700K/3000K/4000K	17,1W	700mA	1609lm
			CRI98+	2700K/3000K/4000K	12,9W	700mA	1127lm
③	LED		CRI90+	2700K/3000K/4000K	25,7W	1050mA	2697lm
			CRI98+	2700K/3000K/4000K	20W	1050mA	1605lm

kreon aplis in-line 120 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR707204</u>	29,00	Plasterkit, front mounting, no shadowgap ☉ Ø144
		<u>KR707208</u>	29,00	Plasterkit, front mounting, shadowgap ☉ Ø144
Plasterkit concrete		<u>KR707201</u>	41,00	Plasterkit for concrete installation, no shadowgap ☉ Ø140
Louvre		<u>KR707206</u>	23,00	Louvre, white
		<u>KR707222</u>	23,00	Louvre, black
Louvre IP44 (only for downlight)		<u>KR707406</u>	39,00	Louvre IP44, white
		<u>KR707402</u>	39,00	Louvre IP44, black

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses (only for directional)	<u>KR750100</u>	28,00	Sculpture lens
	<u>KR750200</u>	28,00	Diffusing lens
	<u>KR750800</u>	38,00	Softening lens
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 1,4-20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 5,5-18W
	<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 13-25W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W
	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 1-39W
	<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 16-35W
Distance ring	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 10-38W
	<u>KR707407</u>	29,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR707408</u>	35,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR707409</u>	44,00	Distance ring 5mm (set of 5 pcs.)

kreon aplis in-line 120

aplis in-line 120				Base price (EUR excl. VAT)									
		Colour	KR-code		Light sources	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+	9840 4000K, CRI98+	Required accessories	Optional accessories
	aplis in-line 120 wallwasher ⦿ H 150		<u>KR907532</u>	①	337,00	—	—	—	28,00	28,00	28,00		
	aplis in-line 120 wallwasher ⦿ H 150		<u>KR907542</u>	②	337,00	—	—	—	28,00	28,00	28,00		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	17,1W	700mA	906lm
		CRI98+	2700K/3000K/4000K	12,9W	700mA	633lm
②	LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1275lm
		CRI98+	2700K/3000K/4000K	20W	1050mA	840lm

kreon aplis in-line 120 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	<u>KR707204</u>	29,00	Plasterkit, front mounting, no shadowgap ☉ Ø144
	<u>KR707208</u>	29,00	Plasterkit, front mounting, shadowgap ☉ Ø144
Plasterkit concrete	<u>KR707201</u>	41,00	Plasterkit for concrete installation, no shadowgap ☉ Ø140
Louvre	<u>KR707206</u>	23,00	Louvre, white
	<u>KR707222</u>	23,00	Louvre, black
■ Optional accessories			
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 25W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 36W
	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 1-39W
	<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 16-35W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 10-38W
Distance ring	<u>KR707407</u>	29,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR707408</u>	35,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR707409</u>	44,00	Distance ring 5mm (set of 5 pcs.)

kreon aplis in-line 165

aplis in-line 165			KR-code	Light sources	Base price (EUR excl. VAT)	2700K, CRI90+		3000K, CRI90+		4000K, CRI90+		Required accessories	Optional accessories
						9027		9030		9040			
	aplis in-line 165 directional high output ⊙ H 250 Filter holder: incl., glare snoot: incl.		<u>KR917343</u>	①	294,00	-		-		-			
													

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1874lm
		CRI98+	2700K/3000K/4000K	20W	1050mA	1249lm

kreon aplis in-line 165 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717204</u>	32,00	Plasterkit, front mounting, no shadowgap ☉ Ø186
		<u>KR717208</u>	32,00	Plasterkit, front mounting, shadowgap ☉ Ø186
Plasterkit concrete		<u>KR717201</u>	42,00	Plasterkit for concrete installation, no shadowgap ☉ Ø200
Louvre		<u>KR717206</u>	27,00	Louvre, white
		<u>KR717222</u>	27,00	Louvre, black
Reflector		<u>KR720032</u>	46,00	Reflector LED, spot 13°
		<u>KR720034</u>	46,00	Reflector LED, flood 23°
		<u>KR720036</u>	46,00	Reflector LED, wide flood 40°
■ Optional accessories				
Lenses		<u>KR720100</u>	31,00	Sculpture lens
		<u>KR720200</u>	31,00	Diffusing lens
		<u>KR720800</u>	44,00	Softening lens
Driver		<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 36W
		<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W
		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
		<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 35W

kreon aplis in-line 165

		Colour	KR-code	Base price (EUR excl. VAT)	No shadowgap	SHShadowgap	Required accessories	Optional accessories
	aplis in-line 165 directional high output LE111 Ø Ø 175 H 175 glare snoot: incl.		<u>KR917351</u>	202,00	—	—		
			<u>KR917352</u>	202,00	—	—		
			<u>KR917353</u>	202,00	—	—		
	aplis in-line 165 fixed high output LE111 Ø Ø 175 H 95		<u>KR917451</u>	180,00	—	—		
			<u>KR917452</u>	180,00	—	—		

kreon aplis in-line 165 accessories

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732100-9030-SP</u>	56,00	LED engine 111, 3000K, CRI90+, 15°, 25,7W, 700mA (2350lm)
	<u>KR732100-9030-FL</u>	56,00	LED engine 111, 3000K, CRI90+, 24°, 36,9W, 1050mA (3450lm)
	<u>KR732100-9030-WFL</u>	56,00	LED engine 111, 3000K, CRI90+, 60°, 36,8W, 1050mA (3150lm)
■ Optional accessories			
Driver	<u>KR772530</u>	73,00	LED driver, 700mA, ON/OFF, 28W
	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	<u>KR772233</u>	90,00	LED driver, 700mA, DALI, 8,4-27W
	<u>KR772643</u>	189,00	LED driver, 1050mA, DALI, 40W

kreon ato 80

kreon ato 80				Base price (EUR excl. VAT)								
		Colour	KR-code		Light source	9027 2700K, CRI90+	9030 3000K, CRI90+	FL Flood (30°)	WFL Wide flood (40°)	P1 White painted lamphead	P2 Black painted lamphead	Optional accessories
	ato 80 single ⦿ Ø 90 H min. 110	○	<u>KR937911</u>	①	240,00	—	—	—	—	—	—	■
		●	<u>KR937912</u>	①	240,00	—	—	—	—	—	—	■
	ato 80 twin ⦿ Ø 90 H min. 105	○	<u>KR937621</u>	②	287,00	—	—	—	—	—	—	■
		●	<u>KR937622</u>	②	287,00	—	—	—	—	—	—	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	12W	700mA	1150lm
②	LED	CRI90+	2700K/3000K	2 x 5,9W	500mA	2 x 325lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR737702</u>	36,00	Plasterkit for concrete installation
Glare preventor (only for ato 80 single)	<u>KR706721</u>	64,00	Straight glare preventor, white, H30
	<u>KR706722</u>	64,00	Straight glare preventor, black, H30
	<u>KR706720</u>	79,50	Straight glare preventor, chrome, H30
Lenses	<u>KR706070</u>	43,00	Anti-glare louvre
	<u>KR706270</u>	33,00	Diffusing lens
Driver	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 20W
	<u>KR772542</u>	34,00	LED driver, 500mA, phase dimming, 15W
	<u>KR772229</u>	145,00	LED driver, 500mA, Casambi, 27W
	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 18W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 14W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 36W

kreon ato in-line 80

		Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	FL Flood (30°)	WFL Wide flood (40°)	P1 White painted lamphead	P2 Black painted lamphead	Required accessories	Optional accessories
	ato in-line 80 single ⊙ Ø 102 H min. 110	○	<u>KR917911</u>	①	211,00	—	—	—	—	—	—	■	■
		●	<u>KR917912</u>	①	211,00	—	—	—	—	—	—	■	■
	ato in-line 80 twin ⊙ Ø 102 H min. 105	○	<u>KR917621</u>	②	257,00	—	—	—	—	—	—	■	■
		●	<u>KR917622</u>	②	257,00	—	—	—	—	—	—	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	12W	700mA	1150lm
②	LED	CRI90+	2700K/3000K	2 x 5,9W	500mA	2 x 325lm

kreon ato in-line 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap
		<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap
		<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Installation kit		<u>KR717100</u>	31,00	Installation kit, no shadowgap

kreon ato in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Glare preventor (only for ato in-line 80 single)	<u>KR706721</u>	64,00	Straight glare preventor, white, H30
	<u>KR706722</u>	64,00	Straight glare preventor, black, H30
	<u>KR706720</u>	83,00	Straight glare preventor, chrome, H30
Lenses	<u>KR706070</u>	43,00	Anti-glare louvre
	<u>KR706270</u>	33,00	Diffusing lens
Driver	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 20W
	<u>KR772542</u>	34,00	LED driver, 500mA, phase dimming, 15W
	<u>KR772229</u>	145,00	LED driver, 500mA, Casambi, 27W
	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 18W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 14W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 36W
Distance ring	<u>KR717307</u>	28,00	Distance ring, 2mm (set of 5pcs.)
	<u>KR717308</u>	33,00	Distance ring, 3mm (set of 5pcs.)
	<u>KR717309</u>	43,00	Distance ring, 5mm (set of 5pcs.)

kreon cadre
plug & play

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	VD 1-10V dimming	DD DALI dimming	S Susp. length: 900-1200mm	H Susp. length: 1200-1650mm	1 Suspension colour: white	2 Suspension colour: black	Required accessories
	cadre 1200 linear 230V	●	KR963582	①	1762,00	—	—	—	17,00	—	32,00	—	—	
		●	KR963584	①	2038,00	—	—	—	17,00	—	32,00	—	—	
	cadre 1200 spot 230V	●	KR963582	②	1762,00			—	17,00	—	32,00	—	—	■
		●	KR963584	②	2038,00			—	17,00	—	32,00	—	—	■
	cadre 1500 linear 230V	●	KR963592	③	2195,00	—	—	—	17,00	—	32,00	—	—	
		●	KR963594	③	2437,00	—	—	—	17,00	—	32,00	—	—	
	cadre 1500 spot 230V	●	KR963592	④	2195,00			—	17,00	—	32,00	—	—	■
		●	KR963594	④	2437,00			—	17,00	—	32,00	—	—	■

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	3000K	230V	38,1W	2670lm
②	LED	CRI90+	2700K/3000K	230V	4 x 6,5W	1294lm
③	LED	CRI90+	3000K	230V	47,7W	3011lm
④	LED	CRI90+	2700K/3000K	230V	5 x 6,5W	1505lm

kreon cadre accessories				Base price (EUR excl. VAT)	
		Colour	KR-code		
■ Required accessories					
Lamps			KR460180	65,00	Constant current MR16 LED lamp, 2700K 36°
			KR460945	65,00	Constant current MR16 LED lamp, 3000K 36°
Leather telescopic suspension, black anodised (for KR9636X2)					
Pendant height 900-1200mm	End part	○	KR763721	539,00	
		●	KR763722	539,00	
	Coupler	○	KR763321	270,00	
		●	KR763322	270,00	
Pendant height 1200-1650mm	End part	○	KR763821	561,00	
		●	KR763822	561,00	
	Coupler	○	KR763421	280,00	
		●	KR763422	280,00	
Leather telescopic suspension, chrome (for KR9636X0)					
Pendant height 900-1200mm	End part	○	KR763701	701,00	
		●	KR763702	701,00	
	Coupler	○	KR763301	350,00	
		●	KR763302	350,00	
Pendant height 1200-1650mm	End part	○	KR763801	746,00	
		●	KR763802	746,00	
	Coupler	○	KR763401	373,00	
		●	KR763402	373,00	
Cable suspension	End part		KR763102	224,00	
Max. pendant height: 2500mm	Coupler		KR763002	112,00	

kreon cana 40

		Colour	KR-code	Base price (EUR excl. VAT)	Optional accessories
	cana 40 profile		<u>KR755201</u>	181,00	
			<u>KR755202</u>	157,00	

kreon cana 40 accessories

		Colour	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories					
Plasterkit for recessed mounting			<u>KR705000</u>	94,00	Trimless plasterkit profile ☉ LxW Lx75 H 115 price/m
Suspension kit for pendant mounting			<u>KR705200</u>	324,00	Suspension kit
			<u>KR705202</u>	45,00	Additional suspension
Corner cut		○	<u>KR705501</u>	208,00	cana 40 corner cut 90°, white
		●	<u>KR705502</u>	208,00	cana 40 corner cut 90°, black
			<u>KR705560</u>	145,00	Trimless plasterkit corner cut 90°

kreon cana 40
holon

				Base price (EUR excl. VAT)												
				Colour	KR-code	Light sources										
							9027	2700K, CRI90+	9030	3000K, CRI90+	SP	Spot (10°)	FL	Flood (24°)	WFL	Wide flood (46°)
											SP	Spot (20°)	FL	Flood (30°)	WFL	Wide flood (40°)
	holon 40 single in-cana	Min. module spacing: 100		○	KR934001	①	245,00	—	—	—	—	—	—	—	—	—
				●	KR934002	①	245,00	—	—	—	—	—	—	—	—	—
	holon 40 twin in-cana	Min. module spacing: 200		○	KR934501	②	445,00	—	—	—	—	—	—	—	—	—
				●	KR934502	②	445,00	—	—	—	—	—	—	—	—	—
	holon 40 directional in-cana	Min. module spacing: 100		○	KR934301	③	471,00	—	—	—	—	—	—	—	—	—
				●	KR934302	③	471,00	—	—	—	—	—	—	—	—	—

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	2W	700mA	121lm
②	LED	CRI90+	2700K/3000K	2 x 2W	700mA	243lm
③	LED	CRI90+	2700K/3000K	8,4W	700mA	558lm

kreon cana 40 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
High output	<u>KR762600</u>	17,00	1050mA drive current on modules
Lenses holon 40 directional in-cana	<u>KR762000</u>	26,00	Anti-glare louvre
	<u>KR762200</u>	27,00	Diffusing lens
	<u>KR762100</u>	28,00	Sculpture lens
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
	<u>KR772050</u>	73,00	LED driver, 700mA, ON/OFF, 33W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772134</u>	76,00	LED driver, 700mA, DALI, 20W
	<u>KR772532</u>	124,00	LED driver, 700mA, 1-10V, 60W
	<u>KR772333</u>	136,00	LED driver, 700mA, DALI, 60W

kreon cana 40
prologe & ligna

creon cana 40					Base price (EUR excl. VAT)																
prologe & ligna		Colour	KR-code	Light sources		8527 2700K, CRI85+	8530 3000K, CRI85+	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (10°)	FL Flood (24°)	WFL Wide flood (46°)	EX Driver excluded	SW Switchable ON/OFF	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	Optional accessories			
	prologe 40 single in-cana Min. module spacing: 100		KR934051	①	245,00			—	—	—	—	—	35,00	38,00	38,00	52,00					
			KR934052	①	245,00			—	—	—	—	—	—	35,00	38,00	38,00	52,00				
	prologe 40 twin in-cana Min. module spacing: 200		KR934551	②	445,00			—	—	—	—	—	35,00	38,00	38,00	52,00					
			KR934552	②	445,00			—	—	—	—	—	—	35,00	38,00	38,00	52,00				
	prologe 40 double in-cana Min. module spacing: 150		KR934751	②	348,00			—	—	—	—	—	35,00	38,00	38,00	52,00					
			KR934752	②	348,00			—	—	—	—	—	—	35,00	38,00	38,00	52,00				
	ligna 40 in-cana high efficiency		KR934900	③	245,00	—	—					—	21,00		23,00	40,00					
	ligna 40 in-cana high output		KR934902	④	288,00	—	—					—	21,00		23,00	40,00					

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K / 3000K	2W	700mA	121lm
②	LED	CRI90+	2700K / 3000K	2 x 2W	700mA	243lm
③	LED	CRI85+	2700K / 3000K	11,6W/m	24Vdc	921lm/m
④	LED	CRI85+	2700K / 3000K	19,2W/m	24Vdc	1417lm/m

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
High output	<u>KR762600</u>	17,00	1050mA drive current on modules
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 30W
	<u>KR772050</u>	73,00	LED driver, 700mA, ON/OFF, 50W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772134</u>	76,00	LED driver, 700mA, DALI, 20W
	<u>KR772133</u>	90,00	LED driver, 700mA, DALI, 30W
	<u>KR772532</u>	124,00	LED driver, 700mA, 1-10V, 60W
	<u>KR772333</u>	136,00	LED driver, 700mA, DALI, 60W
Controller (for ligna driver exclusive)	<u>KR774006</u>	157,00	DALI/DMX controller for ligna 40 in-cana
	<u>KR774106</u>	112,00	1-10V controller for ligna 40 in-cana
Power supply	<u>KR490373</u>	69,00	LED power supply 24VDC, 30W
	<u>KR490374</u>	95,00	LED power supply 24VDC, 60W
	<u>KR490375</u>	142,00	LED power supply 24VDC, 100W
	<u>KR490376</u>	208,00	LED power supply 24VDC, 150W

kreon cana 40
pendant modules

		Colour	KR-code	Base price (EUR excl. VAT)	EX Driver excluded	SW Switchable ON/OFF	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories
	holon 40 pendant module in-cana mid (coming soon)	○	<u>KR934031</u>	124,00	—	35,00	38,00	38,00	52,00	■	■
		●	<u>KR934032</u>	124,00	—	35,00	38,00	38,00	52,00	■	■
	prologe 40 pendant module in-cana end (coming soon)	○	<u>KR934041</u>	124,00	—	35,00	38,00	38,00	52,00	■	■
		●	<u>KR934042</u>	124,00	—	35,00	38,00	38,00	52,00	■	■

		Base price (EUR excl. VAT)	
■ Required accessories			
Pendants			See page 111-121
■ Optional accessories			
Driver (for fixtures with driver excluded)	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
	<u>KR772050</u>	73,00	LED driver, 700mA, ON/OFF, 50W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772532</u>	124,00	LED driver, 700mA, 1-10V, 60W
	<u>KR772134</u>	76,00	LED driver, 700mA, DALI, 20W
	<u>KR772133</u>	90,00	LED driver, 700mA, DALI, 30W
	<u>KR772333</u>	136,00	LED driver, 700mA, DALI, 60W

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	cana 80 profile Input voltage: 230V, nr. of circuits: 3	○	<u>KR775201</u>	200,00	■	■
		●	<u>KR775202</u>	175,00	■	■

kreon cana 80 accessories

		KR-code	Base price (EUR excl. VAT)		
■ Required accessories					
Plasterkit		<u>KR705010</u>	99,00	Trimless plasterkit profile ☯ LxW Lx125 H185	price/m
■ Optional accessories					
Corner cut		<u>KR705511</u>	228,00	cana 80 corner cut 90°, white	
		<u>KR705512</u>	228,00	cana 80 corner cut 90°, black	
		<u>KR705610</u>	154,00	Trimless plasterkit corner cut 90°	

kreon cana 80
holon

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (17°)	FL Flood (27°)	WFL Wide flood (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	holon 80 single in-cana mid	○	<u>KR934011</u>	①	438,00	—	—	—	—	—	—	—	18,00	36,00	■
		●	<u>KR934012</u>	①	438,00	—	—	—	—	—	—	—	18,00	36,00	■
	holon 80 single in-cana end	○	<u>KR934111</u>	①	438,00	—	—	—	—	—	—	—	18,00	36,00	■
		●	<u>KR934112</u>	①	438,00	—	—	—	—	—	—	—	18,00	36,00	■
	holon 80 twin in-cana mid	○	<u>KR934511</u>	②	665,00	—	—	—	—	—	—	—	18,00	36,00	■
		●	<u>KR934512</u>	②	665,00	—	—	—	—	—	—	—	18,00	36,00	■
	holon 80 twin in-cana end	○	<u>KR934611</u>	②	665,00	—	—	—	—	—	—	—	18,00	36,00	■
		●	<u>KR934612</u>	②	665,00	—	—	—	—	—	—	—	18,00	36,00	■

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	230V	10,9W	509lm
		CRI98+	2700K/3000K/4000K	230V	10,9W	369lm
②	LED	CRI90+	2700K/3000K/4000K	230V	2 x 10,9W	1018lm
		CRI98+	2700K/3000K/4000K	230V	2 x 10,9W	738lm

kreon cana 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Lenses (for twin, order twice)		<u>KR704100</u>	27,00	Sculpture lens
		<u>KR704200</u>	27,00	Diffusing lens
		<u>KR772342</u>	30,00	Anti-glare louvre

kreon cana 80
holon HE

kreon cana 80 holon HE				Base price (EUR excl. VAT)											
		Colour	KR-code		Light sources	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	SSP Superspot (18°)	SP Spot (30°)	FL Flood (50°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	holon 80 HE single in-cana mid High efficiency		KR934081	①	472,00	—	—	—	—	—	—	—	18,00	36,00	
			KR934082	①	472,00	—	—	—	—	—	—	—	—	18,00	36,00
	holon 80 HE single in-cana end High efficiency		KR934181	①	472,00	—	—	—	—	—	—	—	18,00	36,00	
			KR934182	①	472,00	—	—	—	—	—	—	—	—	18,00	36,00
	holon 80 HE twin in-cana mid High efficiency		KR934581	②	688,00	—	—	—	—	—	—	—	18,00	36,00	
			KR934582	②	688,00	—	—	—	—	—	—	—	—	18,00	36,00
	holon 80 HE twin in-cana end High efficiency		KR934681	②	688,00	—	—	—	—	—	—	—	18,00	36,00	
			KR934682	②	688,00	—	—	—	—	—	—	—	—	18,00	36,00

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED (SP)	CRI90+	2700K/3000K/4000K	230V	9,9W	736lm
	(FL)	CRI90+	2700K/3000K/4000K	230V	12W	1000lm
②	LED (SP)	CRI90+	2700K/3000K/4000K	230V	2 x 9,9W	1472lm
	(FL)	CRI90+	2700K/3000K/4000K	230V	2 x 12W	2000lm

kreon

cana 80

holon directional

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	DD DALI dimming	Optional accessories
	holon 80 directional in-cana mid	○	<u>KR934311</u>	①	732,00	—	—	—	29,00	29,00	29,00	—	—	—	36,00	
		●	<u>KR934312</u>	①	732,00	—	—	—	29,00	29,00	29,00	—	—	—	36,00	
	holon 80 directional in-cana end	○	<u>KR934411</u>	①	732,00	—	—	—	29,00	29,00	29,00	—	—	—	36,00	
		●	<u>KR934412</u>	①	732,00	—	—	—	29,00	29,00	29,00	—	—	—	36,00	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	230V	28,9W	1610lm
		CRI95+	2700K/3000K/4000K	230V	28,9W	1610lm

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Lenses		<u>KR726100</u>	34,00	Sculpture lens
		<u>KR726200</u>	34,00	Diffusing lens
		<u>KR762002</u>	31,00	Anti-glare louvre

kreon cana 80
prologe & ligna

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (48°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	prologe 80 single in-cana mid		○	KR934061	①	438,00				—	—	—	—	—	—	—	18,00	36,00	■
			●	KR934062	①	438,00				—	—	—	—	—	—	—	18,00	36,00	■
	prologe 80 single in-cana end		○	KR934161	①	438,00				—	—	—	—	—	—	—	18,00	36,00	■
			●	KR934162	①	438,00				—	—	—	—	—	—	—	18,00	36,00	■
	prologe 80 twin in-cana mid		○	KR934561	②	665,00				—	—	—	—	—	—	—	18,00	36,00	■
			●	KR934562	②	665,00				—	—	—	—	—	—	—	18,00	36,00	■
	prologe 80 twin in-cana end		○	KR934661	②	665,00				—	—	—	—	—	—	—	18,00	36,00	■
			●	KR934662	②	665,00				—	—	—	—	—	—	—	18,00	36,00	■
	ligna 80 in-cana L = n x 70mm x 95mm			KR934910	③	392,00	—	—	—							—	18,00	36,00	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	230V	10,9W		509lm
		CRI98+	2700K/3000K/4000K	230V	10,9W		369lm
②	LED	CRI90+	2700K/3000K/4000K	230V	2 x 10,9W		1018lm
		CRI98+	2700K/3000K/4000K	230V	2 x 10,9W		738lm
③	LED	CRI90+	2700K/3000K/4000K		40,7W/m	450mA	2272lm/m

kreon cana 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Lenses (for twin, order twice)		<u>KR704100</u>	27,00	Sculpture lens
		<u>KR704200</u>	27,00	Diffusing lens
		<u>KR772342</u>	30,00	Anti-glare louvre

kreon

cana 80

prologe HE

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	SSP Superspot (18°)	SP Spot (30°)	FL Flood (50°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	prologe 80 HE single in-cana mid High efficiency	○	KR934091	①	472,00	—	—	—	—	—	—	—	18,00	36,00	■
		●	KR934092	①	472,00	—	—	—	—	—	—	—	18,00	36,00	■
	prologe 80 HE single in-cana end High efficiency	○	KR934191	①	472,00	—	—	—	—	—	—	—	18,00	36,00	■
		●	KR934192	①	472,00	—	—	—	—	—	—	—	18,00	36,00	■
	prologe 80 HE twin in-cana mid High efficiency	○	KR934591	②	688,00	—	—	—	—	—	—	—	18,00	36,00	■
		●	KR934592	②	688,00	—	—	—	—	—	—	—	18,00	36,00	■
	prologe 80 HE twin in-cana end High efficiency	○	KR934691	②	688,00	—	—	—	—	—	—	—	18,00	36,00	■
		●	KR934692	②	688,00	—	—	—	—	—	—	—	18,00	36,00	■

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED (SP)	CRI90+	2700K/3000K/4000K	230V	9,9W	736lm
	(FL)	CRI90+	2700K/3000K/4000K	230V	12W	1000lm
②	LED (SP)	CRI90+	2700K/3000K/4000K	230V	2 x 9,9W	1472lm
	(FL)	CRI90+	2700K/3000K/4000K	230V	2 x 12W	2000lm

kreon cana 80
pendant modules

		Colour	KR-code	Base price (EUR excl. VAT)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	holon 80 pendant module in-cana mid	○	KR934531	236,00	—	18,00	36,00	■
		●	KR934532	236,00	—	18,00	36,00	■
	holon 80 pendant module in-cana end	○	KR934631	236,00	—	18,00	36,00	■
		●	KR934632	236,00	—	18,00	36,00	■
	prologe 80 pendant module in-cana mid	○	KR934541	236,00	—	18,00	36,00	■
		●	KR934542	236,00	—	18,00	36,00	■
	prologe 80 pendant module in-cana end	○	KR934641	236,00	—	18,00	36,00	■
		●	KR934642	236,00	—	18,00	36,00	■

		Base price (EUR excl. VAT)
■ Required accessories		
Pendants		See page 111-121

kreon cana
oran pendant

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (20°)	FL Flood (35°)	WFL Wide flood (55°)	DL Dark light (38°)	WDL Wide dark light (76°)
	holon 40 pendant in-cana Gear: excl.		○	<u>KR962001</u>	①	274,00	—	—	—	—	—	—	22,00	22,00	
			●	<u>KR962002</u>	①	274,00	—	—	—	—	—	—	22,00	22,00	
			BB	<u>KR962004</u>	①	319,00	—	—	—	—	—	—	22,00	22,00	
			BS	<u>KR962007</u>	①	319,00	—	—	—	—	—	—	22,00	22,00	
			BG	<u>KR962008</u>	①	319,00	—	—	—	—	—	—	22,00	22,00	
			GB	<u>KR962009</u>	①	319,00	—	—	—	—	—	—	22,00	22,00	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K	8,4W	700mA	628lm
		CRI90+	2700K/3000K	8,4W	700mA	558lm
	Dark light	CRI90+	2700K/3000K	8,4W	700mA	420lm

kreon cana

oran pendant

kreon cana									
oran pendant									
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories	
	oran pendant glass in-cana, cylinder, type E1		KR971111	①	393,00	—	—		
			KR971112	①	393,00	—	—		
		BB	KR971114	①	468,00	—	—		
		BS	KR971117	①	468,00	—	—		
		BG	KR971118	①	468,00	—	—		
		GB	KR971119	①	468,00	—	—		
	oran pendant glass in-cana, double cylinder, type F1		KR971311	②	426,00	—	—		
			KR971312	②	426,00	—	—		
		BB	KR971314	②	501,00	—	—		
		BS	KR971317	②	501,00	—	—		
		BG	KR971318	②	501,00	—	—		
		GB	KR971319	②	501,00	—	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED	CRI90+	2700K/3000K	8,4W	700mA	444lm

kreon cana
oran pendant

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
	oran pendant glass in-cana, cone, type H1		KR971211	①	426,00	—	—		
			KR971212	①	426,00	—	—		
		BB	KR971214	①	501,00	—	—		
		BS	KR971217	①	501,00	—	—		
		BG	KR971218	①	501,00	—	—		
		GB	KR971219	①	501,00	—	—		
	oran pendant glass in-cana, cone, type H2		KR971411	②	426,00	—	—		
			KR971412	②	426,00	—	—		
		BB	KR971414	②	501,00	—	—		
		BS	KR971417	②	501,00	—	—		
		BG	KR971418	②	501,00	—	—		
		GB	KR971419	②	501,00	—	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED	CRI90+	2700K/3000K	8,4W	700mA	438lm

kreon cana
oran pendant

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+	Required accessories
	oran pendant kap glass in-cana, cylinder, type E1		○	KR971131	①	492,00	—	—		■
			●	KR971132	①	492,00	—	—		■
		BB		KR971134	①	672,00	—	—		■
		BS		KR971137	①	672,00	—	—		■
		BG		KR971138	①	672,00	—	—		■
		GB		KR971139	①	672,00	—	—		■
	oran pendant kap glass in-cana, double cylinder, type F1		○	KR971331	②	525,00	—	—		■
			●	KR971332	②	525,00	—	—		■
		BB		KR971334	②	705,00	—	—		■
		BS		KR971337	②	705,00	—	—		■
		BG		KR971338	②	705,00	—	—		■
		GB		KR971339	②	705,00	—	—		■


		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	328lm
②	LED	CRI90+	2700K/3000K	8,4W	700mA	420lm

kreon cana 120

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories	
	cana 120 profile Input voltage: 230V, nr. of circuits: 3	○	<u>KR795201</u>	231,00	■	■	price/m
		●	<u>KR795202</u>	231,00	■	■	price/m

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR705020</u>	106,00	Trimless plasterkit profile  LxW Lx180 H 190 price/m
■ Optional accessories				
Corner cut		<u>KR705521</u>	263,00	cana 120 corner cut 90°, white
		<u>KR705522</u>	263,00	cana 120 corner cut 90°, black
		<u>KR705620</u>	166,00	Trimless plasterkit corner cut 90°

kreon cana 120
holon


kreon cana 120 holon				Base price (EUR excl. VAT)													
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+	9840 4000K, CRI98+	SP Spot (12°)	FL Flood (24°)	WFL Wide flood (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	○	KR934021	①	487,00	—	—	—	28,00	28,00	28,00	—	—	—	—	18,00	36,00	
	●	KR934022	①	487,00	—	—	—	28,00	28,00	28,00	—	—	—	—	18,00	36,00	
	○	KR934121	①	487,00	—	—	—	28,00	28,00	28,00	—	—	—	—	18,00	36,00	
	●	KR934122	①	487,00	—	—	—	28,00	28,00	28,00	—	—	—	—	18,00	36,00	
	○	KR934521	②	829,00	—	—	—	56,00	56,00	56,00	—	—	—	—	18,00	36,00	
	●	KR934522	②	829,00	—	—	—	56,00	56,00	56,00	—	—	—	—	18,00	36,00	
	○	KR934621	②	829,00	—	—	—	56,00	56,00	56,00	—	—	—	—	18,00	36,00	
	●	KR934622	②	829,00	—	—	—	56,00	56,00	56,00	—	—	—	—	18,00	36,00	

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K/4000K	230V	15,6W	793lm
			CRI98+	2700K/3000K/4000K	230V	15,6W	567lm
	FL & WFL		CRI90+	2700K/3000K/4000K	230V	17,1W	1075lm
			CRI98+	2700K/3000K/4000K	230V	12,9W	753lm
②	LED	SP	CRI90+	2700K/3000K/4000K	230V	2 x 15,6W	1585lm
			CRI98+	2700K/3000K/4000K	230V	2 x 15,6W	1134lm
	FL & WFL		CRI90+	2700K/3000K/4000K	230V	2 x 17,1W	2150lm
			CRI98+	2700K/3000K/4000K	230V	2 x 12,9W	1505lm

kreon cana 120 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Lenses (for twin, order twice)		<u>KR750100</u>	28,00	Sculpture lens
		<u>KR750200</u>	28,00	Diffusing lens
		<u>KR750800</u>	38,00	Softening lens

kreon cana 120
prologe

				Base price (EUR excl. VAT)													Optional accessories
		Colour	KR-code		9027	9030	9040	9827	9830	9840	SP	FL	WFL	SW	VD	DD	
	prologe 120 single in-cana mid	○	KR934071	①	487,00	—	—	28,00	28,00	28,00	—	—	—	—	18,00	36,00	■
		●	KR934072	①	487,00	—	—	28,00	28,00	28,00	—	—	—	—	18,00	36,00	■
	prologe 120 single in-cana end	○	KR934171	①	487,00	—	—	28,00	28,00	28,00	—	—	—	—	18,00	36,00	■
		●	KR934172	①	487,00	—	—	28,00	28,00	28,00	—	—	—	—	18,00	36,00	■
	prologe 120 twin in-cana mid	○	KR934571	②	829,00	—	—	56,00	56,00	56,00	—	—	—	—	18,00	36,00	■
		●	KR934572	②	829,00	—	—	56,00	56,00	56,00	—	—	—	—	18,00	36,00	■
	prologe 120 twin in-cana end	○	KR934671	②	829,00	—	—	56,00	56,00	56,00	—	—	—	—	18,00	36,00	■
		●	KR934672	②	829,00	—	—	56,00	56,00	56,00	—	—	—	—	18,00	36,00	■

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K/4000K	230V	15,6W	812lm
			CRI98+	2700K/3000K/4000K	230V	15,6W	581lm
	FL & WFL		CRI90+	2700K/3000K/4000K	230V	17,1W	1067lm
			CRI98+	2700K/3000K/4000K	230V	12,9W	747lm
②	LED	SP	CRI90+	2700K/3000K/4000K	230V	2 x 15,6W	1623lm
			CRI98+	2700K/3000K/4000K	230V	2 x 15,6W	1161lm
	FL & WFL		CRI90+	2700K/3000K/4000K	230V	2 x 17,1W	2134lm
			CRI98	2700K/3000K/4000K	230V	2 x 12,9W	1494lm

kreon cana 120 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Lenses (for twin, order twice)		<u>KR750100</u>	28,00	Sculpture lens
		<u>KR750200</u>	28,00	Diffusing lens
		<u>KR750800</u>	38,00	Softening lens

kreon diapason 80

kreon diapason 80				Base price (EUR excl. VAT)												
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories		
	diapason 80 M10	 KR916601	①	297,00	—	—	—	—	—							
		 KR916602	①	297,00	—	—	—	—	—							
	diapason 80 recessed mounted	 KR916611	①	315,00	—	—	—	—	—							
		 KR916612	①	315,00	—	—	—	—	—							
	diapason 80 surface mounted	 KR916651	①	361,00	—	—	—	—	—							
		 KR916652	①	361,00	—	—	—	—	—							
	diapason 80 on-track	 KR916621	②	380,00	—	—	—	—	—	30,00	30,00					
		 KR916622	②	380,00	—	—	—	—	—	30,00	30,00					
		BR KR916625	②	427,00	—	—	—	—	—	—	30,00	30,00				

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K		5,7W	500mA	557lm
		CRI90+			5,7W		428lm
②	LED	CRI80+	2700K/3000K	48V	8,2W		557lm
		CRI90+		48V			428lm

	Colour	KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Installation kit for diapason 80 recessed mounted		<u>KR717104</u>	25,00	Plasterkit kit without trim, front mounting, no shadowgap ☉ Ø 102
		<u>KR717108</u>	25,00	Plasterkit kit without trim, front mounting, with shadowgap ☉ Ø 102
		<u>KR717000</u>	36,00	Plasterkit kit without trim, back mounting, with shadowgap ☉ Ø 102
	○	<u>KR717021</u>	38,00	Installation kit with trim, white ☉ Ø 90 H 70
	●	<u>KR717022</u>	38,00	Installation kit with trim, black ☉ Ø 90 H 70
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) Ø140
Installation kit		<u>KR717100</u>	31,00	Installation kit, no shadowgap
Low voltage track				See page 402
■ Optional accessories				
Glare preventer	○	<u>KR706721</u>	64,00	Straight glare preventer, white (H 30)
	●	<u>KR706722</u>	64,00	Straight glare preventer, black (H 30)
	○	<u>KR706731</u>	73,00	Rounded glare preventer, white (H 54)
	●	<u>KR706732</u>	73,00	Rounded glare preventer, black (H 54)
Louvres and lenses		<u>KR706070</u>	43,00	Anti-glare louvre
		<u>KR706270</u>	33,00	Diffusing lens
Driver		<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 18W
		<u>KR772229</u>	145,00	LED driver, 500mA, Casambi, 27W

kreon diapason 120

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (12°)	FL Flood (24°)	WFL Wide flood (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories
	diapason 120 M10	○	KR926601	①	428,00	—	—	—	—	—					■
		●	KR926602	①	428,00	—	—	—	—	—					■
	diapason 120 base	○	KR926611	①	446,00	—	—	—	—	—				■	■
		●	KR926612	①	446,00	—	—	—	—	—				■	■
	diapason 120 surface mounted	○	KR926651	①	494,00	—	—	—	—	—					■
		●	KR926652	①	494,00	—	—	—	—	—					■
	diapason 120 on-track	○	KR926621	②	527,00	—	—	—	—	—	—	29,00	29,00		■
		●	KR926622	②	527,00	—	—	—	—	—	—	29,00	29,00		■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	19,5W	700mA	1185lm
		FL & WFL	CRI90+	2700K/3000K	16,5W	700mA	1761lm
②	LED	SP	CRI90+	2700K/3000K	48V	22W	1185lm
		FL & WFL	CRI90+	2700K/3000K	48V	19W	1761lm

kreon diapason 120 accessories

	Colour	KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Installation kit for diapason 120 base		<u>KR717104</u>	25,00	Plasterkit kit without trim, front mounting, no shadowgap ☉ Ø 102
		<u>KR717108</u>	25,00	Plasterkit kit without trim, front mounting, with shadowgap ☉ Ø 102
		<u>KR717000</u>	36,00	Plasterkit kit without trim, back mounting, with shadowgap ☉ Ø 102
	○	<u>KR717021</u>	38,00	Installation kit with trim, white ☉ Ø 90 H 70
	●	<u>KR717022</u>	38,00	Installation kit with trim, black ☉ Ø 90 H 70
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) Ø140
Installation kit		<u>KR717100</u>	31,00	Installation kit, no shadowgap
3~ circuit track				See page 428
■ Optional accessories				
Glare preventer	○	<u>KR706821</u>	75,00	Straight glare preventer, white (H 40)
	●	<u>KR706822</u>	75,00	Straight glare preventer, black (H 40)
	○	<u>KR706831</u>	84,00	Rounded glare preventer, white (H 90)
	●	<u>KR706832</u>	84,00	Rounded glare preventer, black (H 90)
Louvres and lenses ②		<u>KR706080</u>	43,00	Anti-glare louvre
		<u>KR706180</u>	39,00	Sculpture lens
		<u>KR706280</u>	33,00	Diffusing lens
Driver		<u>KR772050</u>	73,00	LED driver, 700mA, ON/OFF, 50W
		<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
		<u>KR772233</u>	90,00	LED driver, 700mA, DALI, 27W
		<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 25W
		<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 36W

kreon dolma 80

</											

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI80+	2700K/3000K	230V	8,4W	126lm

		Colour	KR-code	Base price (EUR excl. VAT)	
	dolma 80 outdoor profile Min depth: 125, IP40		<u>KR715402</u>	246,00	price/m
			<u>KR715403</u>	246,00	price/m
	dolma 80 shower profile Min depth: 125, IP40		<u>KR715502</u>	246,00	price/m
			<u>KR715503</u>	246,00	price/m
■ Optional accessories					
Driver (IP20)			<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W (IP20)
			<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W (IP20)
			<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 18W (IP20)

kreon dolma 80 outdoor

kreon dolma 80 outdoor												
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80+	8030 3000K, CRI80+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories	
	dolma 80 outdoor up/down light Watertight gearbox: incl., 230V, IP55		KR915961	①	517,00	—	—	—	73,00	73,00		
			KR915962	①	517,00	—	—	—	73,00	73,00		
	dolma 80 shower up/down light Gear: excl., IP55 		KR915971	②	517,00	—	—					
			KR915972	②	517,00	—	—					

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K	230V	8,4W		204lm
②	LED	CRI80+	2700K/3000K		8,4W	700mA	204lm

kreon dolma 145

		Colour	KR-code	Base price (EUR excl. VAT)		
	dolma 145 profile Min depth: 80, thickness boardmaterial: max. 15mm, IP40		<u>KR725002</u>	274,00	price/m	
			<u>KR725003</u>	274,00	price/m	
■ Optional accessories (not for dolma outdoor)						
Electrical wiring			<u>KR705401</u>	14,00	Extra electrical wiring (for an extra circuit)	
EURO connector			<u>KR705403</u>	7,00	EURO connector	

kreon down 40

kreon down 40				Base price (EUR excl. VAT)						Optional accessories	
		Colour	KR-code		Light sources	9027 2700K, CRI95+	9030 3000K, CRI95+	SP Spot (10°)	FL Flood (24°)		WFL Wide flood (46°)
	down 40 directional ⦿ LxW 45x45 H 80 Glare snoot: incl.	○	KR957781	①	137,00	—	—	—	—	—	
		●	KR957782	①	137,00	—	—	—	—	—	
	down 40 downlight ⦿ LxW 45x45 H 80	○	KR957081	②	120,00	—	—	—	—	—	
		●	KR957082	②	120,00	—	—	—	—	—	
	down 40 wallwasher ⦿ LxW 45x45 H 80	○	KR957381	③	198,00	—	—				
		●	KR957382	③	198,00	—	—				
	down 40 HE wallwasher ⦿ LxW 45x45 H 75	○	KR957391	④	151,00	—	—				
		●	KR957392	④	151,00	—	—				

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	2W	700mA	121lm
				3,2W	1050mA	143lm
②	LED	CRI90+	2700K/3000K	2W	700mA	138lm
				3,2W	1050mA	172lm
③	LED	CRI90+	2700K/3000K	2W	700mA	47lm
				3,2W	1050mA	71lm
④	LED	CRI90	2700K/3000K	4W	700mA	291lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR747602</u>	34,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	<u>KR707311</u>	26,00	Louvre IP44, white
	<u>KR707312</u>	26,00	Louvre IP44, black
Driver	<u>KR752430</u>	17,00	LED driver, 700mA, ON/OFF, 1,75-3,15W, IP65 (only for downlight)
	<u>KR752530</u>	17,00	LED driver, 700mA, ON/OFF, 2,8-6,3W, IP65 (only for wallwasher)
	<u>KR752633</u>	60,00	LED driver, 700mA, DALI, 10W
	<u>KR772631</u>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
	<u>KR772632</u>	60,00	LED driver, 700mA, 0/1-10V, 7-12W
	<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 1,4-8,4W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR772443</u>	136,00	LED driver, 1050mA, DALI, 60W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 38W (min. 4 modules)

```
kreon    down 40
```

				Base price (EUR excl. VAT)	Required accessories	Optional accessories
	Colour	KR-code	Light sources			
 down 40 downlight for LED engine 35 ⌚ LxW 45x45 H 80 ⚡		<u>KR957201</u>	②	80,00		
		<u>KR957202</u>	②	80,00		

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-SP</u>	35,00	LED engine 35, 3000K, CRI90+, 16°, 6W, 180mA (398lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
■ Optional accessories			
Plasterkit concrete	<u>KR747602</u>	34,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

kreon down 60
module

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	down 60 directional for LED engine 35	○	<u>KR947641</u>	87,00	■	■
	⊗ LxW 68x68 D 80 ⊕ Glare snoot: incl., LED engine: excl., gear: excl., IP20	●	<u>KR947642</u>	87,00	■	■

kreon down 60 accessories
module

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-SP</u>	35,00	LED engine 35, 3000K, CRI90+, 16°, 6W, 180mA (398lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
■ Optional accessories			
Plasterkit concrete	<u>KR747372</u>	34,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

kreon down 60
standard

				Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (20°)	FL Flood (36°)	WFL Wide flood (45°)	Optional accessories
	down 60 directional ⦿ LxW 68x68 D 95 ⬢ Glare snoot: incl., gear: excl., IP20	○	KR947941	①	170,00	—	—	—	—	—	■
		●	KR947942	①	170,00	—	—	—	—	—	■
	down 60 downlight ⦿ LxW 68x68 D 95 ⬢ Gear: excl., IP20	○	KR947041	②	155,00	—	—	—	—	—	■
		●	KR947042	②	155,00	—	—	—	—	—	■
	down 60 downlight IP44 ⦿ LxW 68x68 D 95 ⬢ Gear: excl., IP44	○	KR947141	②	164,00	—	—	—	—	—	■
		●	KR947142	②	164,00	—	—	—	—	—	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	734lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	845lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	837lm
②	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	830lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	936lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	879lm

kreon

down 60 accessories

standard

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Plasterkit concrete		<u>KR747372</u>	34,00	Plasterkit for concrete installation
Driver		<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
		<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
		<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 2,1-20W
		<u>KR752733</u>	66,00	LED driver, 700mA, DALI, 2,1-20W
		<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W

kreon down 60
high efficiency

				Base price (EUR excl. VAT)															
		Colour	KR-code		Light source	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories
	down 60 HE downlight		<u>KR947051</u>	①	201,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	—	—		
	⦿ LxW 68x68 D 90 ⬢ Gear: excl., IP20		<u>KR947052</u>	①	201,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	—	—		
	down 60 HE downlight IP44		<u>KR947151</u>	①	210,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	—	—		
	⦿ LxW 68x68 D 90 ⬢ Gear: excl., IP44		<u>KR947152</u>	①	210,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	—	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+ CRI95+	2700K/3000K/4000K	9,9W	300mA	TBD TBD
	LED (SP)	CRI90+ CRI95+ CRI90+ CRI97+	2700K/3000K/4000K TW 2700K-5000K DTW 1800K-3000K	9,9W 2x11W 12,6W	300mA 350mA	709lm 640lm TBD TBD
LED (FL)		CRI90+ CRI95+	2700K/3000K/4000K	12W	350mA	1112lm 806lm
		CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x11W 12,6W	300mA 350mA	TBD TBD
	LED (WFL)	CRI90+ CRI95+	2700K/3000K/4000K	12W	350mA	1106lm 816lm

kreon down 60 accessories
high efficiency

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR747372</u>	34,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W

kreon

down 60

high efficiency - low louvre

kreon down 60				Base price (EUR excl. VAT)														
high efficiency - low louvre					9027	9030	9040	9527	9530	9540	TW	DTW	SSP	SP	FL	WFL	Required accessories	Optional accessories
		Colour	KR-code	Light source	2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Dim-to-warm, CRI97+	Superspot (18°)	Spot (34°)	Flood (54°)	Wide flood (69°)		
	down 60 HE downlight low louvre ⦿ LxW 68x68 D 87 ⬢ Gear: excl., IP20	○	KR947361	①	175,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—				
		●	KR947362	①	175,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—				
	down 60 HE downlight low louvre ⦿ LxW 68x68 D 87 ⬢ Gear: excl., IP20	○	KR947371	②	175,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—		
		●	KR947372	②	175,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—		
	down 60 HE wallwasher ⦿ LxW 68x68 D 92 ⬢ Gear: excl., IP20	○	KR947561	③	218,00	—	—	15,00	15,00	15,00	23,00	11,00						
		●	KR947562	③	218,00	—	—	15,00	15,00	15,00	23,00	11,00						

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	566lm
	LED (SP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	775lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	835-1053lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1260lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	907-1153lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm
	LED (WFL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1312lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	926-1225lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	891lm
③	LED (WW)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	837lm - 1111lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	831lm

kreon down 60 accessories

high efficiency - low louvre

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	KR747372	34,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	KR747464	42,00	LED driver, 300mA, ON/OFF, 16W
	KR747562	64,00	LED driver, 300mA, 1-10V, 15W
	KR747666	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	KR772209	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	KR747064	42,00	LED driver, 350mA, ON/OFF, 18W
	KR747162	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	KR747267	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	KR772219	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	KR747766	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	KR747866	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white

kreon down 80

				Base price (EUR excl. VAT)												
		Colour	KR-code		9027	9030	9040	9527	9530	9540	TW	DTW	SSP	SP	FL	Optional accessories
	down 80 HE directional SSP & SP	○	KR947021	①	225,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	
	Ⓢ LxW 91x91 H 120 ⬢ Gear: excl., IP40	●	KR947022	①	225,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—	
	down 80 HE directional FL	○	KR947121	②	225,00	—	—	—	15,00	15,00	15,00	23,00	11,00		—	
	Ⓢ LxW 91x91 H 120 ⬢ Gear: excl., IP40	●	KR947122	②	225,00	—	—	—	15,00	15,00	15,00	23,00	11,00		—	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	500lm
	LED (SP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	736lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	820-1055lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+/ CRI95	2700K/3000K/4000K	12W	350mA	995lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	914-1172lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR747702</u>	36,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white

kreon down 80

				Base price (EUR excl. VAT)													
		Colour	KR-code		9027	9030	9040	9527	9530	9540	TW	DTW	SSP	SP	FL	WFL	Optional accessories
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Dim-to-warm, CRI97+	Superspot (18°)	spot (35°)	flood (52°)	wide flood (69°)	
	down 80 HE fixed SSP & SP Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<u>KR947221</u>	①	195,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—			■
		●	<u>KR947222</u>	①	195,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—			■
	down 80 HE fixed FL & WFL Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<u>KR947321</u>	②	195,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—	■
		●	<u>KR947322</u>	②	195,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—	■
	down 80 HE fixed IP44 SSP & SP Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<u>KR947621</u>	①	200,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—			■
		●	<u>KR947622</u>	①	200,00	—	—	15,00	15,00	15,00	23,00	11,00	—	—			■
	down 80 HE fixed IP44 FL & WFL Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<u>KR947611</u>	②	200,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—	■
		●	<u>KR947612</u>	②	200,00	—	—	15,00	15,00	15,00	23,00	11,00			—	—	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP/ SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
		CRI95+	2700K/3000K/4000K	9,9W	300mA	
		CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	
②	LED (FL/ WFL)	CRI90+	2700K/3000K/4000K	12W	300mA	TBD
		CRI95+	2700K/3000K/4000K	12W	300mA	
		CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	KR747702	36,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	KR747464	42,00	LED driver, 300mA, ON/OFF, 16W
	KR747562	64,00	LED driver, 300mA, 1-10V, 15W
	KR747666	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	KR772209	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	KR747064	42,00	LED driver, 350mA, ON/OFF, 18W
	KR747162	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	KR747266	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	KR772219	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	KR747766	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	KR747866	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white

kreon down 80

	down 80 HE wallwasher			235,00	—	—	—	15,00	15,00	15,00	23,00	11,00	
	⦿ LxW 91x91 H 92 ⦿												
	Gear: excl., IP40												
	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	Optional accessories
	○	<u>KR947421</u>	①	235,00	—	—	—	15,00	15,00	15,00	23,00	11,00	
	●	<u>KR947422</u>	①	235,00	—	—	—	15,00	15,00	15,00	23,00	11,00	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (WW)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	837lm-1111lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

kreon down 80 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR747702</u>	36,00	Plasterkit for concrete installation
Driver 300mA	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white

kreon down 80

				Base price (EUR excl. VAT)							Required accessories	Optional accessories
		Colour	Light sources		9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (38°)		
	down 80 directional LED	○	①	185,00	—	—	—	—	—	—		■
	Ⓢ LxW 91x91 H 120 Ⓢ Filter holder: incl., glare snoot: incl.	●	①	185,00	—	—	—	—	—	—		■
	down 80 directional LED MR16	○	②	105,00								■
	Ⓢ LxW 91x91 H 110 Ⓢ Filter holder: incl., lamp: excl., glare snoot: incl.	●	②	105,00								■
	down 80 directional LED PAR16	○	③	105,00								■
	Ⓢ LxW 91x91 H 125 Ⓢ Filter holder: incl., lamp: excl., glare snoot: incl.	●	③	105,00								■
	down 80 directional for LED engine 50	○		94,00							■	■
	Ⓢ LxW 91x91 H 120 Ⓢ Glare snoot: incl.	●		94,00							■	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		11,9W	350mA	665lm
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

kreon down 80 accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
LED engine	<u>KR732300-9027-SP</u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)	
	<u>KR732300-9027-FL</u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)	
	<u>KR732300-9027-WFL</u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)	
	<u>KR732300-9030-SP</u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)	
	<u>KR732300-9030-FL</u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)	
	<u>KR732300-9030-WFL</u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)	
■ Optional accessories				
Plasterkit concrete	<u>KR747702</u>	36,00	Plasterkit for concrete installation	
Lenses (for LED)	<u>KR704100</u>	27,00	Sculpture lens	
	<u>KR704200</u>	27,00	Diffusing lens	
	<u>KR772342</u>	30,00	Anti-glare louvre	
Driver LED and LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W	
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W	
	<u>KR752743</u>	64,00	LED driver, 350mA, phase dim, 0,7-17W	
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W	
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W	
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W	

kreon down 80

				Base price (EUR excl. VAT)				SP Spot (24°)	FL Flood (38°)	WFL Wide flood (45°)	Required accessories	Optional accessories
		Colour	KR-code		9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+					
	down 80 downlight LED Ⓢ LxW 91x91 H 100 Ⓢ	○	<u>KR947031</u>	①	165,00	—	—	—	—	—		■
		●	<u>KR947032</u>	①	165,00	—	—	—	—	—		■
	down 80 downlight LED IP44 Ⓢ LxW 91x91 H 100 Ⓢ	○	<u>KR947111</u>	①	170,00	—	—	—	—	—		■
		●	<u>KR947112</u>	①	170,00	—	—	—	—	—		■
	down 80 downlight LED MR16 Ⓢ LxW 91x91 H 110 Ⓢ Lamp: excl.	○	<u>KR947231</u>	②	100,00							■
		●	<u>KR947232</u>	②	100,00							■
	down 80 downlight LED PAR16 Ⓢ LxW 91x91 H 130 Ⓢ Lamp: excl.	○	<u>KR947251</u>	③	100,00							■
		●	<u>KR947252</u>	③	100,00							■
	down 80 downlight for LED engine 50 Ⓢ LxW 91x91 H 120 Ⓢ	○	<u>KR947101</u>		89,00						■	■
		●	<u>KR947102</u>		89,00						■	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		12,6W	700mA	TBD
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732300-9027-SP</u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u>KR732300-9027-FL</u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u>KR732300-9027-WFL</u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u>KR732300-9030-SP</u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u>KR732300-9030-FL</u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u>KR732300-9030-WFL</u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
■ Optional accessories			
Plasterkit concrete	<u>KR747702</u>	36,00	Plasterkit for concrete installation
LED driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 1,4-20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 5,5-18W
	<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 13-25W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W
Driver for LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752743</u>	64,00	LED driver, 350mA, phase dim, 0,7-17W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W

kreon down 120

kreon down 120				Base price (EUR excl. VAT)											Optional accessories
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+	9840 4000K, CRI98+	SP Spot (12°)	FL Flood (28°)	WFL Wide flood (34°)		
	down 120 directional ☉ LxW 128x128 H 140 Filter holder: incl., glare snoot: incl.	 <u>KR957981</u>	①	273,00	—	—	—	28,00	28,00	28,00	—	17,00	17,00		
		 <u>KR957982</u>	①	273,00	—	—	—	28,00	28,00	28,00	—	17,00	17,00		
	down 120 downlight low output ☉ LxW 128x128 H 110	 <u>KR957281</u>	②	250,00	—	—	—	28,00	28,00	28,00	—	—	—		
		 <u>KR957282</u>	②	250,00	—	—	—	28,00	28,00	28,00	—	—	—		
	down 120 downlight high output ☉ LxW 128x128 H 130	 <u>KR957291</u>	③	260,00	—	—	—	28,00	28,00	28,00		—	—		
		 <u>KR957292</u>	③	260,00	—	—	—	28,00	28,00	28,00		—	—		

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K/4000K	15,6W	700mA	800lm
			CRI98+	2700K/3000K/4000K	15,2W	700mA	573lm
		FL&WFL	CRI90+	2700K/3000K/4000K	17,1W	700mA	987lm
			CRI98+	2700K/3000K/4000K	12,9W	700mA	691lm
②	LED	SP	CRI90+	2700K/3000K/4000K	15,6W	700mA	1004lm
			CRI98+	2700K/3000K/4000K	15,2W	700mA	839lm
		FL&WFL	CRI90+	2700K/3000K/4000K	17,1W	700mA	1609lm
			CRI98+	2700K/3000K/4000K	12,9W	700mA	1127lm
③	LED		CRI90+	2700K/3000K/4000K	25,7W	1050mA	2430lm
			CRI98+	2700K/3000K/4000K	20W	1050mA	1605lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	KR747612	41,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	KR707416	39,00	Louvre IP44, white
	KR707412	39,00	Louvre IP44, black
Lenses (only for directional)	KR750100	28,00	Sculpture lens
	KR750200	28,00	Diffusing lens
	KR750800	38,00	Softening lens
Driver	KR772034	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	KR772232	74,00	LED driver, 700mA, 1-10V, 1,4-20W
	KR772236	76,00	LED driver, 700mA, DALI, 5,5-18W
	KR772430	37,00	LED driver, 700mA, phase dim, 13-25W
	KR772239	145,00	LED driver, 700mA, Casambi, 7-36W
	KR772140	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	KR772142	80,00	LED driver, 1050mA, 1-10V, 1-39W
	KR772143	90,00	LED driver, 1050mA, DALI, 16-35W
	KR772249	145,00	LED driver, 1050mA, Casambi, 10-38W

kreon down 120

kreon down 120				Base price (EUR excl. VAT)							Optional accessories	
		Colour	KR-code		Light sources	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+		9840 4000K, CRI98+
	down 120 wallwasher low output ⊗ LxW 128x128 H 150 Wallwash reflector: incl.		<u>KR957582</u>	①	389,00	—	—	—	28,00	28,00	28,00	
	down 120 wallwasher high output ⊗ LxW 128x128 H 170 Wallwash reflector: incl.		<u>KR957592</u>	②	389,00	—	—	—	28,00	28,00	28,00	

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K		17,1W	700mA	906lm
		CRI98+	2700K/3000K/4000K		12,9W	700mA	633lm
②	LED	CRI90+	2700K/3000K/4000K		25,7W	1050mA	1275lm
		CRI98+	2700K/3000K/4000K		20W	1050mA	840lm

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Plasterkit concrete		<u>KR747612</u>	41,00	Plasterkit for concrete installation
Driver		<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
		<u>KR772232</u>	74,00	LED driver, 700mA, 1-10V, 20W
		<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 18W
		<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 25W
		<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 36W
		<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 1-39W
		<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 16-35W
		<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 10-38W

kreon down 165

				Base price (EUR excl. VAT)								
				Colour	KR-code	Light sources	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	Required accessories	Optional accessories	
	down 165 directional high output ⦿ LxW 173x173 H 250 Filter holder: incl.			○	<u>KR947341</u>	①	373,00	—	—	—	■	■
				●	<u>KR947342</u>	①	373,00	—	—	—	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1874lm
		CRI98+	2700K/3000K/4000K	20W	1050mA	1249lm

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Reflector (not for wallwasher)	<u>KR720032</u>	46,00	Reflector LED, spot 13°
	<u>KR720034</u>	46,00	Reflector LED, flood 23°
	<u>KR720036</u>	46,00	Reflector LED, wide flood 40°
■ Optional accessories			
Plasterkit concrete	<u>KR747712</u>	38,00	Plasterkit for concrete installation
Lenses	<u>KR720100</u>	31,00	Sculpture lens
	<u>KR720200</u>	31,00	Diffusing lens
	<u>KR720800</u>	44,00	Softening lens
Driver	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 36W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 35W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 down 165 directional high output LE111 ☉ LxW 173x173 H 173 glare snoot: incl.		○	<u>KR947351</u>	202,00	■	■
		●	<u>KR947352</u>	202,00	■	■
		●	<u>KR947353</u>	202,00	■	■
 down 165 fixed high output LE111 ☉ LxW 173x173 H 95		○	<u>KR947451</u>	180,00	■	■
		●	<u>KR947452</u>	180,00	■	■

kreon down 165 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
LED engine		<u>KR732100-9030-SP</u>	56,00	LED engine 111, 3000K, CRI90+, 15°, 25,7W, 700mA (2350lm)
		<u>KR732100-9030-FL</u>	56,00	LED engine 111, 3000K, CRI90+, 24°, 36,9W, 1050mA (3450lm)
		<u>KR732100-9030-WFL</u>	56,00	LED engine 111, 3000K, CRI90+, 60°, 36,8W, 1050mA (3150lm)
■ Optional accessories				
Driver		<u>KR772530</u>	73,00	LED driver, 700mA, ON/OFF, 28W
		<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
		<u>KR772233</u>	90,00	LED driver, 700mA, DALI, 8,4-27W
		<u>KR772643</u>	189,00	LED driver, 1050mA, DALI, 40W

kreon down in-line 20

kreon down in-line 20																
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (20°)	DL Dark light (36°)	WDL Wide dark light (60°)	Required accessories	Optional accessories		
◇	down in-line 20 downlight ⦿ H 136	○	KR939221	①	125,00	—	—	—	22,00	22,00			■	■		
		●	KR939222	①	125,00	—	—	—	22,00	22,00			■	■		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI90+	2700K/3000K	4W	1400mA	300lm
	LED (DL/ WDL)	CRI90+	2700K/3000K	12,4W	1050mA	462lm

kreon down in-line 20 accessories

		Base price (EUR excl. VAT)	
■ Required accessories			
Chassis	KR739120	73,00	Chassis down in-line 20
Plasterkit	KR717104	25,00	Plasterkit, front mounting, no shadowgap ☉ Ø102
	KR717108	25,00	Plasterkit, front mounting, shadowgap ☉ Ø102
	KR717000	36,00	Plasterkit, back mounting, no shadowgap ☉ Ø83
Concrete plasterkit	KR717102	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Installation kit	KR717100	36,00	Installation kit, back mounting
■ Optional accessories			
Blind cover	KR709320	15,00	Blind cover
Driver	KR752333	52,00	LED driver, 900mA, phase dim, 3,5-20W
	KR772543	76,00	LED driver, 1050mA, DALI2, 2,1-20W
	KR772743	90,00	LED driver, 1050mA, touchdim DALI2/dim-to-warm, 10-38W
	KR772249	145,00	LED driver, 1050mA, Casambi/dim-to-warm, 10,5-38W
	KR772952	60,00	LED driver, 1400mA, 0-10V, 30W
	KR772956	80,00	LED driver, 1400mA, DALI, 2,8-30W

kreon down in-line 40

				Base price (EUR excl. VAT)								
					9027	9030	SP	FL	WFL		Required accessories	Optional accessories
					2700K, CRI95+	3000K, CRI95+	Spot (10°)	Flood (24°)	Wide flood (46°)			
Colour	KR-code	Light sources										
	down in-line 40 directional ⦿ H 80 Glare snoot: incl.	<u>KR907733</u>	①	109,00	—	—	—	—	—			
												
	down in-line 40 downlight ⦿ H 80	<u>KR907033</u>	②	91,00	—	—	—	—	—			
												
	down in-line 40 wallwasher ⦿ H 80	<u>KR907331</u>	③	162,00	—	—						
		<u>KR907332</u>	③	162,00	—	—						
	down in-line 40 HE wallwasher ⦿ H 75	<u>KR907341</u>	④	124,00	—	—						
		<u>KR907342</u>	④	124,00	—	—						

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	2W	700mA	121lm
				3,2W	1050mA	143lm
②	LED	CRI90+	2700K/3000K	2W	700mA	138lm
				3,2W	1050mA	172lm
③	LED	CRI90+	2700K/3000K	2W	700mA	47lm
				3,2W	1050mA	71lm
④	LED	CRI90	2700K/3000K	4W	700mA	291lm

kreon down in-line 40 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	KR707114	18,00	Plasterkit, front mounting, no shadowgap ☉ LxW 63x63
Installation kit, backside mounting	KR707110	23,00	Installation kit, Ø40, trimless, back installation, 13+mm panel ☉ Ø42
	KR707117	23,00	Installation kit, Ø40, trimless, back installation, 9-13mm panel ☉ Ø42
Plasterkit concrete	KR707111	33,00	Plasterkit for concrete installation ☉ Ø110
Louvre	KR707116	17,00	Louvre, white
	KR707112	17,00	Louvre, black
Louvre IP44 (only for downlight)	KR707311	26,00	Louvre IP44, white
	KR707312	26,00	Louvre IP44, black
Deep recessed installation (only for downlight)	KR707714	21,00	Plasterkit, deep recessed, no shadowgap
	KR707711	36,00	Plasterkit for concrete installation, deep recessed, no shadowgap
	KR707716	20,00	Deep recessed louvre, white
	KR707712	20,00	Deep recessed louvre, black

kreon down in-line 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver		<u>KR752430</u>	17,00	LED driver, 700mA, ON/OFF, 1,75-3,15W, IP65 (only for downlight)
		<u>KR752530</u>	17,00	LED driver, 700mA, ON/OFF, 2,8-6,3W, IP65 (only for wallwasher)
		<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W
		<u>KR772631</u>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
		<u>KR772632</u>	60,00	LED driver, 700mA, 0/1-10V, 7-12W
		<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 1,4-8,4W
		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
		<u>KR772443</u>	131,00	LED driver, 1050mA, DALI, 60W
		<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 38W (min. 4 modules) 4
Distance ring		<u>KR707317</u>	23,00	Distance ring 2mm (set of 5 pcs.)
		<u>KR707318</u>	32,00	Distance ring 3mm (set of 5 pcs.)
		<u>KR707319</u>	33,00	Distance ring 5mm (set of 5 pcs.)

kreon down in-line 40

		KR-code	Light sources	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	down in-line 40 downlight for LED engine 35 ⓘ H 80 ⓘ	<u>KR907003</u>	①	23,00		
						

kreon down in-line 40 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	KR707114	18,00	Plasterkit, front mounting, no shadowgap ☉ LxW 63x63
Installation kit, backside mounting	KR707110	23,00	Installation kit, Ø40, trimless, back installation, 13+mm panel ☉ Ø42
	KR707117	23,00	Installation kit, Ø40, trimless, back installation, 9-13mm panel ☉ Ø42
Plasterkit concrete	KR707111	33,00	Plasterkit for concrete installation ☉ Ø110
LED engine	KR732400-9027-SP	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	KR732400-9027-FL	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	KR732400-9027-WFL	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	KR732400-9030-SP	35,00	LED engine 35, 3000K, CRI90+, 16°, 6W, 180mA (398lm)
	KR732400-9030-FL	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	KR732400-9030-WFL	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
Louvre	KR707116	17,00	Louvre, white
	KR707112	17,00	Louvre, black
■ Optional accessories			
LED driver	KR772554	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	KR772550	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	KR772551	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	KR772556	66,00	LED driver, 180mA, DALI2, 1-8W
Distance ring	KR707317	23,00	Distance ring 2mm (set of 5 pcs.)
	KR707318	28,00	Distance ring 3mm (set of 5 pcs.)
	KR707319	33,00	Distance ring 5mm (set of 5 pcs.)

kreon down in-line 60
module

		KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	down in-line 60 directional for LED engine 35 ⦿ D 80 ⬡ Glare snoot: incl., LED engine: excl., gear: excl., IP20	<u>KR917663</u>	61,00		

kreon down in-line 60 accessories module

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-SP</u>	35,00	LED engine 35, 3000K, CRI90+, 16°, 6W, 180mA (398lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
Plasterkit	<u>KR707194</u>	22,00	Plasterkit, front mounting, no shadowgap ⌀ Ø100
Installation kit	<u>KR707180</u>	28,00	Installation kit, backside mounting, no shadowgap ⌀ Ø63
Plasterkit concrete	<u>KR707192</u>	34,00	Plasterkit for concrete installation, no shadowgap Ø140
Louvre	<u>KR717196</u>	19,00	Louvre, white
	<u>KR717192</u>	19,00	Louvre, black
■ Optional accessories			
LED driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

kreon down in-line 60
standard

			KR-code	Light source	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (20°)	FL Flood (36°)	WFL Wide flood (45°)	Required accessories	Optional accessories
	down in-line 60 directional D 95 Glare snoot: incl., gear: excl., IP20		KR917943	①	136,00	—	—	—	—	—	—		
	down in-line 60 downlight D 95 Gear: excl., IP20		KR917043	②	124,00	—	—	—	—	—	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	734lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	845lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	837lm
②	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	830lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	936lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	879lm

kreon

down in-line 60 accessories

standard

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR707194</u>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø100
Installation kit		<u>KR707180</u>	28,00	Installation kit ☉ Ø63
Plasterkit concrete		<u>KR707192</u>	34,00	Plasterkit for concrete installation, no shadowgap ☉ Ø140
Louvre		<u>KR717196</u>	19,00	Louvre, white
		<u>KR717192</u>	19,00	Louvre, black
Louvre IP44 (only for downlight)		<u>KR717396</u>	26,00	Louvre IP44, white
		<u>KR717392</u>	26,00	Louvre IP44, black
■ Optional accessories				
Driver		<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
		<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
		<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 2,1-20W
		<u>KR752733</u>	66,00	LED driver, 700mA, DALI, 2,1-20W
		<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W

①

182

kreon down in-line 60 accessories
high efficiency

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR707194</u>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø100
Installation kit		<u>KR707180</u>	28,00	Installation kit ☉ Ø63
Plasterkit concrete		<u>KR707192</u>	34,00	Plasterkit for concrete installation, no shadowgap ☉ Ø140
Louvre		<u>KR717196</u>	19,00	Louvre, white
		<u>KR717192</u>	19,00	Louvre, black
Louvre IP44		<u>KR717396</u>	26,00	Louvre IP44, white
		<u>KR717392</u>	26,00	Louvre IP44, black
■ Optional accessories				
Driver 300mA for SSP & SP		<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
		<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
		<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W
		<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 350mA for FL & WFL		<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
		<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
		<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
		<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W
Installation tool for downlight		<u>KR707760</u>	13,00	Installation tool

kreon

down in-line 60

high efficiency - low louvre

and deep recessed louvre

		KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories
	down in-line 60 downlight low louvre SSP & SP Ⓢ D 87 Ⓢ Gear: excl.	<u>KR907363</u>	①	140,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—				
	down in-line 60 downlight low louvre FL & WFL Ⓢ D 87 Ⓢ Gear: excl.	<u>KR907763</u>	②	140,00	—	—	—	15,00	15,00	15,00	23,00	11,00			—	—		
	down in-line 60 wallwasher Ⓢ D 92 Ⓢ Gear: excl.	 <u>KR907561</u>	③	176,00	—	—	—	15,00	15,00	15,00	23,00	11,00						
		 <u>KR907562</u>	③	176,00	—	—	—	15,00	15,00	15,00	23,00	11,00						

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	566lm
	LED (SP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	775lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	835-1053lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1260lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	907-1153lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm
	LED (WFL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1312lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	926-1225lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	891lm
③	LED (WW)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	837lm - 1111lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	831lm

kreon down in-line 60 accessories
high efficiency - low louvre
and deep recessed louvre

Kreon down in-line 60 accessories		KR-code	Base price (EUR excl. VAT)	
high efficiency - low louver and deep recessed louver				
■ Required accessories				
Plasterkit	KR707184	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø100	
Plasterkit concrete	KR707062	34,00	Plasterkit for concrete installation, no shadowgap ☉ Ø140	
Louver for downlight	KR707286	19,00	Low louver, white	
	KR707282	19,00	Low louver, black	
Louver for wallwasher	KR707486	17,00	Low louver, white	
	KR707482	17,00	Low louver, black	
Deep recessed installation (only for downlight)	KR707386	23,00	Deep recessed louver, white	
	KR707382	23,00	Deep recessed louver, black	
■ Optional accessories				
Driver 300mA for SSP, SP & wallwasher ①	KR747464	42,00	LED driver, 300mA, ON/OFF, 16W	
	KR747562	64,00	LED driver, 300mA, 1-10V, 15W	
	KR747666	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)	
	KR772209	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)	
Driver 350mA for FL & WFL ②	KR747064	42,00	LED driver, 350mA, ON/OFF, 18W	
	KR747162	64,00	LED driver, 350mA, 1-10V, 18W	
Driver 350mA (dim-to-warm)	KR747267	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm	
	KR772219	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)	
Driver (tunable white)	KR747766	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white	
	KR747866	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white	
Installation tool for downlight	KR707760	13,00	Installation tool	

kreon down in-line 80

kreon down in-line 80				Base price (EUR excl. VAT)													Required accessories	Optional accessories
		KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)			
	down in-line 80 HE directional SSP & SP ⦿ H 120 ⬠ Gear: excl., IP40	<u>KR917023</u>	①	223,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—				
	down in-line 80 HE directional FL ⦿ H 120 ⬠ Gear: excl., IP40	<u>KR917123</u>	②	223,00	—	—	—	15,00	15,00	15,00	23,00	11,00			—			

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	500lm
	LED (SP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	736lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	820-1055lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+/ CRI95	2700K/3000K/4000K	12W	350mA	995lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	914-1172lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm

kreon down in-line 80

kreon down in-line 80				Base price (EUR excl. VAT)														
	KR-code	Light sources			9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	WFL Wide flood (69°)	Required accessories	Optional accessories
	down in-line 80 HE fixed SSP & SP ☉ H 105 ⓘ Gear: excl., IP40	<u>KR917223</u>	①	156,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—				
	down in-line 80 HE fixed FL & WFL ☉ H 105 ⓘ Gear: excl., IP40	<u>KR917323</u>	②	156,00	—	—	—	15,00	15,00	15,00	23,00	11,00			—	—		
	down in-line 80 HE fixed SSP & SP ☉ H 105 ⓘ Gear: excl., IP44	<u>KR917723</u>	①	161,00	—	—	—	15,00	15,00	15,00	23,00	11,00	—	—				
	down in-line 80 HE fixed FL & WFL ☉ H 105 ⓘ Gear: excl., IP44	<u>KR917713</u>	②	161,00	—	—	—	15,00	15,00	15,00	23,00	11,00			—	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP/ SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
		CRI95+	2700K/3000K/4000K	9,9W	300mA	
		CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	
②	LED (FL/ WFL)	CRI90+	2700K/3000K/4000K	12W	300mA	TBD
		CRI95+	2700K/3000K/4000K	12W	300mA	
		CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	

kreon down in-line 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717114</u>	25,00	Plasterkit, front mounting, no shadowgap ☉ LxW 102x102
		<u>KR717118</u>	25,00	Plasterkit, front mounting, shadowgap ☉ LxW 102x102
Double plasterkit		<u>KR727114</u>	36,00	Double plasterkit, front mounting, no shadowgap ☉ LxW 102x177
Installation kit		<u>KR717110</u>	31,00	Installation kit, backside mounting, no shadowgap ☉ Ø83
Plasterkit concrete		<u>KR717412</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Louvre		<u>KR717116</u>	21,00	Louvre, white
		<u>KR717112</u>	21,00	Louvre, black

kreon down in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white
Distance ring	<u>KR717317</u>	28,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717318</u>	33,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717319</u>	43,00	Distance ring 5mm (set of 5 pcs.)

kreon down in-line 80

				Base price (EUR excl. VAT)												
				Colour	KR-code	Light sources										
	down in-line 80 HE wallwasher			○	<u>KR917421</u>	①	201,00	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	Optional accessories
	⊙ H 92 ⊙ Gear: excl., IP40			●	<u>KR917422</u>	①	201,00	—	—	—	15,00	15,00	15,00	23,00	11,00	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (WW)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	837lm-1111lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

kreon down in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	KR717114	25,00	Plasterkit, front mounting, no shadowgap ☉ LxW 102x102
	KR717118	25,00	Plasterkit, front mounting, shadowgap ☉ LxW 102x102
Double plasterkit	KR727114	36,00	Double plasterkit, front mounting, no shadowgap ☉ LxW 102x177
Installation kit	KR717110	31,00	Installation kit, backside mounting, no shadowgap ☉ Ø83
Plasterkit concrete	KR717412	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Louvre	KR717116	21,00	Louvre, white
	KR717112	21,00	Louvre, black
■ Optional accessories			
Driver 300mA	KR747464	42,00	LED driver, 300mA, ON/OFF, 16W
	KR747562	64,00	LED driver, 300mA, 1-10V, 15W
	KR747666	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	KR772209	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver (tunable white)	KR747766	134,00	LED driver, 300mA, DALI-2 DT8, 2x0,6-16,5W, tunable white
	KR747866	116,00	LED driver, 280mA, DALI-2 DT8, 2x1-11,2W, tunable white
Distance ring (for plasterkit concrete)	KR717317	28,00	Distance ring 2mm (set of 5 pcs.)
	KR717318	33,00	Distance ring 3mm (set of 5 pcs.)
	KR717319	43,00	Distance ring 5mm (set of 5 pcs.)

kreon down in-line 80

kreon down in-line 80			Base price (EUR excl. VAT)									
	KR-code	Light sources		9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (38°)	Required accessories	Optional accessories	
 down in-line 80 directional LED ⦿ H 120 ⬡ Filter holder: incl., glare snoot: incl.	<u>KR917933</u>	①	151,00	—	—	—	—	—	—			
 down in-line 80 directional LED MR16 ⦿ H 110 ⬡ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917803</u>	②	74,00									
 down in-line 80 directional LED PAR16 ⦿ H 125 ▢ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917843</u>	③	74,00									
 down in-line 80 directional for LED engine 50 ⦿ H 120 ⬡ Glare snoot: incl.	<u>KR917163</u>		66,00									

		CRI	CCT	Wattage	Voltage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		11,9W	350mA	665lm
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

kreon down in-line 80 accessories

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732300-9027-SP</u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u>KR732300-9027-FL</u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u>KR732300-9027-WFL</u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u>KR732300-9030-SP</u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u>KR732300-9030-FL</u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u>KR732300-9030-WFL</u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
Plasterkit	<u>KR717114</u>	25,00	Plasterkit, front mounting, no shadowgap ⌀ LxW 102x102
	<u>KR717118</u>	25,00	Plasterkit, front mounting, shadowgap ⌀ LxW 102x102
Double plasterkit	<u>KR727114</u>	36,00	Double plasterkit, front mounting, no shadowgap ⌀ LxW 102x177
Installation kit	<u>KR717110</u>	31,00	Installation kit, backside mounting, no shadowgap ⌀ Ø83
Plasterkit concrete	<u>KR717412</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ⌀ Ø140
Louvre	<u>KR717116</u>	21,00	Louvre, white
	<u>KR717112</u>	21,00	Louvre, black

kreon down in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses (for LED)	<u>KR704100</u>	27,00	Sculpture lens
	<u>KR704200</u>	27,00	Diffusing lens
	<u>KR772342</u>	30,00	Anti-glare louvre
Driver	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752743</u>	64,00	LED driver, 350mA, phase dim, 0,7-17W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W
Distance ring	<u>KR717307</u>	28,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	33,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	43,00	Distance ring 5mm (set of 5 pcs.)

kreon down in-line 80

				Base price (EUR excl. VAT)							Required accessories	Optional accessories
	Colour	KR-code	Light sources		9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95D+	SP Spot (24°)	FL Flood (38°)	WFL Wide flood (45°)		
 down in-line 80 downlight LED ⦿ H 100 ⬡		<u>KR917033</u>	①	132,00	—	—	—	—	—	—		
 down in-line 80 downlight LED IP44 ⦿ H 100 ⬡		<u>KR917133</u>	①	137,00	—	—	—	—	—	—		
 down in-line 80 downlight LED MR16 ⦿ H 110 ⬡ Lamp: excl.		<u>KR917233</u>	②	70,00								
 down in-line 80 downlight LED PAR16 ⦿ H 125 ▢ Lamp: excl.		<u>KR917253</u>	③	70,00								
 down in-line 80 downlight for LED engine 50 ⦿ H 120 ⬡		<u>KR917113</u>		62,00								

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		12,6W	700mA	TBD
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

kreon down in-line 80 accessories

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732300-9027-SP</u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u>KR732300-9027-FL</u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u>KR732300-9027-WFL</u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u>KR732300-9030-SP</u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u>KR732300-9030-FL</u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u>KR732300-9030-WFL</u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
Plasterkit	<u>KR717114</u>	25,00	Plasterkit, front mounting, no shadowgap ☉ LxW 102x102
	<u>KR717118</u>	25,00	Plasterkit, front mounting, shadowgap ☉ LxW 102x102
Double plasterkit	<u>KR727114</u>	36,00	Double plasterkit, front mounting, no shadowgap ☉ LxW 102x177
Installation kit	<u>KR717110</u>	31,00	Installation kit, backside mounting, no shadowgap ☉ Ø83
Plasterkit concrete	<u>KR717412</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Louvre	<u>KR717116</u>	21,00	Louvre, white
	<u>KR717112</u>	21,00	Louvre, black

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 1,4-20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 5,5-18W
	<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 13-25W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W
Driver LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752740</u>	21,00	LED driver, 350mA, phase dim, 4,5-14W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W
Distance ring (for plasterkit concrete)	<u>KR717317</u>	28,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717318</u>	33,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717319</u>	43,00	Distance ring 5mm (set of 5 pcs.)
	<u>KR727317</u>	56,00	Distance ring, double, 2mm (set of 5 pcs.)
	<u>KR727318</u>	66,00	Distance ring, double, 3mm (set of 5 pcs.)

kreon down in-line 120

kreon down in-line 120																
			KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+	9840 4000K, CRI98+	SP Spot (12°)	FL Flood (28°)	WFL Wide flood (34°)	Required accessories	Optional accessories
	down in-line 120 directional ⦿ H 140 Filter holder: incl., glare snoot: incl.	<u>KR907933</u>	①		227,00	—	—	—	28,00	28,00	28,00	—	17,00	17,00		
																
	down in-line 120 downlight low output ⦿ H 110	<u>KR907233</u>	②		208,00	—	—	—	28,00	28,00	28,00	—	—	—		
																
	down in-line 120 downlight high output ⦿ H 130 Filter holder: incl.	<u>KR907243</u>	③		218,00	—	—	—	28,00	28,00	28,00		—	—		

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K/4000K	15,6W	700mA	800lm
			CRI98+	2700K/3000K/4000K	15,2W	700mA	573lm
		FL&WFL	CRI90+	2700K/3000K/4000K	17,1W	700mA	987lm
			CRI98+	2700K/3000K/4000K	12,9W	700mA	691lm
②	LED	SP	CRI90+	2700K/3000K/4000K	15,6W	700mA	1004lm
			CRI98+	2700K/3000K/4000K	15,2W	700mA	839lm
		FL&WFL	CRI90+	2700K/3000K/4000K	17,1W	700mA	1609lm
			CRI98+	2700K/3000K/4000K	12,9W	700mA	1127lm
③	LED		CRI90+	2700K/3000K/4000K	25,7W	1050mA	2430lm
			CRI98+	2700K/3000K/4000K	20W	1050mA	1605lm

kreon down in-line 120

kreon down in-line 120																
				Colour	KR-code	Light sources	Base price (EUR excl. VAT)									
							9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+	9840 4000K, CRI98+	Required accessories		Optional accessories	
	down in-line 120 wallwasher low output ⊙ H 150 Wallwash reflector: incl.				<u>KR907532</u>	①	337,00	—	—	—	28,00	28,00	28,00			
	down in-line 120 wallwasher high output ⊙ H 170 Wallwash reflector: incl.				<u>KR907542</u>	②	337,00	—	—	—	28,00	28,00	28,00			

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	17,1W	700mA	906lm
		CRI98+	2700K/3000K/4000K	12,9W	700mA	633lm
②	LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1275lm
		CRI98+	2700K/3000K/4000K	20W	1050mA	840lm

kreon down in-line 120 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR707214</u>	29,00	Plasterkit, front mounting, no shadowgap ☉ LxW 144x144
		<u>KR707218</u>	29,00	Plasterkit, front mounting, shadowgap ☉ LxW 144x144
Plasterkit concrete		<u>KR707219</u>	41,00	Plasterkit for concrete installation, no shadowgap ☉ Ø140
Louvre		<u>KR707216</u>	23,00	Louvre, white
		<u>KR707212</u>	23,00	Louvre, black
Louvre IP44 (only for downlight)		<u>KR707416</u>	39,00	Louvre IP44, white
		<u>KR707412</u>	39,00	Louvre IP44, black

kreon down in-line 120 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Lenses (only for directional)		<u>KR750100</u>	28,00	Sculpture lens
		<u>KR750200</u>	28,00	Diffusing lens
		<u>KR750800</u>	38,00	Softening lens
Driver		<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
		<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 1,4-20W
		<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 5,5-18W
		<u>KR772239</u>	145,00	LED driver, 700mA, phase dim, 13-25W
		<u>KR772430</u>	37,00	LED driver, 700mA, Casambi, 7-36W
		<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 1-39W
		<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 16-35W
Distance ring		<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 10-38W
		<u>KR707417</u>	29,00	Distance ring 2mm (set of 5 pcs.)
		<u>KR707418</u>	35,00	Distance ring 3mm (set of 5 pcs.)
		<u>KR707419</u>	44,00	Distance ring 5mm (set of 5 pcs.)

kreon down in-line 165

kreon down in-line 165											

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1874lm
		CRI98+	2700K/3000K/4000K	20W	1050mA	1249lm

kreon down in-line 165 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	<u>KR717214</u>	33,00	Plasterkit, front mounting, no shadowgap LxW 186x186
	<u>KR717218</u>	33,00	Plasterkit, front mounting, shadowgap LxW 186x186
Plasterkit concrete	<u>KR717219</u>	38,00	Plasterkit for concrete installation, no shadowgap Ø Ø200
Louvre	<u>KR717216</u>	28,00	Louvre, white
	<u>KR717212</u>	28,00	Louvre, black
Reflector (not for wallwasher)	<u>KR720032</u>	46,00	Reflector LED, spot 13°
	<u>KR720034</u>	46,00	Reflector LED, flood 23°
	<u>KR720036</u>	46,00	Reflector LED, wide flood 40°
■ Optional accessories			
Lenses (only for directional)	<u>KR720100</u>	31,00	Sculpture lens
	<u>KR720200</u>	31,00	Diffusing lens
	<u>KR720800</u>	44,00	Softening lens
Driver	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 36W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 35W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W

kreon down in-line 165

		Colour	KR-code	Base price (EUR excl. VAT)	No shadowgap	SH Shadowgap	Required accessories	Optional accessories
	down in-line 165 directional high output LE111 ⦿ LxW 186x186 H 175 glare snoot: incl.	○	<u>KR917551</u>	202,00	—	—	■	■
		●	<u>KR917552</u>	202,00	—	—	■	■
		●	<u>KR917553</u>	202,00	—	—	■	■
	down in-line 165 fixed high output LE111 ⦿ LxW 186x186 H 95	○	<u>KR917651</u>	180,00	—	—	■	■
		●	<u>KR917652</u>	180,00	—	—	■	■

kreon down in-line 165 accessories

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
LED engine	<u>KR732100-9030-SP</u>	56,00	LED engine 111, 3000K, CRI90+, 15°, 25,7W, 700mA (2350lm)
	<u>KR732100-9030-FL</u>	56,00	LED engine 111, 3000K, CRI90+, 24°, 36,9W, 1050mA (3450lm)
	<u>KR732100-9030-WFL</u>	56,00	LED engine 111, 3000K, CRI90+, 60°, 36,8W, 1050mA (3150lm)
■ Optional accessories			
Driver	<u>KR772530</u>	73,00	LED driver, 700mA, ON/OFF, 28W
	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	<u>KR772233</u>	90,00	LED driver, 700mA, DALI, 8,4-27W
	<u>KR772643</u>	189,00	LED driver, 1050mA, DALI, 40W

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
3~ circuit track				See page 428
■ Optional accessories				
Lenses		<u>KR762002</u>	31,00	Anti-glare louvre

kreon esprit																
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	DL Dark light (33°)	WDL Wide dark light (56°)	P1 White painted lamphead	P2 Black painted lamphead	A4 Brushed bronze lamphead	A7 Brushed silver lamphead	A8 Brushed gold lamphead	A9 Gun black lamphead
	esprit single floor carrara bianco Gear: incl. in base 		<u>KR963211</u>	①	1664,00	—	—	—	—	—	—	—	75,00	75,00	75,00	75,00
			<u>KR963212</u>	①	1664,00	—	—	—	—	—	—	—	—	75,00	75,00	75,00
	esprit single floor natural steel blue Gear: incl. in base 		<u>KR963311</u>	①	1248,00	—	—	—	—	—	—	—	75,00	75,00	75,00	75,00
			<u>KR963312</u>	①	1248,00	—	—	—	—	—	—	—	—	75,00	75,00	75,00
	esprit single floor round base Gear: incl. in base 		<u>KR963411</u>	①	806,00	—	—	—	—	—	—	—	75,00	75,00	75,00	75,00
			<u>KR963412</u>	①	806,00	—	—	—	—	—	—	—	—	75,00	75,00	75,00
	esprit double floor carrara bianco Gear: incl. in base 		<u>KR963221</u>	②	2070,00	—	—	—	—	—	—	—	150,00	150,00	150,00	150,00
			<u>KR963222</u>	②	2070,00	—	—	—	—	—	—	—	—	150,00	150,00	150,00
	esprit double floor natural steel blue Gear: incl. in base 		<u>KR963321</u>	②	1654,00	—	—	—	—	—	—	—	150,00	150,00	150,00	150,00
			<u>KR963322</u>	②	1654,00	—	—	—	—	—	—	—	—	150,00	150,00	150,00
	esprit double floor round base Gear: incl. in base 		<u>KR963421</u>	②	1035,00	—	—	—	—	—	—	—	150,00	150,00	150,00	150,00
			<u>KR963422</u>	②	1035,00	—	—	—	—	—	—	—	—	150,00	150,00	150,00

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	SP	CRI90+	2700K/3000K	230V	2W	162lm
	DL/WDL	CRI90+	2700K/3000K	230V	8,4W	370lm
②	SP	CRI90+	2700K/3000K	230V	2x2W	2x162lm
	DL/WDL	CRI90+	2700K/3000K	230V	2x8,4W	2x370lm

				Base price (EUR excl. VAT)												
	esprit desk Gear: incl.	Colour	KR-code	Light sources												
						9027 2700K, CRI90+	9030 3000K, CRI90+	WDL Wide dark light (56°)	P1 White painted lamphead	P2 Black painted lamphead	A4 Brushed bronze lamphead	A7 Brushed silver lamphead	A8 Brushed gold lamphead	A9 Gun black lamphead		
		○	<u>KR963911</u>	①	499,00	—	—	—	—	75,00	75,00	75,00	75,00			
		●	<u>KR963912</u>	①	499,00	—	—	—		—	75,00	75,00	75,00	75,00		

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	WDL	CRI90+	2700K	230V	8,4W	368lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (20°)	DL Dark light (33°)	WDL Wide dark light (56°)	P1 White painted lamphead	P2 Black painted lamphead	A4 Brushed bronze lamphead	A7 Brushed silver lamphead	A8 Brushed gold lamphead	A9 Gun black lamphead	Required accessories	Optional accessories
	esprit single ceiling Gear: excl., plasterkit: excl. ⬢	○	KR963011	①	624,00	—	—	—	—	—	—	—	—	—	75,00	75,00	75,00	75,00	■	■
		●	KR963012	①	624,00	—	—	—	—	—	—	—	—	—	75,00	75,00	75,00	75,00	■	■
	esprit double ceiling Gear: excl., plasterkit: excl. ⬢	○	KR963021	②	1032,00	—	—	—	—	—	—	—	—	—	150,00	150,00	150,00	150,00	■	■
		●	KR963022	②	1032,00	—	—	—	—	—	—	—	—	—	150,00	150,00	150,00	150,00	■	■

		CRI	CCT	Wattage	Drive Current	Fixture lumen
①	SP	CRI90+	2700K/3000K	2W	700mA	162lm
		CRI90+	2700K/3000K	3,2W	1050mA	218lm
	DL WDL	CRI90+	2700K/3000K	8W	700mA	368lm
		CRI90+	2700K/3000K	12W	1050mA	400lm
②	SP	CRI90+	2700K/3000K	2x2W	2x700mA	2x162lm
		CRI90+	2700K/3000K	2x3,2W	2x1050mA	2x218lm
	DL WDL	CRI90+	2700K/3000K	2x8W	2x700mA	2x368lm
		CRI90+	2700K/3000K	2x12W	2x1050mA	2x400lm

		Colour	KR-code	Base price (EUR excl. VAT)	PD Phase dimming	DD DALI dimming	LV Low voltage connection	Optional accessories
	surface mounted gearbox, 220-240Vdc, 50/60Hz for single SP/DL/WDL and double SP Gear: incl., Ø85 H155	○	KR763591	161,00	—	63,00		
		●	KR763592	161,00	—	63,00		
	surface mounted gearbox, 220-240Vdc, 50/60Hz for double DL/WDL Gear: incl., Ø85 H155	○	KR763791	161,00	—	63,00		
		●	KR763792	161,00	—	63,00		
	surface mounted connection box Gear: excl., Ø85 H52	○	KR763691	73,00			—	■
		●	KR763692	73,00			—	■
	trimless plasterkit for recessed mounting, front mounting, no shadowgap Gear: excl.		KR717104	25,00				■
	trimless plasterkit for recessed mounting, front mounting, shadowgap for recessed mounting, Gear: excl.		KR717108	25,00				■
	trimless plasterkit for recessed mounting, back mounting, shadowgap for recessed mounting, Gear: excl.		KR717000	36,00				■
	installation kit for recessed mounting, with trim for recessed mounting Gear: excl., Ø Ø90 D110	○	KR717021	38,00				■
		●	KR717022	38,00				■

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
		<u>KR772743</u>	90,00	LED driver, 1050mA, DALI, 38W
		<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W

kreon esprit				Base price (EUR excl. VAT)													Required accessories	Optional accessories
	Colour	KR-code	Light sources		<u>9027</u> 2700K, CRI90+	<u>9030</u> 3000K, CRI90+	<u>SP</u> Spot (20°)	<u>DL</u> Dark light (33°)	<u>WDL</u> Wide dark light (56°)	<u>P2</u> Black painted lamphead	<u>A4</u> Brushed bronze lamphead	<u>A7</u> Brushed silver lamphead	<u>A8</u> Brushed gold lamphead	<u>A9</u> Gun black lamphead				
 esprit pendant Length: 1600		<u>KR963732</u>	①	2102,00	—	—	—	—	—	—	225,00	225,00	225,00	225,00				
 esprit pendant Length: 1800		<u>KR963832</u>	①	2159,00	—	—	—	—	—	—	225,00	225,00	225,00	225,00				
 esprit pendant Length: 1800		<u>KR963842</u>	②	2560,00	—	—	—	—	—	—	300,00	300,00	300,00	300,00				
 esprit pendant Length: 2400		<u>KR963942</u>	②	2617,00	—	—	—	—	—	—	300,00	300,00	300,00	300,00				

		CRI	CCT	Wattage	Drive Current	Fixture lumen
①	SP	CRI90+	2700K/3000K	3x2W	3x700mA	3x162lm
		CRI90+	2700K/3000K	3x3,2W	3x1050mA	3x218lm
	DL WDL	CRI90+	2700K/3000K	3x8W	3x700mA	3x368lm
		CRI90+	2700K/3000K	3x12W	3x1050mA	3x400lm
②	SP	CRI90+	2700K/3000K	4x2W	4x700mA	4x162lm
		CRI90+	2700K/3000K	4x3,2W	4x1050mA	4x218lm
	WDL WDL	CRI90+	2700K/3000K	4x8W	4x700mA	4x368lm
		CRI90+	2700K/3000K	4x12W	4x1050mA	4x400lm

		Colour	KR-code	Base price (EUR excl. VAT)	PD Phase dimming	DD DALI dimming	LV Low voltage connection	Optional accessories
	surface mounted gearbox, 220-240Vdc, 50/60Hz for single SP/DL/WDL and double SP Gear: incl., Ø85 H155	○	<u>KR763591</u>	161,00	—	63,00		
		●	<u>KR763592</u>	161,00	—	63,00		
	surface mounted gearbox, 220-240Vdc, 50/60Hz for double DL/WDL Gear: incl., Ø85 H155	○	<u>KR763791</u>	161,00	—	63,00		
		●	<u>KR763792</u>	161,00	—	63,00		
	surface mounted connection box Gear: excl., Ø85 H52	○	<u>KR763691</u>	73,00			—	■
		●	<u>KR763692</u>	73,00			—	■
	trimless plasterkit for recessed mounting, no shadowgap Gear: excl.		<u>KR717104</u>	25,00				■
	trimless plasterkit for recessed mounting, front mounting, shadowgap for recessed mounting, Gear: excl.		<u>KR717108</u>	25,00				■
	trimless plasterkit for recessed mounting, back mounting, shadowgap for recessed mounting, Gear: excl.		<u>KR717000</u>	36,00				■
	installation kit for recessed mounting, with trim for recessed mounting Gear: excl., ⌀ Ø90 D110	○	<u>KR717021</u>	38,00				■
		●	<u>KR717022</u>	38,00				■

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Additional support		<u>KR763982</u>	70,00	Additional support for esprit pendant
Driver		<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, 11W
		<u>KR752943</u>	64,00	LED driver, 700mA, phase dim, 32W
		<u>KR752953</u>	52,00	LED driver, 700mA, phase dim, 3,5-20W
		<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
		<u>KR752733</u>	66,00	LED driver, 700mA, DALI, 20W
		<u>KR772743</u>	90,00	LED driver, 1050mA, DALI, 38W
		<u>KR772443</u>	136,00	LED driver, 1050mA, DALI, 60W
		<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W

kreon fuga

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8527 2700K, CRI85+	8530 3000K, CRI85+	06 600mm pendant	09 900mm pendant	12 1200mm pendant	06 600mm base	09 900mm base	12 1200mm base	Required accessories	Optional accessories
	fuga 900 Driver: excl. ♦	recessed mounted	●	<u>KR974272</u>	①	666,00	—	—	—	15,00	40,00	—	12,00		■	■
		surface mounted	●	<u>KR974672</u>	①	666,00	—	—	—	15,00	40,00	—	12,00			■
	fuga 1200 Driver: excl. ♦	recessed mounted	●	<u>KR974372</u>	②	740,00	—	—	—	15,00	40,00		—	13,00	■	■
		surface mounted	●	<u>KR974772</u>	②	740,00	—	—	—	15,00	40,00		—	13,00		■
	fuga 900 Driver: incl. (on/off)		●	<u>KR974262</u>	③	768,00	—	—	—	15,00	40,00		—	13,00		
	fuga 1200 Driver: incl. (on/off)		●	<u>KR974362</u>	④	829,00	—	—	—	15,00	40,00		—	13,00		

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI85+	2700K/3000K		9,5W	500mA	447lm
②	LED	CRI85+	2700K/3000K		12,7W	500mA	578lm
③	LED	CRI85+	2700K/3000K	230V	9,5W		447lm
④	LED	CRI85+	2700K/3000K	230V	12,7W		578lm

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717114</u>	25,00	Trimless plasterkit square, no shadowgap
		<u>KR717118</u>	25,00	Trimless plasterkit square, shadowgap
■ Optional accessories				
Driver		<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 18W

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (15°)	DL Dark light (20°)	WDL Wide dark light (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	holon 20 directional, surface mounted, single Gear: excl.		○	<u>KR952261</u>	①	196,00	—	—	—	22,00	22,00						
			●	<u>KR952262</u>	①	196,00	—	—	—	22,00	22,00						
			BB	<u>KR952264</u>	①	216,00	—	—	—	22,00	22,00						
			BS	<u>KR952267</u>	①	216,00	—	—	—	22,00	22,00						
			BG	<u>KR952268</u>	①	216,00	—	—	—	22,00	22,00						
			GB	<u>KR952269</u>	①	216,00	—	—	—	22,00	22,00						
	holon 20 directional, surface mounted, double Gear: incl.		○	<u>KR952361</u>	②	400,00	—	—	—	22,00	22,00	—	30,00	30,00			
			●	<u>KR952362</u>	②	400,00	—	—	—	22,00	22,00	—	30,00	30,00			
			BB	<u>KR952364</u>	②	440,00	—	—	—	22,00	22,00	—	30,00	30,00			
			BS	<u>KR952367</u>	②	440,00	—	—	—	22,00	22,00	—	30,00	30,00			
			BG	<u>KR952368</u>	②	440,00	—	—	—	22,00	22,00	—	30,00	30,00			
			GB	<u>KR952369</u>	②	440,00	—	—	—	22,00	22,00	—	30,00	30,00			

			CRI	CCT	Voltage	Wattage	Drive Current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K		1W	350mA	80lm
		DL/WDL	CRI90+	2700K/3000K		4,2W	350mA	250lm
②	LED	SP	CRI90+	2700K/3000K	230V	2W		2x80lm
		DL/WDL	CRI90+	2700K/3000K	230V	8,4W		2x250lm

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Chassis		<u>KR739921</u>	53,00	Chassis for holon 20 directional, recessed mounted, white
		<u>KR739922</u>	53,00	Chassis for holon 20 directional, recessed mounted, black
Installation kit		<u>KR717100</u>	37,00	Installation kit, back mounting
Plasterkit		<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap
		<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap
		<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
■ Optional accessories				
Coverplate		<u>KR709220</u>	15,00	Coverplate chassis for holon 20 directional, recessed mounted
Driver		<u>KR739104</u>	42,00	LED driver, 350mA, ON/OFF, 15W
		<u>KR739102</u>	61,00	LED driver, 350mA, 1-10V, 15W
		<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
		<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 15W
		<u>KR752743</u>	64,00	LED driver, 350mA, Phase dim, 17W
		<u>KR772511</u>	52,00	LED driver, 350mA, Phase dim, 3,5-16,8W

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Installation kit		<u>KR717100</u>	37,00	Installation kit, back mounting
Plasterkit		<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap
		<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap
		<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Recessed mounted		<u>KR739721</u>	90,00	Recessed suspension kit, white
		<u>KR739722</u>	90,00	Recessed suspension kit, black
Surface mounted		<u>KR739821</u>	93,00	Surface mounted suspension kit, white
		<u>KR739822</u>	93,00	Surface mounted suspension kit, black
		<u>KR791111-LV</u>	52,00	Surface mounted connection box, white Ø 45 H 52
		<u>KR791112-LV</u>	52,00	Surface mounted connection box, black Ø 45 H 52
■ Optional accessories				
Driver		<u>KR739104</u>	42,00	LED driver, 350mA, ON/OFF, 15W
		<u>KR739102</u>	61,00	LED driver, 350mA, 1-10V, 15W
		<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
		<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 15W
		<u>KR752743</u>	64,00	LED driver, 350mA, Phase dim, 17W
		<u>KR772511</u>	52,00	LED driver, 350mA, Phase dim, 3,5-16,8W

				Base price (EUR excl. VAT)														
				Colour	KR-code	Light sources			9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (15°)	DL Dark light (20°)	WDL Wide dark light (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	
	holon 20 directional on-track			○	<u>KR952971</u>	①	250,00	—	—	—	22,00	22,00	—	30,00	30,00	■		
				●	<u>KR952972</u>	①	250,00	—	—	—	22,00	22,00	—	30,00	30,00	■		
				BB	<u>KR952974</u>	①	270,00	—	—	—	22,00	22,00	—	30,00	30,00	■		
				BS	<u>KR952977</u>	①	270,00	—	—	—	22,00	22,00	—	30,00	30,00	■		
				BG	<u>KR952978</u>	①	270,00	—	—	—	22,00	22,00	—	30,00	30,00	■		
				GB	<u>KR952979</u>	①	270,00	—	—	—	22,00	22,00	—	30,00	30,00	■		

		CRI		CCT	Wattage	Drive Current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	1W	350mA	80lm
		DL/WDL	CRI90+	2700K/3000K	4,2W	350mA	250lm

kreon holon 20 accessories

		Base price (EUR excl. VAT)
■ Required accessories		
Low voltage track		See page 402

kreon holon 40

				Base price (EUR excl. VAT)														
				Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	Required accessories	Optional accessories		
	holon 40 directional surface mounted Gear: excl.			○	<u>KR962301</u>	①	289,00	—	—	—	—	—	22,00	22,00				
				●	<u>KR962302</u>	①	289,00	—	—	—	—	—	22,00	22,00				
				BB	<u>KR962304</u>	①	334,00	—	—	—	—	—	22,00	22,00				
				BS	<u>KR962307</u>	①	334,00	—	—	—	—	—	22,00	22,00				
				BG	<u>KR962308</u>	①	334,00	—	—	—	—	—	22,00	22,00				
				GB	<u>KR962309</u>	①	334,00	—	—	—	—	—	22,00	22,00				
	holon 40 directional recessed mounted Gear: excl.			○	<u>KR962311</u>	①	289,00	—	—	—	—	—	22,00	22,00				
				●	<u>KR962312</u>	①	289,00	—	—	—	—	—	22,00	22,00				
				BB	<u>KR962314</u>	①	334,00	—	—	—	—	—	22,00	22,00				
				BS	<u>KR962317</u>	①	334,00	—	—	—	—	—	22,00	22,00				
				BG	<u>KR962318</u>	①	334,00	—	—	—	—	—	22,00	22,00				
				GB	<u>KR962319</u>	①	334,00	—	—	—	—	—	22,00	22,00				

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	FL	CRI90+	2700K/3000K		8,4W	700mA	558lm
	darklight	CRI90+	2700K/3000K		8,4W	700mA	417lm

kreon holon 40

			Base price (EUR excl. VAT)											
	holon 40 fixed Gear: excl.	Colour	KR-code	Light sources	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	Optional accessories
			<u>KR962701</u>	①	230,00	—	—	—	—	—	22,00	22,00		
			<u>KR962702</u>	①	230,00	—	—	—	—	—	22,00	22,00		


		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	FL	CRI90+	2700K/3000K		8,4W	700mA	558lm
	darklight	CRI90+	2700K/3000K		8,4W	700mA	417lm

				Base price (EUR excl. VAT)																						
		Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	DL Wide dark light (76°)	P1 Louvre painted white 2	P2 Louvre painted black 2	Required accessories	Optional accessories										
	holon 40 pendant Gear: excl.	○	<u>KR962001</u>	①	274,00	—	—	—	—	—	22,00	22,00			■	■										
		●	<u>KR962002</u>	①	274,00	—	—	—	—	—	22,00	22,00			■	■										
		BB	<u>KR962004</u>	①	319,00	—	—	—	—	—	22,00	22,00			■	■										
		BS	<u>KR962007</u>	①	319,00	—	—	—	—	—	22,00	22,00			■	■										
		BG	<u>KR962008</u>	①	319,00	—	—	—	—	—	22,00	22,00			■	■										
		GB	<u>KR962009</u>	①	319,00	—	—	—	—	—	22,00	22,00			■	■										
	holon 40 pendant Gear: ON/OFF included Surface mounted installation box incl.	○	<u>KR962901</u>	②	321,00	—	—	—	—	—	22,00	22,00	—			■										
		●	<u>KR962902</u>	②	321,00	—	—	—	—	—	—	22,00	22,00		—		■									

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	FL	CRI90+	2700K/3000K	8,4W	700mA	558lm
	darklight	CRI90+	2700K/3000K	8,4W	700mA	417lm
②	FL	CRI90+	2700K/3000K	8,4W	500mA	420lm
	darklight	CRI90+	2700K/3000K	8,4W	500mA	420lm

		Colour	KR-code	Base price (EUR excl. VAT)	PD Phase dimming	DD DALI dimming	CD Casambi dimming	LV Low voltage connection	HV High voltage connection	Optional accessories
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 1 module, 1 circuit Gear: incl., Ø65 H155	○	KR791231	156,00	—	63,00				
		●	KR791232	156,00	—	63,00				
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 1 module, 1 circuit Gear: incl., Ø120 H30	○	KR791431	172,00	—					
		●	KR791432	172,00	—					
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 2 modules, 1 circuit Gear: incl., L500 W50 H30	○	KR791201	208,00	—	63,00	94,00			
		●	KR791202	208,00	—	63,00	94,00			
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 1 module, 1 circuit Gear: switchable ON/OFF incl., Ø160 H30	○	KR791004	313,00						
		●	KR791005	313,00						
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 2 or 3 modules, 1 circuit Gear: switchable ON/OFF incl., Ø225 H30	○	KR791006	400,00						
		●	KR791007	400,00						
	surface mounted connection box Gear: excl., Ø45 H52	○	KR791111	52,00				—		■
		●	KR791112	52,00				—		■
	surface mounted connection box Gear: excl., Ø65 H52	○	KR791211	68,00				—	—	■
		●	KR791212	68,00				—	—	■
	surface mounted connection box Gear: excl., Ø120 H30	○	KR791411	83,00				—	—	■
		●	KR791412	83,00				—	—	■

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	<u>KR707104</u>	18,00	Plasterkit, no shadowgap ☉ Ø63
	<u>KR707000</u>	28,00	Plasterkit, Ø40, trimless, back installation, 13+mm panel
	<u>KR707002</u>	28,00	Plasterkit, Ø40, trimless, back installation, 9-13mm
Installation kit	<u>KR707100</u>	23,00	Installation kit Ø40, trimless, back installation, 13+mm panel
	<u>KR707102</u>	23,00	Installation kit Ø40, trimless, back installation
Recessed mounted	<u>KR791100</u>	56,00	Recessed suspension kit
	<u>KR707106</u>	17,00	Louvre for plasterkit, white
	<u>KR707122</u>	17,00	Louvre for plasterkit, black
	<u>KR707124</u>	42,00	Louvre for plasterkit, brushed bronze
	<u>KR707127</u>	42,00	Louvre for plasterkit, brushed silver
	<u>KR707128</u>	42,00	Louvre for plasterkit, brushed gold
	<u>KR707129</u>	42,00	Louvre for plasterkit, gun black
Surface mounted (gear excl.)	<u>KR791001</u>	52,00	Surface mounted installation box, white Ø 45 H 50
	<u>KR791002</u>	52,00	Surface mounted installation box, black Ø 45 H 50
■ Optional accessories			
Driver	<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, 11W
	<u>KR762902</u>	60,00	LED driver, 700mA, 1-10V, 25W (IP67)
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W
	<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 25W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 14W
Installation cover	<u>KR762501</u>	38,00	Installation cover, white
	<u>KR762502</u>	38,00	Installation cover, black
Lenses and louvres for SP, FL, WFL	<u>KR762000</u>	26,00	Anti-glare louvre
	<u>KR762200</u>	27,00	Diffusing lens

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	CD Casambi dimming	Optional accessories
	holon 40 directional single surface mounted Gear: incl.	○	<u>KR962501</u>	①	444,00	—	—	—	—	—	22,00	22,00	—				
		●	<u>KR962502</u>	①	444,00	—	—	—	—	—	22,00	22,00	—				
		BB	<u>KR962504</u>	①	489,00	—	—	—	—	—	22,00	22,00	—				
		BS	<u>KR962507</u>	①	489,00	—	—	—	—	—	22,00	22,00	—				
		BG	<u>KR962508</u>	①	489,00	—	—	—	—	—	22,00	22,00	—				
		GB	<u>KR962509</u>	①	489,00	—	—	—	—	—	22,00	22,00	—				
	holon 40 directional double surface mounted Gear: incl.	○	<u>KR962511</u>	②	758,00	—	—	—	—	—	22,00	22,00	—	39,00	39,00	39,00	
		●	<u>KR962512</u>	②	758,00	—	—	—	—	—	22,00	22,00	—	39,00	39,00	39,00	
		BB	<u>KR962514</u>	②	848,00	—	—	—	—	—	22,00	22,00	—	39,00	39,00	39,00	
		BS	<u>KR962517</u>	②	848,00	—	—	—	—	—	22,00	22,00	—	39,00	39,00	39,00	
		BG	<u>KR962518</u>	②	848,00	—	—	—	—	—	22,00	22,00	—	39,00	39,00	39,00	
		GB	<u>KR962519</u>	②	848,00	—	—	—	—	—	22,00	22,00	—	39,00	39,00	39,00	

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	230V	8,4W	700mA	558lm
	darklight	CRI90+	2700K/3000K	230V	8,4W	700mA	417lm
②	LED	CRI90+	2700K/3000K	230V	2x 8,4W	700mA	2x 558lm
	darklight	CRI90+	2700K/3000K	230V	2x 8,4W	700mA	2x 417lm

kreon holon 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Lenses and louvres for SP, FL, WFL		<u>KR762000</u>	26,00	Anti-glare louvre
		<u>KR762200</u>	27,00	Diffusing lens

kreon holon 40

				Base price (EUR excl. VAT)												
					9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	
	holon 40 directional on-track			○	KR962611	①	320,00	—	—	—	22,00	22,00	—	30,00	30,00	■
				●	KR962612	①	320,00	—	—	—	22,00	22,00	—	30,00	30,00	■
				BB	KR962614	①	365,00	—	—	—	22,00	22,00	—	30,00	30,00	■
				BS	KR962617	①	365,00	—	—	—	22,00	22,00	—	30,00	30,00	■
				BG	KR962618	①	365,00	—	—	—	22,00	22,00	—	30,00	30,00	■
				GB	KR962619	①	365,00	—	—	—	22,00	22,00	—	30,00	30,00	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	48V	10,9W		558lm
	darklight	CRI90+	2700K/3000K		10,9W	700mA	420lm

kreon holon 40 accessories

		Base price (EUR excl. VAT)
■ Required accessories		
Low voltage track		See page 402

kreon holon 40 accessories

		Base price (EUR excl. VAT)
■ Required accessories		
Low voltage track		See page 402

kreon holon 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (17°)	FL Flood (24°)	WFL Wide flood (40°)	DL Dark light (32°)	WDL Wide dark light (55°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	holon 40 single downlight, on-track	○	KR945001	①	258,00	—	—	—	—	—	22,00	22,00	—	30,00	30,00
		●	KR945002	①	258,00	—	—	—	—	—	22,00	22,00	—	30,00	30,00
		◐	KR945005	①	280,00	—	—				—	—	—	30,00	30,00
	holon 40 single wallwasher, on-track	○	KR945101	②	271,00	—	—						—	30,00	30,00
		●	KR945102	②	271,00	—	—						—	30,00	30,00
	holon 40 double downlight, on-track	○	KR945201	③	332,00	—	—	—	—	—	22,00	22,00	—	30,00	30,00
		●	KR945202	③	332,00	—	—	—	—	—	22,00	22,00	—	30,00	30,00
		◐	KR945205	③	354,00	—	—				—	—	—	30,00	30,00

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	4,5W	190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	10,7W	375lm
②	LED		CRI90+	2700K/3000K	48Vdc	6,5W	290lm
③	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	6,5W	2x 190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	18,9W	2x 375lm

kreon holon 40 accessories

	Base price (EUR excl. VAT)	
■ Required accessories		
Low voltage track		See page 402



holon 60 directional surface mounted, low louvre

Gear: incl. ☸

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW ON/OFF	DD DALI dimming
○	<u>KR962461</u>	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00
●	<u>KR962462</u>	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00
BB	<u>KR962464</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00
BS	<u>KR962467</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00
BG	<u>KR962468</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00
GB	<u>KR962469</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	10,2W
			CRI95+	2700K/3000K/4000K	230V	10,2W
	SP		CRI97+	DTW 1800K - 3000K	230V	12,6W
						726lm
	FL & WFL		CRI90+	2700K/3000K/4000K	230V	11,9W
			CRI95+	2700K/3000K/4000K	230V	11,9W
			CRI97+	DTW 1800K - 3000K	230V	12,6W

				Base price (EUR excl. VAT)													
					9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	SW Switchable ON/OFF	DD DALI dimming	
	Colour	KR-code	Light sources														
 holon 60 directional surface mounted, deep recessed louvre Gear: incl. ☺	○	KR962161	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	
	●	KR962162	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	
	◐	KR962165	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	
	BB	KR962164	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	
	BS	KR962167	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	
	BG	KR962168	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	
	GB	KR962169	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	

		CRI		CCT	Voltage	Wattage	Fixture lumen
① LED	SSP & SP	CRI90+	2700K/3000K/4000K		230V	10,2W	788lm
		CRI95+	2700K/3000K/4000K		230V	10,2W	709lm
	SP	CRI97+	DTW 1800K - 3000K		230V	12,6W	TBD
	FL	CRI90+	2700K/3000K/4000K		230V	11,9W	1146lm
		CRI95+	2700K/3000K/4000K		230V	11,9W	1031lm
		CRI97+	DTW 1800K - 3000K		230V	12,6W	TBD

				Base price (EUR excl. VAT)																	
					9027	9030	9040	9527	9530	9540	TW	DTW	SSP	SP	FL	WFL	Required accessories	Optional accessories			
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Dim-to-warm, CRI97+	Superspot (18°)	Spot (33°)	Flood (54°)	Wide flood (69°)					
	holon 60 directional recessed mounted, low louvre			Colour	KR-code	Light sources															
	Gear: excl. ⚙			○	KR962371	①	393,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	■	■
				●	KR962372	①	393,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	■	■
				BB	KR962374	①	458,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	■	■
				BS	KR962377	①	458,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	■	■
				BG	KR962378	①	458,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	■	■
			GB	KR962379	①	458,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	■	■	

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	808lm
			CRI95+	2700K/3000K/4000K	10,2W	300mA	727lm
	SP	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm	
	FL& WFL	CRI90+	2700K/3000K/4000K	18,5W	500mA	1616lm	
		CRI95+	2700K/3000K/4000K	18,5W	500mA	1454lm	
		CRI90+	TW 2700K-5000K	2x11W	300mA	TBD	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm	

				Base price (EUR excl. VAT)													
					9027	9030	9040	9527	9530	9540	TW	DTW	SSP	SP	FL	Required accessories	Optional accessories
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Dim-to-warm, CRI97+	Superspot (18°)	Spot (33°)	Flood (54°)		
 holon 60 directional recessed mounted, deep recessed louvre Gear: excl. 	Colour	KR-code	Light sources														
		KR962271	①	393,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—		
		KR962272	①	393,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—		
		KR962275	①	393,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—		
	BB	KR962274	①	458,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—		
	BS	KR962277	①	458,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—		
	BG	KR962278	①	458,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—		
	GB	KR962279	①	458,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	788lm
		CRI95+	2700K/3000K/4000K	10,2W	300mA	709lm
	SP	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
	FL	CRI90+	2700K/3000K/4000K	18,5W	500mA	1523lm
		CRI95+	2700K/3000K/4000K	18,5W	500mA	1370lm
		CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Installation kit	KR707170	28,00	Installation kit Ø60, trimless, backside installation
Plasterkit	KR707070	33,00	Plasterkit Ø60, trimless, backside installation
	KR707164	22,00	Plasterkit, front mounting, trimless finish, for holon 60 directional recessed mounted, ⌀ 83mm
	KR707161	34,00	Plasterkit concrete, trimless finish, for holon 60 directional recessed mounted
■ Optional accessories			
Driver 300mA for SSP & SP	KR747464	42,00	LED driver, 300mA, ON/OFF, 1-16W
	KR772211	52,00	LED driver, 300mA, Phase dim, 4,5-14W
	KR747562	64,00	LED driver, 300mA, 1-10V, 6-15W
	KR747666	76,00	LED driver, 300mA, DALI, 3-16W
	KR772209	145,00	LED driver, 300mA, Casambi, 3-16W
Driver 500mA for FL & WFL	KR772024	42,00	LED driver, 500mA, ON/OFF, 1-20W
	KR752843	64,00	LED driver, 500mA, Phase dim, 1-24W
	KR752853	52,00	LED driver, 500mA, Phase dim, 2,4-20W
	KR772220	64,00	LED driver, 500mA, 1-10V, Push-dim, 1-20W
	KR772223	76,00	LED driver, 500mA, DALI, 2,5-20W
	KR772229	145,00	LED driver, 500mA, Casambi, 5-27W
Driver (dim-to-warm) 350mA for SP, FL & WFL	KR747162	64,00	LED driver, 350mA, 1-10V, 6-18W
	KR747266	76,00	LED driver, 350mA, DALI, 3,5-17W
	KR772219	145,00	LED driver, 350mA, Casambi 3,5-18,5W
Driver (tunable white) 300mA for SP, FL & WFL	KR747766	134,00	LED driver, 300mA, DALI, 16,5W

kreon holon 60

				Base price (EUR excl. VAT)														Optional accessories
		Colour	KR-code		9027	9030	9040	9527	9530	9540	SSP	SP	FL	WFL	SW	DD		
	holon 60 fixed surface mounted, low louver Gear: incl. ☉	○	<u>KR962861</u>	①	313,00	—	—	19,00	19,00	19,00	—	—	—	—	—	30,00		
		●	<u>KR962862</u>	①	313,00	—	—	19,00	19,00	19,00	—	—	—	—	—	30,00		
	holon 60 fixed surface mounted, low louver Gear: excl. ☿	○	<u>KR962761</u>	②	287,00	—	—	19,00	19,00	19,00	—	—	—	—			■	
		●	<u>KR962762</u>	②	287,00	—	—	19,00	19,00	19,00	—	—	—	—			■	
	holon 60 fixed surface mounted, deep recessed louver Gear: excl. ☿	○	<u>KR962661</u>	③	287,00	—	—	19,00	19,00	19,00	—	—	—				■	
		●	<u>KR962662</u>	③	287,00	—	—	19,00	19,00	19,00	—	—	—				■	
		◐	<u>KR962665</u>	③	287,00	—	—	19,00	19,00	19,00	—	—	—				■	

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED SSP & SP	CRI90+	2700K/3000K/4000K	230V	10,2W		808lm
		CRI95+	2700K/3000K/4000K				727lm
	FL & WFL	CRI90+	2700K/3000K/4000K	230V	11,9W		1211lm
		CRI95+	2700K/3000K/4000K				1090lm
②	LED SSP & SP	CRI90+	2700K/3000K/4000K		10,2W	300mA	811lm
		CRI95+	2700K/3000K/4000K				727lm
	FL & WFL	CRI90+	2700K/3000K/4000K		18,5W	500mA	1545lm
		CRI95+	2700K/3000K/4000K				1454lm
③	LED SSP & SP	CRI90+	2700K/3000K/4000K		10,2W	300mA	786lm
		CRI95+	2700K/3000K/4000K				709lm
	FL	CRI90+	2700K/3000K/4000K		18,5W	500mA	1468lm
		CRI95+	2700K/3000K/4000K				1370lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 1-16W
	<u>KR772211</u>	52,00	LED driver, 300mA, Phase dim, 4,5-14W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 6-15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 3-16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 3-16W
Driver 500mA for FL & WFL	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 1-20W
	<u>KR752843</u>	64,00	LED driver, 500mA, Phase dim, 1-24W
	<u>KR752853</u>	52,00	LED driver, 500mA, Phase dim, 2,4-20W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, Push-dim, 1-20W
	<u>KR772223</u>	76,00	LED driver, 500mA, DALI, 2,5-20W
	<u>KR772229</u>	145,00	LED driver, 500mA, Casambi, 5-27W

kreon holon 60

	holon 60 deco fixed surface mounted, deep louvre														

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	741lm
			CRI95+	2700K/3000K/4000K			TBD
	FL		CRI90+	2700K/3000K/4000K	18,5W	500mA	1316lm
			CRI95+	2700K/3000K/4000K			TBD

kreon holon 60 accessories		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 1-16W	
	<u>KR772211</u>	52,00	LED driver, 300mA, Phase dim, 4,5-14W	
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 6-15W	
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 3-16W	
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 3-16W	
Driver 500mA for FL & WFL	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 1-20W	
	<u>KR752843</u>	64,00	LED driver, 500mA, Phase dim, 1-24W	
	<u>KR752853</u>	52,00	LED driver, 500mA, Phase dim, 2,4-20W	
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, Push-dim, 1-20W	
	<u>KR772223</u>	76,00	LED driver, 500mA, DALI, 2,5-20W	
	<u>KR772229</u>	145,00	LED driver, 500mA, Casambi, 5-27W	

kreon holon 60

kreon holon 60					Base price (EUR excl. VAT)														
	Colour	KR-code	Light sources			9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW Switchable ON/OFF	DD DALI dimming	Required accessories	Optional accessories
	holon 60 pendant, low louvre Gear: incl. ☼		KR962851	①	410,00	—	—	—	19,00	19,00	19,00	—	—	—	—	—	30,00		
			KR962852	①	410,00	—	—	—	19,00	19,00	19,00	—	—	—	—	—	30,00		
	holon 60 pendant, low louvre Gear: excl. ⬢		KR962751	②	378,00	—	—	—	19,00	19,00	19,00	—	—	—	—				
			KR962752	②	378,00	—	—	—	19,00	19,00	19,00	—	—	—	—				
	holon 60 pendant, deep recessed louvre Gear: excl. ⬢		KR962651	③	378,00	—	—	—	19,00	19,00	19,00	—	—	—					
			KR962652	③	378,00	—	—	—	19,00	19,00	19,00	—	—	—					
			KR962655	③	378,00	—	—	—	19,00	19,00	19,00	—	—	—					

		CRI		CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	10,2W		808lm
			CRI95+	2700K/3000K/4000K				727lm
		FL & WFL	CRI90+	2700K/3000K/4000K	230V	11,9W		1211lm
			CRI95+	2700K/3000K/4000K				1090lm
②	LED	SSP & SP	CRI90+	2700K/3000K/4000K		10,2W	300mA	811lm
			CRI95+	2700K/3000K/4000K				727lm
		FL & WFL	CRI90+	2700K/3000K/4000K		18,5W	500mA	1545lm
			CRI95+	2700K/3000K/4000K				1454lm
③	LED	SSP & SP	CRI90+	2700K/3000K/4000K		10,2W	300mA	786lm
			CRI95+	2700K/3000K/4000K				709lm
		FL	CRI90+	2700K/3000K/4000K		18,5W	500mA	1468lm
			CRI95+	2700K/3000K/4000K				1370lm

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver 300mA for SSP & SP		<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
		<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
		<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W
		<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 500mA for FL		<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, Push-dim, 20W
		<u>KR772223</u>	76,00	LED driver, 500mA, DALI, 20W
		<u>KR772229</u>	145,00	LED driver, 500mA, Casambi, 27W

kreon holon 60

kreon holon 60																
	holon 60 deco pendant, deep louvre	Colour	KR-code	Light sources	Base price (EUR excl. VAT)											
					9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	Required accessories	Optional accessories	
	Gear: excl. 		KR962551	①	466,00	—	—	—	19,00	19,00	19,00	—	—	—		
			KR962552	①	466,00	—	—	—	19,00	19,00	19,00	—	—	—		


			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	741lm
			CRI95+	2700K/3000K/4000K			TBD
	FL		CRI90+	2700K/3000K/4000K	18,5W	500mA	1316lm
			CRI95+	2700K/3000K/4000K			TBD

kreon holon 60 accessories		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver 300mA for SSP & SP	<u>KR747464</u>	40,25	LED driver, 300mA, ON/OFF, 16W	
	<u>KR747562</u>	61,50	LED driver, 300mA, 1-10V, 15W	
	<u>KR747666</u>	73,00	LED driver, 300mA, DALI, 16W	
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W	
Driver 500mA for FL	<u>KR772024</u>	40,25	LED driver, 500mA, ON/OFF, 20W	
	<u>KR772220</u>	61,50	LED driver, 500mA, 1-10V, Push-dim, 20W	
	<u>KR772223</u>	73,00	LED driver, 500mA, DALI, 20W	
	<u>KR772229</u>	145,00	LED driver, 500mA, Casambi, 27W	

		Colour	KR-code	Base price (EUR excl. VAT)	LV Low voltage connection	HV High voltage connection	Optional accessories
	surface mounted connection box Gear: excl., Ø45 H52	○	<u>KR791111</u>	52,00	—		■
		●	<u>KR791112</u>	52,00	—		■
	surface mounted connection box Gear: excl., Ø65 H52	○	<u>KR791211</u>	68,00	—	—	■
		●	<u>KR791212</u>	68,00	—	—	■
	surface mounted connection box Gear: excl., Ø120 H30	○	<u>KR791411</u>	83,00	—	—	■
		●	<u>KR791412</u>	83,00	—	—	■

kreon holon 60 accessories

		Base price (EUR excl. VAT)
■ Required accessories		
Low voltage track		See page 402



holon 60 directional, on-track
230Vdc (onetrack), low louvre
Gear: incl. ☉

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)														Required accessories
					9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW Switchable ON/OFF	DD DALI dimming	
	○	<u>KR962981</u>	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00	■
	●	<u>KR962982</u>	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00	■
	BB	<u>KR962984</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00	■
	BS	<u>KR962987</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00	■
	BG	<u>KR962988</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00	■
	GB	<u>KR962989</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	—	30,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	808lm
			CRI95+	2700K/3000K/4000K	230V	727lm	
	SP	CRI97+	DTW 1800K-3000K	230V	TBD		
		FL & WFL	CRI90+	2700K/3000K/4000K	230V	21W	1616lm
	CRI95+		2700K/3000K/4000K	230V	1454lm		
	CRI97+		DTW 1800K-3000K	230V	823lm		



holon 60 directional, on-track
230Vdc (onetrack),
deep recessed louvre
Gear: incl. ☺

holon 60				Base price (EUR excl. VAT)													
Colour	KR-code	Light sources	9027 2700K, CRI90+		9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	SW Switchable ON/OFF	DD DALI dimming	Required accessories	
 holon 60 directional, on-track 230Vdc (onetrack), deep recessed louvre Gear: incl. ☺	○	<u>KR962881</u>	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	■
	●	<u>KR962882</u>	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	■
	◐	<u>KR962885</u>	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	■
	BB	<u>KR962884</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	■
	BS	<u>KR962887</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	■
	BG	<u>KR962888</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	■
	GB	<u>KR962889</u>	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00	■

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	788lm
			CRI95+	2700K/3000K/4000K	230V		709lm
		SP	CRI97+	DTW 1800K-3000K	230V		TBD
	FL		CRI90+	2700K/3000K/4000K	230V	21W	1523lm
			CRI95+	2700K/3000K/4000K	230V		1370lm
			CRI97+	DTW 1800K-3000K	230V		TBD

	Base price (EUR excl. VAT)	
■ Required accessories		
3~ circuit track		See page 428

kreon holon 60

kreon holon 60				Base price (EUR excl. VAT)															Required accessories
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (60°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	
	holon 60 fixed, on-track 48Vdc, low louvre																		
	holon 60 fixed, on-track 48Vdc, deep recessed louvre																		

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED SSP & SP	CRI90+	2700K/3000K/4000K	48Vdc	10W	727lm
		CRI95+	2700K/3000K/4000K	48Vdc	10W	TBD
	SP	CRI90+	TW 2700K-5000K	48Vdc	2x12W	835-1053lm
	FL & WFL	CRI90+	2700K/3000K/4000K	48Vdc	19W	1470lm
		CRI95+	2700K/3000K/4000K	48Vdc	19W	1323lm
		CRI90+	TW 2700K-5000K	48Vdc	2x12W	907-1153lm
②	LED SSP & SP	CRI90+	2700K/3000K/4000K	48Vdc	10W	687lm
		CRI95+	2700K/3000K/4000K	48Vdc	10W	TBD
	SP	CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD
	FL	CRI90+	2700K/3000K/4000K	48Vdc	19W	1382lm
		CRI95+	2700K/3000K/4000K	48Vdc	19W	1244lm
		CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD

				Base price (EUR excl. VAT)																								
				Colour	KR-code	Light sources																						
	holon 60 wallwasher, on-track			○	<u>KR962181</u>	①	321,00	9027	2700K, CRI90+	9030	3000K, CRI90+	9040	4000K, CRI90+	9527	2700K, CRI95+	9530	3000K, CRI95+	9540	4000K, CRI95+	TW	Tunable white, CRI90+	SW	Switchable ON/OFF	VD	1-10V dimming	DD	DALI dimming	Required accessories
	48Vdc Gear: incl. ⚙			●	<u>KR962182</u>	①	321,00	—	—	—	19,00	19,00	19,00	23,00	—	30,00	30,00	—	30,00	30,00	—	30,00	30,00	—	30,00	30,00	—	30,00

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	WW	CRI90+	2700K/3000K/4000K	48Vdc	10W	710lm
			CRI95+	2700K/3000K/4000K	48Vdc	10W	639lm
			CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD

kreon holon 60 accessories

		Base price (EUR excl. VAT)
■ Required accessories		
Low voltage track		See page 402

kreon holon 60

kreon holon 60				Base price (EUR excl. VAT)													
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW ON/OFF	DD DALI dimming	Required accessories
	holon 60 fixed, on-track 230Vdc (onetrack), low louver			①	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00	■
	Gear: incl. ☉			①	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00	■
	holon 60 fixed, on-track 230Vdc (onetrack), deep recessed louver			②	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00	■
	Gear: incl. ☉			②	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00	■
				②	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00	■
	holon 60 wallwasher, on-track 230Vdc (onetrack)			③	326,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00	■
	Gear: incl. ☉			③	326,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00	■

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	727lm
			CRI95+	2700K/3000K/4000K	230V		654lm
		FL & WFL	CRI90+	2700K/3000K/4000K	230V	21W	1470lm
			CRI95+	2700K/3000K/4000K	230V		1323lm
②	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	687lm
			CRI95+	2700K/3000K/4000K	230V		618lm
		FL	CRI90+	2700K/3000K/4000K	230V	21W	1382lm
			CRI95+	2700K/3000K/4000K	230V		1244lm
③	LED	WW	CRI90+	2700K/3000K/4000K	230V	13W	710lm
			CRI95+	2700K/3000K/4000K	230V		639lm

kreon holon 60 accessories

		Base price (EUR excl. VAT)
■ Required accessories		
3~ circuit track		See page 428

kreon holon 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (22°)	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	DD DALI dimming	Optional accessories
	holon 80 directional surface mounted, low louver Gear: incl.	○	KR962021	①	643,00	—	—	—	28,00	28,00	28,00	—	—	—	—	42,00	■
		●	KR962022	①	643,00	—	—	—	28,00	28,00	28,00	—	—	—	—	42,00	■
	holon 80 directional surface mounted, deep recessed louver Gear: incl.	○	KR962921	②	643,00	—	—	—	28,00	28,00	28,00	—	—	—	—	42,00	■
		●	KR962922	②	643,00	—	—	—	28,00	28,00	28,00	—	—	—	—	42,00	■
		◐	KR962925	②	643,00	—	—	—	28,00	28,00	28,00	—	—	—	—	42,00	■

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI95+	2700K/3000K/4000K	230V	19,9W	2531lm
	LED	FL	CRI90+	2700K/3000K/4000K	230V	28,5W	2867lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2402lm
	LED	WFL	CRI90+	2700K/3000K/4000K	230V	28,5W	2884lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2417lm
	②	LED	SP	CRI95+	2700K/3000K/4000K	230V	19,9W
LED		FL	CRI90+	2700K/3000K/4000K	230V	28,5W	2858lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2395lm
LED		WFL	CRI90+	2700K/3000K/4000K	230V	28,5W	2776lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2326lm

kreon holon 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Lenses and louvres		<u>KR762002</u>	31,00	Anti-glare louvre
		<u>KR726100</u>	28,00	Sculpture lens
		<u>KR726200</u>	27,00	Diffusing lens

kreon holon 80

kreon holon 80				Base price (EUR excl. VAT)												
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (22°)	FL Flood (30°)	WFL Wide flood (38°)	Required accessories	Optional accessories	
	holon 80 directional recessed mounted, low louver		<u>KR962031</u>	①	548,00	—	—	—	28,00	28,00	28,00	—	—	—		
	Gear: excl. 		<u>KR962032</u>	①	548,00	—	—	—	28,00	28,00	28,00	—	—	—		
	holon 80 directional recessed mounted, deep recessed louver		<u>KR962931</u>	②	548,00	—	—	—	28,00	28,00	28,00	—	—	—		
	Gear: excl. 		<u>KR962932</u>	②	548,00	—	—	—	28,00	28,00	28,00	—	—	—		
			<u>KR962935</u>	②	548,00	—	—	—	28,00	28,00	28,00	—	—	—		

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI95+	2700K/3000K/4000K	230V	19,9W	2531lm
	LED	FL	CRI90+	2700K/3000K/4000K	230V	28,5W	2867lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2402lm
	LED	WFL	CRI90+	2700K/3000K/4000K	230V	28,5W	2884lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2417lm
②	LED	SP	CRI95+	2700K/3000K/4000K	230V	19,9W	2475lm
	LED	FL	CRI90+	2700K/3000K/4000K	230V	28,5W	2858lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2395lm
	LED	WFL	CRI90+	2700K/3000K/4000K	230V	28,5W	2776lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2326lm

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap, for holon 80 directional recessed mounted
		<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap, for holon 80 directional recessed mounted
		<u>KR717000</u>	37,00	Installation kit, back mounting
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Installation kit		<u>KR717100</u>	37,00	Installation kit, back mounting
■ Optional accessories				
Lenses and louvres		<u>KR762002</u>	31,00	Anti-glare louvre
		<u>KR726100</u>	28,00	Sculpture lens
		<u>KR726200</u>	27,00	Diffusing lens
Driver		<u>KR772150</u>	53,00	LED driver, 850mA, ON/OFF, 15-34W
		<u>KR772152</u>	80,00	LED driver, 850mA, 1-10V, 1,7-38W
		<u>KR772153</u>	90,00	LED driver, 850mA, DALI, 8,5-38W
		<u>KR772159</u>	145,00	LED driver, 850mA, Casambi, 8,5-38W

kreon holon 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	DD DALI dimming	Required accessories
	holon 80 directional on-track, low louver Gear: incl.	○	<u>KR962041</u>	①	625,00	—	—	—	28,00	28,00	28,00	—	—	—	42,00	■
		●	<u>KR962042</u>	①	625,00	—	—	—	28,00	28,00	28,00	—	—	—	42,00	■
	holon 80 directional on-track, deep recessed louver Gear: incl.	○	<u>KR962941</u>	②	625,00	—	—	—	28,00	28,00	28,00	—	—	—	42,00	■
		●	<u>KR962942</u>	②	625,00	—	—	—	28,00	28,00	28,00	—	—	—	42,00	■
		◐	<u>KR962945</u>	②	625,00	—	—	—	28,00	28,00	28,00	—	—	—	42,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K/4000K	230V	33W	2866lm
			CRI95+	2700K/3000K/4000K	230V	33W	2402lm
	LED	WFL	CRI90+	2700K/3000K/4000K	230V	33W	2884lm
			CRI95+	2700K/3000K/4000K	230V	33W	2417lm
②	LED	FL	CRI90+	2700K/3000K/4000K	230V	33W	2858lm
			CRI95+	2700K/3000K/4000K	230V	33W	2395lm
	LED	WFL	CRI90+	2700K/3000K/4000K	230V	33W	2776lm
			CRI95+	2700K/3000K/4000K	230V	33W	2326lm

kreon holon 80 accessories

		Base price (EUR excl. VAT)
■ Required accessories		
3~ circuit track		See page 428

kreon inline direct/surface mounted

		KR-code	Light sources	Recommended price per meter for a system lenght of approx. 5 meters (EUR excl. VAT)	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	3 350mA	7 700mA	
	inline d-diffus	<u>INL50</u>	①	410,00	—	—	—	—	—	—	—	price/m
	inline s-forward	<u>INL51</u>	②	610,00	—	—	—	—	—	—	—	price/m
	inline s-backward	<u>INL52</u>	③	610,00	—	—	—	—	—	—	—	price/m

Light flow per meter (approx.)				lm/m (350mA) @ 4000K		lm/m (700mA) @ 4000K
①	LED	INLINE-50	d-diffuse	1997lm	or	3656lm
②	LED	INLINE-51	s-forward	1703lm	or	3075lm
③	LED	INLINE-52	s-backward	1846lm	or	3162lm

kreon inline direct/surface mounted

		KR-code	Light sources	Recommended price per meter for a system lenght of approx. 5 meters (EUR excl. VAT)	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	3 350mA	7 700mA
	inline f-80°	<u>INL53</u>	①	610,00	—	—	—	—	—	—	—
	inline f-40°	<u>INL54</u>	②	610,00	—	—	—	—	—	—	—
	inline f-asym	<u>INL55</u>	③	610,00	—	—	—	—	—	—	—
	inline f-lvr Louver Raster UGR <19	<u>INL56</u>	④	610,00	—	—	—	—	—	—	—

		Light flow per meter (approx.)		lm/m (350mA) @ 4000K		lm/m (700mA) @ 4000K
①	LED	INLINE-53	f-80°	1820lm	or	3388lm
②	LED	INLINE-54	f-40°	2045lm	or	3653lm
③	LED	INLINE-55	f-asym	1747lm	or	3148lm
④	LED	INLINE-56	f-lvr	1675lm (UGR 19)	or	3025lm (UGR >19)

kreon inline neo direct/pending

		KR-code	Light sources	Recommended price per meter for a system lenght of approx. 5 meters (EUR excl. VAT)	2 Suspender, 2 meters	5 Suspender, 5 meters	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	3 350mA	7 700mA
	inline d-diffus	<u>INL60</u>	①	455,00	—	—	—	—	—	—	—	—	—
	inline s-forward	<u>INL61</u>	②	650,00	—	—	—	—	—	—	—	—	—
	inline s-backward	<u>INL62</u>	③	650,00	—	—	—	—	—	—	—	—	—

Light flow per meter (approx.)				lm/m (350mA) @ 4000K		lm/m (700mA) @ 4000K
①	LED	INLINE-60	d-diffuse	1997lm	or	3656lm
②	LED	INLINE-61	s-forward	1703lm	or	3075lm
③	LED	INLINE-62	s-backward	1846lm	or	3162lm

kreon inline neo direct/pending

		KR-code	Light sources	Recommended price per meter for a system lenght of approx. 5 meters (EUR excl. VAT)	2 Suspender, 2 meters	5 Suspender, 5 meters	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	3 350mA	7 700mA
	inline f-80°	<u>INL63</u>	①	650,00	—	—	—	—	—	—	—	—	—
	inline f-40°	<u>INL64</u>	②	650,00	—	—	—	—	—	—	—	—	—
	inline f-asym	<u>INL65</u>	③	650,00	—	—	—	—	—	—	—	—	—
	inline f-lvr Louver Raster UGR <19	<u>INL66</u>	④	650,00	—	—	—	—	—	—	—	—	—

		Light flow per meter (approx.)		lm/m (350mA) @ 4000K		lm/m (700mA) @ 4000K
①	LED	INLINE-63	f-80°	1820lm	or	3388lm
②	LED	INLINE-64	f-40°	2045lm	or	3653lm
③	LED	INLINE-65	f-asym	1747lm	or	3148lm
④	LED	INLINE-66	f-lvr	1675lm (UGR 19)	or	3025lm (UGR >19)

		KR-code	Light sources	Recommended price per meter for a system lenght of approx. 5 meters (EUR excl. VAT)	2 Suspender, 2 meters	5 Suspender, 5 meters	Wall-mounting	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	37 350mA direct and 700mA indirect
	inline d-diffus	<u>INL70</u>	①	735,00	—	—	—	—	—	—	—	—	—
	inline s-forward	<u>INL71</u>	②	930,00	—	—		—	—	—	—	—	—
	inline s-backward	<u>INL72</u>	③	930,00	—	—		—	—	—	—	—	—

Light flow per meter (approx.)				Direct portion lm/m (350mA) @ 4000K	Indirect portion lm/m (700mA) @ 4000K
①	LED	INLINE-70	d-diffuse	1997lm	and 3980lm
②	LED	INLINE-71	s-forward	1703lm	and 3980lm
③	LED	INLINE-72	s-backward	1846lm	and 3980lm

kreon inline neo direct-indirect/pending

		KR-code	Light sources	Recommended price per meter for a system lenght of approx. 5 meters (EUR excl. VAT)	2 Suspender, 2 meters	5 Suspender, 5 meters	Wall-mounting	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	37 350mA direct and 700mA indirect
	inline f-80°	<u>INL73</u>	①	930,00	—	—	—	—	—	—	—	—	—
	inline f-40°	<u>INL74</u>	②	930,00	—	—	—	—	—	—	—	—	—
	inline f-asym	<u>INL75</u>	③	930,00	—	—	—	—	—	—	—	—	—
	inline f-lvr Louver Raster UGR <19	<u>INL76</u>	④	930,00	—	—	—	—	—	—	—	—	—

Light flow per meter (approx.)				Direct portion lm/m (350mA) @ 4000K	Indirect portion lm/m (700mA) @ 4000K
①	LED	INLINE-73	f-80°	1820lm	and 3980lm
②	LED	INLINE-74	f-40°	2045lm	and 3980lm
③	LED	INLINE-75	f-asym	1747lm	and 3980lm
④	LED	INLINE-76	f-lvr	1675lm (UGR 19)	and 3980lm

		Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (20°)	DL Dark light (33°)	WDL Wide dark light (56°)	D1 Dome, glassy	D3 Dome, matt	Required accessories	Optional accessories
	inti 80 fixed Gear: excl., IP44 		<u>KR997111</u>	①	205,00	—	—						40,00	—		
			<u>KR997112</u>	①	205,00	—	—						40,00	—		
	inti 80 fixed dim-to-warm Gear: excl., IP44 		<u>KR997611</u>	②	205,00								40,00	—		
			<u>KR997612</u>	②	205,00								40,00	—		
	inti directional Gear: excl., IP40 		<u>KR997121</u>	③	310,00	—	—			—	—	—	40,00	—		
			<u>KR997122</u>	③	310,00	—	—			—	—	—	40,00	—		
	inti directional dim-to-warm Gear: excl., IP40 		<u>KR997621</u>	④	310,00	—	—			—	—	—	40,00	—		
			<u>KR997622</u>	④	310,00	—	—			—	—	—	40,00	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	12W	350mA	825lm
②	LED	CRI90+	2700K/3000K	12,6W	350mA	577lm
③	LED dome	CRI90+	2700K/3000K	12W	350mA	576lm
	LED dir. 33° / 56°			4W		250lm
	20°			1W		100lm
④	LED dome	CRI90+	2700K/3000K	12,6W	350mA	400lm
	LED dir. 33° / 56°			4W		250lm
	20°			1W		100lm

	Colour	KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap ☉ Ø 102 D 110
		<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap ☉ Ø 102 D 110
		<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Installation kit		<u>KR717021</u>	38,00	Installation kit with trim, white ☉ Ø 90 D 110
		<u>KR717022</u>	38,00	Installation kit with trim, black ☉ Ø 90 D 110
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Installation kit		<u>KR717100</u>	37,00	Installation kit, back mounting
Removal tool		<u>KR797001</u>	13,00	Removal tool for kreon inti fixed
■ Optional accessories				
Driver		<u>KR747064</u>	42,00	LED driver, 350mA, 19W, ON/OFF
		<u>KR739102</u>	61,00	LED driver, 350mA, 15W, 0/1-10V
		<u>KR747266</u>	76,00	LED driver, 350mA, 15W, DALI
		<u>KR747163</u>	64,00	LED driver, 350mA, 18W, 0-10V/1-10V, dim-to-warm
		<u>KR747267</u>	76,00	LED driver, 350mA, 17W, DALI, dim-to-warm
		<u>KR747966</u>	142,00	LED dual driver, 2x 350mA, 20W, DALI (for inti directional only)
		<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W
Distance ring (for plasterkit concrete)		<u>KR717307</u>	28,00	Distance ring 2mm (set of 5pcs.)
		<u>KR717308</u>	33,00	Distance ring 3mm (set of 5pcs.)
		<u>KR717309</u>	43,00	Distance ring 5mm (set of 5pcs.)

kreon kagi profile, lvl. 1

kreon kagi profile, lvl. 1				Base price (EUR excl. VAT)											Required accessories	Optional accessories
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	DIF Diffuser	SBU Silver bowl under	XS L = 532mm	S L = 1032mm	M L = 1532mm	L L = 2032mm	XL L = 3032mm			
 kagi blind surface mounted, level 1 Gear: excl. input voltage: 24Vdc	●	<u>KR954902</u>		96,00				—	26,00	51,00	75,00	124,00	■	■		
 kagi 16 surface mounted, level 1 Gear: excl. input voltage: 24Vdc	●	<u>KR954502</u>	①	167,00	—	—	—	—	72,00	141,00	216,00	360,00	■	■		
 kagi 26 surface mounted, level 1 Gear: excl. input voltage: 24Vdc No additional fixtures or cross connectors possible	●	<u>KR954602</u>	②	170,00	—	—	—	—	74,00	148,00	221,00	368,00	■	■		
			③	—	—	—	22,00	119,00	215,00	311,00	503,00	■	■			

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	808lm/m
②	LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	873lm/m
③	LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	205lm/m

kreon kagi profile, lvl. 1, accessories

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Installation kit	KR754911	26,00	Tooling set for installation (profile + module)
■ Optional accessories			
Power supply hide-away	KR754801	35,00	Plasterkit + blind cover, white
	KR754701	152,00	Suspension kit, recessed mounted (plasterkit included)
	KR754901	212,00	Suspension kit, surface mounted, white
	KR754902	212,00	Suspension kit, surface mounted, black
Surface mounted connection box	KR754821	212,00	Surface mounted connection box, level 1, 24Vdc, white
	KR754822	212,00	Surface mounted connection box, level 1, 24Vdc, black
Power supply	KR772070	95,00	LED power supply, 24Vdc, 60W, ON-OFF
	KR772072	116,00	LED power supply, 24Vdc, 60W, 0-10V
	KR772073	116,00	LED power supply, 24Vdc, 60W, DALI
	KR772074	231,00	LED power supply, 24Vdc, 60W, Casambi
	KR772270	142,00	LED power supply, 24Vdc, 120W, ON-OFF
	KR772272	162,00	LED power supply, 24Vdc, 120W, 0-10V
	KR772273	162,00	LED power supply, 24Vdc, 120W, DALI
	KR772274	278,00	LED power supply, 24Vdc, 120W, Casambi
CV dimmers	KR774106	112,00	1-10V 24Vdc controller for linear light tubes
	KR774006	157,00	DALI/DMX/0-10V controller
Gateway	KR762070	184,00	Casambi DALI gateway
Switches	KR762971	378,00	Casambi Xpress switch, white
	KR762972	378,00	Casambi Xpress switch, black

	Colour	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
1~ phase 20W for linear kagi profiles		<u>KR754024</u>	219,00	kagi gearbox 230V, 20W, ON/OFF, white
		<u>KR754324</u>	219,00	kagi gearbox 230V, 20W, ON/OFF, black
		<u>KR754022</u>	219,00	kagi gearbox 230V, 20W, 1-10V, white
		<u>KR754322</u>	219,00	kagi gearbox 230V, 20W, 1-10V, black
		<u>KR754026</u>	230,00	kagi gearbox, 230V, 20W, DALI, white
		<u>KR754326</u>	230,00	kagi gearbox, 230V, 20W, DALI, black
1~ phase 70W for linear kagi profiles		<u>KR754124</u>	247,00	kagi gearbox 230V, 70W, ON/OFF, white
		<u>KR754424</u>	247,00	kagi gearbox 230V, 70W, ON/OFF, black
		<u>KR754122</u>	247,00	kagi gearbox 230V, 70W, 1-10V, white
		<u>KR754422</u>	247,00	kagi gearbox 230V, 70W, 1-10V, black
		<u>KR754126</u>	258,00	kagi gearbox, 230V, 70W, DALI, white
		<u>KR754426</u>	258,00	kagi gearbox, 230V, 70W, DALI, black
		<u>KR754128</u>	472,00	kagi gearbox, 230V, 70W, Casambi, white
		<u>KR754428</u>	472,00	kagi gearbox, 230V, 70W, Casambi, black
2~ phase 140W for linear kagi profiles and kagi modules		<u>KR754224</u>	421,00	kagi gearbox 230V, 2x70W, ON/OFF, white
		<u>KR754524</u>	421,00	kagi gearbox 230V, 2x70W, ON/OFF, black
		<u>KR754222</u>	421,00	kagi gearbox 230V, 2x70W, 1/10V, white
		<u>KR754522</u>	421,00	kagi gearbox 230V, 2x70W, 1/10V, black
		<u>KR754226</u>	432,00	kagi gearbox, 230V, 2x70W, DALI, white
		<u>KR754526</u>	432,00	kagi gearbox, 230V, 2x70W, DALI, black
		<u>KR754228</u>	635,00	kagi gearbox, 230V, 2x70W, Casambi, white
		<u>KR754528</u>	635,00	kagi gearbox, 230V, 2x70W, Casambi, black

kreon kagi profile, lvl. 1, gearboxes

		Base price (EUR excl. VAT)	
■ Optional accessories			
1~ phase 70W for kagi suspension kit	<u>KR754104</u>	248,00	kagi suspension kit gearbox 230V, 70W, ON/OFF, white
	<u>KR754204</u>	248,00	kagi suspension kit gearbox 230V, 70W, ON/OFF, black
	<u>KR754102</u>	248,00	kagi suspension kit gearbox 230V, 70W, 1-10V, white
	<u>KR754202</u>	248,00	kagi suspension kit gearbox 230V, 70W, 1-10V, black
	<u>KR754106</u>	259,00	kagi suspension kit gearbox, 230V, 70W, DALI, white
	<u>KR754206</u>	259,00	kagi suspension kit gearbox, 230V, 70W, DALI, black
	<u>KR754108</u>	454,00	kagi suspension kit gearbox, 230V, 70W, Casambi, white
	<u>KR754208</u>	454,00	kagi suspension kit gearbox, 230V, 70W, Casambi, black
2~ phase 140W for kagi suspension kit	<u>KR754304</u>	421,00	kagi suspension kit gearbox 230V, 2x70W, ON/OFF, white
	<u>KR754404</u>	421,00	kagi suspension kit gearbox 230V, 2x70W, ON/OFF, black
	<u>KR754302</u>	421,00	kagi suspension kit gearbox 230V, 2x70W, 1/10V, white
	<u>KR754402</u>	421,00	kagi suspension kit gearbox 230V, 2x70W, 1/10V, black
	<u>KR754306</u>	433,00	kagi suspension kit gearbox, 230V, 2x70W, DALI, white
	<u>KR754406</u>	433,00	kagi suspension kit gearbox, 230V, 2x70W, DALI, black
	<u>KR754308</u>	610,00	kagi suspension kit gearbox, 230V, 2x70W, Casambi, white
	<u>KR754408</u>	610,00	kagi suspension kit gearbox, 230V, 2x70W, Casambi, black

kreon kagi modules, level 1

kreon kagi modules, level 1																	
		Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (15°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (38°)	WDL Wide dark light (76°)	DM ON/OFF or PWM dimmable	CD Casambi dimming			
	holon 40 on-kagi directional, level 1	○	KR954541	①	416,00	—	—	—	—	—	22,00	22,00	—	174,00			
		●	KR954542	①	416,00	—	—	—	—	—	—	22,00	22,00	—	174,00		
	holon 40 on-kagi fixed, level 1	○	KR954521	②	283,00	—	—	—	—				—	174,00			
		●	KR954522	②	283,00	—	—	—	—					—	174,00		
	holon 40 on-kagi wallwasher, level 1	○	KR954561	③	324,00	—	—						—	174,00			
		●	KR954562	③	324,00	—	—							—	174,00		
	holon 40 stone on-kagi, level 1 alabaster finish	●	KR954582	④	420,00	—	—						—	174,00			
	prologe 40 on-kagi fixed, level 1	○	KR954021	②	283,00	—	—	—	—				—	174,00			
		●	KR954022	②	283,00	—	—	—	—					—	174,00		
	prologe 40 on-kagi wallwasher, level 1	○	KR954061	③	324,00	—	—						—	174,00			
		●	KR954062	③	324,00	—	—							—	174,00		
	prologe 40 stone on-kagi, level 1 alabaster finish	●	KR954082	④	420,00	—	—						—	174,00			

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	24Vdc	9,8W	558lm
		DL	CRI90+	2700K/3000K	24Vdc	9,8W	417lm
②	LED		CRI90+	2700K/3000K	24Vdc	9,8W	465lm
③	LED		CRI90+	2700K/3000K	24Vdc	5,2W	279lm
④	LED		CRI90+	2700K/3000K	24Vdc	9,8W	159lm

kreon kagi profile, lvl. 2

kreon kagi profile, lvl. 2				Base price (EUR excl. VAT)											Required accessories	Optional accessories
		Colour	KR-code		Light sources	9027 2700K, CRI90+	9030 3000K, CRI90+	DIF Diffuser	XS L = 532mm	S L = 1032mm	M L = 1532mm	L L = 2032mm	XL L = 3032mm			
	kagi blind, level 2 Gear: excl. input voltage: 24Vdc	●	<u>KR954412</u>		59,00				—	25,00	50,00	76,00	151,00	■	■	
	kagi 16, level 2 Gear: excl. input voltage: 24Vdc	●	<u>KR954012</u>	①	126,00	—	—	—	—	73,00	145,00	218,00	363,00	■	■	
	kagi 26, level 2 Gear: excl. input voltage: 24Vdc No additional fixtures possible	●	<u>KR954112</u>	②	129,00	—	—	—	—	77,00	146,00	211,00	372,00	■	■	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	808lm/m
②	LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	873lm/m

kreon kagi profile, lvl. 2, accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Cross connector		<u>KR754611</u>	177,00	Mechanical cross connector, level 1 to level 2, white
		<u>KR754612</u>	177,00	Mechanical cross connector, level 1 to level 2, black
		<u>KR754711</u>	259,00	Electrical cross connector, level 1 to level 2, white
		<u>KR754712</u>	259,00	Electrical cross connector, level 1 to level 2, black
■ Optional accessories				
Mounting blocks		<u>KR754601</u>	36,00	Mounting block, level 2, white
		<u>KR754602</u>	36,00	Mounting block, level 2, black
Surface mounted feed		<u>KR754811</u>	330,00	Surface mounted feed, level 1+2, 24Vdc, white
		<u>KR754812</u>	330,00	Surface mounted feed, level 1+2, 24Vdc, black

kreon kagi modules, level 2

kreon kagi modules, level 2															
		Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (15°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (38°)	WDL Wide dark light (76°)	DM ON/OFF or PWM dimmable	CD Casambi dimming	
	holon 40 on-kagi directional, level 2	○	KR954551	①	416,00	—	—	—	—	—	22,00	22,00	—	174,00	
		●	KR954552	①	416,00	—	—	—	—	—	22,00	22,00	—	174,00	
	holon 40 on-kagi fixed, level 2	○	KR954531	②	283,00	—	—	—	—				—	174,00	
		●	KR954532	②	283,00	—	—	—	—				—	174,00	
	holon 40 on-kagi wallwasher, level 2	○	KR954571	③	324,00	—	—						—	174,00	
		●	KR954572	③	324,00	—	—						—	174,00	
	holon 40 stone on-kagi, level 2 alabaster finish	●	KR954592	④	420,00	—	—						—	174,00	
	prologe 40 on-kagi fixed, level 2	○	KR954031	②	283,00	—	—	—	—				—	174,00	
		●	KR954032	②	283,00	—	—	—	—				—	174,00	
	prologe 40 on-kagi wallwasher, level 2	○	KR954071	③	324,00	—	—						—	174,00	
		●	KR954072	③	324,00	—	—						—	174,00	
	prologe 40 stone on-kagi, level 2 alabaster finish	●	KR954092	④	420,00	—	—						—	174,00	

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	24Vdc	9,8W	558lm
		DL	CRI90+	2700K/3000K	24Vdc	9,8W	417lm
②	LED		CRI90+	2700K/3000K	24Vdc	9,8W	465lm
③	LED		CRI90+	2700K/3000K	24Vdc	5,2W	279lm
④	LED		CRI90+	2700K/3000K	24Vdc	9,8W	159lm

kreon kagi recessed profile

				Base price (EUR excl. VAT)												
		Colour	KR-code		9027 2700K, CRI90+	9030 3000K, CRI90+	DIF Diffuser	SBU Silver bowl under		XS L = 532mm	S L = 1032mm	M L = 1532mm	L L = 2032mm	XL L = 3032mm	Required accessories	Optional accessories
	kagi 16 recessed mounted No additional fixtures or cross connectors possible	●	<u>KR954002</u>	①	148,00	—	—	—		—	79,00	132,00	200,00	335,00		
	kagi 26 recessed mounted No additional fixtures or cross connectors possible	●	<u>KR954102</u>	②	151,00	—	—	—		—	66,00	136,00	205,00	344,00		
				③		—		—		33,00	130,00	226,00	322,00	514,00		

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	808lm/m
②	LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	873lm/m
③	LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	205lm/m

kreon kagi recessed profile acc.

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit for recessed mounting		<u>KR754001-XS</u>	83,00	Plasterkit, XS
		<u>KR754001-S</u>	96,00	Plasterkit, S
		<u>KR754001-M</u>	134,00	Plasterkit, M
		<u>KR754001-L</u>	171,00	Plasterkit, L
		<u>KR754001-XL</u>	234,00	Plasterkit, XL
■ Optional accessories				
Connector		<u>KR754002</u>	34,00	Plasterkit connector
Power supply		<u>KR772070</u>	95,00	LED power supply, 24Vdc, 60W, ON-OFF
		<u>KR772072</u>	116,00	LED power supply, 24Vdc, 60W, 0-10V
		<u>KR772073</u>	116,00	LED power supply, 24Vdc, 60W, DALI
		<u>KR772074</u>	231,00	LED power supply, 24Vdc, 60W, Casambi
		<u>KR772270</u>	142,00	LED power supply, 24Vdc, 120W, ON-OFF
		<u>KR772272</u>	162,00	LED power supply, 24Vdc, 120W, 0-10V
		<u>KR772273</u>	162,00	LED power supply, 24Vdc, 120W, DALI
		<u>KR772274</u>	278,00	LED power supply, 24Vdc, 120W, Casambi
CV dimmers		<u>KR774106</u>	112,00	1-10V 24Vdc controller for linear light tubes
		<u>KR774006</u>	157,00	DALI/DMX/0-10V controller
Switches		<u>KR762971</u>	378,00	Casambi Xpress switch, white
		<u>KR762972</u>	378,00	Casambi Xpress switch, black



				Base price (EUR excl. VAT)										
					9027	2700K, CRI90+	9030	3000K, CRI90+	SW	Switchable ON/OFF	DD	DALI dimming	XS	L = 532mm
													S	L = 1032mm
													M	L = 1532mm
	kagi 16 surface mounted, gearbox Gear: incl. input voltage: 230Vdc	○	<u>KR954511</u>	①	371,00	—	—	—	11,00	—	73,00	145,00		
		●	<u>KR954512</u>	①	371,00	—	—	—	11,00	—	73,00	145,00		
	kagi 26 surface mounted, gearbox Gear: incl. input voltage: 230Vdc	○	<u>KR964611</u>	①	415,00	—	—	—	11,00	—	73,00	145,00		
		●	<u>KR964612</u>	①	415,00	—	—	—	11,00	—	73,00	145,00		
	kagi 26 SBU surface mounted, gearbox Gear: incl. input voltage: 230Vdc	○	<u>KR964711</u>	①	429,00	—	—	—	11,00	—	73,00	145,00		
		●	<u>KR964712</u>	①	429,00	—	—	—	11,00	—	73,00	145,00		

		CRI	CCT	Voltage	Fixture lumen
①	LED	CRI90+	2700K/3000K	230Vdc	873lm/m





				Base price (EUR excl. VAT)			SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming				Required accessories	Optional accessories	
		Colour	KR-code		9027 2700K, CRI90+	9030 3000K, CRI90+				09 Length 911 mm	12 Length 1211 mm	15 Length 1511 mm			
	lini 10 profile Gear: excl. length: Nx50+5+(2x3) IP44	○	KR974111	①	206,00	—	—								price/m
		●	KR974112	①	206,00	—	—								price/m
		Ⓟ	KR974114	①	237,00	—	—								price/m
	lini 10 cove Gear: excl. length: Nx50+5 IP44		KR774111	②	122,00	—	—								price/m
	lini 10 on-track for 48V low voltage track system Gear: incl.	○	KR974811	③	273,00	—	—	—	42,00	42,00	—	34,00	68,00		
		●	KR974812	③	273,00	—	—	—	42,00	42,00	—	34,00	68,00		
		Ⓟ	KR974814	③	301,00	—	—	—	42,00	42,00	—	42,00	84,00		

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED		CRI90+	2700K/3000K	24V	14,4W/m	512lm/m
②	LED		CRI90+	2700K/3000K	24V	14,4W/m	954lm/m
③	LED	09	CRI90+	2700K/3000K	48V	15,5W	466lm
		12	CRI90+	2700K/3000K	48V	17,3W	620lm
		15	CRI90+	2700K/3000K	48V	21,6W	774lm





	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Surface mounted installation	KR774010	34,00	Mounting clip
Recessed mounted installation	KR774210	88,00	Recessed trimless plasterkit price/m
■ Optional accessories			
Power supply	KR490373	69,00	LED power supply 24VdC/30W
	KR772070	95,00	LED power supply 24VdC/60W
	KR490375	142,00	LED power supply 24VdC/100W
	KR490376	208,00	LED power supply 24VdC/150W
Controller	KR774006	157,00	DALI 24V controller
	KR774106	112,00	1-10V 24V controller
L-corner	KR774611	98,00	lini 10 profile L-corner, white
	KR774612	98,00	lini 10 profile L-corner, black
	KR774212	172,00	plasterkit lini 10 L-corner (for recessed installation)
wall-to-ceiling - corner	KR774911	98,00	lini 10 profile wall-to-ceiling corner, 90°, white
	KR774912	98,00	lini 10 profile wall-to-ceiling corner, 90°, black
	KR774215	172,00	plasterkit lini 10 wall-to-ceiling (for recessed installation)
Low voltage track			See page 402

		Colour	KR-code	Base price (EUR excl. VAT)	Optional accessories
 noite base profile, 230V Gear: incl.		○	KR729211	245,00	
		●	KR729212	245,00	
		FG	KR729210	270,00	
		NG	KR729213	270,00	
		BR	KR729214	270,00	
		GD	KR729218	270,00	
 noite base profile, 48V Gear: excl.		○	KR729111	175,00	
		●	KR729112	175,00	
		FG	KR729110	200,00	
		NG	KR729113	200,00	
		BR	KR729114	200,00	
		GD	KR729118	200,00	
 noite layer profile, 48V Gear: excl.		○	KR729411	150,00	
		●	KR729412	150,00	
		FG	KR729410	165,00	
		NG	KR729411	165,00	
		BR	KR729414	165,00	
		GD	KR729418	165,00	




		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Casambi enabling		<u>KR729200</u>	21,00	Casambi enabled noite profile
Additional circuit		<u>KR729300</u>	40,00	Additional circuit ON/OFF
Power supply for noite profile, 48V		<u>KR790474</u>	100,00	Power supply 48Vdc, 60W
		<u>KR790780</u>	140,00	Power supply 48Vdc, 150W
		<u>KR790476</u>	173,00	Power supply 48Vdc, 240W

				Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	DL Dark light (36°)	WDL Wide dark light (60°)	Required accessories
	noite module one			121,00	—	—	—	—	
	noite module two			161,00	—	—	—	—	
	noite module three			201,00	—	—	—	—	
	noite module four			237,00	—	—	—	—	

	CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI95+	2700K/3000K	48V	5,5W	255lm
②	LED	CRI95+	2700K/3000K	48V	9,7W	475lm
③	LED	CRI95+	2700K/3000K	48V	13,9W	725lm
④	LED	CRI95+	2700K/3000K	48V	18,6W	933lm

kreon noite				Base price (EUR excl. VAT)	9527 2700K, CRI90+	9530 3000K, CRI90+	DL Darklight (36°)	WDL Wide darklight (60°)	Required accessories	
		Colour	KR-code							
	noite module five	●	<u>KR929502</u>	①	267,00	—	—	—	—	
	noite module six	●	<u>KR929602</u>	②	297,00	—	—	—	—	
	noite module seven	●	<u>KR929702</u>	③	327,00	—	—	—	—	
	noite module eight	●	<u>KR929802</u>	④	357,00	—	—	—	—	

CRI			CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI95+	2700K/3000K	48V	24,1W	1188lm
②	LED	CRI95+	2700K/3000K	48V	27W	1450lm
③	LED	CRI95+	2700K/3000K	48V	32,5W	1658lm
④	LED	CRI95+	2700K/3000K	48V	37,2W	1866lm

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories
	holon 20 directional in-noite mounting set	●	<u>KR739621</u>	54,00	■
	holon 20 directional twin in-noite mounting set	●	<u>KR739622</u>	75,00	■
	holon 20 pendant in-noite mounting set	●	<u>KR739620</u>	54,00	■

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
holon 20 directional recessed mounted				See page 224 (2 luminaires to be ordered for holon 20 directional twin in-noite)
holon 20 pendant				See page 226
Driver		<u>KR729020</u>	43,00	LED driver, switchable ON/OFF
		<u>KR729024</u>	64,00	LED driver, 1-10V dimmable
		<u>KR729220</u>	64,00	LED driver, DALI dimmable

kreon nuit profile

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories	
	nuit profile Gear: incl. or excl. dim options: phase, 1-10V, DALI Min. length: 500mm, max length: 6000mm	○	KR703211	150,00	■	■	price/m
		●	KR703212	150,00	■	■	price/m
		◐	KR703215	150,00	■	■	price/m
		FG	KR703210	158,00	■	■	price/m
		NG	KR703213	158,00	■	■	price/m
		BR	KR703214	158,00	■	■	price/m
		GD	KR703218	158,00	■	■	price/m

kreon nuit accessories

kreon nuit accessories		KR-code	Base price (EUR excl. VAT)					
■ Optional accessories								
Recessed mounting	<u>KR703155</u>	95,00	Trimless plasterkit profile	price/m				
Pendant mounting	<u>KR703555</u>	324,00	Suspension kit					
	<u>KR703550</u>	45,00	Additional suspension					
Electrical wiring	<u>KR774190</u>	40,00	Extra electrical wiring (for an extra circuit)					
IP44 coating	<u>KR774290</u>	40,00	IP44 coating					
				<u>45</u> Corner 45°	<u>60</u> Corner 60°	<u>90</u> Corner 90°	<u>120</u> Corner 120°	<u>135</u> Corner 135°
Corner cut	<u>KR703411</u>		nuit corner cut, white/white	224,00	224,00	140,00	224,00	224,00
	<u>KR703412</u>		nuit corner cut, black/black	224,00	224,00	140,00	224,00	224,00
	<u>KR703415</u>		nuit corner cut, white/black	224,00	224,00	140,00	224,00	224,00
	<u>KR703815</u>		Trimless plasterkit corner cut	159,00	159,00	106,00	159,00	159,00

kreon nuit profile

[illegible]

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K		7W	500mA	585lm
				230V	7W		585lm

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver for nuit 1x5 LED module		<u>KR703020</u>	119,00	LED driver, switchable ON/OFF (1 driver = max. 3 modules)
		<u>KR703021</u>	131,00	LED driver, phase dimmable (1 driver = max. 2 modules)
		<u>KR703022</u>	179,00	LED driver, 1-10V dimmable (1 driver = max. 3 modules)
		<u>KR703023</u>	203,00	LED driver, DALI dimmable (1 driver = max. 3 modules)
Driver for nuit profile gear excl.		<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 18W
Emergency kit		<u>KR703120</u>	283,00	Emergency kit, battery pack and indicator LED

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Darklight (40°)	WDL Wide darklight (76°)	Required accessories
			<u>KR962711</u>	①	314,00	—	—	—	—	—	—	22,00	22,00		
			<u>KR962712</u>	①	314,00	—	—	—	—	—	—	22,00	22,00		
		BB	<u>KR962714</u>	①	359,00	—	—	—	—	—	—	22,00	22,00		
		BS	<u>KR962717</u>	①	359,00	—	—	—	—	—	—	22,00	22,00		
		BG	<u>KR962718</u>	①	359,00	—	—	—	—	—	—	22,00	22,00		
		GB	<u>KR962719</u>	①	359,00	—	—	—	—	—	—	22,00	22,00		
			<u>KR962811</u>	①	299,00	—	—	—	—	—	—	22,00	22,00		
			<u>KR962812</u>	①	299,00	—	—	—	—	—	—	22,00	22,00		
		BB	<u>KR962814</u>	①	344,00	—	—	—	—	—	—	22,00	22,00		
		BS	<u>KR962817</u>	①	344,00	—	—	—	—	—	—	22,00	22,00		
		BG	<u>KR962818</u>	①	344,00	—	—	—	—	—	—	22,00	22,00		
		GB	<u>KR962819</u>	①	344,00	—	—	—	—	—	—	22,00	22,00		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	558lm
	darklight	CRI90+	2700K/3000K	8,4W	700mA	420lm

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Driver for holon	<u>KR703030</u>	119,00	LED driver, switchable ON/OFF (1 driver = max. 3 luminaires)	
	<u>KR703031</u>	131,00	LED driver, phase dimmable (1 driver = max. 1 luminaire)	
	<u>KR703032</u>	179,00	LED driver, 1-10V dimmable (1 driver = max. 3 luminaires)	
	<u>KR703033</u>	203,00	LED driver, DALI dimmable (1 driver = max. 3 luminaires)	

				Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+	Required accessories
				Colour	KR-code	Light sources		
	oran pendant kap glass in-nuit, cone, H1	○	KR971731	①	543,00	—	—	■
		●	KR971732	①	543,00	—	—	■
		BB	KR971734	①	723,00	—	—	■
		BS	KR971737	①	723,00	—	—	■
		BG	KR971738	①	723,00	—	—	■
		GB	KR971739	①	723,00	—	—	■
	oran pendant kap glass in-nuit, cone, H2	○	KR971931	②	543,00	—	—	■
		●	KR971932	②	543,00	—	—	■
		BB	KR971934	②	723,00	—	—	■
		BS	KR971937	②	723,00	—	—	■
		BG	KR971938	②	723,00	—	—	■
		GB	KR971939	②	723,00	—	—	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
② LED	CRI90+	2700K/3000K	8,4W	700mA	438lm

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Driver for oran		<u>KR703030</u>	119,00	LED driver, switchable ON/OFF (1 driver = max. 3 luminaires)
		<u>KR703031</u>	131,00	LED driver, phase dimmable (1 driver = max. 1 luminaire)
		<u>KR703032</u>	179,00	LED driver, 1-10V dimmable (1 driver = max. 3 luminaires)
		<u>KR703033</u>	203,00	LED driver, DALI dimmable (1 driver = max. 3 luminaires)

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	SP Spot (12°)	FL Flood (29°)	WFL Wide flood (40°)	OV Oval (13°+ 36°)	PD Phase dimming/ ON-OFF	VD 1-10V dimming	DD DALI/touch dimming	Optional accessories
	nuit 1x5 Gear: excl.	○	<u>KR953501</u>	①	344,00	—	—	—	—	—	—	—				
		●	<u>KR953502</u>	①	344,00	—	—	—	—	—	—	—				
		◐	<u>KR953505</u>	①	344,00	—	—	—	—	—	—	—				
		FG	<u>KR953500</u>	①	361,00	—	—	—	—	—	—	—				
		NG	<u>KR953503</u>	①	361,00	—	—	—	—	—	—	—				
		BR	<u>KR953504</u>	①	361,00	—	—	—	—	—	—	—				
		GD	<u>KR953508</u>	①	361,00	—	—	—	—	—	—	—				
	nuit 1x5 Gear: incl.	○	<u>KR953511</u>	②	379,00	—	—	—	—	—	—	—	—	15,00	33,00	
		●	<u>KR953512</u>	②	379,00	—	—	—	—	—	—	—	—	15,00	33,00	
		◐	<u>KR953515</u>	②	379,00	—	—	—	—	—	—	—	—	15,00	33,00	
		FG	<u>KR953510</u>	②	398,00	—	—	—	—	—	—	—	—	15,00	33,00	
		NG	<u>KR953513</u>	②	398,00	—	—	—	—	—	—	—	—	15,00	33,00	
		BR	<u>KR953514</u>	②	398,00	—	—	—	—	—	—	—	—	15,00	33,00	
		GD	<u>KR953518</u>	②	398,00	—	—	—	—	—	—	—	—	15,00	33,00	

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K		7W	500mA	585lm
②	LED	CRI90+	2700K/3000K/4000K	230V	7W		585lm

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Recessed mounting for nuit gear excl.		<u>KR753301</u>	76,00	Trim, white
		<u>KR753302</u>	76,00	Trim, black
		<u>KR753300</u>	24,00	Trimless
Recessed mounting for nuit gear incl.		<u>KR753311</u>	99,00	Trim, white
		<u>KR753312</u>	99,00	Trim, black
		<u>KR753310</u>	52,00	Trimless
Driver		<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 18W



nuit 2x5
Gear: incl.

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)													
					9027	9030	9040	SP	FL	WFL	OV	PD	VD	DD			
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	Spot (12°)	Flood (29°)	Wide flood (40°)	Oval (13°+ 36°)	Phase dimming/ ON-OFF	1-10V dimming	DALI/touch dimming	Optional accessories		
	○	KR953521	①	536,00	—	—	—	—	—	—	—	—	15,00	33,00			
	●	KR953522	①	536,00	—	—	—	—	—	—	—	—	15,00	33,00			
	◐	KR953525	①	536,00	—	—	—	—	—	—	—	—	15,00	33,00			
	FG	KR953520	①	563,00	—	—	—	—	—	—	—	—	15,00	33,00			
	NG	KR953523	①	563,00	—	—	—	—	—	—	—	—	15,00	33,00			
	BR	KR953524	①	563,00	—	—	—	—	—	—	—	—	15,00	33,00			
	GD	KR953528	①	563,00	—	—	—	—	—	—	—	—	15,00	33,00			

CRI		CCT		Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	230V	2x7W	2x585lm

kreon nuit accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Recessed mounting for nuit gear incl.		<u>KR753311</u>	99,00	Trim, white
		<u>KR753312</u>	99,00	Trim, black
		<u>KR753310</u>	52,00	Trimless
Driver		<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 18W

				Base price (EUR excl. VAT)				
		Colour	KR-code		9027 2700K, CRI90+	9030 3000K, CRI90+	VD 1-10V dimming	DD DALI dimming
	onn-wall 165 narrow beam 1-10V gear: incl.	○	KR983511	①	579,00			
		●	KR983512	①	579,00			
	onn-wall 165 narrow beam DALI gear: incl.	○	KR983311	①	579,00			
		●	KR983312	①	579,00			
	onn-wall 165 wide beam	○	KR983411	②	457,00	—	—	—
		●	KR983412	②	457,00	—	—	—
	onn-wall 300 narrow beam 1-10V gear: incl.	○	KR983521	③	816,00			
		●	KR983522	③	816,00			
	onn-wall 300 narrow beam DALI gear: incl.	○	KR983321	③	816,00			
		●	KR983322	③	816,00			
	onn-wall 300 wide beam	○	KR983421	④	630,00	—	—	—
		●	KR983422	④	630,00	—	—	—

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI80+	2700K	230V	8,6W	664lm
②	LED	CRI90+	2700K/3000K	230V	25W	1590lm
③	LED	CRI80+	2700K	230V	17,2W	1328lm
④	LED	CRI90+	2700K/3000K	230V	50W	3180lm

kreon oran pendant craft

				Base price (EUR excl. VAT)							
					9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories	Optional accessories			
				Colour	KR-code	Light sources					
	oran pendant craft sphere bulb			○	KR991121	①	426,00	—	—		
				●	KR991122	①	426,00	—	—		
				BB	KR991124	①	501,00	—	—		
				BS	KR991127	①	501,00	—	—		
				BG	KR991128	①	501,00	—	—		
				GB	KR991129	①	501,00	—	—		
	oran pendant craft long ampoule			○	KR991521	①	454,00	—	—		
				●	KR991522	①	454,00	—	—		
				BB	KR991524	①	529,00	—	—		
				BS	KR991527	①	529,00	—	—		
				BG	KR991528	①	529,00	—	—		
				GB	KR991529	①	529,00	—	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	6,7W	700mA	307lm

kreon oran pendant craft

				Base price (EUR excl. VAT)						
					9027	2700K, CRI90+	9030	3000K, CRI90+	Required accessories	Optional accessories
				Colour	KR-code	Light sources				
	oran pendant kap craft sphere bulb			○	KR991141	①	525,00	—	—	 
				●	KR991142	①	525,00	—	—	 
				BB	KR991144	①	705,00	—	—	 
				BS	KR991147	①	705,00	—	—	 
				BG	KR991148	①	705,00	—	—	 
				GB	KR991149	①	705,00	—	—	 
	oran pendant kap craft long ampoule			○	KR991541	①	553,00	—	—	 
				●	KR991542	①	553,00	—	—	 
				BB	KR991544	①	733,00	—	—	 
				BS	KR991547	①	733,00	—	—	 
				BG	KR991548	①	733,00	—	—	 
				GB	KR991549	①	733,00	—	—	 

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K		6,7W	700mA	307lm
②	LED	CRI90+	2700K/3000K	48Vdc	9,5W		307lm

kreon oran pendant stone

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 oran pendant stone, large cube	○	KR991211	①	426,00	—	—	■		
	●	KR991212	①	426,00	—	—	■		
	BB	KR991214	①	501,00	—	—	■		
	BS	KR991217	①	501,00	—	—	■		
	BG	KR991218	①	501,00	—	—	■		
	GB	KR991219	①	501,00	—	—	■		
 oran pendant stone, large cylinder	○	KR991111	①	426,00	—	—	■		
	●	KR991112	①	426,00	—	—	■		
	BB	KR991114	①	501,00	—	—	■		
	BS	KR991117	①	501,00	—	—	■		
	BG	KR991118	①	501,00	—	—	■		
	GB	KR991119	①	501,00	—	—	■		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

kreon oran pendant stone

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
	oran pendant stone, small cylinder		○	KR991311	①	410,00	—	—	■
			●	KR991312	①	410,00	—	—	■
			BB	KR991314	①	485,00	—	—	■
			BS	KR991317	①	485,00	—	—	■
			BG	KR991318	①	485,00	—	—	■
			GB	KR991319	①	485,00	—	—	■
	oran pendant stone, long cylinder		○	KR991411	①	426,00	—	—	■
			●	KR991412	①	426,00	—	—	■
			BB	KR991414	①	501,00	—	—	■
			BS	KR991417	①	501,00	—	—	■
			BG	KR991418	①	501,00	—	—	■
			GB	KR991419	①	501,00	—	—	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

kreon oran pendant stone

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+	Required accessories
	oran pendant kap stone, large cube		○	KR991231	①	525,00	—	—		■
			●	KR991232	①	525,00	—	—		■
		BB		KR991234	①	705,00	—	—		■
		BS		KR991237	①	705,00	—	—		■
		BG		KR991238	①	705,00	—	—		■
		GB		KR991239	①	705,00	—	—		■
	oran pendant kap stone, large cylinder		○	KR991131	①	525,00	—	—		■
			●	KR991132	①	525,00	—	—		■
		BB		KR991134	①	705,00	—	—		■
		BS		KR991137	①	705,00	—	—		■
		BG		KR991138	①	705,00	—	—		■
		GB		KR991139	①	705,00	—	—		■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

kreon oran pendant stone

				Base price (EUR excl. VAT)			
					9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
	Colour	KR-code	Light sources				
	○	<u>KR991331</u>	①	509,00	—	—	■
	●	<u>KR991332</u>	①	509,00	—	—	■
	BB	<u>KR991334</u>	①	689,00	—	—	■
	BS	<u>KR991337</u>	①	689,00	—	—	■
	BG	<u>KR991338</u>	①	689,00	—	—	■
	GB	<u>KR991339</u>	①	689,00	—	—	■
	Colour	KR-code	Light sources				
	○	<u>KR991431</u>	①	525,00	—	—	■
	●	<u>KR991432</u>	①	525,00	—	—	■
	BB	<u>KR991434</u>	①	705,00	—	—	■
	BS	<u>KR991437</u>	①	705,00	—	—	■
	BG	<u>KR991438</u>	①	705,00	—	—	■
	GB	<u>KR991439</u>	①	705,00	—	—	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

kreon oran pendant glass

				Base price (EUR excl. VAT)				
					9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories	
		Colour	KR-code	Light sources				
	oran pendant glass, cylinder, type E1	○	KR971111	①	393,00	—	—	■
		●	KR971112	①	393,00	—	—	■
		BB	KR971114	①	468,00	—	—	■
		BS	KR971117	①	468,00	—	—	■
		BG	KR971118	①	468,00	—	—	■
		GB	KR971119	①	468,00	—	—	■
	oran pendant glass, double cylinder, type F1	○	KR971311	②	426,00	—	—	■
		●	KR971312	②	426,00	—	—	■
		BB	KR971314	②	501,00	—	—	■
		BS	KR971317	②	501,00	—	—	■
		BG	KR971318	②	501,00	—	—	■
		GB	KR971319	②	501,00	—	—	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED	CRI90+	2700K/3000K	8,4W	700mA	444lm

kreon oran pendant glass

				Base price (EUR excl. VAT)			
					9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 oran pendant glass, cone, type H1	Colour	KR-code	Light sources				
		KR971211	①	426,00	—	—	
		KR971212	①	426,00	—	—	
	BB	KR971214	①	501,00	—	—	
	BS	KR971217	①	501,00	—	—	
	BG	KR971218	①	501,00	—	—	
	GB	KR971219	①	501,00	—	—	
 oran pendant glass, cone, type H2	Colour	KR-code	Light sources				
		KR971411	②	426,00	—	—	
		KR971412	②	426,00	—	—	
	BB	KR971414	②	501,00	—	—	
	BS	KR971417	②	501,00	—	—	
	BG	KR971418	②	501,00	—	—	
	GB	KR971419	②	501,00	—	—	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED	CRI90+	2700K/3000K	8,4W	700mA	438lm

kreon oran pendant glass

				Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+	Required accessories
				Colour	KR-code	Light sources		
	oran pendant kap glass, cone, type H1		KR971231	①	525,00	—	—	
			KR971232	①	525,00	—	—	
		BB	KR971234	①	705,00	—	—	
		BS	KR971237	①	705,00	—	—	
		BG	KR971238	①	705,00	—	—	
		GB	KR971239	①	705,00	—	—	
	oran pendant kap glass, cone, type H2		KR971431	②	525,00	—	—	
			KR971432	②	525,00	—	—	
		BB	KR971434	②	705,00	—	—	
		BS	KR971437	②	705,00	—	—	
		BG	KR971438	②	705,00	—	—	
		GB	KR971439	②	705,00	—	—	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	TBD
②	LED	CRI90+	2700K/3000K	8,4W	700mA	TBD

kreon oran pendant craft

				Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
				Colour	KR-code	Light sources					
	oran pendant craft sphere bulb on-track		KR991721	①	444,00	—	—	—	29,00	29,00	
			KR991722	①	444,00	—	—	—	29,00	29,00	
		BB	KR991724	①	519,00	—	—	—	29,00	29,00	
		BS	KR991727	①	519,00	—	—	—	29,00	29,00	
		BG	KR991728	①	519,00	—	—	—	29,00	29,00	
		GB	KR991729	①	519,00	—	—	—	29,00	29,00	
	oran pendant craft long ampoule on-track		KR991921	①	472,00	—	—	—	29,00	29,00	
			KR991921	①	472,00	—	—	—	29,00	29,00	
		BB	KR991924	①	547,00	—	—	—	29,00	29,00	
		BS	KR991927	①	547,00	—	—	—	29,00	29,00	
		BG	KR991928	①	547,00	—	—	—	29,00	29,00	
		GB	KR991929	①	547,00	—	—	—	29,00	29,00	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	48Vdc	9,5W	307lm

kreon oran pendant stone on-track

				Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
	Colour	KR-code	Light sources								
	○	KR991261	①	444,00	—	—	—	29,00	29,00	■	
	●	KR991262	①	444,00	—	—	—	29,00	29,00	■	
	BB	KR991264	①	519,00	—	—	—	29,00	29,00	■	
	BS	KR991267	①	519,00	—	—	—	29,00	29,00	■	
	BG	KR991268	①	519,00	—	—	—	29,00	29,00	■	
	GB	KR991269	①	519,00	—	—	—	29,00	29,00	■	
	○	KR991161	①	444,00	—	—	—	29,00	29,00	■	
	●	KR991162	①	444,00	—	—	—	29,00	29,00	■	
	BB	KR991164	①	519,00	—	—	—	29,00	29,00	■	
	BS	KR991167	①	519,00	—	—	—	29,00	29,00	■	
	BG	KR991168	①	519,00	—	—	—	29,00	29,00	■	
	GB	KR991169	①	519,00	—	—	—	29,00	29,00	■	

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	48Vdc	6,7W	700mA	315lm

kreon oran pendant stone on-track

				Base price (EUR excl. VAT)	9027 2700K, CRI90+		SW Switchable ON/OFF	VD 1-10V dimming		DD DALI dimming	Required accessories
					9030 3000K, CRI90+						
	oran pendant stone on-track, small cylinder		KR991361	①	428,00	—	—	—	29,00	29,00	
			KR991362	①	428,00	—	—	—	29,00	29,00	
		BB	KR991364	①	503,00	—	—	—	29,00	29,00	
		BS	KR991367	①	503,00	—	—	—	29,00	29,00	
		BG	KR991368	①	503,00	—	—	—	29,00	29,00	
		GB	KR991369	①	503,00	—	—	—	29,00	29,00	
	oran pendant stone on-track, long cylinder		KR991461	①	444,00	—	—	—	29,00	29,00	
			KR991462	①	444,00	—	—	—	29,00	29,00	
		BB	KR991464	①	519,00	—	—	—	29,00	29,00	
		BS	KR991467	①	519,00	—	—	—	29,00	29,00	
		BG	KR991468	①	519,00	—	—	—	29,00	29,00	
		GB	KR991469	①	519,00	—	—	—	29,00	29,00	

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	48Vdc	6,7W	700mA	315lm

kreon oran pendant glass on-track

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
	oran pendant glass on-track, cylinder, E1		○	KR971161	①	411,00	—	—	—	29,00	29,00		■	
			●	KR971162	①	411,00	—	—	—	29,00	29,00		■	
			BB	KR971164	①	486,00	—	—	—	29,00	29,00		■	
			BS	KR971167	①	486,00	—	—	—	29,00	29,00		■	
			BG	KR971168	①	486,00	—	—	—	29,00	29,00		■	
			GB	KR971169	①	486,00	—	—	—	29,00	29,00		■	
	oran pendant glass on-track, double cylinder, F1		○	KR971361	②	444,00	—	—	—	29,00	29,00		■	
			●	KR971362	②	444,00	—	—	—	29,00	29,00		■	
			BB	KR971364	②	519,00	—	—	—	29,00	29,00		■	
			BS	KR971367	②	519,00	—	—	—	29,00	29,00		■	
			BG	KR971368	②	519,00	—	—	—	29,00	29,00		■	
			GB	KR971369	②	519,00	—	—	—	29,00	29,00		■	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED	CRI90+	2700K/3000K	8,4W	700mA	444lm

kreon oran pendant glass on-track

				Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
		Colour	KR-code	Light sources							
	oran pendant glass on-track, cone, H1	○	KR971261	①	444,00	—	—	—	29,00	29,00	■
		●	KR971262	①	444,00	—	—	—	29,00	29,00	■
		BB	KR971264	①	519,00	—	—	—	29,00	29,00	■
		BS	KR971267	①	519,00	—	—	—	29,00	29,00	■
		BG	KR971268	①	519,00	—	—	—	29,00	29,00	■
		GB	KR971269	①	519,00	—	—	—	29,00	29,00	■
	oran pendant glass on-track, cone, H2	○	KR971461	②	444,00	—	—	—	29,00	29,00	■
		●	KR971462	②	444,00	—	—	—	29,00	29,00	■
		BB	KR971464	②	519,00	—	—	—	29,00	29,00	■
		BS	KR971467	②	519,00	—	—	—	29,00	29,00	■
		BG	KR971468	②	519,00	—	—	—	29,00	29,00	■
		GB	KR971469	②	519,00	—	—	—	29,00	29,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
② LED	CRI90+	2700K/3000K	8,4W	700mA	438lm

kreon oran pendant

		Colour	KR-code	Base price (EUR excl. VAT)	PD Phase dimming	DD DALI dimming	CD Casambi dimming	LV Low voltage connection	HV High voltage connection	Optional accessories
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 1 module, 1 circuit Gear: incl., Ø65 H155	○	KR791231	156,00	—	63,00				
		●	KR791232	156,00	—	63,00				
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 1 module, 1 circuit Gear: incl., Ø120 H30	○	KR791431	172,00	—					
		●	KR791432	172,00	—					
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 2 modules, 1 circuit Gear: incl., L500 W50 H30	○	KR791201	208,00	—	63,00	94,00			
		●	KR791202	208,00	—	63,00	94,00			
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 1 module, 1 circuit Gear: switchable ON/OFF incl., Ø160 H30	○	KR791004	313,00						
		●	KR791005	313,00						
	surface mounted gearbox, 220-240Vdc, 50/60Hz for 2 or 3 modules, 1 circuit Gear: switchable ON/OFF incl., Ø225 H30	○	KR791006	400,00						
		●	KR791007	400,00						
	surface mounted connection box Gear: excl., Ø45 H52	○	KR791111	52,00				—		■
		●	KR791112	52,00				—		■
	surface mounted connection box Gear: excl., Ø65 H52	○	KR791211	68,00				—	—	■
		●	KR791212	68,00				—	—	■
	surface mounted connection box Gear: excl., Ø120 H30	○	KR791411	83,00				—	—	■
		●	KR791412	83,00				—	—	■

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	<u>KR707104</u>	18,00	Plasterkit, front mounting, recessed mounted
	<u>KR707000</u>	28,00	Installation kit Ø40, trimless, back installation, 13+mm panel
	<u>KR707002</u>	28,00	Installation kit Ø40, trimless, back installation
Installation kit	<u>KR707100</u>	23,00	Installation kit Ø40, trimless, back installation, 13+mm panel
	<u>KR707102</u>	23,00	Installation kit Ø40, trimless, back installation
Recessed mounted	<u>KR791100</u>	56,00	Recessed suspension kit
	<u>KR707106</u>	17,00	Louvre for plasterkit, white
	<u>KR707122</u>	17,00	Louvre for plasterkit, black
	<u>KR707124</u>	42,00	Louvre for plasterkit, brushed bronze
	<u>KR707127</u>	42,00	Louvre for plasterkit, brushed silver
	<u>KR707128</u>	42,00	Louvre for plasterkit, brushed gold
	<u>KR707129</u>	42,00	Louvre for plasterkit, gun black
■ Optional accessories			
Driver	<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, 1,4-11W
	<u>KR772631</u>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
	<u>KR772632</u>	60,00	LED driver, 700mA, 0/1-10V, 7-21W
	<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 1,4-8,4W
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 1,75-10W
Distance ring (for plasterkit concrete)	<u>KR707307</u>	23,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR707308</u>	28,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR707309</u>	33,00	Distance ring 5mm (set of 5 pcs.)
Low voltage track			See page 402

kreon oran in-line

		KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories	Optional accessories
	oran in-line stone Ø 102 H 100	<u>KR991101</u>	①	270,00	—	—		
	oran in-line craft sphere bulb Ø 102 H 100	<u>KR991102</u>	②	270,00	—	—		
	oran in-line craft long ampoule Ø 102 H 100	<u>KR991105</u>	②	298,00	—	—		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	6,7W	700mA	68lm
②	LED	CRI90+	2700K/3000K	6,7W	700mA	282lm

kreon oran in-line accessories

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap
	<u>KR717108</u>	25,00	Plasterkit, front mounting, shadowgap
	<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Plasterkit concrete	<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Installation kit	<u>KR717100</u>	37,00	Installation kit, back mounting
Louvre (only for KR991102/KR991105)	<u>KR707106</u>	17,00	Louvre, white
	<u>KR707122</u>	17,00	Louvre, black
	<u>KR707124</u>	42,00	Louvre, brushed bronze
	<u>KR707127</u>	42,00	Louvre, brushed silver
	<u>KR707128</u>	42,00	Louvre, brushed gold
	<u>KR707129</u>	42,00	Louvre, gun black
■ Optional accessories			
Driver	<u>KR772024</u>	42,00	LED driver, 500mA/700mA, ON/OFF, 20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 18W
	<u>KR772433</u>	31,00	LED driver, 700mA, phase dim, 10W
Distance ring	<u>KR717307</u>	28,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	33,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	43,00	Distance ring 5mm (set of 5 pcs.)

kreon oran wall

				Base price (EUR excl. VAT)		
		Colour	KR-code		9027 2700K, CRI90+	9030 3000K, CRI90+
	oran wall stone gear: incl. 		<u>KR991251</u>	①	331,00	—

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	230V	6,7W	68lm

kreon oran object

oran object				Base price (EUR excl. VAT)																
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	S Sphere bulb	L Long ampoule	P1 White shade bottom	P2 Black shade bottom	A3 Grey shade bottom	A4 Bronze shade bottom								
	oran object craft		KR991341	①	636,00	—	—	—	28,00	—										
			KR991342	①	636,00	—	—	—	28,00		—	29,00	205,00							
	oran object stone		KR991031	②	636,00	—	—						—							
			KR991032	②	636,00	—	—						—	29,00	205,00					

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+		2700K/3000K	230V	6,7W	290lm
②	LED	CRI90+		2700K/3000K	230V	6,7W	43lm

kreon prologe 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (38°)	DL Dark light (40°)	WDL Wide dark light (76°)	Optional accessories
	prologe 40 directional, surface mounted	○	<u>KR967251</u>	①	320,00	—	—	—	—	—	22,00	22,00	■
		●	<u>KR967252</u>	①	320,00	—	—	—	—	—	22,00	22,00	■
	prologe 40 directional, recessed mounted	○	<u>KR967151</u>	①	320,00	—	—	—	—	—	22,00	22,00	■
		●	<u>KR967152</u>	①	320,00	—	—	—	—	—	22,00	22,00	■

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	547lm
		DL	CRI90+	2700K/3000K	8,4W	700mA	380lm

		Colour	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories					
Louvre for SP, FL, WFL			<u>KR762010</u>	30,00	Anti-glare louvre
Plasterkit			<u>KR707104</u>	18,00	Plasterkit, front mounting, recessed mounted
			<u>KR707000</u>	28,00	Plasterkit, Ø40, trimless, back installation, 13+mm panel
			<u>KR707002</u>	28,00	Plasterkit, Ø40, trimless, back installation, 9-13mm
Installation kit			<u>KR707100</u>	23,00	Installation kit Ø40, trimless, back installation, 13+mm panel
			<u>KR707102</u>	23,00	Installation kit Ø40, trimless, back installation
Driver			<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, 1,4-11W
			<u>KR772631</u>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
			<u>KR772632</u>	60,00	LED driver, 700mA, 0/1-10V, 7-12W
			<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 1,5-8,4W
			<u>KR752733</u>	66,00	LED driver, 700mA, DALI, 2,2-20W
Installation cover		○	<u>KR766101</u>	37,00	Installation cover, prologe 40, white
		●	<u>KR766102</u>	37,00	Installation cover, prologe 40, black

kreon prologe 40

	prologe 40 directional on-track Driver: excl.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	48V	10,9W	547lm
	darklight	CRI90+	2700K/3000K	48V	10,9W	417lm

kreon prologe 40 accessories

		Base price (EUR excl. VAT)
■ Optional accessories		
Low voltage track		See page 402

kreon prologe 40

				Light sources	Base price (EUR excl. VAT)			SP Spot (20°)	FL Flood (30°)	WFL Wide flood (38°)	DL Dark light (40°)	WDL Wide dark light (76°)	EX Driver excluded	SW Switchable ON/OFF	PD Phase dimming	Required accessories
		Colour	KR-code			9027 2700K, CRI90+	9030 3000K, CRI90+									
	prologe 40 single Driver: excl.	○	KR967141	①	230,00	—	—	—	—	—	22,00	22,00				
		●	KR967142	①	230,00	—	—	—	—	—	22,00	22,00				
	prologe 40 single, deep louvre Driver: excl.	○	KR967241	②	230,00	—	—	—	—	—						
		●	KR967242	②	230,00	—	—	—	—	—						
	prologe 40 double	○	KR967341	③	292,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00	
		●	KR967342	③	292,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00	
	prologe 40 double, deep louvre Driver: excl.	○	KR967441	④	292,00	—	—	—	—	—			—			
		●	KR967442	④	292,00	—	—	—	—	—			—			

		CRI		CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K		8,4W	700mA	547lm
		DL	CRI90+	2700K/3000K		8,4W	700mA	380lm
②	LED	FL	CRI90+	2700K/3000K		8,4W	700mA	490lm
③	LED	EX	FL	CRI90+	2700K/3000K	12W	500mA	912lm
			DL	CRI90+	2700K/3000K	12W	500mA	622lm
		SW/PD	FL	CRI90+	2700K/3000K	230V	12W	912lm
			DL	CRI90+	2700K/3000K	230V	12W	621lm
④	LED	EX	FL	CRI90+	2700K/3000K	12W	500mA	747lm

	Colour	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Lenses and louvres for SP, FL, WFL		<u>KR762010</u>	26,00	Anti-glare louvre
Driver (for prologe 40 single)		<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
		<u>KR762902</u>	60,00	LED driver, 700mA, 1-10V, 25W
		<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 14W
		<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 18W
Driver (for prologe 40 double)		<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772542</u>	34,00	LED driver, 500mA, phase dim, 18W
		<u>KR752843</u>	64,00	LED driver, 500mA, phase dim, 24W
		<u>KR752853</u>	52,00	LED driver, 500mA, phase dim, 2,4-20W
		<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 18W
		<u>KR772123</u>	90,00	LED driver, 500mA, DALI, 27W
Installation cover	○	<u>KR766101</u>	37,00	Installation cover prologe 40 single, white
	●	<u>KR766102</u>	37,00	Installation cover prologe 40 single, black
	○	<u>KR767241</u>	66,00	Installation cover prologe 40 double, white
	●	<u>KR767242</u>	66,00	Installation cover prologe 40 double, black

kreon prologe 40 downlight

kreon prologe 40 downlight																	
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (17°)	FL Flood (24°)	WFL Wide flood (40°)	DL Dark light (32°)	WDL Wide dark light (55°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	prologe 40 single downlight, on-track	○	KR945011	①	258,00	—	—	—	—	—	—	22,00	22,00	—	29,00	29,00	
		●	KR945012	①	258,00	—	—	—	—	—	—	22,00	22,00	—	29,00	29,00	
		◐	KR945015	①	258,00	—	—	—	—	—	—	22,00	22,00	—	29,00	29,00	
	prologe 40 single wallwasher, on-track	○	KR945111	②	271,00	—	—								—	29,00	29,00
		●	KR945112	②	271,00	—	—									—	29,00
	prologe 40 double downlight, on-track	○	KR945211	③	332,00	—	—	—	—	—	—	22,00	22,00	—	29,00	29,00	
		●	KR945212	③	332,00	—	—	—	—	—	—	22,00	22,00	—	29,00	29,00	
		◐	KR945215	③	332,00	—	—	—	—	—	—	22,00	22,00	—	29,00	29,00	

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	4,5W	190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	10,7W	375lm
②	LED		CRI90+	2700K/3000K	48Vdc	6,5W	290lm
③	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	6,5W	2x 190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	18,9W	2x 375lm

kreon prologe 40 downlight accessories

	Base price (EUR excl. VAT)	
■ Required accessories		
Low voltage track		See page 402

kreon prologe 80

				Base price (EUR excl. VAT)
		Colour	KR-code	
	prologe 80 single fixed LED PAR16 Lamp: excl.		<u>KR968131</u>	① 178,00
			<u>KR968132</u>	① 178,00

	CRI	Voltage	Wattage
① LED PAR16	fitting GU10	230V	2x 20W

kreon prologe 80

				Base price (EUR excl. VAT)
	prologe 80 double fixed LED PAR16	Colour	KR-code	Light sources
	Lamp: excl.			
		○	<u>KR968231</u>	①
		●	<u>KR968232</u>	①

CRI		Voltage	Wattage
①	LED PAR16	fitting GU10	230V
			2x 20W

kreon prologe 145

kreon prologe 145				Base price (EUR excl. VAT)										
		Colour	KR-code		Light sources	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (14°)	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	PD Phase dimming	VD 1-10V dimming	DD DALI dimming
	prologe 145 single directional Gear: incl. Lamp: incl.		KR988651	①	367,00	—	—	—	—	—	—	11,00	17,00	
			KR988652	①	367,00	—	—	—	—	—	—	—	11,00	17,00
	prologe 145 double directional Gear: incl. Lamp: incl.		KR988751	②	561,00	—	—	—	—	—	—	11,00	17,00	
			KR988752	②	561,00	—	—	—	—	—	—	—	11,00	17,00

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	230V	12W	790lm
②	LED	FL	CRI90+	2700K/3000K	230V	2 x 12W	2x 790lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80+	9027 2700K, CRI90+	9030 3000K, CRI90+	HGB High gloss black frame finishing	SST Brushed stainless steel frame finishing	Optional accessories
	raga horizontal IP 66		KR904005	①	2980,00	—			—	—	
			KR904006	②	2980,00	—			—	—	
	raga horizontal IP 66		KR904102	③	1065,00		—	—	—	—	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI80+	2700K	230V	12W	685lm
②	LED	CRI80+	2700K	230V	12W	540lm
③	LED	CRI90+	2700K/3000K	230V	12W	449lm

kreon raga accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Anchor		<u>KR704000</u>	64,00	Concrete anchor
		<u>KR704004</u>	64,00	Flooring anchor

kreon rei profile

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	
	rei wallwasher surface mounted	○	<u>KR983251</u>	①	978,00	—	—	—	45,00	45,00		price/m
		●	<u>KR983252</u>	①	978,00	—	—	—	45,00	45,00		price/m
	rei wallwasher recessed mounted	○	<u>KR983241</u>	①	807,00	—	—	—	45,00	45,00	■	price/m
		●	<u>KR983242</u>	①	807,00	—	—	—	45,00	45,00	■	price/m
	rei downlight surface mounted	○	<u>KR993251</u>	②	1067,00	—	—	—	45,00	45,00		price/m
		●	<u>KR993252</u>	②	1067,00	—	—	—	45,00	45,00		price/m
	rei downlight recessed mounted	○	<u>KR993241</u>	②	896,00	—	—	—	45,00	45,00	■	price/m
		●	<u>KR993242</u>	②	896,00	—	—	—	45,00	45,00	■	price/m

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	230V	25,7W/m	644lm/m
②	LED	CRI90+	2700K/3000K	230V	25,7W/m	713lm/m

kreon rei profile accessories

		KR-code	Base price (EUR excl. VAT)		
■ Required accessories					
Plasterkit for recessed mounting		<u>KR783040</u>	157,00	Trimless plasterkit, flange frontside ☯ LxW Lx75 D 88	price/m
		<u>KR783240</u>	157,00	Trimless plasterkit, flange backside ☯ LxW Lx80 D 85	price/m

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Optional accessories
	mini rokko Gear: excl. 			<u>KR943021-B</u>	①	130,00	
				<u>KR943022-B</u>	①	130,00	
	mini rokko Gear: incl. 			<u>KR943121-B</u>	②	155,00	
				<u>KR943122-B</u>	②	155,00	
	mini square rokko Gear: incl. 			<u>KR943321-B</u>	③	274,00	
				<u>KR943322-B</u>	③	274,00	

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K		2,3W	700mA	84lm
②	LED	CRI80+	2700K	230V	2,3W		84lm
③	LED	CRI80+	2700K	230V	6,9W		169lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Installation set	<u>KR743002</u>	19,00	Plasterboard installation set
Concrete pouring mould	<u>KR743004</u>	3,00	Concrete pouring mould for mini rokko
	<u>KR743304</u>	4,00	Concrete pouring mould for mini square rokko
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W

kreon side 25 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Concrete plate		<u>KR732113</u>	7,00	Concrete plate for side 25 x 100 ☉ LxW 190x70 D 60
Concrete installation box		<u>KR775124</u>	10,00	Concrete installation box for side 25 x 100 ☉ LxW 200x110 D 60
Driver		<u>KR772820</u>	41,00	LED driver, 500mA, ON/OFF, 11W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772813</u>	66,00	LED driver, 500mA, DALI, 10W

kreon side 40

			Colour louvre	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SW Switchable ON/OFF	DD DALI dimming	P1 Painted white backplate	P2 Painted black backplate	A2 Alu black backplate	A3 Alu grey backplate	A4 Bronze backplate	A5 Alu copper backplate	A6 Alu red backplate	Optional accessories
	side 40 x 100 Gear: excl., IP55		○	KR932311	①	210,00	—	—					—	—	—	—	12,00	12,00	12,00	■
			●	KR932312	①	210,00	—	—					—	—	—	—	12,00	12,00	12,00	■
	side 40 x 200 Gear: excl., IP55		○	KR932411	①	235,00	—	—					—	—	—	—	14,00	14,00	14,00	■
			●	KR932412	①	235,00	—	—					—	—	—	—	14,00	14,00	14,00	■
	side 40 x 200 Gear: incl., IP20		○	KR932511	②	275,00	—	—		—	22,00		—	—	—	—	14,00	14,00	14,00	■
			●	KR932512	②	275,00	—	—		—	22,00		—	—	—	—	14,00	14,00	14,00	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K		4W	700mA	242lm
②	LED	CRI90+	2700K/3000K	230V	4W		242lm

kreon side 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Concrete plasterkit		<u>KR732313</u>	13,00	Concrete plasterkit for side 40 x 100 ☯ LxW 190x90 D 80
		<u>KR732413</u>	16,00	Concrete plasterkit for side 40 x 200 ☯ LxW 290x90 D 80
Concrete installation box		<u>KR775324</u>	13,00	Concrete installation box for side 40 x 100 ☯ LxW 200x110 D 85
		<u>KR775424</u>	16,00	Concrete installation box for side 40 x 200 ☯ LxW 300x110 D 85
Driver		<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, max. 11W
		<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, max. 20W
		<u>KR752633</u>	66,00	LED driver, 700mA, DALI, max. 10W

kreon side 80 accessories

KR-code		Base price (EUR excl. VAT)	
■ Optional accessories			
Concrete plasterkit	<u>KR732613</u>	20,00	Concrete plasterkit for side 80 ☉ LxW 290x130 D 80
Concrete installation box	<u>KR775624</u>	20,00	Concrete installation box for side 80 ☉ LxW 300x150 D 85
Driver	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
	<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 18W

kreon side in-line 25 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR775120</u>	31,00	Plasterkit for side in-line 25 x 100 ☉ LxW 124x51 D 58
		<u>KR775120-10</u>	275,00	10 pieces plasterkit for side in-line 25 x 100 ☉ LxW 124x51 D 58
		<u>KR775123</u>	7,00	Concrete plate for side in-line 25 x 100 ☉ LxW 190x134 D 10
		<u>KR775124</u>	10,00	Concrete installation box for side in-line 25 x 100 ☉ LxW 200x110 D 60
Removal tool		<u>KR775002</u>	11,00	Removal tool for side in-line 25
■ Optional accessories				
Driver		<u>KR772820</u>	41,00	LED driver, 500mA, ON/OFF, 11W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772813</u>	66,00	LED driver, 500mA, DALI, 10W

kreon side in-line 40

kreon side in-line 40					Base price (EUR excl. VAT)															
		Colour louvre	KR-code	Light source		9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	DD DALI dimming	P1 Painted white backplate	P2 Painted black backplate	A2 Alu black backplate	A3 Alu grey backplate	A4 Bronze backplate	A5 Alu copper backplate	A6 Alu red backplate	Required accessories	Optional accessories		
	side in-line 40 x 100 Gear: excl., IP55		KR932321	①	195,00	—	—			—	—	—	—	12,00	12,00	12,00				
			KR932322	①	195,00	—	—			—	—	—	—	12,00	12,00	12,00				
	side in-line 40 x 200 Gear: excl., IP55		KR932421	①	218,00	—	—			—	—	—	—	14,00	14,00	14,00				
			KR932422	①	218,00	—	—			—	—	—	—	14,00	14,00	14,00				
	side in-line 40 x 200 Gear: incl., IP20		KR932331	②	258,00	—	—	—	22,00	—	—	—	—	14,00	14,00	14,00				
			KR932332	②	258,00	—	—	—	22,00	—	—	—	—	14,00	14,00	14,00				

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	5,6 Vdc	4W	700mA	242lm
②	LED	CRI90+	2700K/3000K	230V	4W	700mA	242lm

kreon side in-line 40 accessories

KR-code		Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit	<u>KR775320</u>	38,00	Plasterkit for side in-line 40 x 100 ☉ LxW 124x65 D 80
	<u>KR775320-10</u>	344,00	10 pieces plasterkit for side in-line 40 x 100 ☉ LxW 124x65 D 80
	<u>KR775420</u>	43,00	Plasterkit for side in-line 40 x 200 ☉ LxW 220x105 D 80
	<u>KR775420-10</u>	401,00	10 pieces plasterkit for side in-line 40 x 200 ☉ LxW 220x105 D 80
	<u>KR775420-30</u>	1134,00	30 pieces plasterkit for side in-line 40 x 200 ☉ LxW 220x105 D 80
	<u>KR775323</u>	13,00	Concrete plate for side in-line 40 x 100 ☉ LxW 190x134 D 10
	<u>KR775423</u>	16,00	Concrete plate for side in-line 40 x 200 ☉ LxW 290x134 D 10
	<u>KR775324</u>	13,00	Concrete installation box for side in-line 40 x 100 ☉ LxW 200x110 D 85
	<u>KR775424</u>	16,00	Concrete installation box for side in-line 40 x 200 ☉ LxW 300x110 D 85
Removal tool	<u>KR775004</u>	14,00	Removal tool for side in-line 40
■ Optional accessories			
Driver	<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, max. 11W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, max. 20W
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, max. 10W

kreon side in-line 80

kreon side in-line 80				Base price (EUR excl. VAT)																
	Colour louvre	KR-code	Light source		9027 2700K, CRI90+	9030 3000K, CRI90+	EX Gear excluded ⬠	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	P1 Painted white backplate	P2 Painted black backplate	A2 Alu black backplate	A3 Alu grey backplate	A4 Bronze backplate	A5 Alu copper backplate	A6 Alu red backplate	Required accessories	Optional accessories	
	side in-line 80 x 200 Gear: incl., IP20		KR932621	①	367,00	—	—	—	18,00	24,00	—	—	—	—	19,00	19,00	19,00			
			KR932622	①	367,00	—	—	—	18,00	24,00	—	—	—	—	19,00	19,00	19,00			
	side in-line 80 x 200 Gear: incl., IP55		KR932631	①	414,00	—	—	—	—	—	—	—	—	19,00	19,00	19,00				
			KR932632	①	414,00	—	—	—	—	—	—	—	—	—	19,00	19,00	19,00			
	side in-line 80 x 200 Gear: excl., IP55		KR932631	①	332,00	—	—	—	—	—	—	—	—	19,00	19,00	19,00				
			KR932632	①	332,00	—	—	—	—	—	—	—	—	—	19,00	19,00	19,00			

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	230V	8,25W	500mA	613lm

kreon side in-line 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR775620</u>	55,00	Plasterkit for side in-line 80 ☉ LxW 220x105 D 80
		<u>KR775620-10</u>	516,00	10 pieces plasterkit for side in-line 80 ☉ LxW 220x105 D 80
		<u>KR775620-20</u>	1031,00	20 pieces plasterkit for side in-line 80 ☉ LxW 220x105 D 80
		<u>KR775623</u>	20,00	Concrete plate for side in-line 80 ☉ LxW 290x174 D 10
		<u>KR775624</u>	20,00	Concrete installation box for side in-line 80 ☉ LxW 300x150 D 85
Removal tool		<u>KR775008</u>	16,00	Removal tool for side in-line 80
■ Optional accessories				
Driver		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
		<u>KR772126</u>	76,00	LED driver, 500mA, DALI, 18W

kreon stripe 25

		Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (20°)	DL Dark light (36°)	WDL Wide dark light (60°)	Required accessories	Optional accessories
	stripe 25 single Gear: excl., IP20	○	<u>KR939001</u>	①	178,00	—	—	—					■	■
		●	<u>KR939002</u>	①	178,00	—	—	—					■	■
	stripe 25 single Gear: excl., IP20	○	<u>KR939101</u>	②	195,00	—	—			—	—		■	■
		●	<u>KR939102</u>	②	195,00	—	—			—	—		■	■
	stripe 25 double Gear: excl., IP20	○	<u>KR939201</u>	③	206,00	—	—	—					■	■
		●	<u>KR939202</u>	③	206,00	—	—	—					■	■
	stripe 25 double Gear: excl., IP20	○	<u>KR939301</u>	④	229,00	—	—			—	—		■	■
		●	<u>KR939302</u>	④	229,00	—	—			—	—		■	■
	stripe 25 wallwasher Gear: excl., IP20	○	<u>KR939401</u>	⑤	209,00	—	—						■	■
		●	<u>KR939402</u>	⑤	209,00	—	—						■	■

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	2W	700mA	172lm
②	LED	DL	CRI90+	2700K/3000K	4,2W	350mA	255lm
③	LED	SP	CRI90+	2700K/3000K	4W	700mA	335lm
④	LED	DL	CRI90+	2700K/3000K	8,3W	350mA	455lm
⑤	LED		CRI90+	2700K/3000K	4W	700mA	249lm

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR739000</u>	31,00	Plasterkit ☉ LxW 124x51 D 65
Concrete plate		<u>KR775123</u>	7,00	Concrete plate ☉ LxW 190x70 D 60
Concrete installation box		<u>KR775124</u>	10,00	Concrete installation box ☉ LxW 200x110 D 60
■ Optional accessories				
Driver for light sources ① ③ ⑤		<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, 11W
		<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
		<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 8W
		<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W
		<u>KR772931</u>	32,00	LED driver, 700mA, Phase dim, 14W
Driver for light sources ② ④		<u>KR739104</u>	42,00	LED driver, 350mA, ON/OFF, 15W
		<u>KR739102</u>	61,00	LED driver, 350mA, 1-10V, 15W
		<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
		<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 15W
		<u>KR752743</u>	64,00	LED driver, 350mA, Phase dim, 17W
		<u>KR772511</u>	52,00	LED driver, 350mA, Phase dim, 3,5-16,8W

kreon up 40

kreon up 40				Base price (EUR excl. VAT)										
		Colour	KR-code		Light sources	9027 2700K, CRI90+	9030 3000K, CRI90	SP Spot	FL Flood	SB Spot with baffle	FB Flood with baffle	XC (optional) For recessed wall or ceiling installation	Optional accessories	
	up 40	○	KR952111	①	206,00	—	—	—	—	—	—	23,00	■	
		●	KR952112	①	206,00	—	—	—	—	—	—	23,00	■	
	up 40 surface mounted	○	KR952011	①	252,00	—	—	—	—	—	—		■	
		●	KR952012	①	252,00	—	—	—	—	—	—		■	
	up 40 circular	○	KR952611	①	206,00	—	—	—	—	—	—	23,00	■	
		●	KR952612	①	206,00	—	—	—	—	—	—	23,00	■	
	up 40 circular surface mounted	○	KR952911	①	252,00	—	—	—	—	—	—		■	
		●	KR952912	①	252,00	—	—	—	—	—	—		■	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	2W	700mA	149lm

kreon up 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver		<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
		<u>KR772850</u>	47,00	LED driver, 700mA, ON/OFF, 7.5W (IP67)
		<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
		<u>KR772853</u>	109,00	LED driver, 700mA, DALI, 30W (IP68)

kreon up 80

kreon up 80					Base price (EUR excl. VAT)										
		Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (21°)	FL Flood (29°)	WFL Wide flood (38°)	DF Diffused (87°)	WW Wallwasher	XC (optional) For recessed wall or ceiling installation	Required accessories	Optional accessories
	up 80		KR952131	①	431,00	—	—	—	—	—	14,00	22,00			
			KR952132	①	431,00	—	—	—	—	—	—	14,00	22,00		
	up 80 circular		KR952631	①	431,00	—	—	—	—	—	14,00	22,00			
			KR952632	①	431,00	—	—	—	—	—	—	14,00	22,00		

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	341lm
		DF	CRI90+	2700K/3000K	8,4W	700mA	111lm
		WW	CRI90+	2700K/3000K	4W	700mA	263lm

kreon up 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Removal tool		KR752110	28,00	Suction cup
■ Optional accessories				
Matchbox		KR752303	85,00	Matchbox up 80
		KR752803	85,00	Matchbox up 80 circular
Driver		KR772630	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
		KR772752	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
		KR772753	136,00	LED driver, 700mA, DALI, 35W (IP68)

kreon up 80 glass series




				Base price (EUR excl. VAT)	9027 2700K, CRI90+	Optional accessories
		Colour	KR-code	Light sources		
	up 80 circular stub	●	<u>KR952702</u>	①	1088,00	— ■
	up 80 circular gherkin	●	<u>KR952712</u>	①	1088,00	— ■
	up 80 circular freeform stub	●	<u>KR952722</u>	①	1088,00	— ■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K	8,4W	700mA	152lm

kreon up 80 glass series accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Matchbox		<u>KR752803</u>	85,00	Matchbox up 80 circular
Driver		<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
		<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
		<u>KR772753</u>	136,00	LED driver, 700mA, DALI, 35W (IP68)
Installation tube		<u>KR752700</u>	46,00	Installation tube for in-sand installations

kreon up 165

kreon up 165				Base price (EUR excl. VAT)					
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 2700K, CRI90+	C5 Maritime	Optional accessories	
	up 165 Gear: excl., anti-glare louvre incl.		KR982121	①	688,00	—	—	55,00	
			KR982122	①	688,00	—	—	55,00	
	up 165 wallwasher Gear: excl.		KR982181	②	755,00	—	—	55,00	
			KR982182	②	755,00	—	—	55,00	
	up 165 circular Gear: excl., anti-glare louvre incl.		KR982621	①	688,00	—	—	55,00	
			KR982622	①	688,00	—	—	55,00	
	up 165 circular wallwasher Gear: excl.		KR982681	②	755,00	—	—	55,00	
			KR982682	②	755,00	—	—	55,00	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	17,1W	700mA	824lm
②	LED	CRI90+	2700K/3000K	17,1W	700mA	1099lm

kreon up 165 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Matchbox	<u>KR782104</u>	142,00	Matchbox for up (in-line) 165 square
	<u>KR782604</u>	163,00	Matchbox for up (in-line) 165 circular
Coupling sleeve	<u>KR782105</u>	34,00	Coupling sleeve
Driver	<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
	<u>KR772852</u>	72,00	LED driver, 700mA, 1-10V, 30W (IP67)
	<u>KR772853</u>	109,00	LED driver, 700mA, DALI, 30W (IP68)

kreon up in-line 80

kreon up in-line 80				Base price (EUR excl. VAT)											
		Colour	KR-code		Light sources	9027 2700K, CRI90+	9030 3000K, CRI90+	SP spot (21°)	FL flood (29°)	WFL Wide flood (38°)	DF Diffused	WW Wallwasher	Required accessories	Optional accessories	
	up in-line 80		KR952331	①	431,00	—	—	—	—	—	14,00				
			KR952332	①	431,00	—	—	—	—	—	14,00				
	up in-line 80 circular		KR952831	①	431,00	—	—	—	—	—	14,00				
			KR952832	①	431,00	—	—	—	—	—	14,00				

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	341lm
		DF	CRI90+	2700K/3000K	8,4W	700mA	111lm
		WW	CRI90+	2700K/3000K	4W	700mA	263lm

kreon up in-line 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Removal tool		<u>KR752110</u>	28,00	Suction cup
■ Optional accessories				
Matchbox		<u>KR752303</u>	85,00	Matchbox up 80
		<u>KR752803</u>	85,00	Matchbox up 80 circular
Driver		<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
		<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
		<u>KR772753</u>	136,00	LED driver, 700mA, DALI, 35W (IP68)

kreon up in-line 165

kreon up in-line 165				Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+	C5 Maritime	Optional accessories
	Colour	KR-code	Light sources						
	○	<u>KR982321</u>	①	618,00	—	—	55,00	■	
	●	<u>KR982322</u>	①	618,00	—	—	55,00	■	
	○	<u>KR982381</u>	②	684,00	—	—	55,00	■	
	●	<u>KR982382</u>	②	684,00	—	—	55,00	■	
	○	<u>KR982821</u>	①	618,00	—	—	55,00	■	
	●	<u>KR982822</u>	①	618,00	—	—	55,00	■	
	○	<u>KR982881</u>	②	684,00	—	—	55,00	■	
	●	<u>KR982882</u>	②	684,00	—	—	55,00	■	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	17,1W	700mA	824lm
②	LED	CRI90+	2700K/3000K	17,1W	700mA	1099lm

kreon up in-line 165 accessories

		Base price (EUR excl. VAT)	
■ Optional accessories			
Matchbox	<u>KR782104</u>	142,00	Matchbox for gear for up in-line 165 (for fixtures gear excl.)
	<u>KR782604</u>	163,00	Matchbox for gear for up in-line 165 circular (for fixtures gear excl.)
Coupling sleeve	<u>KR782105</u>	34,00	Coupling sleeve
Driver	<u>KR772630</u>	89,00	LED driver, 700 mA, ON/OFF, 30W (IP68)
	<u>KR772852</u>	72,00	LED driver, 700 mA, 1-10V, 30W (IP67)
	<u>KR772853</u>	109,00	LED driver, 700 mA, DALI, 30W (IP68)

 vergo Gear: excl., IP67 				Base price (EUR excl. VAT)					
	Colour	KR-code	Light sources						
		<u>KR961002</u>	①		265,00	9027 2700K, CRI90+	—	9030 3000K, CRI90+	—
						DL Dark light (20°)	—	WDL Wide dark light (38°)	—
						Required accessories		Optional accessories	

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	DL	CRI90+	2700K/3000K	8,3W	700mA	331lm
		WDL	CRI90+	2700K/3000K	8,3W	700mA	361lm

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Installation	<u>KR761100</u>	45,00	Ground pin
	<u>KR761112</u>	45,00	Surface mounted base, rear cable entry, black
Pole	<u>KR761302</u>	25,00	Pole 300mm, black
	<u>KR761402</u>	35,00	Pole 600mm, black
	<u>KR761502</u>	45,00	Pole 900mm, black
■ Optional accessories			
Converter, IP67	<u>KR761000</u>	57,00	LED converter 24Vdc to 700mA, PWM, 14W
Power supply, IP67	<u>KR761120</u>	120,00	LED power supply, 24Vdc, ON/OFF, 60W
	<u>KR761220</u>	157,00	LED power supply, 24Vdc, ON/OFF, 120W
	<u>KR761123</u>	187,00	LED power supply, 24Vdc, DALI, 90W
	<u>KR761223</u>	197,00	LED power supply, 24Vdc, DALI, 120W
	<u>KR761124</u>	278,00	LED power supply, 24Vdc, Casambi, 60W
	<u>KR761224</u>	313,00	LED power supply, 24Vdc, Casambi, 120W
Splitter	<u>KR761822</u>	44,00	Splitter one to two
	<u>KR761823</u>	58,00	Splitter one to three
Cable	<u>KR761721</u>	47,00	Outdoor extension cable, length 1m, IP68
	<u>KR761725</u>	86,00	Outdoor extension cable, length 5m, IP68
	<u>KR761726</u>	134,00	Outdoor extension cable, length 10m, IP68
	<u>KR761728</u>	183,00	Outdoor extension cable, length 20m, IP68
	<u>KR761723</u>	232,00	Outdoor extension cable, length 30m, IP68

				Base price (EUR excl. VAT)						
		Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	FL Flood (30°)	SW Switchable ON/OFF	Optional accessories
	wabi Gear: incl. 		<u>KR943052</u>	①	521,00	—	—	—		
	wabi Gear: excl. 		<u>KR943252</u>	②	478,00	—	—	—		
	wabi bollard 300 Gear: incl. 		<u>KR943552</u>	③	932,00	—	—	—	—	
	wabi bollard 750 Gear: incl. 		<u>KR943752</u>	③	1012,00	—	—	—	—	
	wabi wall Gear: incl. 		<u>KR943352</u>	④	257,00	—	—			
	wabi wall Gear: excl. 		<u>KR943152</u>	⑤	222,00	—	—			

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	230V	4,1W	350mA	387lm
②	LED	CRI90+	2700K/3000K		12W	1050mA	783lm
③	LED	CRI90+	2700K/3000K	230V	8,4W	700mA	645lm
④	LED	CRI90+	2700K/3000K		4W		240lm
⑤	LED	CRI90+	2700K/3000K	230V	4W	700mA	240lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Glare preventer	<u>KR743052</u>	109,00	Glare preventer (straight black H50)
Optional installation (only for wabi)	<u>KR743750</u>	61,00	Concrete anchor
	<u>KR743850</u>	56,00	Ground pin
	<u>KR743950</u>	70,00	Spacer
Driver	<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
	<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
	<u>KR772853</u>	109,00	LED driver, 700mA, DALI, 30W (IP68)
	<u>KR772840</u>	105,00	LED driver, 1050mA, ON/OFF, 52W (IP68)
	<u>KR772862</u>	136,00	LED driver, 1050mA, 0-10V/1-10V & DALI, 52W (IP67)
Wall box for wabi wall	<u>KR727611</u>	9,00	Concrete wall box
	<u>KR727711</u>	7,00	Hollow wall box
	<u>KR727811</u>	6,00	Brick wall box

kreon wabi				Base price (EUR excl. VAT)								
					9027 2700K, CRI90+	9030 3000K, CRI90+	EX Gear excluded	SW Switchable ON/OFF	Required accessories	Optional accessories		
		Colour	KR-code	Light sources								
	wabi pillar 300 IP65		<u>KR943062</u>	①	519,00	—	—	—	43,00			
	wabi pillar 600 IP65		<u>KR943162</u>	①	673,00	—	—	—	43,00			

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	230V	4W	700mA	275lm

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Installation kit		<u>KR743650</u>	21,00	Installation kit
■ Optional accessories				
Optional installation		<u>KR743740</u>	63,00	Concrete anchor
		<u>KR743840</u>	63,00	Floor anchor
Driver		<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
		<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
		<u>KR772853</u>	109,00	LED driver, 700mA, DALI, 30W (IP68)

	Colour	KR-code	Base price (EUR excl. VAT)	
Standard low voltage track profile		KR746091	81,00	1000mm, white
		KR746092	81,00	1000mm, black
		KR746191	162,00	2000mm, white
		KR746192	162,00	2000mm, black
		KR746291	242,00	3000mm, white
		KR746292	242,00	3000mm, black
Accessories		KR746041	198,00	Curved std. low voltage track, radius 500mm 90°, white
		KR746042	198,00	Curved std. low voltage track, radius 500mm 90°, black
		KR746401	10,00	End cap standard LV track, white
		KR746402	10,00	End cap standard LV track, black
		KR790971	52,00	Aesthetic track cover, stucchi track, white
		KR790972	52,00	Aesthetic track cover, stucchi track, black
		KR746511	38,00	Feed connector low voltage, white
		KR746512	38,00	Feed connector low voltage, black
		KR746531	21,00	Straight connector, white
		KR746532	21,00	Straight connector, black
		KR746631	76,00	Straight connector with adjustable corner low voltage, white
		KR746632	76,00	Straight connector with adjustable corner low voltage, black
		KR746611	76,00	L-connector low voltage, white
		KR746612	76,00	L-connector low voltage, black
		KR746701	74,00	Mechanical L-joint, white
		KR746702	74,00	Mechanical L-joint, black
		KR746920	99,00	Cutting tool for track conductors

	Colour	KR-code	Base price (EUR excl. VAT)	
Suspension components		<u>KR746710</u>	14,00	Suspension steel wire 1500mm
	○	<u>KR746810</u>	16,00	Suspension steel wire 2500mm, white
	●	<u>KR746812</u>	16,00	Suspension steel wire 2500mm, black
		<u>KR746830</u>	10,00	Pendant clip for suspension by steel wire, short
		<u>KR746930</u>	16,00	Pendant clip for suspension by steel wire, long – can be used as reinforcing bracket to connect two pieces of tracks
Power supply		<u>KR790474</u>	100,00	Power supply 48Vdc, 60W
		<u>KR790476</u>	173,00	Power supply 48Vdc, 240W (IP67)
	○	<u>KR790771</u>	65,00	In-track power supply 48Vdc, 100W, white
	●	<u>KR790772</u>	65,00	In-track power supply 48Vdc, 100W, black
Gearboxes endfeed	○	<u>KR790173</u>	179,00	Gearbox, endfeed, white 30W
	●	<u>KR790174</u>	179,00	Gearbox, endfeed, black 30W
	○	<u>KR790175</u>	221,00	Gearbox, endfeed, white 60W
	●	<u>KR790176</u>	221,00	Gearbox, endfeed, black 60W
	○	<u>KR790177</u>	258,00	Gearbox, endfeed, white 100W
	●	<u>KR790178</u>	258,00	Gearbox, endfeed, black 100W
Casambi gateway	○	<u>KR762171</u>	395,00	Casambi DALI gateway for 48vdc track, white
	●	<u>KR762172</u>	395,00	Casambi DALI gateway for 48vdc track, black

	Colour	KR-code	Base price (EUR excl. VAT)	
Recessed, trimless low voltage track profile	●	KR746390	89,00	Recessed profile, 1000mm, black
	●	KR746490	179,00	Recessed profile, 2000mm, black
	○	KR746491	179,00	Recessed profile, 2000mm, white
	●	KR746590	268,00	Recessed profile, 3000mm, black
	○	KR746591	268,00	Recessed profile, 3000mm, white
Accessories	○	KR746601	10,00	End cap recessed low voltage track, white
	●	KR746602	10,00	End cap recessed low voltage track, black
	○	KR790971	52,00	Aesthetic track cover, stucchi track, white
	●	KR790972	52,00	Aesthetic track cover, stucchi track, black
	○	KR746511	38,00	Feed connector low voltage, white
	●	KR746512	38,00	Feed connector low voltage, black
	○	KR746531	21,00	Straight connector low voltage, white
	●	KR746532	21,00	Straight connector low voltage, black
	○	KR746631	76,00	Straight connector with adjustable corner low voltage, white
	●	KR746632	76,00	Straight connector with adjustable corner low voltage, black
	○	KR746611	76,00	L-connector low voltage, white
	●	KR746612	76,00	L-connector low voltage, black
		KR746800	9,00	Reinforcing bracket to join two pieces of LV recessed track
		KR746900	5,00	Mounting bracket for recessed LV profile
		KR746920	99,00	Cutting tool for track conductors
Power supply		KR790474	100,00	Power supply 48Vdc, 60W
		KR790476	173,00	Power supply 48Vdc, 240W (IP67)
	○	KR790771	65,00	In-track power supply 48Vdc, 100W, white
	●	KR790772	65,00	In-track power supply 48Vdc, 100W, black
Casambi gateway	○	KR762171	395,00	Casambi DALI gateway for 48vdc track, white
	●	KR762172	395,00	Casambi DALI gateway for 48vdc track, black

kreon 48V track deep recessed

kreon 48V track deep recessed				Base price (EUR excl. VAT)		Required accessories	Optional accessories
	Colour	KR-code					
	deep recessed profile						
		KR745201	148,00	Deep recessed profile, white			
		KR745202	148,00	Deep recessed profile, black			
standard configurations							
length is 2038mm		KR945601	502,00	Deep recessed profile, 2m, white			
		KR945602	502,00	Deep recessed profile, 2m, black			
length is 3038mm		KR945701	723,00	Deep recessed profile, 3m, white			
		KR945702	723,00	Deep recessed profile, 3m, black			
length is 4071mm		KR945801	985,00	Deep recessed profile, 4m, white			
		KR945802	985,00	Deep recessed profile, 4m, black			
length is 5071mm		KR945901	1206,00	Deep recessed profile, 5m, white			
		KR945902	1206,00	Deep recessed profile, 5m, black			

kreon 48V deep recessed

	Colour	KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
48V track	○	KR745401	91,00	48Vdc track for deep recessed installation, 1m, white
	●	KR745402	91,00	48Vdc track for deep recessed installation, 1m, black
	○	KR745501	166,00	48Vdc track for deep recessed installation, 2m, white
	●	KR745502	166,00	48Vdc track for deep recessed installation, 2m, black
	○	KR745601	243,00	48Vdc track for deep recessed installation, 3m, white
	●	KR745602	243,00	48Vdc track for deep recessed installation, 3m, black
Feed connector	○	KR746511	38,00	End feed connector, white
	●	KR746512	38,00	End feed connector, black
■ Optional accessories				
48V track	○	KR765501	153,00	90° corner cut deep recessed profile, white
	●	KR765502	153,00	90° corner cut deep recessed profile, black
	○	KR765601	77,00	48Vdc track, corner cut 90°, white
	●	KR765602	77,00	48Vdc track, corner cut 90°, black
Power supply		KR790474	100,00	Power supply, 48Vdc, 60W
		KR790476	173,00	Power supply, 48Vdc, 240W
	○	KR790771	65,00	In-track power supply 48Vdc, 100W, white
	●	KR790772	65,00	In-track power supply 48Vdc, 100W, black

kreon 48V deep recessed

	Colour	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Connectors	○	<u>KR746531</u>	21,00	Straight connector low voltage, white
	●	<u>KR746532</u>	21,00	Straight connector low voltage, black
	○	<u>KR746631</u>	76,00	Straight connector with adjustable corner low voltage, white
	●	<u>KR746632</u>	76,00	Straight connector with adjustable corner low voltage, black
	○	<u>KR746611</u>	76,00	L-connector low voltage, white
	●	<u>KR746612</u>	76,00	L-connectorlow voltage, black
Cutting tool		<u>KR746920</u>	99,00	Cutting tool for track conductors
Casambi gateway	○	<u>KR762171</u>	395,00	Casambi DALI gateway for 48vdc track, white
	●	<u>KR762172</u>	395,00	Casambi DALI gateway for 48vdc track, black

kreon 48V track

kreon 48V track				Base price (EUR excl. VAT)										
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	SW Switchable ON/OFF	VD 1-10V dimmable	DD DALI dimmable	Optional accessories	
		KR916621	①	380,00	—	—	—	—	—	29,00	29,00			
		KR916622	①	380,00	—	—	—	—	—	29,00	29,00			

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	48V	8,2W	428lm

kreon 48V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+	9827 2700K, CRI98+	9830 3000K, CRI98+	SP Spot (12°)	FL Flood (24°)	WFL Wide flood (38°)	SW Switchable ON/OFF	VD 1-10V dimmable	DD DALI dimmable	Optional accessories
	diapason 120 on-track	○	<u>KR926621</u>	①	527,00	—	—	28,00	28,00	—	—	—	—	—	29,00	29,00	■
		●	<u>KR926622</u>	①	527,00	—	—	28,00	28,00	—	—	—	—	—	29,00	29,00	■

		CRI	CCT	Voltage	Wattage	Fixture lumen	
①	LED	SP	CRI90+	2700K/3000K	48V	22W	1185lm
			CRI98+	2700K/3000K	48V	19,5W	939lm
		FL & WFL	CRI90+	2700K/3000K	48V	19W	1761lm
			CRI98+	2700K/3000K	48V	19,9W	1794lm

	Colour	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Glare preventer for diapason 80	○	<u>KR706721</u>	64,00	Straight glare preventer, white (H30)
	●	<u>KR706722</u>	64,00	Straight glare preventer, black (H30)
	○	<u>KR706731</u>	73,00	Rounded glare preventer, white (H54)
	●	<u>KR706732</u>	73,00	Rounded glare preventer, black (H54)
Louvres and lenses for diapason 80		<u>KR706070</u>	43,00	Anti-glare louvre
		<u>KR706270</u>	33,00	Diffusing lens
Glare preventer for diapason 120	○	<u>KR706821</u>	75,00	Straight glare preventer, white (H40)
	●	<u>KR706822</u>	75,00	Straight glare preventer, black (H40)
	○	<u>KR706831</u>	84,00	Rounded glare preventer, white (H90)
	●	<u>KR706832</u>	84,00	Rounded glare preventer, black (H90)
Louvres and lenses for diapason 120		<u>KR706080</u>	43,00	Anti-glare louvre
		<u>KR706180</u>	39,00	Sculpture lens
		<u>KR706280</u>	33,00	Diffusing lens

kreon 48V track



holon 20 directional on-track

Colour
KR-code
Light sources

Base price (EUR excl. VAT)

9027
2700K, CRI90+
9030
3000K, CRI90+

SP
Spot (20°)

DL
Dark light (40°)

WDL
Wide dark light (76°)

SW
Switchable ON/OFF

VD
1-10V dimming

DD
DALI dimming

Required accessories



KR952971

①

250,00

—

—

—

22,00

22,00

—

38,00

30,00



KR952972

①

250,00

—

—

—

22,00

22,00

—

30,00

30,00



BB

KR952974

①

270,00

—

—

—

22,00

22,00

—

30,00

30,00



BS

KR952977

①

270,00

—

—

—

22,00

22,00

—

30,00

30,00



BG

KR952978

①

270,00

—

—

—

22,00

22,00

—

30,00

30,00



GB

KR952979

①

270,00

—

—

—

22,00

22,00

—

30,00

30,00



		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	48V	4,2W	250lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (38°)	WDL Wide dark light (76°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	holon 40 directional on-track		KR962611	①	320,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
			KR962612	①	320,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		BB	KR962614	①	365,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		BS	KR962617	①	365,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		BG	KR962618	①	365,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		GB	KR962619	①	365,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
	holon 40 pendant on-track		KR945401	②	344,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
			KR945402	②	344,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		BB	KR945404	②	389,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		BS	KR945407	②	389,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		BG	KR945408	②	389,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		GB	KR945409	②	389,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	FL	CRI90+	2700K/3000K	48V	10,9W	700mA	558lm
	darklight	CRI90+	2700K/3000K	48V	10,9W	700mA	420lm
②	LED	CRI90+	2700K/3000K		8,4W	700mA	558lm
	darklight	CRI90+	2700K/3000K		8,4W	700mA	420lm

kreon 48V track

kreon 48V track				Base price (EUR excl. VAT)													
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (38°)	DL Dark light (40°)	WDL Wide dark light (76°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming			
	○	KR967351	①	380,00	—	—	—	—	22,00	22,00	—	29,00	29,00				
	●	KR967352	①	380,00	—	—	—	—	22,00	22,00	—	29,00	29,00				

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	48V	10,9W	547lm
	darklight	CRI90+	2700K/3000K	48V	10,9W	417lm

kreon 48V track				Base price (EUR excl. VAT)															Required accessories	
Colour	KR-code	Light sources			9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW Switchable ON/OFF	VD 1-10V dimming		DD DALI dimming
 holon 60 directional, on-track 48Vdc, low louvre Gear: incl. 		KR962771	①	410,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	—	30,00	30,00	
		KR962772	①	410,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	—	30,00	30,00	
	BB	KR962774	①	475,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	—	30,00	30,00	
	BS	KR962777	①	475,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	—	30,00	30,00	
	BG	KR962778	①	475,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	—	30,00	30,00	
	GB	KR962779	①	475,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	—	30,00	30,00	

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	48V	10,2W	808lm
			CRI95+	2700K/3000K/4000K	48V	10,2W	727lm
	SP	CRI90+	TW 2700K-5000K	48V	2x11W	835-1053lm	
		CRI97+	DTW 1800K-3000K	48V	15,1W	726lm	
	FL& WFL	CRI90+	2700K/3000K/4000K	48V	18,5W	1616lm	
		CRI95+	2700K/3000K/4000K	48V	18,5W	1454lm	
		CRI90+	TW 2700K-5000K	48V	2x11W	907-1153lm	
		CRI97+	DTW 1800K-3000K	48V	15,1W	823lm	

kreon 48V track

				Base price (EUR excl. VAT)																
					9027	9030	9040	9527	9530	9540	TW	DTW	SSP	SP	FL	SW	VD	DD		
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Dim-to-warm, CRI97+	Superspot (18°)	Spot (33°)	Flood (54°)	Switchable ON/OFF	1-10V dimming	DALI dimming		
Colour	KR-code	Light sources																		
 holon 60 directional, on-track 48Vdc, deep recessed louvre Gear: incl. 		KR962671	①	410,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	30,00	30,00		
		KR962672	①	410,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	30,00	30,00		
		KR962675	①	410,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	30,00	30,00		
	BB	KR962674	①	475,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	30,00	30,00		
	BS	KR962677	①	475,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	30,00	30,00		
	BG	KR962678	①	475,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	30,00	30,00		
	GB	KR962679	①	475,00	—	—	—	19,00	19,00	19,00	23,00	11,00	—	—	—	—	30,00	30,00		

		CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	SSP & SP	CRI90+	2700K/3000K/4000K	48V	10,2W	788lm
		CRI95+	2700K/3000K/4000K	48V	10,2W	709lm
	SP	CRI90+	TW 2700K-5000K	48V	2x11W	TBD
		CRI97+	DTW 1800K-3000K	48V	15,1W	TBD
	FL	CRI90+	2700K/3000K/4000K	48V	18,5W	1523lm
		CRI95+	2700K/3000K/4000K	48V	18,5W	1370lm
		CRI90+	TW 2700K-5000K	48V	2x11W	TBD
		CRI97+	DTW 1800K-3000K	48V	15,1W	TBD

kreon 48V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	oran pendant craft on-track, small bulb	○	<u>KR991721</u>	①	444,00	—	—	—	29,00	29,00
		●	<u>KR991722</u>	①	444,00	—	—	—	29,00	29,00
		BB	<u>KR991724</u>	①	519,00	—	—	—	29,00	29,00
		BS	<u>KR991727</u>	①	519,00	—	—	—	29,00	29,00
		BG	<u>KR991728</u>	①	519,00	—	—	—	29,00	29,00
		GB	<u>KR991729</u>	①	519,00	—	—	—	29,00	29,00
	oran pendant craft on-track, long ampoule	○	<u>KR991921</u>	①	472,00	—	—	—	29,00	29,00
		●	<u>KR991922</u>	①	472,00	—	—	—	29,00	29,00
		BB	<u>KR991924</u>	①	547,00	—	—	—	29,00	29,00
		BS	<u>KR991927</u>	①	547,00	—	—	—	29,00	29,00
		BG	<u>KR991928</u>	①	547,00	—	—	—	29,00	29,00
		GB	<u>KR991929</u>	①	547,00	—	—	—	29,00	29,00

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	48V	9,5W	307lm

kreon 48V track

				Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
				Colour	KR-code	Light sources				
	oran pendant stone on-track, large cube			○	KR991261	①	444,00	—	—	— 29,00 29,00
				●	KR991262	①	444,00	—	—	— 29,00 29,00
				BB	KR991264	①	519,00	—	—	— 29,00 29,00
				BS	KR991267	①	519,00	—	—	— 29,00 29,00
				BG	KR991268	①	519,00	—	—	— 29,00 29,00
				GB	KR991269	①	519,00	—	—	— 29,00 29,00
	oran pendant stone on-track, large cylinder			○	KR991161	①	444,00	—	—	— 29,00 29,00
				●	KR991162	①	444,00	—	—	— 29,00 29,00
				BB	KR991164	①	519,00	—	—	— 29,00 29,00
				BS	KR991167	①	519,00	—	—	— 29,00 29,00
				BG	KR991168	①	519,00	—	—	— 29,00 29,00
				GB	KR991169	①	519,00	—	—	— 29,00 29,00

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	48Vdc	6,7W	700mA	315lm

kreon 48V track

				Base price (EUR excl. VAT)	9027 2700K, CRI90+		SW Switchable ON/OFF	9030 3000K, CRI90+		VD 1-10V dimming	DD DALI dimming
	Colour	KR-code	Light sources								
	oran pendant stone on-track, small cylinder		KR991361	①	428,00	—	—	—	29,00	29,00	
			KR991362	①	428,00	—	—	—	29,00	29,00	
		BB	KR991364	①	503,00	—	—	—	29,00	29,00	
		BS	KR991367	①	503,00	—	—	—	29,00	29,00	
		BG	KR991368	①	503,00	—	—	—	29,00	29,00	
		GB	KR991369	①	503,00	—	—	—	29,00	29,00	
	oran pendant stone on-track, long cylinder		KR991461	①	444,00	—	—	—	29,00	29,00	
			KR991462	①	444,00	—	—	—	29,00	29,00	
		BB	KR991464	①	519,00	—	—	—	29,00	29,00	
		BS	KR991467	①	519,00	—	—	—	29,00	29,00	
		BG	KR991468	①	519,00	—	—	—	29,00	29,00	
		GB	KR991469	①	519,00	—	—	—	29,00	29,00	

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	48Vdc	6,7W	700mA	315lm

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	oran pendant glass on-track, cylinder, E1		○	KR971161	①	411,00	—	—	—	29,00	29,00
			●	KR971162	①	411,00	—	—	—	29,00	29,00
			BB	KR971164	①	486,00	—	—	—	29,00	29,00
			BS	KR971167	①	486,00	—	—	—	29,00	29,00
			BG	KR971168	①	486,00	—	—	—	29,00	29,00
			GB	KR971169	①	486,00	—	—	—	29,00	29,00
	oran pendant glass on-track, double cylinder, F1		○	KR971361	②	444,00	—	—	—	29,00	29,00
			●	KR971362	②	444,00	—	—	—	29,00	29,00
			BB	KR971364	②	519,00	—	—	—	29,00	29,00
			BS	KR971367	②	519,00	—	—	—	29,00	29,00
			BG	KR971368	②	519,00	—	—	—	29,00	29,00
			GB	KR971369	②	519,00	—	—	—	29,00	29,00

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED	CRI90+	2700K/3000K	8,4W	700mA	444lm

kreon 48V track

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	oran pendant glass on-track, cone, H1		○	KR971261	①	444,00	—	—	—	29,00	29,00		
			●	KR971262	①	444,00	—	—	—	29,00	29,00		
		BB		KR971264	①	519,00	—	—	—	29,00	29,00		
		BS		KR971267	①	519,00	—	—	—	29,00	29,00		
		BG		KR971268	①	519,00	—	—	—	29,00	29,00		
		GB		KR971269	①	519,00	—	—	—	29,00	29,00		
	oran pendant glass on-track, cone, H2		○	KR971461	②	444,00	—	—	—	29,00	29,00		
			●	KR971462	②	444,00	—	—	—	29,00	29,00		
		BB		KR971464	②	519,00	—	—	—	29,00	29,00		
		BS		KR971467	②	519,00	—	—	—	29,00	29,00		
		BG		KR971468	②	519,00	—	—	—	29,00	29,00		
		GB		KR971469	②	519,00	—	—	—	29,00	29,00		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED	CRI90+	2700K/3000K	8,4W	700mA	438lm

kreon 48V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP spot (17°)	FL flood (24°)	WFL Wide flood (40°)	DL darklight (32°)	WDL Wide darklight (55°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	holon 40 single downlight, on-track	○	KR945001	①	258,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		●	KR945002	①	258,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		◐	KR945005	①	258,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
	holon 40 single wallwasher, on-track	○	KR945101	②	271,00	—	—						—	29,00	29,00
		●	KR945102	②	271,00	—	—						—	29,00	29,00
	holon 40 double downlight, on-track	○	KR945201	③	332,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		●	KR945202	③	332,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		◐	KR945205	③	332,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
	prologe 40 single downlight, on-track	○	KR945011	①	258,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		●	KR945012	①	258,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		◐	KR945015	①	258,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
	prologe 40 single wallwasher, on-track	○	KR945111	②	271,00	—	—						—	29,00	29,00
		●	KR945112	②	271,00	—	—						—	29,00	29,00
	prologe 40 double downlight, on-track	○	KR945211	③	332,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		●	KR945212	③	332,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00
		◐	KR945215	③	332,00	—	—	—	—	—	22,00	22,00	—	29,00	29,00

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	4,5W	190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	10,7W	375lm
②	LED		CRI90+	2700K/3000K	48Vdc	6,5W	290lm
③	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	6,5W	2x 190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	18,9W	2x 375lm

kreon 48V track

				Base price (EUR excl. VAT)															Required accessories
		Colour	KR-code		9027	9030	9040	9527	9530	9540	TW	SSP	SP	FL	WFL	SW	VD	DD	
				Light sources	2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Superspot (18°)	Spot (33°)	Flood (54°)	Wide flood (69°)	ON/OFF	1-10V dimming	DALI dimming	
	holon 60 fixed, on-track 48Vdc, low louvre Gear: incl. 		KR962081	①	310,00	—	—	19,00	19,00	19,00	23,00	—	—	—	—	—	30,00	30,00	
			KR962082	①	310,00	—	—	19,00	19,00	19,00	23,00	—	—	—	—	—	30,00	30,00	
	holon 60 fixed, on-track 48Vdc, deep recessed louvre Gear: incl. 		KR962281	②	310,00	—	—	19,00	19,00	19,00	23,00	—	—	—		—	30,00	30,00	
			KR962282	②	310,00	—	—	19,00	19,00	19,00	23,00	—	—	—		—	30,00	30,00	
			KR962285	②	310,00	—	—	19,00	19,00	19,00	23,00	—	—	—		—	30,00	30,00	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED SSP & SP	CRI90+	2700K/3000K/4000K	48Vdc	10W	727lm
		CRI95+	2700K/3000K/4000K	48Vdc	10W	TBD
	SP	CRI90+	TW 2700K-5000K	48Vdc	2x12W	835-1053lm
	FL & WFL	CRI90+	2700K/3000K/4000K	48Vdc	19W	1470lm
		CRI95+	2700K/3000K/4000K	48Vdc	19W	1323lm
		CRI90+	TW 2700K-5000K	48Vdc	2x12W	907-1153lm
②	LED SSP & SP	CRI90+	2700K/3000K/4000K	48Vdc	10W	687lm
		CRI95+	2700K/3000K/4000K	48Vdc	10W	TBD
	SP	CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD
	FL	CRI90+	2700K/3000K/4000K	48Vdc	19W	1382lm
		CRI95+	2700K/3000K/4000K	48Vdc	19W	1244lm
		CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD

kreon 48V track																
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
	holon 60 wallwasher, on-track 48Vdc		KR962181	①	321,00	—	—	—	19,00	19,00	19,00	23,00	—	30,00	30,00	
	Gear: incl. 		KR962182	①	321,00	—	—	—	19,00	19,00	19,00	23,00	—	30,00	30,00	

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED WW	CRI90+	2700K/3000K/4000K		48Vdc	10W	710lm
		CRI95+	2700K/3000K/4000K		48Vdc	10W	639lm
		CRI90+	TW 2700K-5000K		48Vdc	2x12W	TBD

kreon 48V track

kreon 48V track														
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	09 Length 911 mm	12 Length 1211 mm	15 Length 1511 mm	
 lini 10 on-track for 48V low voltage track system Gear: incl.		<u>KR974811</u>	②	273,00	—	—	—	42,00	42,00	—	34,00	68,00		
		<u>KR974812</u>	②	273,00	—	—	—	42,00	42,00	—	34,00	68,00		
	BR	<u>KR974814</u>	②	301,00	—	—	—	42,00	42,00	—	42,00	84,00		

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	09	CRI90+	2700K/3000K	48V	15,5W	466lm
		12	CRI90+	2700K/3000K	48V	17,3W	620lm
		15	CRI90+	2700K/3000K	48V	21,6W	774lm

	Colour	KR-code	Base price (EUR excl. VAT)	
3~circuit track + databus		KR736821	149,00	2000mm, white, onetrack, 3~ with DALI
		KR736822	149,00	2000mm, black, onetrack, 3~ with DALI
		KR736831	218,00	3000mm, white, onetrack, 3~ with DALI
		KR736832	218,00	3000mm, black, onetrack, 3~ with DALI
Track accessories		KR736801	4,00	End cap, white
		KR736802	4,00	End cap, black
		KR736101	11,00	PVC cover, 1000mm, white
		KR736102	11,00	PVC cover, 1000mm, black
		KR746920	99,00	Cutting tool for track conductors
Connections		KR736601	31,00	End feed, earth right, white
		KR736602	31,00	End feed, earth right, black
		KR736611	31,00	End feed, earth left, white
		KR736612	31,00	End feed, earth left, black
		KR736641	21,00	Straight connector, white
		KR736642	21,00	Straight connector, black
		KR736401	62,00	Mid feed, white
		KR736402	62,00	Mid feed, black
		KR736201	66,00	I-coupler with feed, white
		KR736202	66,00	I-coupler with feed, black
		KR736701	80,00	L-coupler with feed, earth inside, white
		KR736702	80,00	L-coupler with feed, earth inside, black
		KR736711	80,00	L-coupler with feed, earth outside, white
		KR736712	80,00	L-coupler with feed, earth outside, black
		KR736901	94,00	Adjustable corner with feed, white
		KR736902	94,00	Adjustable corner with feed, black

kreon 3~ 230V track

	Colour	KR-code	Base price (EUR excl. VAT)	
Track fixing accessories		<u>KR736000</u>	7,00	Installation bracket surface mounted
	○	<u>KR791211-HV</u>	68,00	Connection box ø65 x 52, white ⓘ
	●	<u>KR791212-HV</u>	68,00	Connection box ø65 x 52, black ⓘ
		<u>KR736410</u>	23,00	Supply cable transparant 6x0,75mm², 4000mm
Accessories for suspended 3~230V-track		<u>KR726963</u>	39,00	Suspension steel wire 1500mm
		<u>KR726973</u>	46,00	Suspension steel wire 3000mm
		<u>KR736212</u>	19,00	Suspension bracket for suspension wire
		<u>KR736312</u>	25,00	Suspension bracket for suspension wire, mechanical coupler

kreon 3~ 230V track recessed

	Colour	KR-code	Base price (EUR excl. VAT)	
3~circuit track + databus		KR736921	145,00	2000mm, white, recessed onetrack, 3~ with DALI
		KR736922	145,00	2000mm, black, recessed onetrack, 3~ with DALI
		KR736931	227,00	3000mm, white, recessed onetrack, 3~ with DALI
		KR736932	227,00	3000mm, black, recessed onetrack, 3~ with DALI
Track accessories		KR736811	6,00	End cap, white
		KR736812	6,00	End cap, black
		KR736101	11,00	PVC cover, 1000mm, white
		KR736102	11,00	PVC cover, 1000mm, black
		KR746920	99,00	Cutting tool for track conductors
Connections		KR736601	31,00	End feed, earth right, white
		KR736602	31,00	End feed, earth right, black
		KR736611	31,00	End feed, earth left, white
		KR736612	31,00	End feed, earth left, black
		KR736641	21,00	Straight connector, white
		KR736642	21,00	Straight connector, black
		KR736401	62,00	Mid feed, white
		KR736402	62,00	Mid feed, black
		KR736201	66,00	I-coupler with feed, white
		KR736202	66,00	I-coupler with feed, black
		KR736701	80,00	L-coupler with feed, earth inside, white
		KR736702	80,00	L-coupler with feed, earth inside, black
		KR736711	80,00	L-coupler with feed, earth outside, white
		KR736712	80,00	L-coupler with feed, earth outside, black

kreon 3~ 230V track recessed


	Colour	KR-code	Base price (EUR excl. VAT)	
Accessories for connections	○	<u>KR736631</u>	16,00	Recessed cover for endfeed, white
	●	<u>KR736632</u>	16,00	Recessed cover for endfeed, black
	○	<u>KR736231</u>	17,00	Recessed cover for I-coupler, white
	●	<u>KR736232</u>	17,00	Recessed cover for I-coupler, black
	○	<u>KR736731</u>	14,00	Recessed cover for L-coupler, white
	●	<u>KR736732</u>	14,00	Recessed cover for L-coupler, black

kreon 3~ 230V track

kreon 3~ 230V track				Base price (EUR excl. VAT)												
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	FL Flood (24°)	WFL Wide flood (38°)	PD Phase dimming			
	erubo on-track high output			○	<u>KR927635</u>	①	530,00	—	—	—	29,00	29,00	29,00	—	—	—
		●	<u>KR927632</u>	①	530,00	—	—	—	29,00	29,00	29,00	—	—	—	—	—

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	FL 6	CRI90+	2700K/3000K/4000K	230V	19W	1492lm
		WFL	CRI95+	2700K/3000K/4000K	230V	19W	1276lm

kreon 3~ 230V track



holon 60 directional, on-track
230Vdc (onetrack), low louvre
Gear: incl. Ⓢ




holon 60 directional, on-track

230Vdc (onetrack), low louvre

Gear: incl. ☺

		CRI		CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	808lm
			CRI95+	2700K/3000K/4000K	230V		727lm
		SP	CRI97+	DTW 1800K-3000K	230V		726lm
	FL & WFL		CRI90+	2700K/3000K/4000K	230V	21W	1616lm
			CRI95+	2700K/3000K/4000K	230V		1454lm
			CRI97+	DTW 1800K-3000K	230V		823lm

kreon 3~ 230V track



holon 60 directional, on-track
230Vdc (onetrack),
deep recessed louvre
Gear: incl. ☺

kreon 3~ 230V track				Base price (EUR excl. VAT)															Required accessories
Colour	KR-code	Light sources	9027 2700K, CRI90+		9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	SW Switchable ON/OFF	DD DALI dimming				
 holon 60 directional, on-track 230Vdc (onetrack), deep recessed louvre Gear: incl. ☺		KR962881	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00			
		KR962882	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00			
		KR962885	①	415,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00			
	BB	KR962884	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00			
	BS	KR962887	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00			
	BG	KR962888	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00			
	GB	KR962889	①	480,00	—	—	—	19,00	19,00	19,00	11,00	—	—	—	—	30,00			

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	788lm
			CRI95+	2700K/3000K/4000K	230V		709lm
		SP	CRI97+	DTW 1800K-3000K	230V		TBD
	FL		CRI90+	2700K/3000K/4000K	230V	21W	1523lm
			CRI95+	2700K/3000K/4000K	230V		1370lm
			CRI97+	DTW 1800K-3000K	230V		TBD

kreon 3~ 230V track

kreon 3~ 230V track				Base price (EUR excl. VAT)													
	Colour	KR-code	Light sources		9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW Switchable ON/OFF	DD DALI dimming	Required accessories
		KR962381	①	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00		
		KR962382	①	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00		
		KR962581	②	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00		
		KR962582	②	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00		
		KR962585	②	316,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00		
		KR962481	③	326,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00		
		KR962482	③	326,00	—	—	—	19,00	19,00	19,00	—	—	—	—	30,00		

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	727lm
			CRI95+	2700K/3000K/4000K	230V		654lm
	FL& WFL	CRI90+	2700K/3000K/4000K	230V	21W	1470lm	
		CRI95+	2700K/3000K/4000K	230V		1323lm	
②	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	687lm
			CRI95+	2700K/3000K/4000K	230V		618lm
	FL	CRI90+	2700K/3000K/4000K	230V	21W	1382lm	
		CRI95+	2700K/3000K/4000K	230V		1244lm	
③	LED	WW	CRI90+	2700K/3000K/4000K	230V	13W	710lm
			CRI95+	2700K/3000K/4000K	230V		639lm

kreon 3~ 230V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (22°)	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	DD DALI dimming
	holon 80 directional on-track, low louver Gear: incl.	○	<u>KR962041</u>	①	625,00	—	—	—	28,00	28,00	28,00	—	—	—	—	41,00
		●	<u>KR962042</u>	①	625,00	—	—	—	28,00	28,00	28,00	—	—	—	—	41,00
	holon 80 directional on-track, deep recessed louver Gear: incl.	○	<u>KR962941</u>	①	625,00	—	—	—	28,00	28,00	28,00	—	—	—	—	41,00
		●	<u>KR962942</u>	①	625,00	—	—	—	28,00	28,00	28,00	—	—	—	—	41,00
		◐	<u>KR962945</u>	①	625,00	—	—	—	28,00	28,00	28,00	—	—	—	—	41,00

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K/4000K	230V	19,9W
			CRI95+	2700K/3000K/4000K	230V	19,9W
	LED	FL 6 WFL	CRI90+	2700K/3000K/4000K	230V	28,9W 1610lm
			CRI95+	2700K/3000K/4000K	230V	28,9W 1610lm
②	LED	SP	CRI90+	2700K/3000K/4000K	230V	19,9W
			CRI95+	2700K/3000K/4000K	230V	19,9W
	LED	FL 6 WFL	CRI90+	2700K/3000K/4000K	230V	28,9W 2415lm
			CRI95+	2700K/3000K/4000K	230V	28,9W 1937lm

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories
	air vent size 80		<u>KR931251</u>	78,00	
			<u>KR931252</u>	78,00	

kreon ventilation accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap ☉ Ø102
Louvre		<u>KR717106</u>	21,00	Louvre aplis in-line 80, white
		<u>KR717122</u>	21,00	Louvre aplis in-line 80, black
■ Optional accessories				
Concrete plasterkit		<u>KR737702</u>	36,00	Plasterkit for concrete installation

kreon audio recessed

		Colour	KR-code	Base price (EUR excl. VAT)	RD1 Round, white	RD2 Round, black	SQ1 Square, white	SQ2 Square, black	Required accessories
	audio in-line 80	○	<u>KR907091</u>	289,00					■
		●	<u>KR907092</u>	289,00					■
	audio in-line 120	○	<u>KR907891</u>	393,00					■
		●	<u>KR907892</u>	393,00					■
	audio trim 80	○	<u>KR937091</u>	333,00	—	—	—	—	
		●	<u>KR937092</u>	333,00	—	—	—	—	
	audio trim 120	○	<u>KR937991</u>	478,00	—	—	—	—	
		●	<u>KR937992</u>	478,00	—	—	—	—	

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Plasterkit (round)	<u>KR717104</u>	25,00	Plasterkit aplis in-line 80, front mounting, no shadowgap
	<u>KR717108</u>	25,00	Plasterkit aplis in-line 80, front mounting, shadowgap
	<u>KR717000</u>	36,00	Plasterkit aplis in-line 80, back mounting, no shadowgap
	<u>KR707204</u>	32,00	Plasterkit aplis in-line 120, front mounting, no shadowgap
	<u>KR707208</u>	32,00	Plasterkit aplis in-line 120, front mounting, shadowgap
Plasterkit (square)	<u>KR717114</u>	25,00	Plasterkit down in-line 80, front mounting, no shadowgap
	<u>KR717118</u>	25,00	Plasterkit down in-line 80, front mounting, shadowgap
	<u>KR707214</u>	29,00	Plasterkit down in-line 120, front mounting, no shadowgap
	<u>KR707218</u>	29,00	Plasterkit down in-line 120, front mounting, shadowgap
Installation kit (round)	<u>KR717100</u>	37,00	Installation kit, back mounting
Louvre (round)	<u>KR717106</u>	21,00	Louvre aplis in-line 80, white
	<u>KR717122</u>	21,00	Louvre aplis in-line 80, black
	<u>KR717124</u>	46,00	Louvre aplis in-line 80, brushed bronze
	<u>KR717127</u>	46,00	Louvre aplis in-line 80, brushed silver
	<u>KR717128</u>	46,00	Louvre aplis in-line 80, brushed gold
	<u>KR717129</u>	46,00	Louvre aplis in-line 80, gun black
	<u>KR707206</u>	23,00	Louvre aplis in-line 120, white
	<u>KR707222</u>	23,00	Louvre aplis in-line 120, black
Louvre (square)	<u>KR717116</u>	21,00	Louvre down in-line 80, white
	<u>KR717112</u>	21,00	Louvre down in-line 80, black
	<u>KR707216</u>	23,00	Louvre down in-line 120, white
	<u>KR707212</u>	23,00	Louvre down in-line 120, black

kreon audio in cadre

		Colour	KR-code	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	VD 1-10V dimming	DD DALI dimming	Required accessories
	cadre 1200 linear		<u>KR963460</u>	1687,00	—	—	—	11,00	
			<u>KR963462</u>	1687,00	—	—	—	11,00	
	cadre 1500 linear		<u>KR963470</u>	1859,00	—	—	—	11,00	
			<u>KR963472</u>	1859,00	—	—	—	11,00	

kreon audio in cadre accessories					Base price (EUR excl. VAT)
			Colour	KR-code	
■ Required accessories					
Leather telescopic suspension, black anodised (for KR9634x2)					
Pendant height 900-1200 mm	End part		○	<u>KR763761</u>	845,00
			●	<u>KR763762</u>	845,00
	Coupler		○	<u>KR763361</u>	422,00
			●	<u>KR763362</u>	422,00
Pendant height 1200-1650 mm	End part		○	<u>KR763861</u>	878,00
			●	<u>KR763862</u>	878,00
	Coupler		○	<u>KR763461</u>	439,00
			●	<u>KR763462</u>	439,00
Leather telescopic suspension, chrome (for KR9634x0)					
Pendant height 900-1200 mm	End part		○	<u>KR763751</u>	914,00
			●	<u>KR763752</u>	914,00
	Coupler		○	<u>KR763351</u>	457,00
			●	<u>KR763352</u>	457,00
Pendant height 1200-1650 mm	End part		○	<u>KR763851</u>	973,00
			●	<u>KR763852</u>	973,00
	Coupler		○	<u>KR763451</u>	487,00
			●	<u>KR763452</u>	487,00

kreon audio in-cana

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	holon 80 in-cana single		<u>KR934211</u>	573,00		
			<u>KR934212</u>	573,00		
	prologe 80 in-cana single		<u>KR934261</u>	573,00		
			<u>KR934262</u>	573,00		

■ Required accessories

See kreon cana 80 on page 96 for more information on the serie.

■ Optional accessories

See kreon cana 80 on page 96 for more information on the serie.

kreon audio in nuit

		KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	nuit	KR974890	500,00		

■ Required accessories

See kreon nuit range on page 306 for more information on the serie.

■ Optional accessories

See kreon nuit range on page 306 for more information on the serie.

	Colour	KR-code	Base price (EUR excl. VAT)	Optional accessories
mini kreamp amplifier DIN-rail 4-positions		<u>KR957020</u>	575,00	
kreamp amplifier DIN-rail 6-positions		<u>KR957025</u>	806,00	
connect BT 3 + jack LxH 80x80, 68mm standard socket box		<u>KR957321</u>	408,00	
		<u>KR957322</u>	408,00	
subwoofer LxH 560x190x113		<u>KR957620</u>	960,00	
■ Optional accessories				
Voltage		<u>KR757020</u>	84,00	DIN-rail 24V-60W for minikreamp
		<u>KR757025</u>	172,00	DIN-rail 48V-100W for minikreamp
Cable RJ45		<u>KR710102</u>	2,00	Cable RJ45, 0.3m
		<u>KR710000</u>	3,00	Cable RJ45, 0.5m
		<u>KR710005</u>	11,00	Cable RJ45, 5m
		<u>KR710010</u>	18,00	Cable RJ45, 10m
		<u>KR710020</u>	35,00	Cable RJ45, 20m
Splitter		<u>KR710300</u>	110,00	Splitterbox

kreon HQ
Industrieweg-Noord 1152
3660 Oudsbergen
Belgium
T +32 89 81 97 80
belgium@kreon.com
www.kreon.com

kreon Austria
austria@kreon.com

kreon China / The Belgian House
Changle Road Lane 672, No. 33,
Building No. 5,
Jingan, Shanghai
China
T +86 183 1711 3541
china@kreon.com

kreon France
5, rue d'Aboukir
75002 Paris
France
T +33 1 44 50 53 54
france@kreon.com

kreon Germany
Brühler Straße 11-13
50968 Cologne
Germany
T +49 221 937 22 0
germany@kreon.com

kreon Italy
Via V. Forcella 5
20144 Milano
Italy
T +39 02 89 42 08 46
italy@kreon.com

kreon Middle East & India
Dubai Airport Free Zone Area (DAFZA)
West Wing 6
Office 6 WA 634
P.O. Box 293889
Dubai
United Arab Emirates
T +971 56 705 2522
middle.east@kreon.com

kreon Inc.
North America & Canada
20 Murray Hill Parkway
Suite #180
East Rutherford NJ 07073
United States of America
+1 (201) 298-44 48
usa@kreon.com

kreon Poland
T +48 504 788 355
poland@kreon.com

kreon Scandinavia
T +31 (0)6 52 39 16 80
auke.bakker@kreon.com

kreon South East Asia
singapore@kreon.com

kreon Spain & Portugal
Ángel Guimera 7-9 local C
Barcelona 08017
Spain
T +34 600 462 551
spain@kreon.com

kreon Switzerland
Neufeldweg 6
5103 Möriken
Switzerland
T +41 61 316 74 01
switzerland@kreon.com

kreon The Netherlands
Danzigerbocht 39
1013 AM Amsterdam
The Netherlands
T +31 (0)6 52 391 680
the.netherlands@kreon.com

kreon Turkey
Sehit Murat Demirli Cad.
Resadiye Yolu 76
Alemdag-Ümraniye 34794
Istanbul
Turkey
T +90 216 430 86 00
proje@kreon.com.tr

kreon UK
67 Maltings Place
169 Tower Bridge Road
London
SE1 3LJ
United Kingdom
T +44 (0)20 7740 2112
uk@kreon.com

