

kreon pricelist 2025

Euro version

The mentioned lumen values are the fixture lumen measured at room temperature using standard luminaires with flood optics and white finishes, for CRI90 and 2700K (unless otherwise indicated or not available).

# kreon table of content

Colours		5	oran	342	
Light	aplis	6	prologe	364	
	aplis in-line	36	raga	376	
	ato	82	rei	378	
	ato in-line	84	rokko	380	
	cadre	88	side	382	
	cana	90	side in-line	388	
	diapason	130	stripe	394	
	dolma	134	up	396	
	down	142	up in-line	406	
	down in-line	172	vergo	410	
	erubo	212	wabi	412	
	esprit	214	Track systems	low voltage microtrack	416
	fuga	224		low voltage track	420
	holon	227		3~ circuit track	446
	inline	286	Integration	audio	456
	inti	292		emergency lighting	464
	inti in-line	294		power supply hide-away	466
	kagi	296		ventilation	468
	lini	310	Offices		470
	noite	312			
nuit	318				
onn	341				



# kreon colours

Alphabetical order

---

**BB**

brushed bronze

**BG**

brushed gold

**BS**

brushed silver

**BR**

bronze



carrara bianco



chrome

**FG**

fume grey

**GD**

gold

---

**GB**

gun black



kreon black



kreon black and  
kreon white



kreon grey



kreon white

**NG**

natural grey



nero marquina

---

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (12°)	FL Flood (24°)	WFL Wide flood (38°)	Optional accessories
 <b>aplis 40 directional</b> Ø 45 H 80 Glare snoot: incl.	○	<a href="#">KR957731</a>	①	137,00	-	-				-	-	-	■
	●	<a href="#">KR957732</a>	①	137,00	-	-				-	-	-	■
 <b>aplis 40 directional high output</b> Ø 45 H 80 Glare snoot: incl.	○	<a href="#">KR957741</a>	②	152,00			-	-	-	-	-	-	■
	●	<a href="#">KR957742</a>	②	152,00			-	-	-	-	-	-	■
 <b>aplis 40 downlight</b> Ø 45 H 80	○	<a href="#">KR957031</a>	③	120,00	-	-				-	-	-	■
	●	<a href="#">KR957032</a>	③	120,00	-	-				-	-	-	■
 <b>aplis 40 downlight high output</b> Ø 45 H 80	○	<a href="#">KR957041</a>	④	135,00			-	-	-	-	-	-	■
	●	<a href="#">KR957042</a>	④	135,00			-	-	-	-	-	-	■
 <b>aplis 40 wallwasher</b> Ø 45 H 80	○	<a href="#">KR957331</a>	⑤	198,00	-	-							■
	●	<a href="#">KR957332</a>	⑤	198,00	-	-							■
 <b>aplis 40 HE wallwasher</b> Ø 45 H 75	○	<a href="#">KR957341</a>	⑥	151,00	-	-							■
	●	<a href="#">KR957342</a>	⑥	151,00	-	-							■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	2W	700mA	121lm
	CRI90+	2700K/3000K	3,2W	1050mA	143lm
② LED	CRI95+	2700K/3000K/4000K	6W	500mA	TBD
③ LED	CRI90+	2700K/3000K	2W	700mA	138lm
	CRI90+	2700K/3000K	3,2W	1050mA	172lm
④ LED	CRI95+	2700K/3000K/4000K	6W	500mA	TBD
⑤ LED	CRI90+	2700K/3000K	2W	700mA	47lm
	CRI90+	2700K/3000K	3,2W	1050mA	71lm
⑥ LED	CRI90+	2700K/3000K	4W	700mA	291lm

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737602</u>	34,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	<u>KR707301</u>	26,00	Louvre IP44, white
	<u>KR707302</u>	26,00	Louvre IP44, black
Driver	<u>KR752430</u>	17,00	LED driver, 700mA, ON/OFF, 1,75-3,15W, IP65 (only for downlight)
	<u>KR752530</u>	17,00	LED driver, 700mA, ON/OFF, 2,8-6,3W, IP65 (only for wallwasher)
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W
	<u>KR772631</u>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
	<u>KR772632</u>	60,00	LED driver, 700mA, 0/1-10V, 7-12W
	<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 10W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR772443</u>	136,00	LED driver, 1050mA, DALI, 60W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 38W (min. 4 modules)

# kreon aplis 40

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>aplis 40 downlight for LED engine 35</b> Ø 45 H 80	○	<u>KR957101</u>		35,00	■	■
	●	<u>KR957102</u>		35,00	■	■

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737602</u>	34,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

kreon **aplis 60**  
module

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	<b>aplis 60 directional for LED engine 35</b>	○	<u>KR937641</u>	87,00	■	■
	⊙ Ø68 D 80 ⊙ Glare snoot: incl., LED engine: excl., gear: excl., IP20	●	<u>KR937642</u>	87,00	■	■

# kreon aplis 60 accessories module

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737372</u>	31,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

kreon **aplis 60**  
module

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	<b>aplis 60 downlight for LED engine 35</b>	○	<u>KR937541</u>	87,00	■	■
	⊙ Ø68 D 80 ⬠ Glare snoot: incl., LED engine: excl., gear: excl., IP20	●	<u>KR937542</u>	87,00	■	■

# kreon aplis 60 accessories module

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737372</u>	31,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

kreon aplis 60  
standard

		Colour	KR-code		Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (20°)	FL Flood (36°)	WFL Wide flood (45°)	Optional accessories
	<b>aplis 60 directional</b> Ø68 D 95 Glare snoot: incl., gear: excl., IP20	○	<u>KR937941</u>	①	170,00	-	-	-	-	-	-	■
		●	<u>KR937942</u>	①	170,00	-	-	-	-	-	-	■
	<b>aplis 60 downlight</b> Ø68 D 95 Gear: excl., IP20	○	<u>KR937041</u>	②	155,00	-	-	-	-	-	-	■
		●	<u>KR937042</u>	②	155,00	-	-	-	-	-	-	■
	<b>aplis 60 downlight IP44</b> Ø68 D 95 Gear: excl., IP44	○	<u>KR937141</u>	②	164,00	-	-	-	-	-	-	■
		●	<u>KR937142</u>	②	164,00	-	-	-	-	-	-	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	734lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	845lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	837lm
②	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	830lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	936lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	879lm

# kreon aplis 60 accessories standard

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737372</u>	31,00	Plasterkit for concrete installation
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 2,1-20W
	<u>KR752733</u>	66,00	LED driver, 700mA, DALI, 2,1-20W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W

# kreon aplis 60

## high efficiency

	Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Optional accessories
 <b>aplis 60 HE downlight</b> Ø68 D 90 Gear: excl., IP20	○	<u>KR937051</u>	①	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-	■
	●	<u>KR937052</u>	①	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-	■
 <b>aplis 60 HE downlight IP44</b> Ø68 D 90 Gear: excl., IP44	○	<u>KR937151</u>	①	183,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-	■
	●	<u>KR937152</u>	①	183,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (SSP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
	CRI95+				TBD
LED (SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	709lm
	CRI95+				640lm
	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
LED (FL)	CRI90+	2700K/3000K/4000K	12W	350mA	1112lm
	CRI95+				806lm
	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
LED (WFL)	CRI90+	2700K/3000K/4000K	12W	350mA	1106lm
	CRI95+				816lm

kreon aplis 60 accessories  
high efficiency

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737372</u>	31,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W

# kreon aplis 60

## high efficiency - low louvre

	Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Optional accessories
 <b>aplis 60 HE downlight low louvre</b> Ø68 D 87 Gear: excl., IP20	○	<a href="#">KR937361</a>	①	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
	●	<a href="#">KR937362</a>	①	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
 <b>aplis 60 HE downlight low louvre</b> Ø68 D 87 Gear: excl., IP20	○	<a href="#">KR937371</a>	②	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■
	●	<a href="#">KR937372</a>	②	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■
 <b>aplis 60 HE wallwasher</b> Ø68 D 92 Gear: excl., IP20	○	<a href="#">KR937561</a>	③	218,00	-	-	-	15,00	15,00	15,00	23,00	11,00					■
	●	<a href="#">KR937562</a>	③	218,00	-	-	-	15,00	15,00	15,00	23,00	11,00					■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	566lm
	LED (SP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	775lm
		CRI90+/CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	835-1053lm 726lm
②	LED (FL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1260lm
		CRI90+/CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	907-1153lm 823lm
	LED (WFL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1312lm
	CRI90+/CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	926-1225lm 891lm	
③	LED (WW)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+/CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	837lm - 1111lm 831lm

# kreon aplis 60 accessories

## high efficiency - low louvre

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737372</u>	31,00	Plasterkit for concrete installation
Driver 300mA for SSP, SP & wallwasher	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W

# kreon aplis 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)								SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	Optional accessories
					9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+				
 <b>aplis 80 HE directional SP &amp; SSP</b> Ⓞ Ø 90 H 120 Ⓢ Gear: excl., IP40	○	<u>KR937021</u>	①	225,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■
	●	<u>KR937022</u>	①	225,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■
 <b>aplis 80 HE directional FL</b> Ⓞ Ø 90 H 120 Ⓢ Gear: excl., IP40	○	<u>KR937121</u>	②	225,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■
	●	<u>KR937122</u>	②	225,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	500lm
	LED (SP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	736lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	820-1055lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+/ CRI95	2700K/3000K/4000K	12W	350mA	995lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	914-1172lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737702</u>	36,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W

# kreon aplis 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	WFL Wide flood (69°)	Optional accessories
	○	<a href="#">KR937221</a>	①	195,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
	●	<a href="#">KR937222</a>	①	195,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
	○	<a href="#">KR937321</a>	②	195,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■
	●	<a href="#">KR937322</a>	②	195,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■
	○	<a href="#">KR937721</a>	①	200,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
	●	<a href="#">KR937722</a>	①	200,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
	○	<a href="#">KR937711</a>	②	200,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■
	●	<a href="#">KR937712</a>	②	200,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (SSP/SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	758lm
	CRI95+	2700K/3000K/4000K	9,9W	300mA	678lm
	CRI90+	TW 2700K-5000K	2x12W	300mA	TBD
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
② LED (FL/WFL)	CRI90+	2700K/3000K/4000K	12W	300mA	1231lm
	CRI95+	2700K/3000K/4000K	12W	300mA	1096lm
	CRI90+	TW 2700K-5000K	2x12W	300mA	TBD
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737702</u>	36,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W

# kreon aplis 80

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	Optional accessories
 <b>aplis 80 HE wallwasher</b> Ø 90 H 92 Gear: excl., IP40	○	<u>KR937421</u>	①	235,00	-	-	-	15,00	15,00	15,00	23,00	11,00	■		
	●	<u>KR937422</u>	①	235,00	-	-	-	15,00	15,00	15,00	23,00	11,00	■		

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (WW)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
	CRI90+	TW 2700K-5000K	2x12W	300mA	837lm-1111lm
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737702</u>	36,00	Plasterkit for concrete installation
Driver 300mA for wallwasher	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W

# kreon aplis 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (38°)	Required accessories	Optional accessories
	<b>aplis 80 directional LED</b> ⊙ ∅ 90 H 120 ⬠ Filter holder: incl., glare snoot: incl.	○	<u>KR937931</u>	①	185,00	-	-	-	-	-	-	■	
		●	<u>KR937932</u>	①	185,00	-	-	-	-	-	-	■	
	<b>aplis 80 directional LED MR16</b> ⊙ ∅ 90 H 110 ⬠ Filter holder: incl., lamp: excl.	○	<u>KR937801</u>	②	105,00							■	
		●	<u>KR937802</u>	②	105,00							■	
	<b>aplis 80 directional LED PAR16</b> ⊙ ∅ 90 H 125 □ Filter holder: incl., lamp: excl.	○	<u>KR937841</u>	③	105,00							■	
		●	<u>KR937842</u>	③	105,00							■	
	<b>aplis 80 directional for LED engine 50</b> ⊙ ∅ 90 H 120 ⬠ Glare snoot: incl.	○	<u>KR937201</u>		94,00							■	■
		●	<u>KR937202</u>		94,00							■	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		11,9W	350mA	665lm
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732300-9027-SP</u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u>KR732300-9027-FL</u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u>KR732300-9027-WFL</u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u>KR732300-9030-SP</u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u>KR732300-9030-FL</u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u>KR732300-9030-WFL</u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR737702</u>	36,00	Plasterkit for concrete installation
Lenses (can not be combined in case of LED engine)	<u>KR704100</u>	27,00	Sculpture lens
	<u>KR704200</u>	27,00	Diffusing lens
	<u>KR772342</u>	30,00	Anti-glare louvre
Driver LED and LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752743</u>	64,00	LED driver, 350mA, phase dim, 0,7-17W (only for LED)
	<u>KR752740</u>	21,00	LED driver, 350mA, phase dim, 4,5-14W (only for LED engine)
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W

# kreon aplis 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+			9530 3000K, CRI95+			9540 4000K, CRI95+			SP Spot (24°)	FL Flood (38°)	WFL Wide flood (45°)	Required accessories	Optional accessories
 <b>aplis 80 downlight LED</b> ⊙ ∅ 90 H 100 ⬠	○	<a href="#">KR937031</a>	①	165,00	-	-	-	-	-	-	-	-	-	-	-	-	■	
	●	<a href="#">KR937032</a>	①	165,00	-	-	-	-	-	-	-	-	-	-	-	-	■	
 <b>aplis 80 downlight LED IP44</b> ⊙ ∅ 90 H 100 ⬠	○	<a href="#">KR937111</a>	①	170,00	-	-	-	-	-	-	-	-	-	-	-	-	■	
	●	<a href="#">KR937112</a>	①	170,00	-	-	-	-	-	-	-	-	-	-	-	-	■	
 <b>aplis 80 downlight LED MR16</b> ⊙ ∅ 90 H 110 ⬠ Lamp: excl.	○	<a href="#">KR937231</a>	②	100,00													■	
	●	<a href="#">KR937232</a>	②	100,00													■	
 <b>aplis 80 downlight LED PAR16</b> ⊙ ∅ 90 H 130 ⬠ Lamp: excl.	○	<a href="#">KR937251</a>	③	100,00													■	
	●	<a href="#">KR937252</a>	③	100,00													■	
 <b>aplis 80 downlight for LED engine 50</b> ⊙ ∅ 90 H 120 ⬠	○	<a href="#">KR937101</a>		89,00												■	■	
	●	<a href="#">KR937102</a>		89,00												■	■	

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI95+	2700K/3000K/4000K		12,6W	700mA	TBD
② LED MR16			12V	15W		
③ LED PAR16			230V	15W		

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<a href="#"><u>KR732300-9027-SP</u></a>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<a href="#"><u>KR732300-9027-FL</u></a>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<a href="#"><u>KR732300-9027-WFL</u></a>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<a href="#"><u>KR732300-9030-SP</u></a>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<a href="#"><u>KR732300-9030-FL</u></a>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<a href="#"><u>KR732300-9030-WFL</u></a>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<a href="#"><u>KR737702</u></a>	36,00	Plasterkit for concrete installation
LED driver	<a href="#"><u>KR772034</u></a>	42,00	LED driver, 700mA, ON/OFF, 20W,
	<a href="#"><u>KR772232</u></a>	64,00	LED driver, 700mA, 1-10V, 20W
	<a href="#"><u>KR772236</u></a>	76,00	LED driver, 700mA, DALI, 18W
	<a href="#"><u>KR772430</u></a>	37,00	LED driver, 700mA, phase dim, 25W
	<a href="#"><u>KR772931</u></a>	32,00	LED driver, 700mA, phase dim, 14W
	<a href="#"><u>KR772239</u></a>	145,00	LED driver, 700mA, Casambi, 36W
Driver for LED engine	<a href="#"><u>KR747064</u></a>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<a href="#"><u>KR772511</u></a>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<a href="#"><u>KR752740</u></a>	21,00	LED driver, 350mA, phase dim, 4,5-14W
	<a href="#"><u>KR777200-350</u></a>	TBD	LED driver, 350mA, DALI & 0/1-10V, 1-25W
	<a href="#"><u>KR777220-350</u></a>	TBD	LED driver, 350mA, DALI, 1-19W
	<a href="#"><u>KR772219</u></a>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W

# kreon aplis 120

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (15°)	FL Flood (24°)	WFL Wide flood (36°)	XFL Extra wide flood (60°)	Optional accessories
 <b>aplis 120 directional</b> Ø 128 H 140	○	<u>KR957931</u>	①	217,00	-	-	-	-	-	-	-	■
	●	<u>KR957932</u>	①	217,00	-	-	-	-	-	-	-	■
 <b>aplis 120 downlight</b> Ø 128 H 110	○	<u>KR957231</u>	②	200,00	-	-	-	-	-	-	-	■
	●	<u>KR957232</u>	②	200,00	-	-	-	-	-	-	-	■

		CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	SP	CRI95+	2700K/3000K/4000K	19,8W	600mA	1482lm
		FL & WFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1620lm
		XFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1617lm
②	LED	SP	CRI95+	2700K/3000K/4000K	19,8W	600mA	1482lm
		FL & WFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1620lm
		XFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1617lm

# kreon aplis 120 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Louvre IP44 (only for downlight)	<u>KR707406</u>	39,00	Louvre IP44, white
	<u>KR707402</u>	39,00	Louvre IP44, black
Lenses (only for directional)	<u>KR750100</u>	28,00	Sculpture lens
	<u>KR750200</u>	28,00	Diffusing lens
	<u>KR750800</u>	38,00	Softening lens
Driver	<u>KR752953-600</u>	52,00	LED driver, 600mA, phase dim, 4,4-20W
	<u>KR772034-600</u>	42,00	LED driver, 600mA, ON/OFF, 1,2-20W
	<u>KR777200-600</u>	53,00	LED driver, 600mA, DALI 8 0/1-10V, 1,2-25W
	<u>KR777500-600</u>	97,00	LED driver, 600mA, DALI 8 0/1-10V, 1,8-43,2W
	<u>KR777220-600</u>	63,00	LED driver, 600mA, DALI, 1,2-19,5W

# kreon aplis 165

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	Required accessories	Optional accessories
	<b>aplis 165 directional high output</b>	○	<u>KR937341</u>	①	373,00	–	–	–	■	■
	⊙ Ø 175 H 250 Filter holder: incl., glare snoot: incl.	●	<u>KR937342</u>	①	373,00	–	–	–	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1874lm

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Reflector	<u>KR720032</u>	46,00	Reflector LED, spot 13°
	<u>KR720034</u>	46,00	Reflector LED, flood 23°
	<u>KR720036</u>	46,00	Reflector LED, wide flood 40°
<b>■ Optional accessories</b>			
Lenses	<u>KR720100</u>	31,00	Sculpture lens
	<u>KR720800</u>	44,00	Softening lens
Driver	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 36W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 35W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W

	Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>aplis 165 directional high output</b> <b>LE111</b> ⌀ 175 H 175 glare snoot: incl.	○	<u>KR937351</u>	202,00	■	■
	●	<u>KR937352</u>	202,00	■	■
	●	<u>KR937353</u>	202,00	■	■
 <b>aplis 165 fixed high output</b> <b>LE111</b> ⌀ 175 H 95	○	<u>KR937451</u>	180,00	■	■
	●	<u>KR937452</u>	180,00	■	■

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732100-9030-SP</u>	56,00	LED engine 111, 3000K, CRI90+, 15°, 25,7W, 700mA (2350lm)
	<u>KR732100-9030-FL</u>	56,00	LED engine 111, 3000K, CRI90+, 24°, 36,9W, 1050mA (3450lm)
	<u>KR732100-9030-WFL</u>	56,00	LED engine 111, 3000K, CRI90+, 60°, 36,8W, 1050mA (3150lm)
<b>■ Optional accessories</b>			
Driver	<u>KR772530</u>	73,00	LED driver, 700mA, ON/OFF, 28W
	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	<u>KR772233</u>	90,00	LED driver, 700mA, DALI, 8,4-27W
	<u>KR772643</u>	189,00	LED driver, 1050mA, DALI, 40W

# kreon aplis in-line 20

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP	DL	WDL	Required accessories	Optional accessories
					Spot (20°)	Dark light (36°)	Wide dark light (60°)						
<b>aplis in-line 20 downlight</b> Ⓞ H 136	○	<u>KR939021</u>	①	125,00	–	–	–	22,00	22,00	■	■		
	●	<u>KR939022</u>	①	125,00	–	–	–	22,00	22,00	■	■		

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (SP)	CRI90+	2700K/3000K	4W	1400mA	300lm
LED (DL/WDL)	CRI90+	2700K/3000K	12,4W	1050mA	462lm

# kreon aplis in-line 20 accessories

Base price (EUR excl. VAT)

## ■ Required accessories

Chassis	<a href="#"><u>KR739020</u></a>	73,00	Chassis aplis in-line 20
Plasterkit	<a href="#"><u>KR717104</u></a>	25,00	Plasterkit, front mounting, no shadowgap ⌀ Ø102
	<a href="#"><u>KR717108</u></a>	25,00	Plasterkit, front mounting, shadowgap ⌀ Ø102
	<a href="#"><u>KR717000</u></a>	36,00	Plasterkit, back mounting, no shadowgap ⌀ Ø86
Concrete plasterkit	<a href="#"><u>KR717102</u></a>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ⌀ Ø140
Installation kit	<a href="#"><u>KR717100</u></a>	36,00	Installation kit, back mounting

## ■ Optional accessories

Blind cover	<a href="#"><u>KR709220</u></a>	15,00	Blind cover
Driver	<a href="#"><u>KR772543</u></a>	76,00	LED driver, 1050mA, DALI2, 2,1-20W
	<a href="#"><u>KR772743</u></a>	90,00	LED driver, 1050mA, touchdim DALI2/dim-to-warm, 10-38W
	<a href="#"><u>KR772249</u></a>	145,00	LED driver, 1050mA, Casambi/dim-to-warm, 10,5-38W
	<a href="#"><u>KR772952</u></a>	60,00	LED driver, 1400mA, 0-10V, 30W
	<a href="#"><u>KR772956</u></a>	80,00	LED driver, 1400mA, DALI, 2,8-30W

# kreon aplis in-line 40

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (10°)	FL Flood (24°)	WFL Wide flood (46°)	Required accessories	Optional accessories
 <b>aplis in-line 40 directional</b> H 80 Glare snoot: incl.		<u>KR907733</u>	①	109,00	-	-				-	-	-	■	■
 <b>aplis in-line 40 directional high output</b> H 80 Glare snoot: incl.		<u>KR907743</u>	②	124,00			-	-	-	-	-	-	■	■
 <b>aplis in-line 40 downlight</b> H 80		<u>KR907033</u>	③	91,00	-	-				-	-	-	■	■
 <b>aplis in-line 40 downlight high output</b> H 80		<u>KR907043</u>	④	106,00			-	-	-	-	-	-	■	■
 <b>aplis in-line 40 wallwasher</b> H 80		<u>KR907331</u>	⑤	162,00	-	-							■	■
		<u>KR907332</u>	⑤	162,00	-	-							■	■
 <b>aplis in-line 40 HE wallwasher</b> H 75		<u>KR907341</u>	⑥	124,00	-	-							■	■
		<u>KR907342</u>	⑥	124,00	-	-							■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	2W	700mA	121lm
		CRI90+	2700K/3000K	3,2W	1050mA	143lm
②	LED	CRI95+	2700K/3000K/4000K	6W	500mA	TBD
③	LED	CRI90+	2700K/3000K	2W	700mA	138lm
		CRI90+	2700K/3000K	3,2W	1050mA	172lm
④		CRI95+	2700K/3000K/4000K	6W	500mA	TBD
⑤	LED	CRI90+	2700K/3000K	2W	700mA	47lm
		CRI90+	2700K/3000K	3,2W	1050mA	71lm
⑥	LED	CRI90+	2700K/3000K	4W	700mA	291lm

# kreon aplis in-line 40 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR707104</u>	18,00	Plasterkit, front mounting, no shadowgap ⌀ Ø63
	<u>KR707000</u>	28,00	Plasterkit, Ø40, trimless, back mounting, 13+mm panel ⌀ Ø48
	<u>KR707002</u>	28,00	Plasterkit, Ø40, trimless, back mounting, 9-13mm ⌀ Ø48
Installation kit	<u>KR707100</u>	23,00	Installation kit Ø40, trimless, back mounting, 13+mm panel ⌀ Ø42
	<u>KR707102</u>	23,00	Installation kit Ø40, trimless, back mounting ⌀ Ø42
Plasterkit concrete	<u>KR707101</u>	33,00	Plasterkit for concrete installation ⌀ Ø85
Deep recessed installation (only for downlight)	<u>KR707704</u>	21,00	Plasterkit, front mounting, deep recessed, no shadowgap ⌀ Ø63
	<u>KR707701</u>	36,00	Plasterkit for concrete installation, deep recessed, no shadowgap ⌀ Ø85

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Louvre	<u>KR707106</u>	17,00	Louvre, white
	<u>KR707122</u>	17,00	Louvre, black
	<u>KR707124</u>	42,00	Louvre, brushed bronze
	<u>KR707127</u>	42,00	Louvre, brushed silver
	<u>KR707128</u>	42,00	Louvre, brushed gold
	<u>KR707129</u>	42,00	Louvre, gun black
Dropped louvre (only for downlight)	<u>KR707806</u>	30,00	Dropped louvre, white
	<u>KR707802</u>	30,00	Dropped louvre, black
	<u>KR707804</u>	55,00	Dropped louvre, brushed bronze
	<u>KR707807</u>	55,00	Dropped louvre, brushed silver
	<u>KR707808</u>	55,00	Dropped louvre, brushed gold
	<u>KR707809</u>	55,00	Dropped louvre, gun black
Louvre IP44 (only for downlight)	<u>KR707301</u>	26,00	Louvre IP44, white
	<u>KR707302</u>	26,00	Louvre IP44, black
Deep recessed louvre (only for downlight)	<u>KR707706</u>	20,00	Deep recessed louvre, white
	<u>KR707702</u>	20,00	Deep recessed louvre, black
	<u>KR707604</u>	45,00	Deep recessed louvre, brushed bronze
	<u>KR707607</u>	45,00	Deep recessed louvre, brushed silver
	<u>KR707608</u>	45,00	Deep recessed louvre, brushed gold
	<u>KR707609</u>	45,00	Deep recessed louvre, gun black

# kreon aplis in-line 40 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Driver	<u>KR752430</u>	17,00	LED driver, 700mA, ON/OFF, 1,75-3,15W, IP65 (only for downlight)
	<u>KR752530</u>	17,00	LED driver, 700mA, ON/OFF, 2,8-6,3W, IP65 (only for wallwasher)
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W
	<u>KR772631</u>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
	<u>KR772632</u>	60,00	LED driver, 700mA, 0/1-10V, 7-12W
	<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 1,4-8,4W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR772443</u>	136,00	LED driver, 1050mA, DALI, 60W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 38W (min. 4 modules)
Distance ring	<u>KR707307</u>	10,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR707308</u>	12,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR707309</u>	16,00	Distance ring 5mm (set of 5 pcs.)

# kreon aplis in-line 40

	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>aplis in-line 40 downlight for LED engine 35</b> ⊙ H 80 ⬠ Glare snoot: incl.	<u>KR907003</u>	23,00	<input checked="" type="checkbox"/>	<input type="checkbox"/>
			<input checked="" type="checkbox"/>	<input type="checkbox"/>

# kreon aplis in-line 40 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<a href="#"><u>KR732400-9027-SP</u></a>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<a href="#"><u>KR732400-9027-FL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<a href="#"><u>KR732400-9027-WFL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<a href="#"><u>KR732400-9030-FL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<a href="#"><u>KR732400-9030-WFL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
Plasterkit	<a href="#"><u>KR707104</u></a>	18,00	Plasterkit, front mounting, no shadowgap ⌀ Ø63
	<a href="#"><u>KR707000</u></a>	28,00	Plasterkit, Ø40, trimless, back mounting, 13+mm panel ⌀ Ø48
	<a href="#"><u>KR707002</u></a>	28,00	Plasterkit, Ø40, trimless, back mounting, 9-13mm ⌀ Ø48
Installation kit	<a href="#"><u>KR707100</u></a>	23,00	Installation kit Ø40, trimless, back mounting, 13+mm panel ⌀ Ø42
	<a href="#"><u>KR707102</u></a>	23,00	Installation kit Ø40, trimless, back mounting ⌀ Ø42
Plasterkit concrete	<a href="#"><u>KR707101</u></a>	33,00	Plasterkit for concrete installation ⌀ Ø85
Deep recessed installation (only for downlight)	<a href="#"><u>KR707704</u></a>	21,00	Plasterkit, front mounting, deep recessed, no shadowgap ⌀ Ø63
	<a href="#"><u>KR707701</u></a>	36,00	Plasterkit for concrete installation, deep recessed, no shadowgap ⌀ Ø85

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Louvre	<u>KR707106</u>	17,00	Louvre, white
	<u>KR707122</u>	17,00	Louvre, black
	<u>KR707124</u>	42,00	Louvre, brushed bronze
	<u>KR707127</u>	42,00	Louvre, brushed silver
	<u>KR707128</u>	42,00	Louvre, brushed gold
	<u>KR707129</u>	42,00	Louvre, gun black
Dropped louvre (only for downlight)	<u>KR707806</u>	30,00	Dropped louvre, white
	<u>KR707802</u>	30,00	Dropped louvre, black
	<u>KR707804</u>	55,00	Dropped louvre, brushed bronze
	<u>KR707807</u>	55,00	Dropped louvre, brushed silver
	<u>KR707808</u>	55,00	Dropped louvre, brushed gold
	<u>KR707809</u>	55,00	Dropped louvre, gun black
Deep recessed louvre (only for downlight)	<u>KR707706</u>	20,00	Deep recessed louvre, white
	<u>KR707702</u>	20,00	Deep recessed louvre, black
	<u>KR707604</u>	45,00	Deep recessed louvre, brushed bronze
	<u>KR707607</u>	45,00	Deep recessed louvre, brushed silver
	<u>KR707608</u>	45,00	Deep recessed louvre, brushed gold
	<u>KR707609</u>	45,00	Deep recessed louvre, gun black

# kreon aplis in-line 40 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
LED driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W
Distance ring	<u>KR707307</u>	10,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR707308</u>	12,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR707309</u>	16,00	Distance ring 5mm (set of 5 pcs.)

# kreon aplis in-line 60 module

	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>aplis in-line 60 directional for LED engine 35</b> ⊙ D 80 ⬠ Glare snoot: incl., LED engine: excl., gear: excl., IP20	<u>KR917663</u>	61,00	■	■

# kreon aplis in-line 60 module

	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>aplis in-line 60 downlight for LED engine 35</b> ⊙ D 80 ⬠ Glare snoot: incl., LED engine: excl., gear: excl., IP20	<u>KR917563</u>	61,00	■	■

# kreon aplis in-line 60 accessories module

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<a href="#"><u>KR732400-9027-SP</u></a>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<a href="#"><u>KR732400-9027-FL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<a href="#"><u>KR732400-9027-WFL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<a href="#"><u>KR732400-9030-FL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<a href="#"><u>KR732400-9030-WFL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
Plasterkit	<a href="#"><u>KR707174</u></a>	22,00	Plasterkit, front mounting, no shadowgap  Ø80
	<a href="#"><u>KR707070</u></a>	33,00	Plasterkit, back mounting, no shadowgap  Ø68
Installation kit	<a href="#"><u>KR707170</u></a>	28,00	Installation kit, back mounting  Ø63
Plasterkit concrete	<a href="#"><u>KR707172</u></a>	34,00	Plasterkit for concrete installation, no shadowgap  Ø105
Louvre	<a href="#"><u>KR717176</u></a>	19,00	Louvre, white
	<a href="#"><u>KR717172</u></a>	19,00	Louvre, black
	<a href="#"><u>KR717174</u></a>	44,00	Louvre, brushed bronze
	<a href="#"><u>KR717177</u></a>	44,00	Louvre, brushed silver
	<a href="#"><u>KR717178</u></a>	44,00	Louvre, brushed gold
	<a href="#"><u>KR717179</u></a>	44,00	Louvre, gun black

# kreon aplis in-line 60 accessories module

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
LED driver	<b><u>KR772554</u></b>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<b><u>KR772550</u></b>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<b><u>KR772551</u></b>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<b><u>KR772556</u></b>	66,00	LED driver, 180mA, DALI2, 1-8W
Distance ring	<b><u>KR707077</u></b>	12,00	Distance ring 2mm (set of 5 pcs.)
	<b><u>KR707078</u></b>	14,00	Distance ring 3mm (set of 5 pcs.)
	<b><u>KR707079</u></b>	18,00	Distance ring 5mm (set of 5 pcs.)

# kreon aplis in-line 60 standard

	KR-code	Light source	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (20°)	FL Flood (36°)	WFL Wide flood (45°)	Required accessories	Optional accessories
 <b>aplis in-line 60 directional</b> Ⓢ D 95 Glare snoot: incl., gear: excl., IP20	<u>KR917943</u>	①	136,00	-	-	-	-	-	-	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	734lm
LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	845lm
LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	837lm

# kreon aplis in-line 60 standard

	KR-code	Light source	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (20°)	FL Flood (36°)	WFL Wide flood (45°)	Required accessories	Optional accessories
 <b>aplis in-line 60 downlight</b> Ⓢ D 95 Gear: excl., IP20	<u>KR917043</u>	①	124,00	—	—	—	—	—	—	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	830lm
LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	936lm
LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	879lm

# kreon aplis in-line 60 accessories standard

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR707174</u></a>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø80
	<a href="#"><u>KR707070</u></a>	33,00	Plasterkit, back mounting, no shadowgap ☉ Ø68
Installation kit	<a href="#"><u>KR707170</u></a>	28,00	Installation kit, back mounting ☉ Ø63
Plasterkit concrete	<a href="#"><u>KR707172</u></a>	34,00	Plasterkit for concrete installation, no shadowgap
Louvre	<a href="#"><u>KR717176</u></a>	19,00	Louvre, white
	<a href="#"><u>KR717172</u></a>	19,00	Louvre, black
	<a href="#"><u>KR717174</u></a>	44,00	Louvre, brushed bronze
	<a href="#"><u>KR717177</u></a>	44,00	Louvre, brushed silver
	<a href="#"><u>KR717178</u></a>	44,00	Louvre, brushed gold
	<a href="#"><u>KR717179</u></a>	44,00	Louvre, gun black
Louvre IP44 (only for downlight)	<a href="#"><u>KR717376</u></a>	26,00	Louvre IP44, white
	<a href="#"><u>KR717372</u></a>	26,00	Louvre IP44, black
Dropped louvre	<a href="#"><u>KR717976</u></a>	38,00	Dropped louvre, white
	<a href="#"><u>KR717972</u></a>	38,00	Dropped louvre, black

kreon aplis in-line 60 accessories  
standard

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver	<a href="#"><u>KR772034</u></a>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<a href="#"><u>KR772931</u></a>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<a href="#"><u>KR772232</u></a>	64,00	LED driver, 700mA, 1-10V, 2,1-20W
	<a href="#"><u>KR752733</u></a>	66,00	LED driver, 700mA, DALI, 2,1-20W
	<a href="#"><u>KR772239</u></a>	145,00	LED driver, 700mA, Casambi, 7-36W
Distance ring	<a href="#"><u>KR707077</u></a>	12,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707078</u></a>	14,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707079</u></a>	18,00	Distance ring 5mm (set of 5 pcs.)

# kreon aplis in-line 60 high efficiency

		KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories
	<b>aplis in-line 60 HE downlight</b> D 90 Gear: excl., IP20	<u>KR917053</u>	①	140,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
		CRI95+				TBD
	LED (SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	709lm
		CRI95+				640lm
		CRI90+	TW 2700K-5000K	2x11W	TBD	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
	LED (FL)	CRI90+	2700K/3000K/4000K	9,9W	350mA	1112lm
		CRI95+				806lm
		CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
	LED (WFL)	CRI90+	2700K/3000K/4000K	12W	350mA	1106lm
		CRI95+				816lm

# kreon aplis in-line 60 accessories high efficiency

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR707174</u>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø80
	<u>KR707070</u>	33,00	Plasterkit, back mounting, no shadowgap ☉ Ø68
Installation kit	<u>KR707170</u>	28,00	Installation kit, back mounting ☉ Ø63
Plasterkit concrete	<u>KR707172</u>	34,00	Plasterkit for concrete installation, no shadowgap
Louvre	<u>KR717176</u>	19,00	Louvre, white
	<u>KR717172</u>	19,00	Louvre, black
	<u>KR717174</u>	44,00	Louvre, brushed bronze
	<u>KR717177</u>	44,00	Louvre, brushed silver
	<u>KR717178</u>	44,00	Louvre, brushed gold
	<u>KR717179</u>	44,00	Louvre, gun black
Louvre IP44	<u>KR717376</u>	26,00	Louvre IP44, white
	<u>KR717372</u>	26,00	Louvre IP44, black

# kreon aplis in-line 60 accessories high efficiency

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W
Installation tool for downlight	<u>KR707760</u>	13,00	Installation tool
Distance ring	<u>KR707077</u>	12,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR707078</u>	14,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR707079</u>	18,00	Distance ring 5mm (set of 5 pcs.)



# kreon aplis in-line 60

## high efficiency - low louvre and deep recessed louvre

	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories
 <b>aplis in-line 60 HE downlight low louvre</b> D 87-113 Gear: excl.	<u>KR907363</u>	①	140,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■	■
 <b>aplis in-line 60 HE downlight low louvre</b> D 87-113 Gear: excl.	<u>KR907763</u>	②	140,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■	■
 <b>aplis in-line 60 HE wallwasher</b> D 92 Gear: excl.	<u>KR907561</u>	③	176,00	-	-	-	15,00	15,00	15,00	23,00	11,00					■	■
	<u>KR907562</u>	③	176,00	-	-	-	15,00	15,00	15,00	23,00	11,00					■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	566lm
		CRI95+				
	LED (SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	775lm
		CRI95+				
②	LED (FL)	CRI90+	2700K/3000K/4000K	12W	350mA	1260lm
		CRI95+				
		CRI90+	TW 2700K-5000K	2x12W	300mA	907-1153lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm
③	LED (WFL)	CRI90+	2700K/3000K/4000K	12W	350mA	1312lm
		CRI95+				
		CRI90+	TW 2700K-5000K	2x12W	300mA	926-1225lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	891lm
③	LED (WW)	CRI90+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI95+				
		CRI90+	TW 2700K-5000K	2x12W	300mA	837lm - 1111lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	831lm

kreon aplis in-line 60 accessories  
high efficiency - low louvre  
and deep recessed louvre

KR-code

Base price (EUR excl. VAT)

■ Required accessories

Plasterkit	<u>KR707164</u>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø83
Plasterkit concrete	<u>KR707161</u>	34,00	Plasterkit for concrete installation, no shadowgap ☉ Ø105
Louvre for downlight	<u>KR707366</u>	19,00	Low louvre, white
	<u>KR707362</u>	19,00	Low louvre, black
Louvre for wallwasher	<u>KR707561</u>	17,00	Low louvre, white
	<u>KR707562</u>	17,00	Low louvre, black
Deep recessed installation (only for downlight)	<u>KR707666</u>	23,00	Deep recessed louvre, white
	<u>KR707662</u>	23,00	Deep recessed louvre, black
	<u>KR707664</u>	48,00	Deep recessed louvre, brushed bronze
	<u>KR707668</u>	48,00	Deep recessed louvre, brushed gold
	<u>KR707669</u>	48,00	Deep recessed louvre, gun black

# kreon aplis in-line 60 accessories

## high efficiency - low louver

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver 300mA for SSP, SP & wallwasher ①	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL ②	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W
Installation tool for downlight	<u>KR707760</u>	13,00	Installation tool
Distance ring	<u>KR707077</u>	12,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR707078</u>	14,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR707079</u>	18,00	Distance ring 5mm (set of 5 pcs.)



# kreon aplis in-line 80

	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	Required accessories	Optional accessories
 <b>aplis in-line 80 HE directional SSP &amp; SP</b> H 120 Gear: excl., IP40	<u>KR917023</u>	①	185,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-		■	■
 <b>aplis in-line 80 HE directional FL</b> H 120 Gear: excl., IP40	<u>KR917123</u>	②	185,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	500lm
	LED (SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	736lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	820-1055lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+	2700K/3000K/4000K	12W	350mA	995lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	914-1172lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm

# kreon aplis in-line 80

	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	WFL Wide flood (69°)	Required accessories	Optional accessories
 <b>aplis in-line 80 HE fixed SSP &amp; SP</b> H 105 Gear: excl., IP40	<u>KR917223</u>	①	156,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■	■
 <b>aplis in-line 80 HE fixed FL &amp; WFL</b> H 105 Gear: excl., IP40	<u>KR917323</u>	②	156,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■	■
 <b>aplis in-line 80 HE fixed SSP &amp; SP</b> H 105 Gear: excl., IP44	<u>KR917723</u>	①	161,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■	■
 <b>aplis in-line 80 HE fixed FL &amp; WFL</b> H 105 Gear: excl., IP44	<u>KR917713</u>	②	161,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (SSP/SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
	CRI95+	2700K/3000K/4000K	9,9W	300mA	
	CRI90+	TW 2700K-5000K	2x12W	300mA	
	CRI97+	DTW 1800K-3000K	12,6W	350mA	
② LED (FL/WFL)	CRI90+	2700K/3000K/4000K	12W	300mA	TBD
	CRI95+	2700K/3000K/4000K	12W	300mA	
	CRI90+	TW 2700K-5000K	2x12W	300mA	
	CRI97+	DTW 1800K-3000K	12,6W	350mA	

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR717104</u></a>	25,00	Plasterkit, front mounting, no shadowgap ⌀ Ø102
	<a href="#"><u>KR717108</u></a>	25,00	Plasterkit, front mounting, shadowgap ⌀ Ø102
	<a href="#"><u>KR717000</u></a>	36,00	Plasterkit, back mounting, no shadowgap ⌀ Ø86
Plasterkit concrete	<a href="#"><u>KR717102</u></a>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) Ø140
Installation kit	<a href="#"><u>KR717100</u></a>	31,00	Installation kit, no shadowgap Ø83
Louvre	<a href="#"><u>KR717106</u></a>	21,00	Louvre, white
	<a href="#"><u>KR717122</u></a>	21,00	Louvre, black
	<a href="#"><u>KR717124</u></a>	46,00	Louvre, brushed bronze
	<a href="#"><u>KR717127</u></a>	46,00	Louvre, brushed silver
	<a href="#"><u>KR717128</u></a>	46,00	Louvre, brushed gold
	<a href="#"><u>KR717129</u></a>	46,00	Louvre, gun black
Deep recessed louvre (only for downlight)	<a href="#"><u>KR717921</u></a>	25,00	Deep recessed louvre, white
	<a href="#"><u>KR717922</u></a>	25,00	Deep recessed louvre, black
	<a href="#"><u>KR717924</u></a>	50,00	Deep recessed louvre, brushed bronze
	<a href="#"><u>KR717927</u></a>	50,00	Deep recessed louvre, brushed silver
	<a href="#"><u>KR717928</u></a>	50,00	Deep recessed louvre, brushed gold
	<a href="#"><u>KR717929</u></a>	50,00	Deep recessed louvre, gun black

# kreon aplis in-line 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W
Distance ring	<u>KR717307</u>	14,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	16,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	20,00	Distance ring 5mm (set of 5 pcs.)

# kreon aplis in-line 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white	DTW Dim-to-warm, CRI97+	Required accessories	Optional accessories
	<b>aplis in-line 80 HE wallwasher</b>		<u>KR917421</u>	①	201,00	-	-	-	15,00	15,00	15,00	23,00	11,00		
	H 92  Gear: excl., IP40		<u>KR917422</u>	①	201,00	-	-	-	15,00	15,00	15,00	23,00	11,00		

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (WW)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
	CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	837lm-1111lm TBD

# kreon aplis in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR717104</u></a>	25,00	Plasterkit, front mounting, no shadowgap ⌀ Ø102
	<a href="#"><u>KR717108</u></a>	25,00	Plasterkit, front mounting, shadowgap ⌀ Ø102
	<a href="#"><u>KR717000</u></a>	36,00	Plasterkit, back mounting, no shadowgap ⌀ Ø86
Plasterkit concrete	<a href="#"><u>KR717102</u></a>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ⌀ Ø140
Installation kit	<a href="#"><u>KR717100</u></a>	31,00	Installation kit, no shadowgap ⌀ Ø83
Louvre	<a href="#"><u>KR717106</u></a>	21,00	Louvre, white
	<a href="#"><u>KR717122</u></a>	21,00	Louvre, black
<b>■ Optional accessories</b>			
Driver 300mA	<a href="#"><u>KR747464</u></a>	42,00	LED driver, 300mA, ON/OFF, 16W
	<a href="#"><u>KR747562</u></a>	64,00	LED driver, 300mA, 1-10V, 15W
	<a href="#"><u>KR747666</u></a>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<a href="#"><u>KR772209</u></a>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver (tunable white)	<a href="#"><u>KR747766</u></a>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<a href="#"><u>KR747866</u></a>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W
Distance ring	<a href="#"><u>KR717307</u></a>	14,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR717308</u></a>	16,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR717309</u></a>	20,00	Distance ring 5mm (set of 5 pcs.)

# kreon aplis in-line 80

	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (38°)	Required accessories	Optional accessories
 <b>aplis in-line 80 directional LED</b> ⊙ H 120 ⬠ Filter holder: incl., glare snoot: incl.	<u>KR917933</u>	①	151,00	-	-	-	-	-	-	■	■
 <b>aplis in-line 80 directional LED MR16</b> ⊙ H 110 ⬠ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917803</u>	②	74,00							■	■
 <b>aplis in-line 80 directional LED PAR16</b> ⊙ H 125 □ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917843</u>	③	74,00							■	■
 <b>aplis in-line 80 directional for LED engine 50</b> ⊙ ⊙ 102 H 120 ⬠ Glare snoot: incl.	<u>KR917163</u>		66,00							■	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI95+	2700K/3000K/4000K		11,9W	350mA	665lm
② LED MR16			12V	15W		
③ LED PAR16			230V	15W		

# kreon aplis in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<a href="#"><u>KR732300-9027-SP</u></a>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<a href="#"><u>KR732300-9027-FL</u></a>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<a href="#"><u>KR732300-9027-WFL</u></a>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<a href="#"><u>KR732300-9030-SP</u></a>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<a href="#"><u>KR732300-9030-FL</u></a>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<a href="#"><u>KR732300-9030-WFL</u></a>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
Plasterkit	<a href="#"><u>KR717104</u></a>	25,00	Plasterkit, front mounting, no shadowgap ⌀ Ø102
	<a href="#"><u>KR717108</u></a>	25,00	Plasterkit, front mounting, shadowgap ⌀ Ø102
	<a href="#"><u>KR717000</u></a>	36,00	Plasterkit, back mounting, no shadowgap ⌀ Ø86
Plasterkit concrete	<a href="#"><u>KR717102</u></a>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ⌀ Ø140
Installation kit	<a href="#"><u>KR717100</u></a>	31,00	Installation kit, no shadowgap ⌀ Ø83
Louvre	<a href="#"><u>KR717106</u></a>	21,00	Louvre, white
	<a href="#"><u>KR717122</u></a>	21,00	Louvre, black
	<a href="#"><u>KR717124</u></a>	46,00	Louvre, brushed bronze
	<a href="#"><u>KR717127</u></a>	46,00	Louvre, brushed silver
	<a href="#"><u>KR717128</u></a>	46,00	Louvre, brushed gold
	<a href="#"><u>KR717129</u></a>	46,00	Louvre, gun black
Installation trim	<a href="#"><u>KR717821</u></a>	46,00	Installation trim, white
	<a href="#"><u>KR717822</u></a>	46,00	Installation trim, black

# kreon aplis in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Lenses (can not be combined in case of LED engine)	<u>KR704100</u>	27,00	Sculpture lens
	<u>KR704200</u>	27,00	Diffusing lens
	<u>KR772342</u>	30,00	Anti-glare louvre
Driver LED and LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752743</u>	64,00	LED driver, 350mA, phase dim, 0,7-17W (only for LED)
	<u>KR752740</u>	21,00	LED driver, 350mA, phase dim, 4,5-14W (only for LED engine)
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W
Distance ring	<u>KR717307</u>	14,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	16,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	20,00	Distance ring 5mm (set of 5 pcs.)



# kreon aplis in-line 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (24°)	FL Flood (38°)	WFL Wide flood (45°)	Required accessories	Optional accessories
 <b>aplis in-line 80 downlight LED</b> ⊕ H 100		<u>KR917033</u>	①	132,00	-	-	-	-	-	-	■	■
 <b>aplis in-line 80 downlight LED IP44</b> ⊕ H 100		<u>KR917133</u>	①	137,00	-	-	-	-	-	-	■	■
 <b>aplis in-line 80 downlight LED MR16</b> ⊕ H 110 Lamp: excl.		<u>KR917233</u>	②	70,00							■	■
 <b>aplis in-line 80 downlight LED PAR16</b> ⊕ H 125 Lamp: excl.		<u>KR917253</u>	③	70,00							■	■
 <b>aplis in-line 80 downlight for LED engine 50</b> ⊕ H 120		<u>KR917113</u>		62,00							■	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI95+	2700K/3000K/4000K		12,6W	700mA	TBD
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

# kreon aplis in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u><a href="#">KR732300-9027-SP</a></u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u><a href="#">KR732300-9027-FL</a></u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u><a href="#">KR732300-9027-WFL</a></u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u><a href="#">KR732300-9030-SP</a></u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u><a href="#">KR732300-9030-FL</a></u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u><a href="#">KR732300-9030-WFL</a></u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
Plasterkit	<u><a href="#">KR717104</a></u>	25,00	Plasterkit, front mounting, no shadowgap ⌀ Ø102
	<u><a href="#">KR717108</a></u>	25,00	Plasterkit, front mounting, shadowgap ⌀ Ø102
	<u><a href="#">KR717000</a></u>	36,00	Plasterkit, back mounting, no shadowgap ⌀ Ø86
Plasterkit concrete	<u><a href="#">KR717102</a></u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ⌀ Ø140
Installation kit	<u><a href="#">KR717100</a></u>	31,00	Installation kit, no shadowgap ⌀ Ø83

# kreon aplis in-line 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Louvre	<u>KR717106</u>	21,00	Louvre, white
	<u>KR717122</u>	21,00	Louvre, black
	<u>KR717124</u>	46,00	Louvre, brushed bronze
	<u>KR717127</u>	46,00	Louvre, brushed silver
	<u>KR717128</u>	46,00	Louvre, brushed gold
	<u>KR717129</u>	46,00	Louvre, gun black
Dropped louvre	<u>KR717906</u>	43,00	Dropped louvre, white
	<u>KR717902</u>	43,00	Dropped louvre, black
	<u>KR717804</u>	68,00	Dropped louvre, brushed bronze
	<u>KR717807</u>	68,00	Dropped louvre, brushed silver
	<u>KR717808</u>	68,00	Dropped louvre, brushed gold
	<u>KR717809</u>	68,00	Dropped louvre, gun black

# kreon aplis in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
LED driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 1,4-20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 5,5-18W
	<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 13-25W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W
Driver LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752740</u>	21,00	LED driver, 350mA, phase dim, 4,5-14W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W
Distance ring	<u>KR717307</u>	14,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	16,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	20,00	Distance ring 5mm (set of 5 pcs.)

# kreon aplis in-line 120

	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (15°)	FL Flood (24°)	WFL Wide flood (36°)	XFL Extra wide flood (60°)	Required accessories	Optional accessories
 <b>aplis in-line 120 directional</b> H 140	<u>KR907933</u>	①	185,00	-	-	-	-	-	-	-	■	■
 <b>aplis in-line 120 downlight</b> H 110	<u>KR907233</u>	②	168,00	-	-	-	-	-	-	-	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	SP	CRI95+	2700K/3000K/4000K	19,8W	600mA	1482lm
		FL & WFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1620lm
		XFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1617lm
②	LED	SP	CRI95+	2700K/3000K/4000K	19,8W	600mA	1482lm
		FL & WFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1620lm
		XFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1617lm

# kreon aplis in-line 120 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR707204</u></a>	29,00	Plasterkit, front mounting, no shadowgap ⌀ Ø144
Louvre	<a href="#"><u>KR707206</u></a>	23,00	Louvre, white
	<a href="#"><u>KR707222</u></a>	23,00	Louvre, black
Louvre IP44 (only for downlight)	<a href="#"><u>KR707406</u></a>	39,00	Louvre IP44, white
	<a href="#"><u>KR707402</u></a>	39,00	Louvre IP44, black
<b>■ Optional accessories</b>			
Lenses (only for directional)	<a href="#"><u>KR750100</u></a>	28,00	Sculpture lens
	<a href="#"><u>KR750200</u></a>	28,00	Diffusing lens
	<a href="#"><u>KR750800</u></a>	38,00	Softening lens
Driver	<a href="#"><u>KR752953-600</u></a>	42,00	LED driver, 600mA, phase dim, 4,4-20W
	<a href="#"><u>KR772034-600</u></a>	64,00	LED driver, 600mA, ON/OFF, 1,2-20W
	<a href="#"><u>KR777200-600</u></a>	76,00	LED driver, 600mA, DALI ⚡ 0/1-10V, 1,2-25W
	<a href="#"><u>KR777500-600</u></a>	37,00	LED driver, 600mA, DALI ⚡ 0/1-10V, 1,8-43,2W
	<a href="#"><u>KR777220-600</u></a>	145,00	LED driver, 600mA, DALI, 1,2-19,5W
Distance ring	<a href="#"><u>KR707407</u></a>	17,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707408</u></a>	21,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707409</u></a>	27,00	Distance ring 5mm (set of 5 pcs.)

# kreon aplis in-line 165

	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	Required accessories	Optional accessories
 <b>aplis in-line 165 directional high output</b> H 250 Filter holder: incl., glare snoot: incl.	<u>KR917343</u>	①	294,00	-	-	-	■	■
							■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1874lm

# kreon aplis in-line 165 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR717204</u></a>	32,00	Plasterkit, front mounting, no shadowgap ⌀ Ø186
Louvre	<a href="#"><u>KR717206</u></a>	27,00	Louvre, white
	<a href="#"><u>KR717222</u></a>	27,00	Louvre, black
Reflector	<a href="#"><u>KR720032</u></a>	46,00	Reflector LED, spot 13°
	<a href="#"><u>KR720034</u></a>	46,00	Reflector LED, flood 23°
	<a href="#"><u>KR720036</u></a>	46,00	Reflector LED, wide flood 40°
<b>■ Optional accessories</b>			
Lenses	<a href="#"><u>KR720100</u></a>	31,00	Sculpture lens
	<a href="#"><u>KR720800</u></a>	44,00	Softening lens
Driver	<a href="#"><u>KR772140</u></a>	53,00	LED driver, 1050mA, ON/OFF, 36W
	<a href="#"><u>KR772249</u></a>	145,00	LED driver, 1050mA, Casambi, 37W
	<a href="#"><u>KR772142</u></a>	80,00	LED driver, 1050mA, 1-10V, 39W
	<a href="#"><u>KR772143</u></a>	90,00	LED driver, 1050mA, DALI, 35W

# kreon aplis in-line 165

		Colour	KR-code	Base price (EUR excl. VAT)	No shadowgap	SH Shadowgap	Required accessories	Optional accessories
 <b>aplis in-line 165 directional high output LE111</b> ⌀ 175 H 175 glare snoot: incl.	○	<u>KR917351</u>	202,00	—	—	■	■	
	●	<u>KR917352</u>	202,00	—	—	■	■	
	●	<u>KR917353</u>	202,00	—	—	■	■	
 <b>aplis in-line 165 fixed high output LE111</b> ⌀ 175 H 95	○	<u>KR917451</u>	180,00	—	—	■	■	
	●	<u>KR917452</u>	180,00	—	—	■	■	

# kreon aplis in-line 165 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732100-9030-SP</u>	56,00	LED engine 111, 3000K, CRI90+, 15°, 25,7W, 700mA (2350lm)
	<u>KR732100-9030-FL</u>	56,00	LED engine 111, 3000K, CRI90+, 24°, 36,9W, 1050mA (3450lm)
	<u>KR732100-9030-WFL</u>	56,00	LED engine 111, 3000K, CRI90+, 60°, 36,8W, 1050mA (3150lm)
<b>■ Optional accessories</b>			
Driver	<u>KR772530</u>	73,00	LED driver, 700mA, ON/OFF, 28W
	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	<u>KR772233</u>	90,00	LED driver, 700mA, DALI, 8,4-27W
	<u>KR772643</u>	189,00	LED driver, 1050mA, DALI, 40W

# kreon ato 80

	Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	FL Flood (30°)	WFL Wide flood (40°)	P1 White painted lamphead	P2 Black painted lamphead	Optional accessories
 <b>ato 80 single</b> Ø 90 H min. 110	○	<a href="#">KR937911</a>	①	240,00	-	-	-	-	-	-	■
	●	<a href="#">KR937912</a>	①	240,00	-	-	-	-	-	-	■
 <b>ato 80 twin</b> Ø 90 H min. 105	○	<a href="#">KR937621</a>	②	287,00	-	-	-	-	-	-	■
	●	<a href="#">KR937622</a>	②	287,00	-	-	-	-	-	-	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	12W	700mA	1150lm
② LED	CRI90+	2700K/3000K	2 x 5,9W	500mA	2 x 325lm

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<a href="#"><u>KR737702</u></a>	36,00	Plasterkit for concrete installation
Glare preventor (only for ato 80 single)	<a href="#"><u>KR706721</u></a>	64,00	Straight glare preventor, white, H30
	<a href="#"><u>KR706722</u></a>	64,00	Straight glare preventor, black, H30
	<a href="#"><u>KR706720</u></a>	79,50	Straight glare preventor, chrome, H30
Lenses	<a href="#"><u>KR706070</u></a>	43,00	Anti-glare louvre
	<a href="#"><u>KR706270</u></a>	33,00	Diffusing lens
Driver	<a href="#"><u>KR772024</u></a>	42,00	LED driver, 500mA, ON/OFF, 20W
	<a href="#"><u>KR772220</u></a>	64,00	LED driver, 500mA, 1-10V, 20W
	<a href="#"><u>KR772126</u></a>	53,00	LED driver, 500mA, DALI, 20W
	<a href="#"><u>KR772542</u></a>	34,00	LED driver, 500mA, phase dimming, 15W
	<a href="#"><u>KR772229</u></a>	135,00	LED driver, 500mA, Casambi, 27W
	<a href="#"><u>KR772034</u></a>	42,00	LED driver, 700mA, ON/OFF, 20W
	<a href="#"><u>KR772232</u></a>	64,00	LED driver, 700mA, 1-10V, 20W
	<a href="#"><u>KR772236</u></a>	76,00	LED driver, 700mA, DALI, 18W
	<a href="#"><u>KR772931</u></a>	32,00	LED driver, 700mA, phase dim, 14W
<a href="#"><u>KR772239</u></a>	145,00	LED driver, 700mA, Casambi, 36W	

# kreon ato in-line 80

	Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	FL Flood (30°)	WFL Wide flood (40°)	P1 White painted lamphead	P2 Black painted lamphead	Required accessories	Optional accessories
 <b>ato in-line 80 single</b> Ⓞ Ø 102 H min. 110	○	<u>KR917911</u>	①	211,00	-	-	-	-	-	-	■	■
	●	<u>KR917912</u>	①	211,00	-	-	-	-	-	-	■	■
 <b>ato in-line 80 twin</b> Ⓞ Ø 102 H min. 105	○	<u>KR917621</u>	②	257,00	-	-	-	-	-	-	■	■
	●	<u>KR917622</u>	②	257,00	-	-	-	-	-	-	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	12W	700mA	1150lm
② LED	CRI90+	2700K/3000K	2 x 5,9W	500mA	2 x 325lm

# kreon ato in-line 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap
	<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Plasterkit concrete	<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Installation kit	<u>KR717100</u>	31,00	Installation kit, no shadowgap

# kreon ato in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Glare preventor (only for ato in-line 80 single)	<a href="#"><u>KR706721</u></a>	64,00	Straight glare preventor, white, H30
	<a href="#"><u>KR706722</u></a>	64,00	Straight glare preventor, black, H30
	<a href="#"><u>KR706720</u></a>	83,00	Straight glare preventor, chrome, H30
Lenses	<a href="#"><u>KR706070</u></a>	43,00	Anti-glare louvre
	<a href="#"><u>KR706270</u></a>	33,00	Diffusing lens
Driver	<a href="#"><u>KR772024</u></a>	42,00	LED driver, 500mA, ON/OFF, 20W
	<a href="#"><u>KR772220</u></a>	64,00	LED driver, 500mA, 1-10V, 20W
	<a href="#"><u>KR772126</u></a>	53,00	LED driver, 500mA, DALI, 20W
	<a href="#"><u>KR772542</u></a>	34,00	LED driver, 500mA, phase dimming, 15W
	<a href="#"><u>KR772229</u></a>	135,00	LED driver, 500mA, Casambi, 27W
	<a href="#"><u>KR772034</u></a>	42,00	LED driver, 700mA, ON/OFF, 20W
	<a href="#"><u>KR772232</u></a>	64,00	LED driver, 700mA, 1-10V, 20W
	<a href="#"><u>KR772236</u></a>	76,00	LED driver, 700mA, DALI, 18W
	<a href="#"><u>KR772931</u></a>	32,00	LED driver, 700mA, phase dim, 14W
	<a href="#"><u>KR772239</u></a>	145,00	LED driver, 700mA, Casambi, 36W
Distance ring	<a href="#"><u>KR717307</u></a>	28,00	Distance ring, 2mm (set of 5pcs.)
	<a href="#"><u>KR717308</u></a>	33,00	Distance ring, 3mm (set of 5pcs.)
	<a href="#"><u>KR717309</u></a>	43,00	Distance ring, 5mm (set of 5pcs.)



kreon cadre  
plug & play

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	VD 1-10V dimming	DD DALI dimming	S Susp. length: 900-1200mm	H Susp. length: 1200-1650mm	1 Suspension colour: white	2 Suspension colour: black	Required accessories
 <b>cadre 1200 linear</b> 230V	●	<a href="#">KR963582</a>	①	1762,00	-	-	-	17,00	-	32,00	-	-	
	●	<a href="#">KR963584</a>	①	2038,00	-	-	-	17,00	-	32,00	-	-	
 <b>cadre 1200 spot</b> 230V	●	<a href="#">KR963582</a>	②	1762,00			-	17,00	-	32,00	-	-	■
	●	<a href="#">KR963584</a>	②	2038,00			-	17,00	-	32,00	-	-	■
 <b>cadre 1500 linear</b> 230V	●	<a href="#">KR963592</a>	③	2195,00	-	-	-	17,00	-	32,00	-	-	
	●	<a href="#">KR963594</a>	③	2437,00	-	-	-	17,00	-	32,00	-	-	
 <b>cadre 1500 spot</b> 230V	●	<a href="#">KR963592</a>	④	2195,00			-	17,00	-	32,00	-	-	■
	●	<a href="#">KR963594</a>	④	2437,00			-	17,00	-	32,00	-	-	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED CRI90+	3000K	230V	38,1W	2670lm
②	LED CRI90+	2700K/3000K	230V	4 x 6,5W	1294lm
③	LED CRI90+	3000K	230V	47,7W	3011lm
④	LED CRI90+	2700K/3000K	230V	5 x 6,5W	1505lm

# kreon cadre accessories

	Colour	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>				
Lamps		<b>KR460180</b>	65,00	Constant current MR16 LED lamp, 2700K 36°
		<b>KR460945</b>	65,00	Constant current MR16 LED lamp, 3000K 36°

# kreon cana 40

	Colour	KR-code	Base price (EUR exc. VAT)	Optional accessories
 <b>cana 40 profile</b>	○	<u>KR755201</u>	181,00	■
	●	<u>KR755202</u>	157,00	■

# kreon cana 40 accessories

	Colour	KR-code	Base price (EUR excl. VAT)		
<b>■ Optional accessories</b>					
Plasterkit for recessed mounting		<u>KR705000</u>	94,00	Trimless plasterkit profile  LxW Lx75 H 115	price/m
Suspension kit for pendant mounting		<u>KR705200</u>	324,00	Suspension kit	
		<u>KR705202</u>	45,00	Additional suspension	
Corner cut		<u>KR705501</u>	208,00	cana 40 corner cut 90°, white	
		<u>KR705502</u>	208,00	cana 40 corner cut 90°, black	
		<u>KR705560</u>	145,00	Trimless plasterkit corner cut 90°	

# kreon cana 40 holon

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (10°)	FL Flood (24°)	WFL Wide flood (46°)	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	EX Driver excluded	SM Switchable ON/OFF	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	Optional accessories
	<b>holon 40 single in-cana</b> Min. module spacing: 100	○	<a href="#">KR934001</a>	①	245,00	-	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00	■
		●	<a href="#">KR934002</a>	①	245,00	-	-	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00
	<b>holon 40 twin in-cana</b> Min. module spacing: 200	○	<a href="#">KR934501</a>	②	445,00	-	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00	■
		●	<a href="#">KR934502</a>	②	445,00	-	-	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00
	<b>holon 40 directional in-cana</b> Min. module spacing: 100	○	<a href="#">KR934301</a>	③	471,00	-	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00	■
		●	<a href="#">KR934302</a>	③	471,00	-	-	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	2W	700mA	121lm
②	LED	CRI90+	2700K/3000K	2 x 2W	700mA	243lm
③	LED	CRI90+	2700K/3000K	8,4W	700mA	558lm

# kreon cana 40 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
High output	<u>KR762600</u>	17,00	1050mA drive current on modules
Lenses holon 40 directional in-cana	<u>KR762000</u>	26,00	Anti-glare louvre
	<u>KR762200</u>	27,00	Diffusing lens
	<u>KR762100</u>	28,00	Sculpture lens
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
	<u>KR772050</u>	73,00	LED driver, 700mA, ON/OFF, 33W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772134</u>	76,00	LED driver, 700mA, DALI, 20W
	<u>KR772532</u>	124,00	LED driver, 700mA, 1-10V, 60W
	<u>KR772333</u>	136,00	LED driver, 700mA, DALI, 60W

# kreon cana 40

## prologe & ligna

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8527 2700K, CRI85+	8530 3000K, CRI85+	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (10°)	FL Flood (24°)	WFL Wide flood (46°)	EX Driver excluded	SM Switchable ON/OFF	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	Optional accessories
 <b>prologe 40 single in-cana</b> Min. module spacing: 100	○	<u>KR934051</u>	①	245,00	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00	■
	●	<u>KR934052</u>	①	245,00	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00	■
 <b>prologe 40 twin in-cana</b> Min. module spacing: 200	○	<u>KR934551</u>	②	445,00	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00	■
	●	<u>KR934552</u>	②	445,00	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00	■
 <b>prologe 40 double in-cana</b> Min. module spacing: 150	○	<u>KR934751</u>	②	348,00	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00	■
	●	<u>KR934752</u>	②	348,00	-	-	-	-	-	-	-	-	35,00	38,00	38,00	52,00	■
 <b>ligna 40 in-cana</b> high efficiency		<u>KR934900</u>	③	245,00	-	-	-	-	-	-	-	-	21,00		23,00	40,00	■
 <b>ligna 40 in-cana</b> high output		<u>KR934902</u>	④	288,00	-	-	-	-	-	-	-	-	21,00		23,00	40,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K / 3000K	2W	700mA	121lm
②	LED CRI90+	2700K / 3000K	2 x 2W	700mA	243lm
③	LED CRI85+	2700K / 3000K	11,6W/m	24Vdc	921lm/m
④	LED CRI85+	2700K / 3000K	19,2W/m	24Vdc	1417lm/m

# kreon cana 40 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
High output	<u><a href="#">KR762600</a></u>	17,00	1050mA drive current on modules
Driver	<u><a href="#">KR772034</a></u>	42,00	LED driver, 700mA, ON/OFF, 30W
	<u><a href="#">KR772050</a></u>	73,00	LED driver, 700mA, ON/OFF, 50W
	<u><a href="#">KR772232</a></u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u><a href="#">KR772134</a></u>	76,00	LED driver, 700mA, DALI, 20W
	<u><a href="#">KR772133</a></u>	90,00	LED driver, 700mA, DALI, 30W
	<u><a href="#">KR772532</a></u>	124,00	LED driver, 700mA, 1-10V, 60W
	<u><a href="#">KR772333</a></u>	136,00	LED driver, 700mA, DALI, 60W
Controller (for ligna driver exclusive)	<u><a href="#">KR774006</a></u>	157,00	DALI/DMX controller for ligna 40 in-cana
	<u><a href="#">KR774106</a></u>	112,00	1-10V controller for ligna 40 in-cana
Power supply	<u><a href="#">KR490373</a></u>	69,00	LED power supply 24VDC, 30W
	<u><a href="#">KR490374</a></u>	95,00	LED power supply 24VDC, 60W
	<u><a href="#">KR490375</a></u>	142,00	LED power supply 24VDC, 100W
	<u><a href="#">KR490376</a></u>	208,00	LED power supply 24VDC, 150W

# kreon cana 40 pendant modules

		Colour	KR-code	Base price (EUR excl. VAT)	EX Driver excluded	SW Switchable ON/OFF	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories
	<b>holon 40 pendant module in-cana mid</b>	○	<a href="#"><u>KR934031</u></a>	124,00	–	35,00	38,00	38,00	52,00	■	■
		●	<a href="#"><u>KR934032</u></a>	124,00	–	35,00	38,00	38,00	52,00	■	■
	<b>prologe 40 pendant module in-cana end</b>	○	<a href="#"><u>KR934041</u></a>	124,00	–	35,00	38,00	38,00	52,00	■	■
		●	<a href="#"><u>KR934042</u></a>	124,00	–	35,00	38,00	38,00	52,00	■	■

■ Required accessories

Pendants See page 113-123

■ Optional accessories

Driver (for fixtures with driver excluded)	Code	Price	Description
	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
	<u>KR772050</u>	73,00	LED driver, 700mA, ON/OFF, 50W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772532</u>	124,00	LED driver, 700mA, 1-10V, 60W
	<u>KR772134</u>	76,00	LED driver, 700mA, DALI, 20W
	<u>KR772133</u>	90,00	LED driver, 700mA, DALI, 30W
	<u>KR772333</u>	136,00	LED driver, 700mA, DALI, 60W

# kreon cana 80

	Colour	KR-code	Base price (EUR exc. VAT)	Required accessories	Optional accessories
 <b>cana 80 profile</b> Input voltage: 230V, nr. of circuits: 3	○	<u>KR775201</u>	200,00	■	■
	●	<u>KR775202</u>	175,00	■	■

# kreon cana 80 accessories

	KR-code	Base price (EUR exc. VAT)		
<b>■ Required accessories</b>				
Plasterkit	<u>KR705010</u>	99,00	Trimless plasterkit profile ☉ LxW Lx125 H185	price/m
<b>■ Optional accessories</b>				
Corner cut	<u>KR705511</u>	228,00	cana 80 corner cut 90°, white	
	<u>KR705512</u>	228,00	cana 80 corner cut 90°, black	
	<u>KR705610</u>	154,00	Trimless plasterkit corner cut 90°	

kreon cana 80  
holon

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (17°)	FL Flood (27°)	WFL Wide flood (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	○	<a href="#">KR934011</a>	①	438,00	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934012</a>	①	438,00	-	-	-	-	-	-	-	18,00	36,00	■
	○	<a href="#">KR934111</a>	①	438,00	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934112</a>	①	438,00	-	-	-	-	-	-	-	18,00	36,00	■
	○	<a href="#">KR934511</a>	②	665,00	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934512</a>	②	665,00	-	-	-	-	-	-	-	18,00	36,00	■
	○	<a href="#">KR934611</a>	②	665,00	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934612</a>	②	665,00	-	-	-	-	-	-	-	18,00	36,00	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K/4000K	230V	10,9W	509lm
	CRI98+	2700K/3000K/4000K	230V	10,9W	369lm
② LED	CRI90+	2700K/3000K/4000K	230V	2 x 10,9W	1018lm
	CRI98+	2700K/3000K/4000K	230V	2 x 10,9W	738lm

# kreon cana 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Lenses (for twin, order twice)	<u>KR704100</u>	27,00	Sculpture lens
	<u>KR704200</u>	27,00	Diffusing lens
	<u>KR772342</u>	30,00	Anti-glare louvre



kreon cana 80  
holon HE

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	SSP Superspot (18°)	SP Spot (30°)	FL Flood (50°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
 <b>holon 80 HE single in-cana mid</b> High efficiency	○	<u>KR934081</u>	①	472,00	-	-	-	-	-	-	-	18,00	36,00
	●	<u>KR934082</u>	①	472,00	-	-	-	-	-	-	-	18,00	36,00
 <b>holon 80 HE single in-cana end</b> High efficiency	○	<u>KR934181</u>	①	472,00	-	-	-	-	-	-	-	18,00	36,00
	●	<u>KR934182</u>	①	472,00	-	-	-	-	-	-	-	18,00	36,00
 <b>holon 80 HE twin in-cana mid</b> High efficiency	○	<u>KR934581</u>	②	688,00	-	-	-	-	-	-	-	18,00	36,00
	●	<u>KR934582</u>	②	688,00	-	-	-	-	-	-	-	18,00	36,00
 <b>holon 80 HE twin in-cana end</b> High efficiency	○	<u>KR934681</u>	②	688,00	-	-	-	-	-	-	-	18,00	36,00
	●	<u>KR934682</u>	②	688,00	-	-	-	-	-	-	-	18,00	36,00

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED (SP)	CRI90+	2700K/3000K/4000K	230V	9,9W	736lm
(FL)	CRI90+	2700K/3000K/4000K	230V	12W	1000lm
② LED (SP)	CRI90+	2700K/3000K/4000K	230V	2 x 9,9W	1472lm
(FL)	CRI90+	2700K/3000K/4000K	230V	2 x 12W	2000lm

# kreon cana 80 holon directional

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	<b>holon 80 directional in-cana mid</b>	○	<a href="#">KR934311</a>	①	732,00	–	–	–	29,00	29,00	29,00	–	–	–	18,00	36,00	■
		●	<a href="#">KR934312</a>	①	732,00	–	–	–	29,00	29,00	29,00	–	–	–	18,00	36,00	■
	<b>holon 80 directional in-cana end</b>	○	<a href="#">KR934411</a>	①	732,00	–	–	–	29,00	29,00	29,00	–	–	–	18,00	36,00	■
		●	<a href="#">KR934412</a>	①	732,00	–	–	–	29,00	29,00	29,00	–	–	–	18,00	36,00	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K/4000K	230V	28,9W	1610lm
	CRI95+	2700K/3000K/4000K	230V	28,9W	1610lm

# kreon cana 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Lenses	<u>KR726100</u>	34,00	Sculpture lens
	<u>KR726200</u>	34,00	Diffusing lens
	<u>KR762002</u>	31,00	Anti-glare louvre

# kreon cana 80 prologe & ligna

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (48°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	○	<a href="#">KR934061</a>	①	438,00											18,00	36,00	■
	●	<a href="#">KR934062</a>	①	438,00											18,00	36,00	■
	○	<a href="#">KR934161</a>	①	438,00											18,00	36,00	■
	●	<a href="#">KR934162</a>	①	438,00											18,00	36,00	■
	○	<a href="#">KR934561</a>	②	665,00											18,00	36,00	■
	●	<a href="#">KR934562</a>	②	665,00											18,00	36,00	■
	○	<a href="#">KR934661</a>	②	665,00											18,00	36,00	■
	●	<a href="#">KR934662</a>	②	665,00											18,00	36,00	■
 L = n x 70mm x 95mm		<a href="#">KR934910</a>	③	392,00	-	-	-								18,00	36,00	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K/4000K	230V	10,9W		509lm
	CRI98+	2700K/3000K/4000K	230V	10,9W		369lm
② LED	CRI90+	2700K/3000K/4000K	230V	2 x 10,9W		1018lm
	CRI98+	2700K/3000K/4000K	230V	2 x 10,9W		738lm
③ LED	CRI90+	2700K/3000K/4000K		40,7W/m	450mA	2272lm/m

# kreon cana 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Lenses (for twin, order twice)	<u>KR704100</u>	27,00	Sculpture lens
	<u>KR704200</u>	27,00	Diffusing lens
	<u>KR772342</u>	30,00	Anti-glare louvre



kreon cana 80  
prologe HE

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	SSP Superspot (18°)	SP Spot (30°)	FL Flood (50°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	○	<u>KR934091</u>	①	472,00	-	-	-	-	-	-	-	18,00	36,00
	●	<u>KR934092</u>	①	472,00	-	-	-	-	-	-	-	18,00	36,00
	○	<u>KR934191</u>	①	472,00	-	-	-	-	-	-	-	18,00	36,00
	●	<u>KR934192</u>	①	472,00	-	-	-	-	-	-	-	18,00	36,00
	○	<u>KR934591</u>	②	688,00	-	-	-	-	-	-	-	18,00	36,00
	●	<u>KR934592</u>	②	688,00	-	-	-	-	-	-	-	18,00	36,00
	○	<u>KR934691</u>	②	688,00	-	-	-	-	-	-	-	18,00	36,00
	●	<u>KR934692</u>	②	688,00	-	-	-	-	-	-	-	18,00	36,00

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K/4000K	230V	9,9W	736lm
		FL	CRI90+	2700K/3000K/4000K	230V	12W	1000lm
②	LED	SP	CRI90+	2700K/3000K/4000K	230V	2 x 9,9W	1472lm
		FL	CRI90+	2700K/3000K/4000K	230V	2 x 12W	2000lm

kreon cana 80  
pendant modules

	Colour	KR-code	Base price (EUR excl. VAT)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
 <b>holon 80 pendant module in-cana mid</b>	○	<a href="#"><u>KR934531</u></a>	236,00	–	18,00	36,00	■
	●	<a href="#"><u>KR934532</u></a>	236,00	–	18,00	36,00	■
 <b>holon 80 pendant module in-cana end</b>	○	<a href="#"><u>KR934631</u></a>	236,00	–	18,00	36,00	■
	●	<a href="#"><u>KR934632</u></a>	236,00	–	18,00	36,00	■
 <b>prologe 80 pendant module in-cana mid</b>	○	<a href="#"><u>KR934541</u></a>	236,00	–	18,00	36,00	■
	●	<a href="#"><u>KR934542</u></a>	236,00	–	18,00	36,00	■
 <b>prologe 80 pendant module in-cana end</b>	○	<a href="#"><u>KR934641</u></a>	236,00	–	18,00	36,00	■
	●	<a href="#"><u>KR934642</u></a>	236,00	–	18,00	36,00	■

# kreon cana 80 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

Pendants

See page 113-123



# kreon cana holon 40 pendant

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP	FL	WFL	DL	WDL
					Spot (20°)	Flood (35°)	Wide flood (55°)	Dark light (38°)	Wide dark light (76°)				
 <b>holon 40 pendant in-cana</b> Gear: excl.	○	<u>KR962001</u>	①	274,00	-	-	-	-	-	-	22,00	22,00	
	●	<u>KR962002</u>	①	274,00	-	-	-	-	-	-	22,00	22,00	
	<b>BB</b>	<u>KR962004</u>	①	319,00	-	-	-	-	-	-	22,00	22,00	
	<b>BS</b>	<u>KR962007</u>	①	319,00	-	-	-	-	-	-	22,00	22,00	
	<b>BG</b>	<u>KR962008</u>	①	319,00	-	-	-	-	-	-	22,00	22,00	
	<b>GB</b>	<u>KR962009</u>	①	319,00	-	-	-	-	-	-	22,00	22,00	

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	558lm
		DL	CRI90+	2700K/3000K	8,4W	700mA	417lm

kreon cana  
oran pendant

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories	Optional accessories
	<b>oran pendant craft sphere bulb in-cana</b>		○	<a href="#">KR991121</a>	①	426,00	–	–	■	■
			●	<a href="#">KR991122</a>	①	426,00	–	–	■	■
			BB	<a href="#">KR991124</a>	①	501,00	–	–	■	■
			BS	<a href="#">KR991127</a>	①	501,00	–	–	■	■
			BG	<a href="#">KR991128</a>	①	501,00	–	–	■	■
			GB	<a href="#">KR991129</a>	①	501,00	–	–	■	■
	<b>oran pendant craft long ampoule in-cana</b>		○	<a href="#">KR991521</a>	①	454,00	–	–	■	■
			●	<a href="#">KR991522</a>	①	454,00	–	–	■	■
			BB	<a href="#">KR991524</a>	①	529,00	–	–	■	■
			BS	<a href="#">KR991527</a>	①	529,00	–	–	■	■
			BG	<a href="#">KR991528</a>	①	529,00	–	–	■	■
			GB	<a href="#">KR991529</a>	①	529,00	–	–	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	6,7W	700mA	307lm

kreon cana  
oran pendant

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		Required accessories	Optional accessories
						9030 3000K, CRI90+		
 <b>oran pendant kap craft sphere bulb in-cana</b>	○	<a href="#">KR991141</a>	①	525,00	-	-	■	■
	●	<a href="#">KR991142</a>	①	525,00	-	-	■	■
	BB	<a href="#">KR991144</a>	①	705,00	-	-	■	■
	BS	<a href="#">KR991147</a>	①	705,00	-	-	■	■
	BG	<a href="#">KR991148</a>	①	705,00	-	-	■	■
	GB	<a href="#">KR991149</a>	①	705,00	-	-	■	■
 <b>oran pendant kap craft long ampoule in-cana</b>	○	<a href="#">KR991541</a>	①	553,00	-	-	■	■
	●	<a href="#">KR991542</a>	①	553,00	-	-	■	■
	BB	<a href="#">KR991544</a>	①	733,00	-	-	■	■
	BS	<a href="#">KR991547</a>	①	733,00	-	-	■	■
	BG	<a href="#">KR991548</a>	①	733,00	-	-	■	■
	GB	<a href="#">KR991549</a>	①	733,00	-	-	■	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K		6,7W	700mA	307lm
②	LED	CRI90+	2700K/3000K	48Vdc	9,5W		307lm

kreon cana  
oran pendant

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p>oran pendant stone in-cana, large cube</p>	○	<a href="#">KR991211</a>	①	426,00	-	-	■		
	●	<a href="#">KR991212</a>	①	426,00	-	-	■		
	BB	<a href="#">KR991214</a>	①	501,00	-	-	■		
	BS	<a href="#">KR991217</a>	①	501,00	-	-	■		
	BG	<a href="#">KR991218</a>	①	501,00	-	-	■		
	GB	<a href="#">KR991219</a>	①	501,00	-	-	■		
 <p>oran pendant stone in-cana, large cylinder</p>	○	<a href="#">KR991111</a>	①	426,00	-	-	■		
	●	<a href="#">KR991112</a>	①	426,00	-	-	■		
	BB	<a href="#">KR991114</a>	①	501,00	-	-	■		
	BS	<a href="#">KR991117</a>	①	501,00	-	-	■		
	BG	<a href="#">KR991118</a>	①	501,00	-	-	■		
	GB	<a href="#">KR991119</a>	①	501,00	-	-	■		

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

kreon cana  
oran pendant

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
	<b>oran pendant stone in-cana, small cylinder</b>	○	<a href="#"><u>KR991311</u></a>	①	410,00	-	-	■
		●	<a href="#"><u>KR991312</u></a>	①	410,00	-	-	■
		BB	<a href="#"><u>KR991314</u></a>	①	485,00	-	-	■
		BS	<a href="#"><u>KR991317</u></a>	①	485,00	-	-	■
		BG	<a href="#"><u>KR991318</u></a>	①	485,00	-	-	■
		GB	<a href="#"><u>KR991319</u></a>	①	485,00	-	-	■
	<b>oran pendant stone in-cana, long cylinder</b>	○	<a href="#"><u>KR991411</u></a>	①	426,00	-	-	■
		●	<a href="#"><u>KR991412</u></a>	①	426,00	-	-	■
		BB	<a href="#"><u>KR991414</u></a>	①	501,00	-	-	■
		BS	<a href="#"><u>KR991417</u></a>	①	501,00	-	-	■
		BG	<a href="#"><u>KR991418</u></a>	①	501,00	-	-	■
		GB	<a href="#"><u>KR991419</u></a>	①	501,00	-	-	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

kreon cana  
oran pendant

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p>oran pendant kap stone in-cana, large cube</p>	○	<a href="#">KR991231</a>	①	525,00	-	-	■	
	●	<a href="#">KR991232</a>	①	525,00	-	-	■	
	BB	<a href="#">KR991234</a>	①	705,00	-	-	■	
	BS	<a href="#">KR991237</a>	①	705,00	-	-	■	
	BG	<a href="#">KR991238</a>	①	705,00	-	-	■	
	GB	<a href="#">KR991239</a>	①	705,00	-	-	■	
 <p>oran pendant kap stone in-cana, large cylinder</p>	○	<a href="#">KR991131</a>	①	525,00	-	-	■	
	●	<a href="#">KR991132</a>	①	525,00	-	-	■	
	BB	<a href="#">KR991134</a>	①	705,00	-	-	■	
	BS	<a href="#">KR991137</a>	①	705,00	-	-	■	
	BG	<a href="#">KR991138</a>	①	705,00	-	-	■	
	GB	<a href="#">KR991139</a>	①	705,00	-	-	■	

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

kreon cana  
oran pendant

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p>oran pendant kap stone in-cana, small cylinder</p>		○	<a href="#">KR991331</a>	①	509,00	–	–	■
		●	<a href="#">KR991332</a>	①	509,00	–	–	■
		BB	<a href="#">KR991334</a>	①	689,00	–	–	■
		BS	<a href="#">KR991337</a>	①	689,00	–	–	■
		BG	<a href="#">KR991338</a>	①	689,00	–	–	■
		GB	<a href="#">KR991339</a>	①	689,00	–	–	■
 <p>oran pendant kap stone in-cana, long cylinder</p>		○	<a href="#">KR991431</a>	①	525,00	–	–	■
		●	<a href="#">KR991432</a>	①	525,00	–	–	■
		BB	<a href="#">KR991434</a>	①	705,00	–	–	■
		BS	<a href="#">KR991437</a>	①	705,00	–	–	■
		BG	<a href="#">KR991438</a>	①	705,00	–	–	■
		GB	<a href="#">KR991439</a>	①	705,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

kreon cana  
oran pendant

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
	<b>oran pendant glass in-cana, cylinder, type E1</b>	○	<a href="#">KR971111</a>	①	393,00	–	–	■
		●	<a href="#">KR971112</a>	①	393,00	–	–	■
		BB	<a href="#">KR971114</a>	①	468,00	–	–	■
		BS	<a href="#">KR971117</a>	①	468,00	–	–	■
		BG	<a href="#">KR971118</a>	①	468,00	–	–	■
		GB	<a href="#">KR971119</a>	①	468,00	–	–	■
	<b>oran pendant glass in-cana, double cylinder, type F1</b>	○	<a href="#">KR971311</a>	②	426,00	–	–	■
		●	<a href="#">KR971312</a>	②	426,00	–	–	■
		BB	<a href="#">KR971314</a>	②	501,00	–	–	■
		BS	<a href="#">KR971317</a>	②	501,00	–	–	■
		BG	<a href="#">KR971318</a>	②	501,00	–	–	■
		GB	<a href="#">KR971319</a>	②	501,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED CRI90+	2700K/3000K	8,4W	700mA	444lm

kreon cana  
oran pendant

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant glass in-cana, cone, type H1</b>		○	<u>KR971211</u>	①	426,00	–	–	■
		●	<u>KR971212</u>	①	426,00	–	–	■
		BB	<u>KR971214</u>	①	501,00	–	–	■
		BS	<u>KR971217</u>	①	501,00	–	–	■
		BG	<u>KR971218</u>	①	501,00	–	–	■
		GB	<u>KR971219</u>	①	501,00	–	–	■
 <b>oran pendant glass in-cana, cone, type H2</b>		○	<u>KR971411</u>	②	426,00	–	–	■
		●	<u>KR971412</u>	②	426,00	–	–	■
		BB	<u>KR971414</u>	②	501,00	–	–	■
		BS	<u>KR971417</u>	②	501,00	–	–	■
		BG	<u>KR971418</u>	②	501,00	–	–	■
		GB	<u>KR971419</u>	②	501,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED CRI90+	2700K/3000K	8,4W	700mA	438lm

kreon cana  
oran pendant

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p>oran pendant kap glass in-cana, cylinder, type E1</p>		○	<a href="#">KR971131</a>	①	492,00	–	–	■
		●	<a href="#">KR971132</a>	①	492,00	–	–	■
		BB	<a href="#">KR971134</a>	①	672,00	–	–	■
		BS	<a href="#">KR971137</a>	①	672,00	–	–	■
		BG	<a href="#">KR971138</a>	①	672,00	–	–	■
		GB	<a href="#">KR971139</a>	①	672,00	–	–	■
 <p>oran pendant kap glass in-cana, double cylinder, type F1</p>		○	<a href="#">KR971331</a>	②	525,00	–	–	■
		●	<a href="#">KR971332</a>	②	525,00	–	–	■
		BB	<a href="#">KR971334</a>	②	705,00	–	–	■
		BS	<a href="#">KR971337</a>	②	705,00	–	–	■
		BG	<a href="#">KR971338</a>	②	705,00	–	–	■
		GB	<a href="#">KR971339</a>	②	705,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	328lm
②	LED CRI90+	2700K/3000K	8,4W	700mA	420lm

kreon cana  
oran pendant

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p>oran pendant kap glass in-cana, cone, type H1</p>		○	<a href="#">KR971231</a>	①	525,00	–	–	■
		●	<a href="#">KR971232</a>	①	525,00	–	–	■
		BB	<a href="#">KR971234</a>	①	705,00	–	–	■
		BS	<a href="#">KR971237</a>	①	705,00	–	–	■
		BG	<a href="#">KR971238</a>	①	705,00	–	–	■
		GB	<a href="#">KR971239</a>	①	705,00	–	–	■
 <p>oran pendant kap glass in-cana, cone, type H2</p>		○	<a href="#">KR971431</a>	②	525,00	–	–	■
		●	<a href="#">KR971432</a>	②	525,00	–	–	■
		BB	<a href="#">KR971434</a>	②	705,00	–	–	■
		BS	<a href="#">KR971437</a>	②	705,00	–	–	■
		BG	<a href="#">KR971438</a>	②	705,00	–	–	■
		GB	<a href="#">KR971439</a>	②	705,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	TBD
②	LED CRI90+	2700K/3000K	8,4W	700mA	TBD



# kreon cana 120

	Colour	KR-code	Base price (EUR exc. VAT)	Required accessories	Optional accessories
 <b>cana 120 profile</b> Input voltage: 230V, nr. of circuits: 3	○	<u>KR795201</u>	231,00	■ ■	price/m
	●	<u>KR795202</u>	231,00	■ ■	price/m

# kreon cana 120

	KR-code	Base price (EUR exc. VAT)		
<b>■ Required accessories</b>				
Plasterkit	<u>KR705020</u>	106,00	Trimless plasterkit profile ☉ LxW Lx180 H 190	price/m
<b>■ Optional accessories</b>				
Corner cut	<u>KR705521</u>	263,00	cana 120 corner cut 90°, white	
	<u>KR705522</u>	263,00	cana 120 corner cut 90°, black	
	<u>KR705620</u>	166,00	Trimless plasterkit corner cut 90°	

# kreon cana 120 holon

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (12°)	FL Flood (24°)	WFL Wide flood (38°)	XFL Extra wide flood (63°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	○	<a href="#">KR934021</a>	①	371,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934022</a>	①	371,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	○	<a href="#">KR934121</a>	①	371,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934122</a>	①	371,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	○	<a href="#">KR934521</a>	②	632,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934522</a>	②	632,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	○	<a href="#">KR934621</a>	②	632,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934622</a>	②	632,00	-	-	-	-	-	-	-	-	18,00	36,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI95+	2700K/3000K/4000K	230V	20W	1482lm
		FL, WFL & XFL	CRI95+	2700K/3000K/4000K	230V	20W	1620lm
②	LED	SP	CRI95+	2700K/3000K/4000K	230V	2 x 20W	2964lm
		FL, WFL & XFL	CRI95+	2700K/3000K/4000K	230V	2 x 20W	3240lm

# kreon cana 120 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Lenses (for twin, order twice)	<u>KR750100</u>	28,00	Sculpture lens
	<u>KR750200</u>	28,00	Diffusing lens
	<u>KR750800</u>	38,00	Softening lens

# kreon cana 120 prologe

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (12°)	FL Flood (24°)	WFL Wide flood (38°)	XFL Extra wide flood (63°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	○	<a href="#">KR934071</a>	①	371,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934072</a>	①	371,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	○	<a href="#">KR934171</a>	①	371,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934172</a>	①	371,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	○	<a href="#">KR934571</a>	②	632,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934572</a>	②	632,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	○	<a href="#">KR934671</a>	②	632,00	-	-	-	-	-	-	-	-	18,00	36,00	■
	●	<a href="#">KR934672</a>	②	632,00	-	-	-	-	-	-	-	-	18,00	36,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI95+	2700K/3000K/4000K	230V	20W	1482lm
		FL, WFL & XFL	CRI95+	2700K/3000K/4000K	230V	20W	1620lm
②	LED	SP	CRI95+	2700K/3000K/4000K	230V	2 x 20W	2964lm
		FL, WFL & XFL	CRI95+	2700K/3000K/4000K	230V	2 x 20W	3240lm

# kreon cana 120 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Lenses (for twin, order twice)	<u>KR750100</u>	28,00	Sculpture lens
	<u>KR750200</u>	28,00	Diffusing lens
	<u>KR750800</u>	38,00	Softening lens

# kreon diapason 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories
	<b>diapason 80 M10</b>	○	<a href="#">KR916601</a>	①	297,00	-	-	-	-	-				■	
		●	<a href="#">KR916602</a>	①	297,00	-	-	-	-	-				■	
	<b>diapason 80 recessed mounted</b>	○	<a href="#">KR916611</a>	①	315,00	-	-	-	-	-			■	■	
		●	<a href="#">KR916612</a>	①	315,00	-	-	-	-	-			■	■	
	<b>diapason 80 surface mounted</b>	○	<a href="#">KR916651</a>	①	361,00	-	-	-	-	-				■	
		●	<a href="#">KR916652</a>	①	361,00	-	-	-	-	-				■	
	<b>diapason 80 on-track</b>	○	<a href="#">KR916621</a>	②	380,00	-	-	-	-	-	-	30,00	30,00	■	
		●	<a href="#">KR916622</a>	②	380,00	-	-	-	-	-	-	30,00	30,00	■	

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI80+	2700K/3000K		5,7W	500mA	557lm
	CRI90+	2700K/3000K		5,7W	500mA	428lm
② LED	CRI80+	2700K/3000K	48V	8,2W		557lm
	CRI90+	2700K/3000K	48V	8,2W		428lm

# kreon diapason 80 accessories

	Colour	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>				
Installation kit for diapason 80 recessed mounted		<u>KR717104</u>	25,00	Plasterkit kit without trim, front mounting, no shadowgap ⌀ Ø 102
		<u>KR717108</u>	25,00	Plasterkit kit without trim, front mounting, with shadowgap ⌀ Ø 102
		<u>KR717000</u>	36,00	Plasterkit kit without trim, back mounting, with shadowgap ⌀ Ø 102
	○	<u>KR717021</u>	38,00	Installation kit with trim, white ⌀ Ø 90 H 70
	●	<u>KR717022</u>	38,00	Installation kit with trim, black ⌀ Ø 90 H 70
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) Ø140
Installation kit		<u>KR717100</u>	31,00	Installation kit, no shadowgap
Low voltage track				See page 420
<b>■ Optional accessories</b>				
Glare preventer	○	<u>KR706721</u>	64,00	Straight glare preventer, white (H 30)
	●	<u>KR706722</u>	64,00	Straight glare preventer, black (H 30)
	○	<u>KR706731</u>	73,00	Rounded glare preventer, white (H 54)
	●	<u>KR706732</u>	73,00	Rounded glare preventer, black (H 54)
Louvres and lenses		<u>KR706070</u>	43,00	Anti-glare louvre
		<u>KR706270</u>	33,00	Diffusing lens
Driver		<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
		<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
		<u>KR772126</u>	53,00	LED driver, 500mA, DALI, 18W
		<u>KR772229</u>	135,00	LED driver, 500mA, Casambi, 27W

# kreon diapason 120

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (12°)	FL Flood (24°)	WFL Wide flood (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories
	<b>diapason 120 M10</b>	○	<u>KR926601</u>	①	428,00	-	-	-	-	-					■
		●	<u>KR926602</u>	①	428,00	-	-	-	-	-					■
	<b>diapason 120 base</b>	○	<u>KR926611</u>	①	446,00	-	-	-	-	-			■	■	
		●	<u>KR926612</u>	①	446,00	-	-	-	-	-			■	■	
	<b>diapason 120 surface mounted</b>	○	<u>KR926651</u>	①	494,00	-	-	-	-	-				■	
		●	<u>KR926652</u>	①	494,00	-	-	-	-	-				■	
	<b>diapason 120 on-track</b>	○	<u>KR926621</u>	②	527,00	-	-	-	-	-	-	29,00	29,00		■
		●	<u>KR926622</u>	②	527,00	-	-	-	-	-	-	29,00	29,00		■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	19,5W	700mA	1185lm
		FL & WFL	CRI90+	2700K/3000K	16,5W	700mA	1761lm
②	LED	SP	CRI90+	2700K/3000K	48V	22W	1185lm
		FL & WFL	CRI90+	2700K/3000K	48V	19W	1761lm

# kreon diapason 120 accessories

	Colour	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>				
Installation kit for diapason 120 base		<a href="#">KR717104</a>	25,00	Plasterkit kit without trim, front mounting, no shadowgap ⌀ Ø 102
		<a href="#">KR717108</a>	25,00	Plasterkit kit without trim, front mounting, with shadowgap ⌀ Ø 102
		<a href="#">KR717000</a>	36,00	Plasterkit kit without trim, back mounting, with shadowgap ⌀ Ø 102
	○	<a href="#">KR717021</a>	38,00	Installation kit with trim, white ⌀ Ø 90 H 70
	●	<a href="#">KR717022</a>	38,00	Installation kit with trim, black ⌀ Ø 90 H 70
Plasterkit concrete		<a href="#">KR717102</a>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) Ø140
Installation kit		<a href="#">KR717100</a>	31,00	Installation kit, no shadowgap
3~ circuit track				See page 440
<b>■ Optional accessories</b>				
Glare preventer	○	<a href="#">KR706821</a>	75,00	Straight glare preventer, white (H 40)
	●	<a href="#">KR706822</a>	75,00	Straight glare preventer, black (H 40)
	○	<a href="#">KR706831</a>	84,00	Rounded glare preventer, white (H 90)
	●	<a href="#">KR706832</a>	84,00	Rounded glare preventer, black (H 90)
Louvres and lenses <sup>2</sup>		<a href="#">KR706080</a>	43,00	Anti-glare louvre
		<a href="#">KR706180</a>	39,00	Sculpture lens
		<a href="#">KR706280</a>	33,00	Diffusing lens
Driver		<a href="#">KR772050</a>	73,00	LED driver, 700mA, ON/OFF, 50W
		<a href="#">KR772232</a>	64,00	LED driver, 700mA, 1-10V, 20W
		<a href="#">KR772233</a>	90,00	LED driver, 700mA, DALI, 27W
		<a href="#">KR772430</a>	37,00	LED driver, 700mA, phase dim, 25W
		<a href="#">KR772239</a>	145,00	LED driver, 700mA, Casambi, 36W

# kreon dolma 40

	Colour	KR-code	Base price (EUR excl. VAT)	
 <b>dolma 40 profile</b> Min depth: 80, thickness boardmaterial: max. 12,5mm, IP40	●	<u>KR745002</u>	206,00	price/m
	●	<u>KR745003</u>	206,00	price/m
■ Optional accessories				
Driver		<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
		<u>KR772443</u>	136,00	LED driver, 1050mA, DALI, 60W

# kreon dolma 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	EX gear excluded	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	<b>dolma 40 up/down light</b> Gear: incl., 230V, IP20	○	<u>KR915341</u>	①	309,00	–	–	–	45,00	57,00	57,00
		●	<u>KR915342</u>	①	309,00	–	–	–	45,00	57,00	57,00

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	SW/VD/DD	CRI90+	2700K/3000K	230V	3,2W	111lm
		EX	CRI90+	2700K/3000K	3V	3,2W 1050mA	111lm

# kreon dolma 80

	Colour	KR-code	Base price (EUR excl. VAT)	
 <b>dolma 80 profile</b> Min depth: 80, thickness boardmaterial: max. 15mm, IP40	●	<u>KR715002</u>	231,00	price/m
	●	<u>KR715003</u>	231,00	price/m
<b>■ Optional accessories</b>				
Electrical wiring		<u>KR705401</u>	14,00	Extra electrical wiring (for an extra circuit)
EURO connector		<u>KR705403</u>	7,00	EURO connector

# kreon dolma 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CR180+	8030 3000K, CR180+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
 <b>dolma 80 up/down light</b> Gear: incl., 230V, IP20	○	<a href="#">KR915441</a>	①	393,00	–	–	–	73,00	73,00	■	
	●	<a href="#">KR915442</a>	①	393,00	–	–	–	73,00	73,00	■	
	●	<a href="#">KR915443</a>	①	393,00	–	–	–	73,00	73,00	■	
 <b>dolma 80 symmetrical light</b> Gear: incl., 230V, IP20	○	<a href="#">KR915471</a>	①	425,00	–	–	–	73,00	73,00	■	
	●	<a href="#">KR915472</a>	①	425,00	–	–	–	73,00	73,00	■	
	●	<a href="#">KR915473</a>	①	425,00	–	–	–	73,00	73,00	■	

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI80+	2700K/3000K	230V	8,4W	126lm

# kreon dolma 80 outdoor

	Colour	KR-code	Base price (EUR excl. VAT)	
 <b>dolma 80 outdoor profile</b> Min depth: 125, IP40	●	<a href="#"><u>KR715402</u></a>	246,00	price/m
	●	<a href="#"><u>KR715403</u></a>	246,00	price/m
 <b>dolma 80 shower profile</b> Min depth: 125, IP40	●	<a href="#"><u>KR715502</u></a>	246,00	price/m
	●	<a href="#"><u>KR715503</u></a>	246,00	price/m
<b>■ Optional accessories</b>				
Driver (IP20)		<a href="#"><u>KR772034</u></a>	42,00	LED driver, 700mA, ON/OFF, 20W (IP20)
		<a href="#"><u>KR772232</u></a>	64,00	LED driver, 700mA, 1-10V, 20W (IP20)
		<a href="#"><u>KR772236</u></a>	76,00	LED driver, 700mA, DALI, 18W (IP20)

# kreon dolma 80 outdoor

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80+	8030 3000K, CRI80+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	<b>dolma 80 outdoor up/down light</b> Watertight gearbox: incl., 230V, IP55	○	<a href="#">KR915961</a>	①	517,00	–	–	–	73,00	73,00	■	
		●	<a href="#">KR915962</a>	①	517,00	–	–	–	73,00	73,00	■	
	<b>dolma 80 shower up/down light</b> Gear: excl., IP55	○	<a href="#">KR915971</a>	②	517,00	–	–				■	
		●	<a href="#">KR915972</a>	②	517,00	–	–				■	

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K	230V	8,4W		204lm
②	LED	CRI80+	2700K/3000K		8,4W	700mA	204lm

# kreon dolma 145

	Colour	KR-code	Base price (EUR excl. VAT)	
 <b>dolma 145 profile</b> Min depth: 80, thickness boardmaterial: max. 15mm, IP40	●	<u>KR725002</u>	274,00	price/m
	●	<u>KR725003</u>	274,00	price/m
■ <b>Optional accessories (not for dolma outdoor)</b>				
Electrical wiring		<u>KR705401</u>	14,00	Extra electrical wiring (for an extra circuit)
EURO connector		<u>KR705403</u>	7,00	EURO connector

# kreon dolma 145

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CR180+	8030 3000K, CR180+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
 <b>dolma 145 up/down light</b> Gear: incl., 230V, IP20	○	<a href="#">KR925441</a>	①		485,00	–	–	–	73,00	73,00	■
	●	<a href="#">KR925442</a>	①		485,00	–	–	–	73,00	73,00	■
	●	<a href="#">KR925443</a>	①		485,00	–	–	–	73,00	73,00	■
 <b>dolma 145 symmetrical light</b> Gear: incl., 230V, IP20	○	<a href="#">KR925471</a>	①		517,00	–	–	–	73,00	73,00	■
	●	<a href="#">KR925472</a>	①		517,00	–	–	–	73,00	73,00	■
	●	<a href="#">KR925473</a>	①		517,00	–	–	–	73,00	73,00	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K	230V	2 x 8,4W	297lm

# kreon down 40

				Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (10°)	FL Flood (24°)	WFL Wide flood (46°)	Optional accessories
	Colour	KR-code	Light sources										
	<b>down 40 directional</b> ⊗ LxW 45x45 H 80 Glare snoot: incl.	○	<a href="#">KR957781</a>	①	137,00	-	-	-	-	-	-	-	■
		●	<a href="#">KR957782</a>	①	137,00	-	-	-	-	-	-	-	-
	<b>down 40 directional high output</b> ⊗ LxW 45x45 H 80 Glare snoot: incl.	○	<a href="#">KR957791</a>	②	152,00	-	-	-	-	-	-	-	■
		●	<a href="#">KR957792</a>	②	152,00	-	-	-	-	-	-	-	-
	<b>down 40 downlight</b> ⊗ LxW 45x45 H 80	○	<a href="#">KR957081</a>	③	120,00	-	-	-	-	-	-	-	■
		●	<a href="#">KR957082</a>	③	120,00	-	-	-	-	-	-	-	-
	<b>down 40 downlight high output</b> ⊗ LxW 45x45 H 80	○	<a href="#">KR957091</a>	④	135,00	-	-	-	-	-	-	-	■
		●	<a href="#">KR957092</a>	④	135,00	-	-	-	-	-	-	-	-
	<b>down 40 wallwasher</b> ⊗ LxW 45x45 H 80	○	<a href="#">KR957381</a>	⑤	198,00	-	-	-	-	-	-	-	■
		●	<a href="#">KR957382</a>	⑤	198,00	-	-	-	-	-	-	-	-
	<b>down 40 HE wallwasher</b> ⊗ LxW 45x45 H 75	○	<a href="#">KR957391</a>	⑥	151,00	-	-	-	-	-	-	-	■
		●	<a href="#">KR957392</a>	⑥	151,00	-	-	-	-	-	-	-	-

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	2W	700mA	121lm
		CRI90+	2700K/3000K	3,2W	1050mA	143lm
②	LED	CRI95+	2700K/3000K/4000K	6W	500mA	TBD
③	LED	CRI90+	2700K/3000K	2W	700mA	138lm
		CRI90+	2700K/3000K	3,2W	1050mA	172lm
④	LED	CRI95+	2700K/3000K/4000K	6W	500mA	TBD
⑤	LED	CRI90+	2700K/3000K	2W	700mA	47lm
			2700K/3000K	3,2W	1050mA	71lm
⑥	LED	CRI90	2700K/3000K	4W	700mA	291lm

# kreon down 40 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747602</u>	34,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	<u>KR707311</u>	26,00	Louvre IP44, white
	<u>KR707312</u>	26,00	Louvre IP44, black
Driver	<u>KR752430</u>	17,00	LED driver, 700mA, ON/OFF, 1,75-3,15W, IP65 (only for downlight)
	<u>KR752530</u>	17,00	LED driver, 700mA, ON/OFF, 2,8-6,3W, IP65 (only for wallwasher)
	<u>KR752633</u>	60,00	LED driver, 700mA, DALI, 10W
	<u>KR772631</u>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
	<u>KR772632</u>	60,00	LED driver, 700mA, 0/1-10V, 7-12W
	<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 1,4-8,4W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR772443</u>	136,00	LED driver, 1050mA, DALI, 60W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 38W (min. 4 modules)

# kreon down 40

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>down 40 downlight for LED engine 35</b> ⊙ LxW 45x45 H 80 ⬡	○	<u>KR957201</u>	②	35,00	■	■
	●	<u>KR957202</u>	②	35,00	■	■

# kreon down 40 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747602</u>	34,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

# kreon down 60 module

	Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>down 60 directional for LED engine 35</b> Ⓢ LxW 68x68 D 80 Ⓢ Glare snoot: incl., LED engine: excl., gear: excl., IP20	○	<u>KR947641</u>	87,00	■	■
	●	<u>KR947642</u>	87,00	■	■

# kreon down 60 accessories module

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747372</u>	34,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

# kreon down 60 module

	Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>down 60 downlight for LED engine 35</b> Ⓢ LxW 68x68 D 80 Ⓢ Glare snoot: incl., LED engine: excl., gear: excl., IP20	○	<u>KR947541</u>	87,00	■	■
	●	<u>KR947542</u>	87,00	■	■

# kreon down 60 accessories module

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732400-9027-SP</u>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<u>KR732400-9027-FL</u>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<u>KR732400-9027-WFL</u>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<u>KR732400-9030-FL</u>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<u>KR732400-9030-WFL</u>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747372</u>	34,00	Plasterkit for concrete installation
Driver	<u>KR772554</u>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<u>KR772550</u>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<u>KR772551</u>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<u>KR772556</u>	66,00	LED driver, 180mA, DALI2, 1-8W

# kreon down 60 standard

		Colour	KR-code		Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (20°)	FL Flood (36°)	WFL Wide flood (45°)	Optional accessories
	<b>down 60 directional</b>	○	<a href="#">KR947941</a>	①	170,00	-	-	-	-	-	-	■
	⊗ LxW 68x68 D 95 Glare snoot: incl., gear: excl., IP20	●	<a href="#">KR947942</a>	①	170,00	-	-	-	-	-	-	■
	<b>down 60 downlight</b>	○	<a href="#">KR947041</a>	②	155,00	-	-	-	-	-	-	■
	⊗ LxW 68x68 D 95 Gear: excl., IP20	●	<a href="#">KR947042</a>	②	155,00	-	-	-	-	-	-	■
	<b>down 60 downlight IP44</b>	○	<a href="#">KR947141</a>	②	164,00	-	-	-	-	-	-	■
	⊗ LxW 68x68 D 95 Gear: excl., IP44	●	<a href="#">KR947142</a>	②	164,00	-	-	-	-	-	-	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	734lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	845lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	837lm
②	LED (SP)	CRI95+	2700K/3000K/4000K	12,6W	700mA	830lm
	LED (FL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	936lm
	LED (WFL)	CRI95+	2700K/3000K/4000K	12,6W	700mA	879lm

# kreon down 60 accessories standard

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747372</u>	34,00	Plasterkit for concrete installation
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 2,1-20W
	<u>KR752733</u>	66,00	LED driver, 700mA, DALI, 2,1-20W
	<u>KR772239</u>	145,00	LED driver, 700mA, Casambi, 7-36W

# kreon down 60 high efficiency

	Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories
 <b>down 60 HE downlight</b> Ⓢ LxW 68x68 D 90 Ⓢ Gear: excl., IP20	○	<u>KR947051</u>	①	201,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-	■	■
	●	<u>KR947052</u>	①	201,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-	■	■
 <b>down 60 HE downlight IP44</b> Ⓢ LxW 68x68 D 90 Ⓢ Gear: excl., IP44	○	<u>KR947151</u>	①	210,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-	■	■
	●	<u>KR947152</u>	①	210,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (SSP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
	CRI95+				TBD
LED (SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	709lm
	CRI95+				640lm
	CRI90+	TW 2700K-5000K	2x11W		TBD
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
LED (FL)	CRI90+	2700K/3000K/4000K	12W	350mA	1112lm
	CRI95+				806lm
	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
LED (WFL)	CRI90+	2700K/3000K/4000K	12W	350mA	1106lm
	CRI95+				816lm

kreon down 60 accessories  
high efficiency

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747372</u>	34,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W

# kreon down 60

## high efficiency - low louvre

	Colour	KR-code	Light source	Base price (EUR excl. VAT)							SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories
					9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+						
 <b>down 60 HE downlight low louvre</b> Ⓞ LxW 68x68 D 87 Ⓞ Gear: excl., IP20	○	<a href="#">KR947361</a>	①	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■	■
	●	<a href="#">KR947362</a>	①	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■	■
 <b>down 60 HE downlight low louvre</b> Ⓞ LxW 68x68 D 87 Ⓞ Gear: excl., IP20	○	<a href="#">KR947371</a>	②	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■	■
	●	<a href="#">KR947372</a>	②	175,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■	■
 <b>down 60 HE wallwasher</b> Ⓞ LxW 68x68 D 92 Ⓞ Gear: excl., IP20	○	<a href="#">KR947561</a>	③	218,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■	■
	●	<a href="#">KR947562</a>	③	218,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	566lm
	LED (SP)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	775lm
		CRI90+/CRI97+	TW 2700K-5000K	2x12W	300mA	835-1053lm
			DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1260lm
		CRI90+/CRI97+	TW 2700K-5000K	2x12W	300mA	907-1153lm
			DTW 1800K-3000K	12,6W	350mA	823lm
	LED (WFL)	CRI90+/CRI95+	2700K/3000K/4000K	12W	350mA	1312lm
	CRI90+/CRI97+	TW 2700K-5000K	2x12W	300mA	926-1225lm	
		DTW 1800K-3000K	12,6W	350mA	891lm	
③	LED (WW)	CRI90+/CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+/CRI97+	TW 2700K-5000K	2x12W	300mA	837lm - 1111lm
			DTW 1800K-3000K	12,6W	350mA	831lm

# kreon down 60 accessories

## high efficiency - low louvre

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747372</u>	34,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
Driver 300mA for FL & WFL	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
Driver 350mA for FL & WFL	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
	<u>KR747267</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
Driver 350mA (dim-to-warm)	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
Driver (tunable white)	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W

# kreon down 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	Optional accessories
 <b>down 80 HE directional SSP &amp; SP</b> Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<u>KR947021</u>	①	225,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-		■
	●	<u>KR947022</u>	①	225,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-		■
 <b>down 80 HE directional FL</b> Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<u>KR947121</u>	②	225,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	■
	●	<u>KR947122</u>	②	225,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	500lm
	LED (SP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	736lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	820-1055lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+/ CRI95	2700K/3000K/4000K	12W	350mA	995lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	914-1172lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm

# kreon down 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747702</u>	36,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W

# kreon down 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027	9030	9040	9527	9530	9540	TW	DTW	SSP	SP	FL	WFL	Optional accessories
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Dim-to-warm, CRI97+	Superspot (18°)	Spot (35°)	Flood (52°)	Wide flood (69°)	
 <b>down 80 HE fixed SSP &amp; SP</b> Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<a href="#">KR947221</a>	①	195,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
	●	<a href="#">KR947222</a>	①	195,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
 <b>down 80 HE fixed FL &amp; WFL</b> Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<a href="#">KR947321</a>	②	195,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■
	●	<a href="#">KR947322</a>	②	195,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■
 <b>down 80 HE fixed IP44 SSP &amp; SP</b> Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<a href="#">KR947621</a>	①	200,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
	●	<a href="#">KR947622</a>	①	200,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■
 <b>down 80 HE fixed IP44 FL &amp; WFL</b> Ⓢ LxW 91x91 H 120 Ⓢ Gear: excl., IP40	○	<a href="#">KR947611</a>	②	200,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■
	●	<a href="#">KR947612</a>	②	200,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■

	CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
	(SSP/	CRI95+	2700K/3000K/4000K	9,9W	300mA	
	SP)	CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	
②	LED	CRI90+	2700K/3000K/4000K	12W	300mA	TBD
	(FL/	CRI95+	2700K/3000K/4000K	12W	300mA	
	WFL)	CRI90+	TW 2700K-5000K	2x12W	300mA	
		CRI97+	DTW 1800K-3000K	12,6W	350mA	

# kreon down 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747702</u>	36,00	Plasterkit for concrete installation
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 18W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W

# kreon down 80

			Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	Optional accessories	
	Colour	KR-code	Light sources										
 <b>down 80 HE wallwasher</b> Ⓞ LxW 91x91 H 92 Ⓞ Gear: excl., IP40	○	<u>KR947421</u>	①	235,00	-	-	-	15,00	15,00	15,00	23,00	11,00	■
	●	<u>KR947422</u>	①	235,00	-	-	-	15,00	15,00	15,00	23,00	11,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (WW)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
	CRI90+	TW 2700K-5000K	2x12W	300mA	837lm-1111lm
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

# kreon down 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747702</u>	36,00	Plasterkit for concrete installation
Driver 300mA	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver (tunable white)	<u>KR747766</u>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<u>KR747866</u>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W

# kreon down 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (38°)	Required accessories	Optional accessories
 <b>down 80 directional LED</b> Ⓞ LxW 91x91 H 120 Ⓞ Filter holder: incl., glare snoot: incl.	○	<a href="#">KR947931</a>	①	185,00	-	-	-	-	-	-	■	
	●	<a href="#">KR947932</a>	①	185,00	-	-	-	-	-	-	■	
 <b>down 80 directional LED MR16</b> Ⓞ LxW 91x91 H 110 Ⓞ Filter holder: incl., lamp: excl., glare snoot: incl.	○	<a href="#">KR947801</a>	②	105,00							■	
	●	<a href="#">KR947802</a>	②	105,00							■	
 <b>down 80 directional LED PAR16</b> Ⓞ LxW 91x91 H 125 Ⓞ Filter holder: incl., lamp: excl., glare snoot: incl.	○	<a href="#">KR947841</a>	③	105,00							■	
	●	<a href="#">KR947842</a>	③	105,00							■	
 <b>down 80 directional for LED engine 50</b> Ⓞ LxW 91x91 H 120 Ⓞ Glare snoot: incl.	○	<a href="#">KR947201</a>		94,00							■	■
	●	<a href="#">KR947202</a>		94,00							■	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI95+	2700K/3000K/4000K		11,9W	350mA	665lm
② LED MR16			12V	15W		
③ LED PAR16			230V	15W		

# kreon down 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732300-9027-SP</u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u>KR732300-9027-FL</u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u>KR732300-9027-WFL</u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u>KR732300-9030-SP</u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u>KR732300-9030-FL</u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u>KR732300-9030-WFL</u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<u>KR747702</u>	36,00	Plasterkit for concrete installation
Lenses (can not be combined in case of LED engine)	<u>KR704100</u>	27,00	Sculpture lens
	<u>KR704200</u>	27,00	Diffusing lens
	<u>KR772342</u>	30,00	Anti-glare louvre
Driver LED and LED engine	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752743</u>	64,00	LED driver, 350mA, phase dim, 0,7-17W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W

# kreon down 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+			9530 3000K, CRI95+			9540 4000K, CRI95+			SP Spot (24°)	FL Flood (38°)	WFL Wide flood (45°)	Required accessories	Optional accessories
 <b>down 80 downlight LED</b> Ⓢ LxW 91x91 H 100 Ⓢ	○	<a href="#">KR947031</a>	①	165,00	-	-	-	-	-	-	-	-	-	-	-	-	■	
	●	<a href="#">KR947032</a>	①	165,00	-	-	-	-	-	-	-	-	-	-	-	-	-	■
 <b>down 80 downlight LED IP44</b> Ⓢ LxW 91x91 H 100 Ⓢ	○	<a href="#">KR947111</a>	①	170,00	-	-	-	-	-	-	-	-	-	-	-	-	■	
	●	<a href="#">KR947112</a>	①	170,00	-	-	-	-	-	-	-	-	-	-	-	-	-	■
 <b>down 80 downlight LED MR16</b> Ⓢ LxW 91x91 H 110 Ⓢ Lamp: excl.	○	<a href="#">KR947231</a>	②	100,00													■	
	●	<a href="#">KR947232</a>	②	100,00														■
 <b>down 80 downlight LED PAR16</b> Ⓢ LxW 91x91 H 130 Ⓢ Lamp: excl.	○	<a href="#">KR947251</a>	③	100,00													■	
	●	<a href="#">KR947252</a>	③	100,00														■
 <b>down 80 downlight for LED engine 50</b> Ⓢ LxW 91x91 H 120 Ⓢ	○	<a href="#">KR947101</a>		89,00													■	
	●	<a href="#">KR947102</a>		89,00														■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI95+	2700K/3000K/4000K		12,6W	700mA	TBD
② LED MR16			12V	15W		
③ LED PAR16			230V	15W		

# kreon down 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<a href="#"><u>KR732300-9027-SP</u></a>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<a href="#"><u>KR732300-9027-FL</u></a>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<a href="#"><u>KR732300-9027-WFL</u></a>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<a href="#"><u>KR732300-9030-SP</u></a>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<a href="#"><u>KR732300-9030-FL</u></a>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<a href="#"><u>KR732300-9030-WFL</u></a>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
<b>■ Optional accessories</b>			
Plasterkit concrete	<a href="#"><u>KR747702</u></a>	36,00	Plasterkit for concrete installation
LED driver	<a href="#"><u>KR772034</u></a>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<a href="#"><u>KR772232</u></a>	64,00	LED driver, 700mA, 1-10V, 1,4-20W
	<a href="#"><u>KR772236</u></a>	76,00	LED driver, 700mA, DALI, 5,5-18W
	<a href="#"><u>KR772430</u></a>	37,00	LED driver, 700mA, phase dim, 13-25W
	<a href="#"><u>KR772931</u></a>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<a href="#"><u>KR772239</u></a>	145,00	LED driver, 700mA, Casambi, 7-36W
Driver for LED engine	<a href="#"><u>KR747064</u></a>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<a href="#"><u>KR772511</u></a>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<a href="#"><u>KR752743</u></a>	64,00	LED driver, 350mA, phase dim, 0,7-17W
	<a href="#"><u>KR747162</u></a>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<a href="#"><u>KR747266</u></a>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<a href="#"><u>KR772219</u></a>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W

# kreon down 120

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (15°)	FL Flood (24°)	WFL Wide flood (36°)	XFL Extra wide flood (60°)	Optional accessories
 <b>down 120 directional</b> ☉ LxW 128x128 H 140	○	<u>KR957981</u>	①	217,00	-	-	-	-	-	-	-	■
	●	<u>KR957982</u>	①	217,00	-	-	-	-	-	-	-	■
 <b>down 120 downlight</b> ☉ LxW 128x128 H 110	○	<u>KR957281</u>	②	200,00	-	-	-	-	-	-	-	■
	●	<u>KR957282</u>	②	200,00	-	-	-	-	-	-	-	■

		CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	SP	CRI95+	2700K/3000K/4000K	19,8W	600mA	1482lm
		FL & WFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1620lm
		XFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1617lm
②	LED	SP	CRI95+	2700K/3000K/4000K	19,8W	600mA	1482lm
		FL & WFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1620lm
		XFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1617lm

# kreon down 120 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Louvre IP44 (only for downlight)	<u>KR707416</u>	39,00	Louvre IP44, white
	<u>KR707412</u>	39,00	Louvre IP44, black
Lenses (only for directional)	<u>KR750100</u>	28,00	Sculpture lens
	<u>KR750200</u>	28,00	Diffusing lens
	<u>KR750800</u>	38,00	Softening lens
Driver	<u>KR752953-600</u>	42,00	LED driver, 600mA, phase dim, 4,4-20W
	<u>KR772034-600</u>	74,00	LED driver, 600mA, ON/OFF, 1,2-20W
	<u>KR777200-600</u>	76,00	LED driver, 600mA, DALI 8 0/1-10V, 1,2-25W
	<u>KR777500-600</u>	37,00	LED driver, 600mA, DALI 8 0/1-10V, 1,8-43,2W
	<u>KR777220-600</u>	145,00	LED driver, 600mA, DALI, 1,2-19,5W

# kreon down 165

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	Required accessories	Optional accessories
 <b>down 165 directional high output</b> LxW 173x173 H 250 Filter holder: incl.	○	<a href="#">KR947341</a>	①		373,00	-	-	-	■	■
	●	<a href="#">KR947342</a>	①		373,00	-	-	-	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1874lm

# kreon down 165 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Reflector (not for wallwasher)	<u>KR720032</u>	46,00	Reflector LED, spot 13°
	<u>KR720034</u>	46,00	Reflector LED, flood 23°
	<u>KR720036</u>	46,00	Reflector LED, wide flood 40°
<b>■ Optional accessories</b>			
Lenses	<u>KR720100</u>	31,00	Sculpture lens
	<u>KR720800</u>	44,00	Softening lens
Driver	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 36W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR772143</u>	90,00	LED driver, 1050mA, DALI, 35W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W

# kreon down 165

	Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>down 165 directional high output LE111</b> © LxW 173x173 H 173 glare snoot: incl.	○	<u>KR947351</u>	202,00	■	■
	●	<u>KR947352</u>	202,00	■	■
	●	<u>KR947353</u>	202,00	■	■
 <b>down 165 fixed high output LE111</b> © LxW 173x173 H 95	○	<u>KR947451</u>	180,00	■	■
	●	<u>KR947452</u>	180,00	■	■

# kreon down 165 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732100-9030-SP</u>	56,00	LED engine 111, 3000K, CRI90+, 15°, 25,7W, 700mA (2350lm)
	<u>KR732100-9030-FL</u>	56,00	LED engine 111, 3000K, CRI90+, 24°, 36,9W, 1050mA (3450lm)
	<u>KR732100-9030-WFL</u>	56,00	LED engine 111, 3000K, CRI90+, 60°, 36,8W, 1050mA (3150lm)
<b>■ Optional accessories</b>			
Driver	<u>KR772530</u>	73,00	LED driver, 700mA, ON/OFF, 28W
	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	<u>KR772233</u>	90,00	LED driver, 700mA, DALI, 8,4-27W
	<u>KR772643</u>	189,00	LED driver, 1050mA, DALI, 40W

# kreon down in-line 20

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	DL Dark light (36°)	WDL Wide dark light (60°)	Required accessories	Optional accessories
◇	<b>down in-line 20 downlight</b> ⊙ H 136	○	<u>KR939221</u>	①	125,00	—	—	—	22,00	22,00	■	■
		●	<u>KR939222</u>	①	125,00	—	—	—	22,00	22,00	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI90+	2700K/3000K	4W	1400mA	300lm
	LED (DL/WDL)	CRI90+	2700K/3000K	12,4W	1050mA	462lm

# kreon down in-line 20 accessories

		Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Chassis	<a href="#"><u>KR739120</u></a>	73,00	Chassis down in-line 20
Plasterkit	<a href="#"><u>KR717104</u></a>	25,00	Plasterkit, front mounting, no shadowgap ⌀ Ø102
	<a href="#"><u>KR717108</u></a>	25,00	Plasterkit, front mounting, shadowgap ⌀ Ø102
	<a href="#"><u>KR717000</u></a>	36,00	Plasterkit, back mounting, no shadowgap ⌀ Ø86
Concrete plasterkit	<a href="#"><u>KR717102</u></a>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ⌀ Ø140
Installation kit	<a href="#"><u>KR717100</u></a>	36,00	Installation kit, back mounting
<b>■ Optional accessories</b>			
Blind cover	<a href="#"><u>KR709320</u></a>	15,00	Blind cover
Driver	<a href="#"><u>KR772543</u></a>	76,00	LED driver, 1050mA, DALI2, 2,1-20W
	<a href="#"><u>KR772743</u></a>	90,00	LED driver, 1050mA, touchdim DALI2/dim-to-warm, 10-38W
	<a href="#"><u>KR772249</u></a>	145,00	LED driver, 1050mA, Casambi/dim-to-warm, 10,5-38W
	<a href="#"><u>KR772952</u></a>	60,00	LED driver, 1400mA, 0-10V, 30W
	<a href="#"><u>KR772956</u></a>	80,00	LED driver, 1400mA, DALI, 2,8-30W

# kreon down in-line 40

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9090 3000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (10°)	FL Flood (24°)	WFL Wide flood (46°)	Required accessories	Optional accessories
 <b>down in-line 40 directional</b> ⊙ H 80 Glare snoot: incl.		<u>KR907733</u>	①	109,00	-	-				-	-	-	■	■
 <b>down in-line 40 directional high output</b> ⊙ H 80 Glare snoot: incl.		<u>KR907743</u>	②	124,00			-	-	-	-	-	-	■	■
 <b>down in-line 40 downlight</b> ⊙ H 80		<u>KR907033</u>	③	91,00	-	-				-	-	-	■	■
 <b>down in-line 40 downlight high output</b> ⊙ H 80		<u>KR907043</u>	④	106,00			-	-	-	-	-	-	■	■
 <b>down in-line 40 wallwasher</b> ⊙ H 80		<u>KR907331</u>	⑤	162,00	-	-							■	■
		<u>KR907332</u>	⑤	162,00	-	-							■	■
 <b>down in-line 40 HE wallwasher</b> ⊙ H 75		<u>KR907341</u>	⑥	124,00	-	-							■	■
		<u>KR907342</u>	⑥	124,00	-	-							■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	2W	700mA	121lm
	CRI90+	2700K/3000K	3,2W	1050mA	143lm
② LED	CRI95+	2700K/3000K/4000K	6W	500mA	TBD
③ LED	CRI90+	2700K/3000K	2W	700mA	138lm
	CRI90+	2700K/3000K	3,2W	1050mA	172lm
④	CRI95+	2700K/3000K/4000K	6W	500mA	TBD
⑤ LED	CRI90+	2700K/3000K	2W	700mA	47lm
	CRI90+	2700K/3000K	3,2W	1050mA	71lm
⑥ LED	CRI90+	2700K/3000K	4W	700mA	291lm

# kreon down in-line 40 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR707114</u></a>	18,00	Plasterkit, front mounting, no shadowgap ☉ LxW 63x63
Installation kit	<a href="#"><u>KR707110</u></a>	23,00	Installation kit, Ø40, no shadowgap, back mounting, 13+mm panel ☉ Ø42
	<a href="#"><u>KR707117</u></a>	23,00	Installation kit, Ø40, no shadowgap, back mounting, 9-13mm panel ☉ Ø42
Plasterkit concrete	<a href="#"><u>KR707111</u></a>	33,00	Plasterkit for concrete installation ☉ Ø110
Louvre	<a href="#"><u>KR707116</u></a>	17,00	Louvre, white
	<a href="#"><u>KR707112</u></a>	17,00	Louvre, black
Louvre IP44 (only for downlight)	<a href="#"><u>KR707311</u></a>	26,00	Louvre IP44, white
	<a href="#"><u>KR707312</u></a>	26,00	Louvre IP44, black
Deep recessed installation (only for downlight)	<a href="#"><u>KR707714</u></a>	21,00	Plasterkit, deep recessed, no shadowgap
	<a href="#"><u>KR707711</u></a>	36,00	Plasterkit for concrete installation, deep recessed, no shadowgap
	<a href="#"><u>KR707716</u></a>	20,00	Deep recessed louvre, white
	<a href="#"><u>KR707712</u></a>	20,00	Deep recessed louvre, black

# kreon down in-line 40 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver	<a href="#"><u>KR752430</u></a>	17,00	LED driver, 700mA, ON/OFF, 1,75-3,15W, IP65 (only for downlight)
	<a href="#"><u>KR752530</u></a>	17,00	LED driver, 700mA, ON/OFF, 2,8-6,3W, IP65 (only for wallwasher)
	<a href="#"><u>KR752633</u></a>	66,00	LED driver, 700mA, DALI, 10W
	<a href="#"><u>KR772631</u></a>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
	<a href="#"><u>KR772632</u></a>	60,00	LED driver, 700mA, 0/1-10V, 7-12W
	<a href="#"><u>KR772633</u></a>	66,00	LED driver, 700mA, DALI, 1,4-8,4W
	<a href="#"><u>KR772142</u></a>	80,00	LED driver, 1050mA, 1-10V, 39W
	<a href="#"><u>KR772443</u></a>	131,00	LED driver, 1050mA, DALI, 60W
	<a href="#"><u>KR772249</u></a>	145,00	LED driver, 1050mA, Casambi, 38W (min. 4 modules)
Distance ring	<a href="#"><u>KR707317</u></a>	10,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707318</u></a>	12,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707319</u></a>	16,00	Distance ring 5mm (set of 5 pcs.)



# kreon down in-line 40

	KR-code	Light sources	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>down in-line 40 downlight for LED engine 35</b> H 80	<u>KR907003</u>	①	23,00	■	■

# kreon down in-line 40 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR707114</u></a>	18,00	Plasterkit, front mounting, no shadowgap ☉ LxW 63x63
Installation kit	<a href="#"><u>KR707110</u></a>	23,00	Installation kit, Ø40, trimless, back mounting, 13+mm panel ☉ Ø42
	<a href="#"><u>KR707117</u></a>	23,00	Installation kit, Ø40, trimless, back mounting, 9-13mm panel ☉ Ø42
Plasterkit concrete	<a href="#"><u>KR707111</u></a>	33,00	Plasterkit for concrete installation ☉ Ø110
LED engine	<a href="#"><u>KR732400-9027-SP</u></a>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<a href="#"><u>KR732400-9027-FL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<a href="#"><u>KR732400-9027-WFL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<a href="#"><u>KR732400-9030-FL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<a href="#"><u>KR732400-9030-WFL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
Louvre	<a href="#"><u>KR707116</u></a>	17,00	Louvre, white
	<a href="#"><u>KR707112</u></a>	17,00	Louvre, black
<b>■ Optional accessories</b>			
LED driver	<a href="#"><u>KR772554</u></a>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<a href="#"><u>KR772550</u></a>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<a href="#"><u>KR772551</u></a>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<a href="#"><u>KR772556</u></a>	66,00	LED driver, 180mA, DALI2, 1-8W
Distance ring	<a href="#"><u>KR707317</u></a>	10,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707318</u></a>	12,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707319</u></a>	16,00	Distance ring 5mm (set of 5 pcs.)

# kreon down in-line 60 module

	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>down in-line 60 directional for LED engine 35</b> D 80 Glare snoot: incl., LED engine: excl., gear: excl., IP20	<u>KR917663</u>	61,00	■	■

# kreon down in-line 60 accessories module

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<a href="#"><u>KR732400-9027-SP</u></a>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<a href="#"><u>KR732400-9027-FL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<a href="#"><u>KR732400-9027-WFL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<a href="#"><u>KR732400-9030-FL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<a href="#"><u>KR732400-9030-WFL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
Plasterkit	<a href="#"><u>KR707194</u></a>	22,00	Plasterkit, front mounting, no shadowgap ⌀ Ø100
Installation kit	<a href="#"><u>KR707180</u></a>	28,00	Installation kit, back mounting, no shadowgap ⌀ LxW 63x63
Plasterkit concrete	<a href="#"><u>KR707192</u></a>	34,00	Plasterkit for concrete installation, no shadowgap Ø140
Louvre	<a href="#"><u>KR717196</u></a>	19,00	Louvre, white
	<a href="#"><u>KR717192</u></a>	19,00	Louvre, black
<b>■ Optional accessories</b>			
LED driver	<a href="#"><u>KR772554</u></a>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<a href="#"><u>KR772550</u></a>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<a href="#"><u>KR772551</u></a>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<a href="#"><u>KR772556</u></a>	66,00	LED driver, 180mA, DALI2, 1-8W
Distance ring	<a href="#"><u>KR707097</u></a>	12,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707098</u></a>	14,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707099</u></a>	18,00	Distance ring 5mm (set of 5 pcs.)

# kreon down in-line 60 module

	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>down in-line 60 downlight for LED engine 35</b> ⊕ D 80 ⊕ Glare snoot: incl., LED engine: excl., gear: excl., IP20	<u>KR917563</u>	61,00	■	■

# kreon down in-line 60 accessories module

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<a href="#"><u>KR732400-9027-SP</u></a>	35,00	LED engine 35, 2700K, CRI90+, 16°, 6W, 180mA (388lm)
	<a href="#"><u>KR732400-9027-FL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 24°, 6W, 180mA (480lm)
	<a href="#"><u>KR732400-9027-WFL</u></a>	35,00	LED engine 35, 2700K, CRI90+, 36°, 6W, 180mA (540lm)
	<a href="#"><u>KR732400-9030-FL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 24°, 6W, 180mA (520lm)
	<a href="#"><u>KR732400-9030-WFL</u></a>	35,00	LED engine 35, 3000K, CRI90+, 36°, 6W, 180mA (550lm)
Plasterkit	<a href="#"><u>KR707194</u></a>	22,00	Plasterkit, front mounting, no shadowgap ⌀ Ø100
Installation kit	<a href="#"><u>KR707180</u></a>	28,00	Installation kit, back mounting, no shadowgap ⌀ LxW 63x63
Plasterkit concrete	<a href="#"><u>KR707192</u></a>	34,00	Plasterkit for concrete installation, no shadowgap Ø140
Louvre	<a href="#"><u>KR717196</u></a>	19,00	Louvre, white
	<a href="#"><u>KR717192</u></a>	19,00	Louvre, black
<b>■ Optional accessories</b>			
LED driver	<a href="#"><u>KR772554</u></a>	33,00	LED driver, 180mA, ON/OFF, 1-7,4W
	<a href="#"><u>KR772550</u></a>	20,00	LED driver, 180mA, phase dim, 2,7-7,2W
	<a href="#"><u>KR772551</u></a>	66,00	LED driver, 180mA, 0/1-10V touchdim, 1-9,5W
	<a href="#"><u>KR772556</u></a>	66,00	LED driver, 180mA, DALI2, 1-8W
Distance ring	<a href="#"><u>KR707097</u></a>	12,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707098</u></a>	14,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707099</u></a>	18,00	Distance ring 5mm (set of 5 pcs.)

# kreon down in-line 60 standard

	KR-code	Light source	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (20°)	FL Flood (36°)	WFL Wide flood (45°)	Required accessories	Optional accessories
 <b>down in-line 60 directional</b> D 95 Glare snoot: incl., gear: excl., IP20	<u>KR917943</u>	①	136,00	-	-	-	-	-	-	■	■
 <b>down in-line 60 downlight</b> D 95 Gear: excl., IP20	<u>KR917043</u>	②	124,00	-	-	-	-	-	-	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SP)	CRI95+ 2700K/3000K/4000K	12,6W	700mA	734lm
	LED (FL)	CRI95+ 2700K/3000K/4000K	12,6W	700mA	845lm
	LED (WFL)	CRI95+ 2700K/3000K/4000K	12,6W	700mA	837lm
②	LED (SP)	CRI95+ 2700K/3000K/4000K	12,6W	700mA	830lm
	LED (FL)	CRI95+ 2700K/3000K/4000K	12,6W	700mA	936lm
	LED (WFL)	CRI95+ 2700K/3000K/4000K	12,6W	700mA	879lm

# kreon down in-line 60 accessories standard

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR707194</u></a>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø100
Installation kit	<a href="#"><u>KR707180</u></a>	28,00	Installation kit, back mounting, no shadowgap ☉ LxW 63x63
Plasterkit concrete	<a href="#"><u>KR707192</u></a>	34,00	Plasterkit for concrete installation, no shadowgap ☉ Ø140
Louvre	<a href="#"><u>KR717196</u></a>	19,00	Louvre, white
	<a href="#"><u>KR717192</u></a>	19,00	Louvre, black
Louvre IP44 (only for downlight)	<a href="#"><u>KR717396</u></a>	26,00	Louvre IP44, white
	<a href="#"><u>KR717392</u></a>	26,00	Louvre IP44, black
<b>■ Optional accessories</b>			
Driver	<a href="#"><u>KR772034</u></a>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<a href="#"><u>KR772931</u></a>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<a href="#"><u>KR772232</u></a>	64,00	LED driver, 700mA, 1-10V, 2,1-20W
	<a href="#"><u>KR752733</u></a>	66,00	LED driver, 700mA, DALI, 2,1-20W
	<a href="#"><u>KR772239</u></a>	145,00	LED driver, 700mA, Casambi, 7-36W
Distance ring	<a href="#"><u>KR707097</u></a>	12,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707098</u></a>	14,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707099</u></a>	18,00	Distance ring 5mm (set of 5 pcs.)

# kreon down in-line 60 high efficiency

		KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories
	<b>down in-line 60 HE downlight</b> D 90 Gear: excl., IP20	<u>KR917053</u>	①	140,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-	-	-	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen			
①	LED (SSP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD			
		CRI95+				TBD			
	LED (SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	709lm			
		CRI95+				640lm			
		CRI90+				TW 2700K-5000K	2x11W	TBD	
		CRI97+				DTW 1800K-3000K	12,6W	350mA	TBD
	LED (FL)	CRI90+	2700K/3000K/4000K	9,9W	350mA	1112lm			
		CRI95+				806lm			
		CRI90+				TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+				DTW 1800K-3000K	12,6W	350mA	TBD
	LED (WFL)	CRI90+	2700K/3000K/4000K	12W	350mA	1106lm			
		CRI95+				816lm			

# kreon down in-line 60 accessories high efficiency

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR707194</u></a>	22,00	Plasterkit, front mounting, no shadowgap ☉ Ø100
Installation kit	<a href="#"><u>KR707180</u></a>	28,00	Installation kit, back mounting, no shadowgap ☉ LxW 63x63
Plasterkit concrete	<a href="#"><u>KR707062</u></a>	34,00	Plasterkit for concrete installation, no shadowgap ☉ Ø140
Louvre	<a href="#"><u>KR717196</u></a>	19,00	Louvre, white
	<a href="#"><u>KR717192</u></a>	19,00	Louvre, black
Louvre IP44	<a href="#"><u>KR717396</u></a>	26,00	Louvre IP44, white
	<a href="#"><u>KR717392</u></a>	26,00	Louvre IP44, black
<b>■ Optional accessories</b>			
Driver 300mA for SSP & SP	<a href="#"><u>KR747464</u></a>	42,00	LED driver, 300mA, ON/OFF, 16W
	<a href="#"><u>KR747562</u></a>	64,00	LED driver, 300mA, 1-10V, 15W
	<a href="#"><u>KR747666</u></a>	76,00	LED driver, 300mA, DALI, 16W
	<a href="#"><u>KR772209</u></a>	145,00	LED driver, 300mA, Casambi, 16W
Driver 350mA for FL & WFL	<a href="#"><u>KR747064</u></a>	42,00	LED driver, 350mA, ON/OFF, 18W
	<a href="#"><u>KR747162</u></a>	64,00	LED driver, 350mA, 1-10V, 18W
	<a href="#"><u>KR747267</u></a>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<a href="#"><u>KR772219</u></a>	145,00	LED driver, 350mA, Casambi, 18,5W
Installation tool for downlight	<a href="#"><u>KR707760</u></a>	13,00	Installation tool
Distance ring	<a href="#"><u>KR707097</u></a>	12,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707098</u></a>	14,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707099</u></a>	18,00	Distance ring 5mm (set of 5 pcs.)

# kreon down in-line 60

## high efficiency - low louvre and deep recessed louvre

	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (34°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories
 <b>down in-line 60 downlight low louvre SSP &amp; SP</b> D 87 Gear: excl.	<u>KR907363</u>	①	140,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■	■
 <b>down in-line 60 downlight low louvre FL &amp; WFL</b> D 87 Gear: excl.	<u>KR907763</u>	②	140,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■	■
 <b>down in-line 60 wallwasher</b> D 92 Gear: excl.	<u>KR907561</u>	③	176,00	-	-	-	15,00	15,00	15,00	23,00	11,00					■	■
	<u>KR907562</u>	③	176,00	-	-	-	15,00	15,00	15,00	23,00	11,00					■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	566lm
	LED (SP)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	775lm
		CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	835-1053lm 726lm
	②	LED (FL)	CRI90+/ CRI95+	2700K/3000K/4000K	12W	350mA
②		CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	907-1153lm 823lm
	LED (WFL)	CRI90+/ CRI95+	2700K/3000K/4000K	12W	350mA	1312lm
		CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	926-1225lm 891lm
③	LED (WW)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
		CRI90+ CRI97+	TW 2700K-5000K DTW 1800K-3000K	2x12W 12,6W	300mA 350mA	837lm - 1111lm 831lm

kreon down in-line 60 accessories  
high efficiency - low louvre  
and deep recessed louvre

KR-code

Base price (EUR exc. VAT)

■ Required accessories

	KR-code	Base price (EUR exc. VAT)	
Plasterkit	<u>KR707184</u>	22,00	Plasterkit, front mounting, no shadowgap ⌀ Ø100
Plasterkit concrete	<u>KR707062</u>	34,00	Plasterkit for concrete installation, no shadowgap ⌀ Ø140
Louvre for downlight	<u>KR707286</u>	19,00	Low louvre, white
	<u>KR707282</u>	19,00	Low louvre, black
Louvre for wallwasher	<u>KR707486</u>	17,00	Low louvre, white
	<u>KR707482</u>	17,00	Low louvre, black
Deep recessed installation (only for downlight)	<u>KR707386</u>	23,00	Deep recessed louvre, white
	<u>KR707382</u>	23,00	Deep recessed louvre, black

# kreon down in-line 60 accessories

## high efficiency - low louver and deep recessed louver

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver 300mA for SSP, SP & wallwasher ①	<a href="#"><u>KR747464</u></a>	42,00	LED driver, 300mA, ON/OFF, 16W
	<a href="#"><u>KR747562</u></a>	64,00	LED driver, 300mA, 1-10V, 15W
	<a href="#"><u>KR747666</u></a>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<a href="#"><u>KR772209</u></a>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL ②	<a href="#"><u>KR747064</u></a>	42,00	LED driver, 350mA, ON/OFF, 18W
	<a href="#"><u>KR747162</u></a>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<a href="#"><u>KR747267</u></a>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<a href="#"><u>KR772219</u></a>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<a href="#"><u>KR747766</u></a>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<a href="#"><u>KR747866</u></a>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W
Installation tool for downlight	<a href="#"><u>KR707760</u></a>	13,00	Installation tool
Distance ring	<a href="#"><u>KR707097</u></a>	12,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707098</u></a>	14,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707099</u></a>	18,00	Distance ring 5mm (set of 5 pcs.)



# kreon down in-line 80

	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	Required accessories	Optional accessories
 <b>down in-line 80 HE directional SSP &amp; SP</b> H 120 Gear: excl., IP40	<u>KR917023</u>	①	223,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-		■	■
 <b>down in-line 80 HE directional FL</b> H 120 Gear: excl., IP40	<u>KR917123</u>	②	223,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED (SSP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	500lm
	LED (SP)	CRI90+/ CRI95	2700K/3000K/4000K	9,9W	300mA	736lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	820-1055lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
②	LED (FL)	CRI90+/ CRI95	2700K/3000K/4000K	12W	350mA	995lm
		CRI90+	TW 2700K-5000K	2x12W	300mA	914-1172lm
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm

# kreon down in-line 80

	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (35°)	FL Flood (52°)	WFL Wide flood (69°)	Required accessories	Optional accessories
 <b>down in-line 80 HE fixed SSP &amp; SP</b> ⊕ H 105 Gear: excl., IP40	<u>KR917223</u>	①	156,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■	■
 <b>down in-line 80 HE fixed FL &amp; WFL</b> ⊕ H 105 Gear: excl., IP40	<u>KR917323</u>	②	156,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■	■
 <b>down in-line 80 HE fixed SSP &amp; SP</b> ⊕ H 105 Gear: excl., IP44	<u>KR917723</u>	①	161,00	-	-	-	15,00	15,00	15,00	23,00	11,00	-	-			■	■
 <b>down in-line 80 HE fixed FL &amp; WFL</b> ⊕ H 105 Gear: excl., IP44	<u>KR917713</u>	②	161,00	-	-	-	15,00	15,00	15,00	23,00	11,00			-	-	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (SSP/ SP)	CRI90+	2700K/3000K/4000K	9,9W	300mA	TBD
	CRI95+	2700K/3000K/4000K	9,9W	300mA	
	CRI90+	TW 2700K-5000K	2x12W	300mA	
	CRI97+	DTW 1800K-3000K	12,6W	350mA	
② LED (FL/ WFL)	CRI90+	2700K/3000K/4000K	12W	300mA	TBD
	CRI95+	2700K/3000K/4000K	12W	300mA	
	CRI90+	TW 2700K-5000K	2x12W	300mA	
	CRI97+	DTW 1800K-3000K	12,6W	350mA	

# kreon down in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR717114</u>	25,00	Plasterkit, front mounting, no shadowgap ☉ LxW 102x102
	<u>KR717118</u>	25,00	Plasterkit, front mounting, shadowgap ☉ LxW 102x102
Double plasterkit	<u>KR727114</u>	36,00	Double plasterkit, front mounting, no shadowgap ☉ LxW 102x177
Installation kit	<u>KR717110</u>	31,00	Installation kit, back mounting, no shadowgap ☉ Ø83
Plasterkit concrete	<u>KR717412</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Louvre	<u>KR717116</u>	21,00	Louvre, white
	<u>KR717112</u>	21,00	Louvre, black

# kreon down in-line 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Driver 300mA for SSP & SP	<a href="#"><u>KR747464</u></a>	42,00	LED driver, 300mA, ON/OFF, 16W
	<a href="#"><u>KR747562</u></a>	64,00	LED driver, 300mA, 1-10V, 15W
	<a href="#"><u>KR747666</u></a>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<a href="#"><u>KR772209</u></a>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver 350mA for FL & WFL	<a href="#"><u>KR747064</u></a>	42,00	LED driver, 350mA, ON/OFF, 18W
	<a href="#"><u>KR747162</u></a>	64,00	LED driver, 350mA, 1-10V, 18W
Driver 350mA (dim-to-warm)	<a href="#"><u>KR747266</u></a>	76,00	LED driver, 350mA, DALI, 3,5-17W, dim-to-warm
	<a href="#"><u>KR772219</u></a>	145,00	LED driver, 350mA, Casambi, 18,5W (suitable for dim-to-warm)
Driver (tunable white)	<a href="#"><u>KR747766</u></a>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<a href="#"><u>KR747866</u></a>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W
Distance ring	<a href="#"><u>KR717317</u></a>	14,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR717318</u></a>	16,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR717319</u></a>	20,00	Distance ring 5mm (set of 5 pcs.)

# kreon down in-line 80

				Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	Optional accessories
	Colour	KR-code	Light sources										
 <b>down in-line 80 HE wallwasher</b> H 92 Gear: excl., IP40	○	<u>KR917421</u>	①	201,00	-	-	-	15,00	15,00	15,00	23,00	11,00	■
	●	<u>KR917422</u>	①	201,00	-	-	-	15,00	15,00	15,00	23,00	11,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED (WW)	CRI90+/ CRI95+	2700K/3000K/4000K	9,9W	300mA	807lm
	CRI90+	TW 2700K-5000K	2x12W	300mA	837lm-1111lm
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

# kreon down in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR717114</u></a>	25,00	Plasterkit, front mounting, no shadowgap ☉ LxW 102x102
	<a href="#"><u>KR717118</u></a>	25,00	Plasterkit, front mounting, shadowgap ☉ LxW 102x102
Double plasterkit	<a href="#"><u>KR727114</u></a>	36,00	Double plasterkit, front mounting, no shadowgap ☉ LxW 102x177
Installation kit	<a href="#"><u>KR717110</u></a>	31,00	Installation kit, back mounting, no shadowgap ☉ Ø83
Plasterkit concrete	<a href="#"><u>KR717412</u></a>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Louvre	<a href="#"><u>KR717116</u></a>	21,00	Louvre, white
	<a href="#"><u>KR717112</u></a>	21,00	Louvre, black
<b>■ Optional accessories</b>			
Driver 300mA	<a href="#"><u>KR747464</u></a>	42,00	LED driver, 300mA, ON/OFF, 16W
	<a href="#"><u>KR747562</u></a>	64,00	LED driver, 300mA, 1-10V, 15W
	<a href="#"><u>KR747666</u></a>	76,00	LED driver, 300mA, DALI, 16W (suitable for dim-to-warm)
	<a href="#"><u>KR772209</u></a>	145,00	LED driver, 300mA, Casambi, 16W (suitable for dim-to-warm)
Driver (tunable white)	<a href="#"><u>KR747766</u></a>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W
	<a href="#"><u>KR747866</u></a>	116,00	LED driver, 280mA, DALI-2 DT8, tunable white, 2x 1-11,2W
Distance ring	<a href="#"><u>KR717317</u></a>	14,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR717318</u></a>	16,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR717319</u></a>	20,00	Distance ring 5mm (set of 5 pcs.)

# kreon down in-line 80

	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (38°)	Required accessories	Optional accessories
 <b>down in-line 80 directional LED</b> ⓐ H 120 Ⓢ Filter holder: incl., glare snoot: incl.	<u>KR917933</u>	①	151,00	-	-	-	-	-	-	■	■
 <b>down in-line 80 directional LED MR16</b> ⓐ H 110 Ⓢ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917803</u>	②	74,00							■	■
 <b>down in-line 80 directional LED PAR16</b> ⓐ H 125 Ⓢ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917843</u>	③	74,00							■	■
 <b>down in-line 80 directional for LED engine 50</b> ⓐ H 120 Ⓢ Glare snoot: incl.	<u>KR917163</u>		66,00							■	■

	CRI	CCT	Wattage	Voltage	Drive current	Fixture lumen
① LED	CRI95+	2700K/3000K/4000K		11,9W	350mA	665lm
② LED MR16				12V	15W	
③ LED PAR16				230V	15W	

# kreon down in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<a href="#"><u>KR732300-9027-SP</u></a>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<a href="#"><u>KR732300-9027-FL</u></a>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<a href="#"><u>KR732300-9027-WFL</u></a>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<a href="#"><u>KR732300-9030-SP</u></a>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<a href="#"><u>KR732300-9030-FL</u></a>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<a href="#"><u>KR732300-9030-WFL</u></a>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
Plasterkit	<a href="#"><u>KR717114</u></a>	25,00	Plasterkit, front mounting, no shadowgap ☉ LxW 102x102
	<a href="#"><u>KR717118</u></a>	25,00	Plasterkit, front mounting, shadowgap ☉ LxW 102x102
Double plasterkit	<a href="#"><u>KR727114</u></a>	36,00	Double plasterkit, front mounting, no shadowgap ☉ LxW 102x177
Installation kit	<a href="#"><u>KR717110</u></a>	31,00	Installation kit, back mounting, no shadowgap ☉ Ø83
Plasterkit concrete	<a href="#"><u>KR717412</u></a>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Louvre	<a href="#"><u>KR717116</u></a>	21,00	Louvre, white
	<a href="#"><u>KR717112</u></a>	21,00	Louvre, black
Installation trim	<a href="#"><u>KR727911</u></a>	46,00	Installation trim, white
	<a href="#"><u>KR727912</u></a>	46,00	Installation trim, black

# kreon down in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Lenses (can not be combined in case of LED engine)	<u>KR704100</u>	27,00	Sculpture lens
	<u>KR704200</u>	27,00	Diffusing lens
	<u>KR772342</u>	30,00	Anti-glare louvre
Driver	<u>KR747064</u>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<u>KR772511</u>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<u>KR752743</u>	64,00	LED driver, 350mA, phase dim, 0,7-17W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W
Distance ring	<u>KR717307</u>	14,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	16,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	20,00	Distance ring 5mm (set of 5 pcs.)



# kreon down in-line 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95D+	SP Spot (24°)	FL Flood (38°)	WFL Wide flood (45°)	Required accessories	Optional accessories
 <b>down in-line 80 downlight LED</b> ⊕ H 100 ⊕		<u>KR917033</u>	①	132,00	-	-	-	-	-	-	■	■
 <b>down in-line 80 downlight LED IP44</b> ⊕ H 100 ⊕		<u>KR917133</u>	①	137,00	-	-	-	-	-	-	■	■
 <b>down in-line 80 downlight LED MR16</b> ⊕ H 110 ⊕ Lamp: excl.		<u>KR917233</u>	②	70,00							■	■
 <b>down in-line 80 downlight LED PAR16</b> ⊕ H 125 ⊕ Lamp: excl.		<u>KR917253</u>	③	70,00							■	■
 <b>down in-line 80 downlight for LED engine 50</b> ⊕ H 120 ⊕		<u>KR917113</u>		62,00							■	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI95+	2700K/3000K/4000K		12,6W	700mA	TBD
② LED MR16			12V	15W		
③ LED PAR16			230V	15W		

# kreon down in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u><a href="#">KR732300-9027-SP</a></u>	40,00	LED engine 50, 2700K, CRI90+, 15°, 12,2W, 350mA (981lm)
	<u><a href="#">KR732300-9027-FL</a></u>	40,00	LED engine 50, 2700K, CRI90+, 24°, 12,6W, 350mA (1000lm)
	<u><a href="#">KR732300-9027-WFL</a></u>	40,00	LED engine 50, 2700K, CRI90+, 40°, 12,6W, 350mA (1000lm)
	<u><a href="#">KR732300-9030-SP</a></u>	40,00	LED engine 50, 3000K, CRI90+, 15°, 12,2W, 350mA (1032lm)
	<u><a href="#">KR732300-9030-FL</a></u>	40,00	LED engine 50, 3000K, CRI90+, 24°, 12,6W, 350mA (1050lm)
	<u><a href="#">KR732300-9030-WFL</a></u>	40,00	LED engine 50, 3000K, CRI90+, 40°, 12,6W, 350mA (1100lm)
Plasterkit	<u><a href="#">KR717114</a></u>	25,00	Plasterkit, front mounting, no shadowgap ☉ LxW 102x102
	<u><a href="#">KR717118</a></u>	25,00	Plasterkit, front mounting, shadowgap ☉ LxW 102x102
Double plasterkit	<u><a href="#">KR727114</a></u>	36,00	Double plasterkit, front mounting, no shadowgap ☉ LxW 102x177
Installation kit	<u><a href="#">KR717110</a></u>	31,00	Installation kit, back mounting, no shadowgap ☉ Ø83
Plasterkit concrete	<u><a href="#">KR717412</a></u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200) ☉ Ø140
Louvre	<u><a href="#">KR717116</a></u>	21,00	Louvre, white
	<u><a href="#">KR717112</a></u>	21,00	Louvre, black

# kreon down in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver	<a href="#"><u>KR772034</u></a>	42,00	LED driver, 700mA, ON/OFF, 1,4-20W
	<a href="#"><u>KR772232</u></a>	64,00	LED driver, 700mA, 1-10V, 1,4-20W
	<a href="#"><u>KR772236</u></a>	76,00	LED driver, 700mA, DALI, 5,5-18W
	<a href="#"><u>KR772430</u></a>	37,00	LED driver, 700mA, phase dim, 13-25W
	<a href="#"><u>KR772931</u></a>	32,00	LED driver, 700mA, phase dim, 2,1-14W
	<a href="#"><u>KR772239</u></a>	145,00	LED driver, 700mA, Casambi, 7-36W
Driver LED engine	<a href="#"><u>KR747064</u></a>	42,00	LED driver, 350mA, ON/OFF, 0,7-19W
	<a href="#"><u>KR772511</u></a>	52,00	LED driver, 350mA, phase dim, 3,5-16,8W
	<a href="#"><u>KR752740</u></a>	21,00	LED driver, 350mA, phase dim, 4,5-14W
	<a href="#"><u>KR747162</u></a>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<a href="#"><u>KR747266</u></a>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<a href="#"><u>KR772219</u></a>	145,00	LED driver, 350mA, Casambi, 3,5-18,5W
Distance ring	<a href="#"><u>KR717317</u></a>	14,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR717318</u></a>	16,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR717319</u></a>	20,00	Distance ring 5mm (set of 5 pcs.)
	<a href="#"><u>KR727317</u></a>	56,00	Distance ring, double, 2mm (set of 5 pcs.)
	<a href="#"><u>KR727318</u></a>	66,00	Distance ring, double, 3mm (set of 5 pcs.)



# kreon down in-line 120

	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (15°)	FL Flood (24°)	WFL Wide flood (36°)	XFL Extra wide flood (60°)	Required accessories	Optional accessories
 <b>down in-line 120 directional</b> H 140	<u>KR907933</u>	①	185,00	-	-	-	-	-	-	-	■	■
 <b>down in-line 120 downlight</b> H 110	<u>KR907233</u>	②	168,00	-	-	-	-	-	-	-	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	SP	CRI95+	2700K/3000K/4000K	19,8W	600mA	1482lm
		FL & WFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1620lm
		XFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1617lm
②	LED	SP	CRI95+	2700K/3000K/4000K	19,8W	600mA	1482lm
		FL & WFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1620lm
		XFL	CRI95+	2700K/3000K/4000K	19,8W	600mA	1617lm

# kreon down in-line 120 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR707214</u></a>	29,00	Plasterkit, front mounting, no shadowgap ☉ LxW 144x144
Louvre	<a href="#"><u>KR707216</u></a>	23,00	Louvre, white
	<a href="#"><u>KR707212</u></a>	23,00	Louvre, black
Louvre IP44 (only for downlight)	<a href="#"><u>KR707416</u></a>	39,00	Louvre IP44, white
	<a href="#"><u>KR707412</u></a>	39,00	Louvre IP44, black
<b>■ Optional accessories</b>			
Lenses (only for directional)	<a href="#"><u>KR750100</u></a>	28,00	Sculpture lens
	<a href="#"><u>KR750200</u></a>	28,00	Diffusing lens
	<a href="#"><u>KR750800</u></a>	38,00	Softening lens
Driver	<a href="#"><u>KR752953-600</u></a>	42,00	LED driver, 600mA, phase dim, 4,4-20W
	<a href="#"><u>KR772034-600</u></a>	64,00	LED driver, 600mA, ON/OFF, 1,2-20W
	<a href="#"><u>KR777200-600</u></a>	76,00	LED driver, 600mA, DALI & 0/1-10V, 1,2-25W
	<a href="#"><u>KR777500-600</u></a>	145,00	LED driver, 600mA, DALI & 0/1-10V, 1,8-43,2W
	<a href="#"><u>KR777220-600</u></a>	37,00	LED driver, 600mA, DALI, 1,2-19,5W
Distance ring	<a href="#"><u>KR707417</u></a>	17,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707418</u></a>	21,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707419</u></a>	27,00	Distance ring 5mm (set of 5 pcs.)

# kreon down in-line 165

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	Required accessories	Optional accessories
	<b>down in-line 165 directional high output</b> H 250 Filter holder: incl., glare snoot: incl.		<u>KR917343</u>	①	294,00	—	—	—	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K/4000K	25,7W	1050mA	1874lm

# kreon down in-line 165 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR717214</u></a>	33,00	Plasterkit, front mounting, no shadowgap LxW 186x186
Louvre	<a href="#"><u>KR717216</u></a>	28,00	Louvre, white
	<a href="#"><u>KR717212</u></a>	28,00	Louvre, black
Reflector (not for wallwasher)	<a href="#"><u>KR720032</u></a>	46,00	Reflector LED, spot 13°
	<a href="#"><u>KR720034</u></a>	46,00	Reflector LED, flood 23°
	<a href="#"><u>KR720036</u></a>	46,00	Reflector LED, wide flood 40°
<b>■ Optional accessories</b>			
Lenses (only for directional)	<a href="#"><u>KR720100</u></a>	31,00	Sculpture lens
	<a href="#"><u>KR720800</u></a>	44,00	Softening lens
Driver	<a href="#"><u>KR772140</u></a>	53,00	LED driver, 1050mA, ON/OFF, 36W
	<a href="#"><u>KR772142</u></a>	80,00	LED driver, 1050mA, 1-10V, 39W
	<a href="#"><u>KR772143</u></a>	90,00	LED driver, 1050mA, DALI, 35W
	<a href="#"><u>KR772249</u></a>	145,00	LED driver, 1050mA, Casambi, 37W

# kreon down in-line 165

		Colour	KR-code	Base price (EUR excl. VAT)	No shadowgap	SH Shadowgap	Required accessories	Optional accessories
 <p><b>down in-line 165 directional high output LE111</b>                      © LxW 186x186 H 175                      glare snoot: incl.</p>		○	<a href="#"><u>KR917551</u></a>	202,00	—	—	■	■
		●	<a href="#"><u>KR917552</u></a>	202,00	—	—	■	■
		●	<a href="#"><u>KR917553</u></a>	202,00	—	—	■	■
 <p><b>down in-line 165 fixed high output LE111</b>                      © LxW 186x186 H 95</p>		○	<a href="#"><u>KR917651</u></a>	180,00	—	—	■	■
		●	<a href="#"><u>KR917652</u></a>	180,00	—	—	■	■

# kreon down in-line 165 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
LED engine	<u>KR732100-9030-SP</u>	56,00	LED engine 111, 3000K, CRI90+, 15°, 25,7W, 700mA (2350lm)
	<u>KR732100-9030-FL</u>	56,00	LED engine 111, 3000K, CRI90+, 24°, 36,9W, 1050mA (3450lm)
	<u>KR732100-9030-WFL</u>	56,00	LED engine 111, 3000K, CRI90+, 60°, 36,8W, 1050mA (3150lm)
<b>■ Optional accessories</b>			
Driver	<u>KR772530</u>	73,00	LED driver, 700mA, ON/OFF, 28W
	<u>KR772140</u>	53,00	LED driver, 1050mA, ON/OFF, 19-42W
	<u>KR772233</u>	90,00	LED driver, 700mA, DALI, 8,4-27W
	<u>KR772643</u>	189,00	LED driver, 1050mA, DALI, 40W

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	FL Flood (24°)	WFL Wide flood (38°)	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories
	<b>erubo surface mounted</b>	○	<u>KR921635</u>	①	492,00	-	-	-	29,00	29,00	29,00	-	-	-	44,00	65,00		■
		●	<u>KR921632</u>	①	492,00	-	-	-	29,00	29,00	29,00	-	-	-	44,00	65,00		■
	<b>erubo on-track</b>	○	<u>KR927635</u>	①	530,00	-	-	-	29,00	29,00	29,00	-	-	-			■	■
		●	<u>KR927632</u>	①	530,00	-	-	-	29,00	29,00	29,00	-	-	-			■	■

			CRI	CCT	Wattage	Fixture lumen
①	LED	FL & WFL	CRI90+	2700K/3000K/4000K	19W	1492lm
			CRI95+	2700K/3000K/4000K	19W	1276lm

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
3~ circuit track			See page 440
<b>■ Optional accessories</b>			
Lenses	<u>KR762002</u>	31,00	Anti-glare louvre

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9090 3000K, CRI90+	SP Spot (20°)	DL Dark light (33°)	WDL Wide dark light (56°)	P1 White painted lamphead	P2 Black painted lamphead	A4 Brushed bronze lamphead	A7 Brushed silver lamphead	A8 Brushed gold lamphead	A9 Gun black lamphead
	<b>esprit single floor carrara bianco</b> Gear: Casambi driver incl. in base 	○	<a href="#">KR963211</a>	①	1664,00	-	-	-	-	-	-	-	75,00	75,00	75,00	75,00
		●	<a href="#">KR963212</a>	①	1664,00	-	-	-	-	-	-	-	75,00	75,00	75,00	75,00
	<b>esprit single floor natural steel blue</b> Gear: Casambi driver incl. in base 	○	<a href="#">KR963311</a>	①	1248,00	-	-	-	-	-	-	-	75,00	75,00	75,00	75,00
		●	<a href="#">KR963312</a>	①	1248,00	-	-	-	-	-	-	-	75,00	75,00	75,00	75,00
	<b>esprit single floor round base</b> Gear: Casambi driver incl. in base 	○	<a href="#">KR963411</a>	①	806,00	-	-	-	-	-	-	-	75,00	75,00	75,00	75,00
		●	<a href="#">KR963412</a>	①	806,00	-	-	-	-	-	-	-	75,00	75,00	75,00	75,00
	<b>esprit double floor carrara bianco</b> Gear: Casambi driver incl. in base 	○	<a href="#">KR963221</a>	②	2070,00	-	-	-	-	-	-	-	150,00	150,00	150,00	150,00
		●	<a href="#">KR963222</a>	②	2070,00	-	-	-	-	-	-	-	150,00	150,00	150,00	150,00
	<b>esprit double floor natural steel blue</b> Gear: Casambi driver incl. in base 	○	<a href="#">KR963321</a>	②	1654,00	-	-	-	-	-	-	-	150,00	150,00	150,00	150,00
		●	<a href="#">KR963322</a>	②	1654,00	-	-	-	-	-	-	-	150,00	150,00	150,00	150,00
	<b>esprit double floor round base</b> Gear: Casambi driver incl. in base 	○	<a href="#">KR963421</a>	②	1035,00	-	-	-	-	-	-	-	150,00	150,00	150,00	150,00
		●	<a href="#">KR963422</a>	②	1035,00	-	-	-	-	-	-	-	150,00	150,00	150,00	150,00

		CRI	CCT	Voltage	Wattage	Fixture lumen	
①	LED	SP	CRI90+	2700K/3000K	230V	2W	162lm
		DL/WDL	CRI90+	2700K/3000K	230V	8,4W	370lm
②	LED	SP	CRI90+	2700K/3000K	230V	2x2W	2x162lm
		DL/WDL	CRI90+	2700K/3000K	230V	2x8,4W	2x370lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)									
					9027 2700K, CRI90+	9030 3000K, CRI90+	WDL Wide dark light (56°)	P1 White painted lamphead	P2 Black painted lamphead	A4 Brushed bronze lamphead	A7 Brushed silver lamphead	A8 Brushed gold lamphead	A9 Gun black lamphead	
	<b>esprit desk</b> Gear: incl.	○	<u>KR963911</u>	①	499,00	-	-	-	-	75,00	75,00	75,00	75,00	
		●	<u>KR963912</u>	①	499,00	-	-	-	-	75,00	75,00	75,00	75,00	

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	WDL	CRI90+	2700K	230V	8,4W	368lm



	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	DL Dark light (33°)	WDL Wide dark light (56°)	P1 White painted lamphead	P2 Black painted lamphead	A4 Brushed bronze lamphead	A7 Brushed silver lamphead	A8 Brushed gold lamphead	A9 Gun black lamphead	Required accessories	Optional accessories
 <b>esprit single ceiling</b> Gear: excl., plasterkit: excl. Ⓢ	○	<u>KR963011</u>	①	624,00	-	-	-	-	-	-	75,00	75,00	75,00	75,00	■	■	
	●	<u>KR963012</u>	①	624,00	-	-	-	-	-	-	-	75,00	75,00	75,00	75,00	■	■
 <b>esprit double ceiling</b> Gear: excl., plasterkit: excl. Ⓢ	○	<u>KR963021</u>	②	1032,00	-	-	-	-	-	-	150,00	150,00	150,00	150,00	■	■	
	●	<u>KR963022</u>	②	1032,00	-	-	-	-	-	-	-	150,00	150,00	150,00	150,00	■	■

			CRI	CCT	Wattage	Drive Current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	2W	700mA	162lm
			CRI90+	2700K/3000K	3,2W	1050mA	218lm
	DL 6 WDL	CRI90+	2700K/3000K	8W	700mA	368lm	
		CRI90+	2700K/3000K	12W	1050mA	400lm	
②	LED	SP	CRI90+	2700K/3000K	2x2W	2x700mA	2x162lm
			CRI90+	2700K/3000K	2x3,2W	2x1050mA	2x218lm
	DL 6 WDL	CRI90+	2700K/3000K	2x8W	2x700mA	2x368lm	
		CRI90+	2700K/3000K	2x12W	2x1050mA	2x400lm	

	Colour	KR-code	Base price (EUR excl. VAT)	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	LV Low voltage connection	Optional accessories
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for single SP/DL/WDL and double SP Gear: incl., Ø85 H155	○	<a href="#">KR763591</a>	161,00	–	63,00	63,00		
	●	<a href="#">KR763592</a>	161,00	–	63,00	63,00		
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for double DL/WDL Gear: incl., Ø85 H155	○	<a href="#">KR763791</a>	161,00	–	63,00	63,00		
	●	<a href="#">KR763792</a>	161,00	–	63,00	63,00		
 <b>surface mounted connection box</b> Gear: excl., Ø85 H52	○	<a href="#">KR763691</a>	73,00				–	■
	●	<a href="#">KR763692</a>	73,00				–	■
 <b>trimless plasterkit for recessed mounting, front mounting, no shadowgap</b> Gear: excl.		<a href="#">KR717104</a>	25,00					■
 <b>trimless plasterkit for recessed mounting, back mounting, shadowgap</b> for recessed mounting, Gear: excl.		<a href="#">KR717000</a>	36,00					■
 <b>installation kit for recessed mounting, with trim</b> for recessed mounting Gear: excl., Ø 90 D110	○	<a href="#">KR717021</a>	38,00					■
	●	<a href="#">KR717022</a>	38,00					■

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR772743</u>	90,00	LED driver, 1050mA, DALI, 38W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W



	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	<u>9027</u> 2700K, CRI90+	<u>9030</u> 3000K, CRI90+	<u>SP</u> Spot (20°)	<u>DL</u> Dark light (33°)	<u>WDL</u> Wide dark light (56°)	<u>P2</u> Black painted lamphead	<u>A4</u> Brushed bronze lamphead	<u>A7</u> Brushed silver lamphead	<u>A8</u> Brushed gold lamphead	<u>A9</u> Gun black lamphead	Required accessories	Optional accessories
 <b>esprit pendant</b> Length: 1600	●	<u>KR963732</u>	①	2102,00	-	-	-	-	-	-	225,00	225,00	225,00	225,00	■	■
 <b>esprit pendant</b> Length: 1800	●	<u>KR963832</u>	①	2159,00	-	-	-	-	-	-	225,00	225,00	225,00	225,00	■	■
 <b>esprit pendant</b> Length: 1800	●	<u>KR963842</u>	②	2560,00	-	-	-	-	-	-	300,00	300,00	300,00	300,00	■	■
 <b>esprit pendant</b> Length: 2400	●	<u>KR963942</u>	②	2617,00	-	-	-	-	-	-	300,00	300,00	300,00	300,00	■	■

			CRI	CCT	Wattage	Drive Current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	3x2W	3x700mA	3x162lm
			CRI90+	2700K/3000K	3x3,2W	3x1050mA	3x218lm
	DL & WDL	CRI90+	2700K/3000K	3x8W	3x700mA	3x368lm	
		CRI90+	2700K/3000K	3x12W	3x1050mA	3x400lm	
②	LED	SP	CRI90+	2700K/3000K	4x2W	4x700mA	4x162lm
			CRI90+	2700K/3000K	4x3,2W	4x1050mA	4x218lm
	DL & WDL	CRI90+	2700K/3000K	4x8W	4x700mA	4x368lm	
		CRI90+	2700K/3000K	4x12W	4x1050mA	4x400lm	

	Colour	KR-code	Base price (EUR excl. VAT)	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	LV Low voltage connection	Optional accessories
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for single SP/DL/WDL and double SP Gear: incl., Ø85 H155	○	<a href="#">KR763591</a>	161,00	–	63,00	63,00		
	●	<a href="#">KR763592</a>	161,00	–	63,00	63,00		
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for double DL/WDL Gear: incl., Ø85 H155	○	<a href="#">KR763791</a>	161,00	–	63,00	63,00		
	●	<a href="#">KR763792</a>	161,00	–	63,00	63,00		
 <b>surface mounted connection box</b> Gear: excl., Ø85 H52	○	<a href="#">KR763691</a>	73,00				–	■
	●	<a href="#">KR763692</a>	73,00				–	■
 <b>trimless plasterkit for recessed mounting, no shadowgap</b> Gear: excl.		<a href="#">KR717104</a>	25,00					■
 <b>trimless plasterkit for recessed mounting, back mounting, shadowgap</b> for recessed mounting, Gear: excl.		<a href="#">KR717000</a>	36,00					■
 <b>installation kit for recessed mounting, with trim</b> for recessed mounting Gear: excl., Ø Ø90 D110	○	<a href="#">KR717021</a>	38,00					■
	●	<a href="#">KR717022</a>	38,00					■

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Additional support	<u>KR763982</u>	70,00	Additional support for esprit pendant
Driver	<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, 11W
	<u>KR752943</u>	64,00	LED driver, 700mA, phase dim, 32W
	<u>KR752953</u>	52,00	LED driver, 700mA, phase dim, 3,5-20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772142</u>	80,00	LED driver, 1050mA, 1-10V, 39W
	<u>KR752733</u>	66,00	LED driver, 700mA, DALI, 20W
	<u>KR772743</u>	90,00	LED driver, 1050mA, DALI, 38W
	<u>KR772443</u>	136,00	LED driver, 1050mA, DALI, 60W
	<u>KR772249</u>	145,00	LED driver, 1050mA, Casambi, 37W

# kreon fuga

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8527 2700K, CRI85+	8530 3000K, CRI85+	06 600mm pendant	09 900mm pendant	12 1200mm pendant	06 600mm base	09 900mm base	12 1200mm base	Optional accessories
	<b>fuga 900, surface mounted</b> Driver: excl. 	●	<u>KR974672</u>	①	666,00	-	-	-	15,00	40,00	-	12,00		■
	<b>fuga 1200, surface mounted</b> Driver: excl. 	●	<u>KR974772</u>	②	740,00	-	-	-	15,00	40,00			13,00	■


		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI85+	2700K/3000K		9,5W	500mA	447lm
②	LED	CRI85+	2700K/3000K		12,7W	500mA	578lm

# kreon fuga accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772126</u>	53,00	LED driver, 500mA, DALI, 18W



# kreon holon 20

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP	DL	WDL	SW	VD	DD	Optional accessories
					Spot (15°)	Dark light (20°)	Wide dark light (38°)	Switchable ON/OFF	1-10V dimming	DALI dimming					
 <b>holon 20 directional, surface mounted, single</b> Gear: excl.	○	<a href="#">KR952261</a>	①	196,00	-	-	-	22,00	22,00						■
	●	<a href="#">KR952262</a>	①	196,00	-	-	-	22,00	22,00						■
	BB	<a href="#">KR952264</a>	①	216,00	-	-	-	22,00	22,00						■
	BS	<a href="#">KR952267</a>	①	216,00	-	-	-	22,00	22,00						■
	BG	<a href="#">KR952268</a>	①	216,00	-	-	-	22,00	22,00						■
	GB	<a href="#">KR952269</a>	①	216,00	-	-	-	22,00	22,00						■
 <b>holon 20 directional, surface mounted, double</b> Gear: incl.	○	<a href="#">KR952361</a>	②	400,00	-	-	-	22,00	22,00	-	30,00	30,00			
	●	<a href="#">KR952362</a>	②	400,00	-	-	-	22,00	22,00	-	30,00	30,00			
	BB	<a href="#">KR952364</a>	②	440,00	-	-	-	22,00	22,00	-	30,00	30,00			
	BS	<a href="#">KR952367</a>	②	440,00	-	-	-	22,00	22,00	-	30,00	30,00			
	BG	<a href="#">KR952368</a>	②	440,00	-	-	-	22,00	22,00	-	30,00	30,00			
	GB	<a href="#">KR952369</a>	②	440,00	-	-	-	22,00	22,00	-	30,00	30,00			

			CRI	CCT	Voltage	Wattage	Drive Current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K		1W	350mA	80lm
		DL & WDL	CRI90+	2700K/3000K		4,2W	350mA	250lm
②	LED	SP	CRI90+	2700K/3000K	230V	2W		2x80lm
		DL & WDL	CRI90+	2700K/3000K	230V	8,4W		2x250lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (15°)	DL Dark light (20°)	WDL Wide dark light (38°)	Required accessories	Optional accessories
 <b>holon 20 directional, recessed mounted</b> Gear: excl.		○	<a href="#">KR952271</a>	①	196,00	–	–	–	22,00	22,00	■	■
		●	<a href="#">KR952272</a>	①	196,00	–	–	–	22,00	22,00	■	■
		BB	<a href="#">KR952274</a>	①	216,00	–	–	–	22,00	22,00	■	■
		BS	<a href="#">KR952277</a>	①	216,00	–	–	–	22,00	22,00	■	■
		BG	<a href="#">KR952278</a>	①	216,00	–	–	–	22,00	22,00	■	■
		GB	<a href="#">KR952279</a>	①	216,00	–	–	–	22,00	22,00	■	■

			CRI	CCT	Wattage	Drive Current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	1W	350mA	80lm
		DL & WDL	CRI90+	2700K/3000K	4,2W	350mA	250lm

# kreon holon 20 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Chassis	<u>KR739921</u>	53,00	Chassis for holon 20 directional, recessed mounted, white
	<u>KR739922</u>	53,00	Chassis for holon 20 directional, recessed mounted, black
Installation kit	<u>KR717100</u>	37,00	Installation kit, back mounting
Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap
	<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Plasterkit concrete	<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
<b>■ Optional accessories</b>			
Blind cover	<u>KR709220</u>	15,00	Blind cover chassis for holon 20 directional, recessed mounded
Driver	<u>KR739104</u>	42,00	LED driver, 350mA, ON/OFF, 15W
	<u>KR739102</u>	61,00	LED driver, 350mA, 1-10V, 15W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 15W
	<u>KR752743</u>	64,00	LED driver, 350mA, Phase dim, 17W
	<u>KR772511</u>	52,00	LED driver, 350mA, Phase dim, 3,5-16,8W

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+			9030 3000K, CRI90+		SP Spot (15°)	DL Dark light (20°)	WDL Wide dark light (38°)	Required accessories	Optional accessories
					2700K, CRI90+	3000K, CRI90+	SP	DL	WDL					
 <b>holon 20 pendant</b> Gear: excl.	○	<u>KR952061</u>	①	160,00	-	-	-	22,00	22,00			■	■	
	●	<u>KR952062</u>	①	160,00	-	-	-	22,00	22,00			■	■	
	BB	<u>KR952064</u>	①	185,00	-	-	-	22,00	22,00			■	■	
	BS	<u>KR952067</u>	①	185,00	-	-	-	22,00	22,00			■	■	
	BG	<u>KR952068</u>	①	185,00	-	-	-	22,00	22,00			■	■	
	GB	<u>KR952069</u>	①	185,00	-	-	-	22,00	22,00			■	■	

			CRI	CCT	Wattage	Drive Current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	1W	350mA	80lm
		DL & WDL	CRI90+	2700K/3000K	4,2W	350mA	250lm

# kreon holon 20 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Installation kit	<u>KR717100</u>	37,00	Installation kit, back mounting
Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap
	<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Plasterkit concrete	<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Recessed mounted	<u>KR739721</u>	90,00	Recessed suspension kit, white
	<u>KR739722</u>	90,00	Recessed suspension kit, black
	<u>KR709220</u>	15,00	Blind cover Ø20
Surface mounted	<u>KR739821</u>	93,00	Surface mounted suspension kit, white
	<u>KR739822</u>	93,00	Surface mounted suspension kit, black
	<u>KR791111-LV</u>	52,00	Surface mounted connection box, white Ø 45 H 52
	<u>KR791112-LV</u>	52,00	Surface mounted connection box, black Ø 45 H 52
<b>■ Optional accessories</b>			
Driver	<u>KR739104</u>	42,00	LED driver, 350mA, ON/OFF, 15W
	<u>KR739102</u>	61,00	LED driver, 350mA, 1-10V, 15W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 15W
	<u>KR752743</u>	64,00	LED driver, 350mA, Phase dim, 17W
	<u>KR772511</u>	52,00	LED driver, 350mA, Phase dim, 3,5-16,8W

# kreon holon 20

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (15°)	DL Dark light (20°)	WDL Wide dark light (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
	<b>holon 20 directional on-track</b>	○	<a href="#">KR952971</a>	①	250,00	–	–	–	22,00	22,00	–	30,00	30,00	■
		●	<a href="#">KR952972</a>	①	250,00	–	–	–	22,00	22,00	–	30,00	30,00	■
		<b>BB</b>	<a href="#">KR952974</a>	①	270,00	–	–	–	22,00	22,00	–	30,00	30,00	■
		<b>BS</b>	<a href="#">KR952977</a>	①	270,00	–	–	–	22,00	22,00	–	30,00	30,00	■
		<b>BG</b>	<a href="#">KR952978</a>	①	270,00	–	–	–	22,00	22,00	–	30,00	30,00	■
		<b>GB</b>	<a href="#">KR952979</a>	①	270,00	–	–	–	22,00	22,00	–	30,00	30,00	■

			CRI	CCT	Wattage	Drive Current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	1W	350mA	80lm
		DL & WDL	CRI90+	2700K/3000K	4,2W	350mA	250lm

# kreon holon 20 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

Low voltage track

See page 420

# kreon holon 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	Required accessories	Optional accessories
 <b>holon 40 directional surface mounted</b> Gear: excl.	○	<a href="#">KR962301</a>	①	289,00	-	-	-	-	-	22,00	22,00		■	
	●	<a href="#">KR962302</a>	①	289,00	-	-	-	-	-	22,00	22,00		■	
	BB	<a href="#">KR962304</a>	①	334,00	-	-	-	-	-	22,00	22,00		■	
	BS	<a href="#">KR962307</a>	①	334,00	-	-	-	-	-	22,00	22,00		■	
	BG	<a href="#">KR962308</a>	①	334,00	-	-	-	-	-	22,00	22,00		■	
	GB	<a href="#">KR962309</a>	①	334,00	-	-	-	-	-	22,00	22,00		■	
 <b>holon 40 directional recessed mounted</b> Gear: excl.	○	<a href="#">KR962311</a>	①	289,00	-	-	-	-	-	22,00	22,00	■	■	
	●	<a href="#">KR962312</a>	①	289,00	-	-	-	-	-	22,00	22,00	■	■	
	BB	<a href="#">KR962314</a>	①	334,00	-	-	-	-	-	22,00	22,00	■	■	
	BS	<a href="#">KR962317</a>	①	334,00	-	-	-	-	-	22,00	22,00	■	■	
	BG	<a href="#">KR962318</a>	①	334,00	-	-	-	-	-	22,00	22,00	■	■	
	GB	<a href="#">KR962319</a>	①	334,00	-	-	-	-	-	22,00	22,00	■	■	

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	558lm
		DL & WDL	CRI90+	2700K/3000K	8,4W	700mA	417lm

# kreon holon 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	Optional accessories
 <b>holon 40 directional recessed mounted, trimkit</b> Gear: excl.		○	<u>KR962911</u>	①	314,00	-	-	-	-	-	22,00	22,00	■
		●	<u>KR962912</u>	①	314,00	-	-	-	-	-	22,00	22,00	■
		BB	<u>KR962914</u>	①	359,00	-	-	-	-	-	22,00	22,00	■
		BS	<u>KR962917</u>	①	359,00	-	-	-	-	-	22,00	22,00	■
		BG	<u>KR962918</u>	①	359,00	-	-	-	-	-	22,00	22,00	■
		GB	<u>KR962919</u>	①	359,00	-	-	-	-	-	22,00	22,00	■

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	558lm
		DL & WDL	CRI90+	2700K/3000K	8,4W	700mA	417lm

# kreon holon 40

			Base price (EUR excl. VAT)						
	Colour	KR-code	Light sources		9027 2700K, CRI90+	FL Flood (30°)	DL Dark light (40°)	Required accessories	Optional accessories
 <b>holon 40 directional surface mounted book</b> Gear: excl.	○	<u>KR962401</u>	①	309,00	–	–	22,00	■	
	●	<u>KR962402</u>	①	309,00	–	–	22,00	■	
	BB	<u>KR962404</u>	①	354,00	–	–	22,00	■	
	BS	<u>KR962407</u>	①	354,00	–	–	22,00	■	
	BG	<u>KR962408</u>	①	354,00	–	–	22,00	■	
	GB	<u>KR962409</u>	①	354,00	–	–	22,00	■	
 <b>holon 40 directional recessed mounted book</b> Gear: excl.	○	<u>KR962801</u>	①	309,00	–	–	22,00	■	■
	●	<u>KR962802</u>	①	309,00	–	–	22,00	■	■
	BB	<u>KR962804</u>	①	354,00	–	–	22,00	■	■
	BS	<u>KR962807</u>	①	354,00	–	–	22,00	■	■
	BG	<u>KR962808</u>	①	354,00	–	–	22,00	■	■
	GB	<u>KR962809</u>	①	354,00	–	–	22,00	■	■

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	558lm
		DL 6 WDL	CRI90+	2700K/3000K	8,4W	700mA	417lm



# kreon holon 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	Optional accessories
 <b>holon 40 fixed</b> Gear: excl.		○	<u>KR962701</u>	①	230,00	-	-	-	-	-	22,00	22,00	■
		●	<u>KR962702</u>	①	230,00	-	-	-	-	-	22,00	22,00	■

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	558lm
		DL & WDL	CRI90+	2700K/3000K	8,4W	700mA	417lm

# kreon holon 40

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	DL Wide dark light (76°)	P1 Louvre painted white ②	P2 Louvre painted black ②	Required accessories	Optional accessories
 <b>holon 40 pendant</b> Gear: excl.	○	<u>KR962001</u>	①	274,00	-	-	-	-	-	22,00	22,00			■	■
	●	<u>KR962002</u>	①	274,00	-	-	-	-	-	22,00	22,00			■	■
	BB	<u>KR962004</u>	①	319,00	-	-	-	-	-	22,00	22,00			■	■
	BS	<u>KR962007</u>	①	319,00	-	-	-	-	-	22,00	22,00			■	■
	BG	<u>KR962008</u>	①	319,00	-	-	-	-	-	22,00	22,00			■	■
	GB	<u>KR962009</u>	①	319,00	-	-	-	-	-	22,00	22,00			■	■
 <b>holon 40 pendant</b> Gear: ON/OFF included Surface mounted installation box incl.	○	<u>KR962901</u>	②	321,00	-	-	-	-	-	22,00	22,00	-			■
	●	<u>KR962902</u>	②	321,00	-	-	-	-	-	22,00	22,00		-		■

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	558lm
		DL & WDL	CRI90+	2700K/3000K	8,4W	700mA	417lm
②	LED	FL	CRI90+	2700K/3000K	8,4W	500mA	420lm
		DL & WDL	CRI90+	2700K/3000K	8,4W	500mA	420lm


# kreon holon 40

	Colour	KR-code	Base price (EUR excl. VAT)	PD Phase dimming	DD DALI dimming	CD Casambi dimming	LV Low voltage connection	HV High voltage connection	Optional accessories
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 1 module, 1 circuit Gear: incl., Ø65 H155	○	<a href="#">KR791231</a>	156,00	–	63,00				
	●	<a href="#">KR791232</a>	156,00	–	63,00				
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 1 module, 1 circuit Gear: incl., Ø120 H30	○	<a href="#">KR791431</a>	172,00	–					
	●	<a href="#">KR791432</a>	172,00	–					
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 2 modules, 1 circuit Gear: incl., L500 W50 H30	○	<a href="#">KR791201</a>	208,00	–	63,00	94,00			
	●	<a href="#">KR791202</a>	208,00	–	63,00	94,00			
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 1 module, 1 circuit Gear: switchable ON/OFF incl., Ø160 H30	○	<a href="#">KR791004</a>	313,00						
	●	<a href="#">KR791005</a>	313,00						
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 2 or 3 modules, 1 circuit Gear: switchable ON/OFF incl., Ø225 H30	○	<a href="#">KR791006</a>	400,00						
	●	<a href="#">KR791007</a>	400,00						
 <b>surface mounted connection box</b> Gear: excl., Ø45 H52	○	<a href="#">KR791111</a>	52,00				–		■
	●	<a href="#">KR791112</a>	52,00				–		■
 <b>surface mounted connection box</b> Gear: excl., Ø65 H52	○	<a href="#">KR791211</a>	68,00				–	–	■
	●	<a href="#">KR791212</a>	68,00				–	–	■
 <b>surface mounted connection box</b> Gear: excl., Ø120 H30	○	<a href="#">KR791411</a>	83,00				–	–	■
	●	<a href="#">KR791412</a>	83,00				–	–	■

# kreon holon 40 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR707104</u>	18,00	Plasterkit, no shadowgap ⌀ Ø63
	<u>KR707000</u>	28,00	Plasterkit, Ø40, trimless, back installation, 13+mm panel
	<u>KR707002</u>	28,00	Plasterkit, Ø40, trimless, back installation, 9-13mm
Installation kit	<u>KR707100</u>	23,00	Installation kit Ø40, trimless, back installation, 13+mm panel
	<u>KR707102</u>	23,00	Installation kit Ø40, trimless, back installation
Recessed mounted	<u>KR791100</u>	56,00	Recessed suspension kit
	<u>KR707106</u>	17,00	Louvre for plasterkit, white
	<u>KR707122</u>	17,00	Louvre for plasterkit, black
	<u>KR707124</u>	42,00	Louvre for plasterkit, brushed bronze
	<u>KR707127</u>	42,00	Louvre for plasterkit, brushed silver
	<u>KR707128</u>	42,00	Louvre for plasterkit, brushed gold
Surface mounted (gear excl.)	<u>KR791001</u>	52,00	Surface mounted installation box, white Ø 45 H 50
	<u>KR791002</u>	52,00	Surface mounted installation box, black Ø 45 H 50
<b>■ Optional accessories</b>			
Driver	<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, 11W
	<u>KR762902</u>	60,00	LED driver, 700mA, 1-10V, 25W (IP67)
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W
	<u>KR772430</u>	37,00	LED driver, 700mA, phase dim, 25W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 14W
Installation cover (not for trimkit version KR96291X)	<u>KR762501</u>	38,00	Installation cover, white
	<u>KR762502</u>	38,00	Installation cover, black
Lenses and louvres for SP, FL, WFL	<u>KR762000</u>	26,00	Anti-glare louvre
	<u>KR762200</u>	27,00	Diffusing lens

# kreon holon 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	CD Casambi dimming	Optional accessories	
 <p><b>holon 40 directional single surface mounted</b> Gear: incl.</p>		○	<a href="#">KR962501</a>	①	444,00	-	-	-	-	-	22,00	22,00	-	-	-	-	-	■
		●	<a href="#">KR962502</a>	①	444,00	-	-	-	-	-	22,00	22,00	-	-	-	-	-	■
		BB	<a href="#">KR962504</a>	①	489,00	-	-	-	-	-	22,00	22,00	-	-	-	-	-	■
		BS	<a href="#">KR962507</a>	①	489,00	-	-	-	-	-	22,00	22,00	-	-	-	-	-	■
		BG	<a href="#">KR962508</a>	①	489,00	-	-	-	-	-	22,00	22,00	-	-	-	-	-	■
		GB	<a href="#">KR962509</a>	①	489,00	-	-	-	-	-	22,00	22,00	-	-	-	-	-	■
 <p><b>holon 40 directional double surface mounted</b> Gear: incl.</p>		○	<a href="#">KR962511</a>	②	758,00	-	-	-	-	22,00	22,00	-	39,00	39,00	39,00	-	■	
		●	<a href="#">KR962512</a>	②	758,00	-	-	-	-	22,00	22,00	-	39,00	39,00	39,00	-	■	
		BB	<a href="#">KR962514</a>	②	848,00	-	-	-	-	22,00	22,00	-	39,00	39,00	39,00	-	■	
		BS	<a href="#">KR962517</a>	②	848,00	-	-	-	-	22,00	22,00	-	39,00	39,00	39,00	-	■	
		BG	<a href="#">KR962518</a>	②	848,00	-	-	-	-	22,00	22,00	-	39,00	39,00	39,00	-	■	
		GB	<a href="#">KR962519</a>	②	848,00	-	-	-	-	22,00	22,00	-	39,00	39,00	39,00	-	■	

			CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	230V	8,4W	700mA	558lm
		DL & WDL	CRI90+	2700K/3000K	230V	8,4W	700mA	417lm
②	LED	FL	CRI90+	2700K/3000K	230V	2x 8,4W	700mA	2x 558lm
		DL & WDL	CRI90+	2700K/3000K	230V	2x 8,4W	700mA	2x 417lm

# kreon holon 40 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Lenses and louvres for SP, FL, WFL	<u>KR762000</u>	26,00	Anti-glare louvre
	<u>KR762200</u>	27,00	Diffusing lens

# kreon holon 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
	<b>holon 40 directional on-track</b>	○	<u>KR962611</u>	①	320,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		●	<u>KR962612</u>	①	320,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		<b>BB</b>	<u>KR962614</u>	①	365,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		<b>BS</b>	<u>KR962617</u>	①	365,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		<b>BG</b>	<u>KR962618</u>	①	365,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		<b>GB</b>	<u>KR962619</u>	①	365,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	<b>FL</b>	CRI90+	2700K/3000K	48V	10,9W	558lm
		<b>DL &amp; WDL</b>	CRI90+	2700K/3000K	48V	10,9W	420lm

# kreon holon 40 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

Low voltage track

See page 420

# kreon holon 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (40°)	WDL Wide dark light (76°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
 <b>holon 40 pendant on-track</b>		○	<u>KR945401</u>	①	344,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		●	<u>KR945402</u>	①	344,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		BB	<u>KR945404</u>	①	389,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		BS	<u>KR945407</u>	①	389,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		BG	<u>KR945408</u>	①	389,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■
		GB	<u>KR945409</u>	①	389,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	48V	10,9W	547lm
		DL & WDL	CRI90+	2700K/3000K	48V	10,9W	420lm

# kreon holon 40 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

Low voltage track

See page 420

# kreon holon 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (17°)	FL Flood (24°)	WFL Wide flood (40°)	DL Dark light (32°)	WDL Wide dark light (55°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	<b>holon 40 single downlight, on-track</b>	○	<a href="#">KR945001</a>	①	258,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00
		●	<a href="#">KR945002</a>	①	258,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00
		◐	<a href="#">KR945005</a>	①	280,00	-	-	-	-	-	-	-	-	-	30,00
	<b>holon 40 single wallwasher, on-track</b>	○	<a href="#">KR945101</a>	②	271,00	-	-	-	-	-	-	-	-	30,00	30,00
		●	<a href="#">KR945102</a>	②	271,00	-	-	-	-	-	-	-	-	-	30,00
	<b>holon 40 double downlight, on-track</b>	○	<a href="#">KR945201</a>	③	332,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00
		●	<a href="#">KR945202</a>	③	332,00	-	-	-	-	-	22,00	22,00	-	30,00	30,00
		◐	<a href="#">KR945205</a>	③	354,00	-	-	-	-	-	-	-	-	-	30,00

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP, FL & WFL	CRI90+	2700K/3000K	48V	4,5W	190lm
		DL & WDL	CRI90+	2700K/3000K	48V	10,7W	375lm
②	LED		CRI90+	2700K/3000K	48V	6,5W	290lm
③	LED	SP, FL & WFL	CRI90+	2700K/3000K	48V	6,5W	2x 190lm
		DL & WDL	CRI90+	2700K/3000K	48V	18,9W	2x 375lm

# kreon holon 40 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

Low voltage track

See page 420

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027			9030			9040			9527			9530			9540			SSP		SP		FL		WFL		SW		DD	
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Superspot (18°)	Spot (33°)	Flood (54°)	Wide flood (69°)	ON/OFF	DALI dimming															
 <p><b>holon 60 directional surface mounted, low louvre</b> Gear: incl. Ⓜ</p>	○	<u>KR962461</u>	①	415,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00			
	●	<u>KR962462</u>	①	415,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00				
	BB	<u>KR962464</u>	①	480,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00				
	BS	<u>KR962467</u>	①	480,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00				
	BG	<u>KR962468</u>	①	480,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00				
	GB	<u>KR962469</u>	①	480,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00				

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	10,2W	808lm
			CRI95+	2700K/3000K/4000K	230V	10,2W	727lm
		FL & WFL	CRI90+	2700K/3000K/4000K	230V	11,9W	1211lm
			CRI95+	2700K/3000K/4000K	230V	11,9W	1090lm

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027	9030	9040	9527	9530	9540	SSP	SP	FL	SW	DD
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Superspot (18°)	Spot (33°)	Flood (54°)	Switchable ON/OFF	DALI dimming
 <p><b>holon 60 directional surface mounted, deep recessed louvre</b> Gear: incl. ☺</p>	○	<u>KR962161</u>	①	415,00	-	-	-	19,00	19,00	19,00	-	-	-	-	30,00
	●	<u>KR962162</u>	①	415,00	-	-	-	19,00	19,00	19,00	-	-	-	-	30,00
	◐	<u>KR962165</u>	①	415,00	-	-	-	19,00	19,00	19,00	-	-	-	-	30,00
	BB	<u>KR962164</u>	①	480,00	-	-	-	19,00	19,00	19,00	-	-	-	-	30,00
	BS	<u>KR962167</u>	①	480,00	-	-	-	19,00	19,00	19,00	-	-	-	-	30,00
	BG	<u>KR962168</u>	①	480,00	-	-	-	19,00	19,00	19,00	-	-	-	-	30,00
	GB	<u>KR962169</u>	①	480,00	-	-	-	19,00	19,00	19,00	-	-	-	-	30,00

		CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	10,2W	788lm
		CRI95+	2700K/3000K/4000K	230V	10,2W	709lm
	FL	CRI90+	2700K/3000K/4000K	230V	11,9W	1146lm
		CRI95+	2700K/3000K/4000K	230V	11,9W	1031lm

# kreon holon 60

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	CRI90+						CRI95+		CRI97+		CRI90+		CRI95+		CRI97+	
					9027 2700K	9030 3000K	9040 4000K	9527 2700K	9530 3000K	9540 4000K	TW Tunable white	DTW Dim-to-warm	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	Required accessories	Optional accessories		
 <b>holon 60 directional recessed mounted, low louvre</b> Gear: excl. ⚡	○	<a href="#">KR962371</a>	①	393,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	■		
	●	<a href="#">KR962372</a>	①	393,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	■		
	BB	<a href="#">KR962374</a>	①	458,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	■		
	BS	<a href="#">KR962377</a>	①	458,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	■		
	BG	<a href="#">KR962378</a>	①	458,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	■		
	GB	<a href="#">KR962379</a>	①	458,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	■		

		CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	808lm
		CRI95+	2700K/3000K/4000K	10,2W	300mA	727lm
	SP	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
	FL & WFL	CRI90+	2700K/3000K/4000K	18,5W	500mA	1616lm
		CRI95+	2700K/3000K/4000K	18,5W	500mA	1454lm
		CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm

# kreon holon 60

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	CRI							DTW			SSP			Optional accessories
					9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)		
 <b>holon 60 directional recessed mounted, trimkit, low louvre</b> Gear: excl. ⚡	○	<a href="#">KR962361</a>	①	423,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	
	●	<a href="#">KR962362</a>	①	423,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	
	BB	<a href="#">KR962364</a>	①	488,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	
	BS	<a href="#">KR962367</a>	①	488,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	
	BG	<a href="#">KR962368</a>	①	488,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	
	GB	<a href="#">KR962369</a>	①	488,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	■	

		CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	808lm
		CRI95+	2700K/3000K/4000K	10,2W	300mA	727lm
	SP	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	726lm
	FL & WFL	CRI90+	2700K/3000K/4000K	18,5W	500mA	1616lm
		CRI95+	2700K/3000K/4000K	18,5W	500mA	1454lm
		CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	823lm

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027			9030			9040			9527			9530			9540			TW		DTW		SSP			SP		FL		Required accessories	Optional accessories
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Dim-to-warm, CRI97+	Superspot (18°)	Spot (33°)	Flood (54°)																	
 <p><b>holon 60 directional recessed mounted, deep recessed louvre</b> Gear: excl. ♦</p>	○	<a href="#">KR962271</a>	①	393,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■			
	●	<a href="#">KR962272</a>	①	393,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■			
	◐	<a href="#">KR962275</a>	①	393,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■			
	BB	<a href="#">KR962274</a>	①	458,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■			
	BS	<a href="#">KR962277</a>	①	458,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■			
	BG	<a href="#">KR962278</a>	①	458,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■			
	GB	<a href="#">KR962279</a>	①	458,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■			

		CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	788lm
		CRI95+	2700K/3000K/4000K	10,2W	300mA	709lm
	SP	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
	FL	CRI90+	2700K/3000K/4000K	18,5W	500mA	1523lm
		CRI95+	2700K/3000K/4000K	18,5W	500mA	1370lm
		CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
		CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

# kreon holon 60

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027	9030	9040	9527	9530	9540	TW	DTW	SSP	SP	FL	Optional accessories
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Dim-to-warm, CRI97+	Superspot (18°)	Spot (33°)	Flood (54°)	
 <p><b>holon 60 directional recessed mounted, trimkit, deep recessed louvre</b> Gear: excl. ♦</p>	○	<a href="#">KR962261</a>	①	423,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	■
	●	<a href="#">KR962262</a>	①	423,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	■
	◐	<a href="#">KR962265</a>	①	423,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	■
	BB	<a href="#">KR962264</a>	①	488,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	■
	BS	<a href="#">KR962267</a>	①	488,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	■
	BG	<a href="#">KR962268</a>	①	488,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	■
	GB	<a href="#">KR962269</a>	①	488,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	788lm
	CRI95+	2700K/3000K/4000K	10,2W	300mA	709lm
SP	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD
FL	CRI90+	2700K/3000K/4000K	18,5W	500mA	1523lm
	CRI95+	2700K/3000K/4000K	18,5W	500mA	1370lm
	CRI90+	TW 2700K-5000K	2x11W	300mA	TBD
	CRI97+	DTW 1800K-3000K	12,6W	350mA	TBD

# kreon holon 60 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Installation kit	<a href="#"><u>KR707170</u></a>	28,00	Installation kit Ø60, trimless, backside installation
Plasterkit	<a href="#"><u>KR707070</u></a>	33,00	Plasterkit Ø60, trimless, backside installation
	<a href="#"><u>KR707164</u></a>	22,00	Plasterkit, front mounting, trimless finish, for holon 60 directional recessed mounted, ⌀ 83mm
	<a href="#"><u>KR707161</u></a>	34,00	Plasterkit concrete, trimless finish, for holon 60 directional recessed mounted
<b>■ Optional accessories</b>			
Driver 300mA for SSP & SP	<a href="#"><u>KR747464</u></a>	42,00	LED driver, 300mA, ON/OFF, 1-16W
	<a href="#"><u>KR772211</u></a>	52,00	LED driver, 300mA, Phase dim, 4,5-14W
	<a href="#"><u>KR747562</u></a>	64,00	LED driver, 300mA, 1-10V, 6-15W
	<a href="#"><u>KR747666</u></a>	76,00	LED driver, 300mA, DALI, 3-16W
	<a href="#"><u>KR772209</u></a>	145,00	LED driver, 300mA, Casambi, 3-16W
Driver 500mA for FL & WFL	<a href="#"><u>KR772024</u></a>	42,00	LED driver, 500mA, ON/OFF, 1-20W
	<a href="#"><u>KR752843</u></a>	73,00	LED driver, 500mA, Phase dim, 1-24W
	<a href="#"><u>KR752853</u></a>	52,00	LED driver, 500mA, Phase dim, 2,4-20W
	<a href="#"><u>KR772220</u></a>	64,00	LED driver, 500mA, 1-10V, Push-dim, 1-20W
	<a href="#"><u>KR772223</u></a>	76,00	LED driver, 500mA, DALI, 2,5-20W
	<a href="#"><u>KR772229</u></a>	135,00	LED driver, 500mA, Casambi, 5-27W
Driver (dim-to-warm) 350mA for SP, FL & WFL	<a href="#"><u>KR747162</u></a>	64,00	LED driver, 350mA, 1-10V, 6-18W
	<a href="#"><u>KR747266</u></a>	76,00	LED driver, 350mA, DALI, 3,5-17W
	<a href="#"><u>KR772219</u></a>	145,00	LED driver, 350mA, Casambi 3,5-18,5W
Driver (tunable white) 300mA for SP, FL & WFL	<a href="#"><u>KR747766</u></a>	134,00	LED driver, 300mA, DALI-2 DT8, tunable white, 2x 1-16,5W



# kreon holon 60

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW Switchable ON/OFF	DD DALI dimming	Optional accessories	
	<b>holon 60 fixed surface mounted, low louver</b> Gear: incl. ☉	○	<a href="#">KR962861</a>	①	313,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	30,00		
		●	<a href="#">KR962862</a>	①	313,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	30,00	
	<b>holon 60 fixed surface mounted, low louver</b> Gear: excl. ☊	○	<a href="#">KR962761</a>	②	287,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	■	
		●	<a href="#">KR962762</a>	②	287,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	■
	<b>holon 60 fixed surface mounted, deep recessed louver</b> Gear: excl. ☊	○	<a href="#">KR962661</a>	③	287,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	■	
		●	<a href="#">KR962662</a>	③	287,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	■
		◐	<a href="#">KR962665</a>	③	287,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	■

			CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	10,2W		808lm
			CRI95+	2700K/3000K/4000K				727lm
	FL & WFL	CRI90+	2700K/3000K/4000K	230V	11,9W		1211lm	
		CRI95+	2700K/3000K/4000K				1090lm	
②	LED	SSP & SP	CRI90+	2700K/3000K/4000K		10,2W	300mA	811lm
			CRI95+	2700K/3000K/4000K				727lm
	FL & WFL	CRI90+	2700K/3000K/4000K		18,5W	500mA	1545lm	
		CRI95+	2700K/3000K/4000K				1454lm	
③	LED	SSP & SP	CRI90+	2700K/3000K/4000K		10,2W	300mA	786lm
			CRI95+	2700K/3000K/4000K				709lm
	FL	CRI90+	2700K/3000K/4000K		18,5W	500mA	1468lm	
		CRI95+	2700K/3000K/4000K				1370lm	

# kreon holon 60 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 1-16W
	<u>KR772211</u>	52,00	LED driver, 300mA, Phase dim, 4,5-14W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 6-15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 3-16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 3-16W
Driver 500mA for FL & WFL	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 1-20W
	<u>KR752843</u>	73,00	LED driver, 500mA, Phase dim, 1-24W
	<u>KR752853</u>	52,00	LED driver, 500mA, Phase dim, 2,4-20W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, Push-dim, 1-20W
	<u>KR772223</u>	76,00	LED driver, 500mA, DALI, 2,5-20W
	<u>KR772229</u>	135,00	LED driver, 500mA, Casambi, 5-27W

# kreon holon 60

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Base price (EUR excl. VAT)						Optional accessories			
					9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	Optional accessories
 <b>holon 60 deco fixed surface mounted, deep louvre</b> Gear: excl.	○	<u>KR962561</u>	①	359,00	-	-	-	19,00	19,00	19,00	-	-	-	■
	●	<u>KR962562</u>	①	359,00	-	-	-	19,00	19,00	19,00	-	-	-	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
① LED SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	741lm	
	CRI95+	2700K/3000K/4000K			TBD	
FL	CRI90+	2700K/3000K/4000K	18,5W	500mA	1316lm	
	CRI95+	2700K/3000K/4000K			TBD	

# kreon holon 60 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 1-16W
	<u>KR772211</u>	52,00	LED driver, 300mA, Phase dim, 4,5-14W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 6-15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 3-16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 3-16W
Driver 500mA for FL & WFL	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 1-20W
	<u>KR752843</u>	73,00	LED driver, 500mA, Phase dim, 1-24W
	<u>KR752853</u>	52,00	LED driver, 500mA, Phase dim, 2,4-20W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, Push-dim, 1-20W
	<u>KR772223</u>	76,00	LED driver, 500mA, DALI, 2,5-20W
	<u>KR772229</u>	135,00	LED driver, 500mA, Casambi, 5-27W

# kreon holon 60

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+			9030 3000K, CRI90+			9040 4000K, CRI90+			9527 2700K, CRI95+			9530 3000K, CRI95+			9540 4000K, CRI95+			SSP Superspot (18°)		SP Spot (33°)		FL Flood (54°)		WFL Wide flood (69°)		SW Switchable ON/OFF		DD DALI dimming		Required accessories		Optional accessories	
					19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00
	○	<a href="#">KR962851</a>	①	410,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00	■	■							
					Gear: incl. ☉		-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00	■	■				
	○	<a href="#">KR962751</a>	②	378,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■						
					Gear: excl. ☐		-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■			
	○	<a href="#">KR962651</a>	③	378,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■						
					Gear: excl. ☐		-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■			
					◐	<a href="#">KR962655</a>	③	378,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	■		

			CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	10,2W		808lm
			CRI95+	2700K/3000K/4000K				727lm
	FL & WFL	CRI90+	2700K/3000K/4000K	230V	11,9W		1211lm	
		CRI95+	2700K/3000K/4000K				1090lm	
②	LED	SSP & SP	CRI90+	2700K/3000K/4000K		10,2W	300mA	811lm
			CRI95+	2700K/3000K/4000K				727lm
	FL & WFL	CRI90+	2700K/3000K/4000K		18,5W	500mA	1545lm	
		CRI95+	2700K/3000K/4000K				1454lm	
③	LED	SSP & SP	CRI90+	2700K/3000K/4000K		10,2W	300mA	786lm
			CRI95+	2700K/3000K/4000K				709lm
	FL	CRI90+	2700K/3000K/4000K		18,5W	500mA	1468lm	
		CRI95+	2700K/3000K/4000K				1370lm	

# kreon holon 60 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver 300mA for SSP & SP	<u>KR747464</u>	42,00	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	64,00	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	76,00	LED driver, 300mA, DALI, 16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 500mA for FL	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, Push-dim, 20W
	<u>KR772223</u>	76,00	LED driver, 500mA, DALI, 20W
	<u>KR772229</u>	135,00	LED driver, 500mA, Casambi, 27W

# kreon holon 60

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	Required accessories	Optional accessories
	<b>holon 60 deco pendant, deep louvre</b>	○	<u>KR962551</u>	①	466,00	-	-	-	19,00	19,00	19,00	-	-	-	■	■
	Gear: excl. ⚡	●	<u>KR962552</u>	①	466,00	-	-	-	19,00	19,00	19,00	-	-	-	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	SSP & SP	CRI90+	2700K/3000K/4000K	10,2W	300mA	741lm
		CRI95+	2700K/3000K/4000K			TBD
	FL	CRI90+	2700K/3000K/4000K	18,5W	500mA	1316lm
		CRI95+	2700K/3000K/4000K			TBD

# kreon holon 60 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver 300mA for SSP & SP	<u>KR747464</u>	40,25	LED driver, 300mA, ON/OFF, 16W
	<u>KR747562</u>	61,50	LED driver, 300mA, 1-10V, 15W
	<u>KR747666</u>	73,00	LED driver, 300mA, DALI, 16W
	<u>KR772209</u>	145,00	LED driver, 300mA, Casambi, 16W
Driver 500mA for FL	<u>KR772024</u>	40,25	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	61,50	LED driver, 500mA, 1-10V, Push-dim, 20W
	<u>KR772223</u>	73,00	LED driver, 500mA, DALI, 20W
	<u>KR772229</u>	135,00	LED driver, 500mA, Casambi, 27W

		Colour	KR-code	Base price (EUR excl. VAT)	LV Low voltage connection	HV High voltage connection	Optional accessories
	<b>surface mounted connection box</b> Gear: excl., Ø45 H52	○	<a href="#"><u>KR791111</u></a>	52,00	—		■
		●	<a href="#"><u>KR791112</u></a>	52,00	—		■
	<b>surface mounted connection box</b> Gear: excl., Ø65 H52	○	<a href="#"><u>KR791211</u></a>	68,00	—	—	■
		●	<a href="#"><u>KR791212</u></a>	68,00	—	—	■
	<b>surface mounted connection box</b> Gear: excl., Ø120 H30	○	<a href="#"><u>KR791411</u></a>	83,00	—	—	■
		●	<a href="#"><u>KR791412</u></a>	83,00	—	—	■

# kreon holon 60 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR707104</u>	18,00	Plasterkit, no shadowgap ⌀ Ø63
	<u>KR707000</u>	28,00	Plasterkit, Ø40, trimless, back installation, 13+mm panel
	<u>KR707002</u>	28,00	Plasterkit, Ø40, trimless, back installation, 9-13mm
Installation kit	<u>KR707100</u>	23,00	Installation kit Ø40, trimless, back installation, 13+mm panel
	<u>KR707102</u>	23,00	Installation kit Ø40, trimless, back installation
Recessed mounted	<u>KR791100</u>	56,00	Recessed suspension kit
	<u>KR707106</u>	17,00	Louvre for plasterkit, white
	<u>KR707122</u>	17,00	Louvre for plasterkit, black
	<u>KR707124</u>	42,00	Louvre for plasterkit, brushed bronze
	<u>KR707127</u>	42,00	Louvre for plasterkit, brushed silver
	<u>KR707128</u>	42,00	Louvre for plasterkit, brushed gold
Surface mounted (gear excl.)	<u>KR707129</u>	42,00	Louvre for plasterkit, gun black
	<u>KR791001</u>	52,00	Surface mounted installation box, white Ø 45 H 50
	<u>KR791002</u>	52,00	Surface mounted installation box, black Ø 45 H 50



# kreon holon 60



## holon 60 directional, on-track 48Vdc, low louvre

Gear: incl. ⚙️

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
○	<a href="#">KR962771</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■
●	<a href="#">KR962772</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■
BB	<a href="#">KR962774</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■
BS	<a href="#">KR962777</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■
BG	<a href="#">KR962778</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■
GB	<a href="#">KR962779</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■

①	LED	SSP & SP	CRI	CCT	Wattage	Drive current	Fixture lumen
			CRI90+	2700K/3000K/4000K	48V	10,2W	808lm
			CRI95+	2700K/3000K/4000K	48V	10,2W	727lm
		SP	CRI90+	TW 2700K-5000K	48V	2x11W	TBD
			CRI97+	DTW 1800K-3000K	48V	15,1W	726lm
		FL & WFL	CRI90+	2700K/3000K/4000K	48V	18,5W	1616lm
			CRI95+	2700K/3000K/4000K	48V	18,5W	1454lm
			CRI90+	TW 2700K-5000K	48V	2x11W	TBD
			CRI97+	DTW 1800K-3000K	48V	15,1W	823lm



**holon 60 directional, on-track**

**48Vdc, deep recessed louvre**

Gear: incl. ♦

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
○	<a href="#">KR962671</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
●	<a href="#">KR962672</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
◐	<a href="#">KR962675</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
BB	<a href="#">KR962674</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
BS	<a href="#">KR962677</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
BG	<a href="#">KR962678</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
GB	<a href="#">KR962679</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED SSP & SP	CRI90+	2700K/3000K/4000K	48V	10,2W	788lm
	CRI95+	2700K/3000K/4000K	48V	10,2W	709lm
SP	CRI90+	TW 2700K-5000K	48V	2x11W	TBD
	CRI97+	DTW 1800K-3000K	48V	15,1W	TBD
FL	CRI90+	2700K/3000K/4000K	48V	18,5W	1523lm
	CRI95+	2700K/3000K/4000K	48V	18,5W	1370lm
	CRI90+	TW 2700K-5000K	48V	2x11W	TBD
	CRI97+	DTW 1800K-3000K	48V	15,1W	TBD

# kreon holon 60 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

Low voltage track

See page 420

# kreon holon 60



## holon 60 directional, on-track 230Vdc (onetrack), low louvre Gear: incl. ☉

Colour  
KR-code  
Light sources

Base price (EUR excl. VAT)

**9027** 2700K, CRI90+  
**9030** 3000K, CRI90+  
**9040** 4000K, CRI90+  
**9527** 2700K, CRI95+  
**9530** 3000K, CRI95+  
**9540** 4000K, CRI95+  
**DTW** Dim-to-warm, CRI97+  
**SSP** Superspot (18°)  
**SP** Spot (33°)  
**FL** Flood (54°)  
**WFL** Wide flood (69°)  
**SW** Switchable ON/OFF  
**DD** DALI dimming  
 Required accessories

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027	9030	9040	9527	9530	9540	DTW	SSP	SP	FL	WFL	SW	DD	Required accessories
○	<a href="#">KR962981</a>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
●	<a href="#">KR962982</a>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
<b>BB</b>	<a href="#">KR962984</a>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
<b>BS</b>	<a href="#">KR962987</a>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
<b>BG</b>	<a href="#">KR962988</a>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
<b>GB</b>	<a href="#">KR962989</a>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	<b>SSP &amp; SP</b>	CRI90+	2700K/3000K/4000K	230V	13W	808lm
			CRI95+	2700K/3000K/4000K	230V		727lm
		<b>SP</b>	CRI97+	DTW 1800K-3000K	230V		TBD
		<b>FL &amp; WFL</b>	CRI90+	2700K/3000K/4000K	230V	21W	1616lm
			CRI95+	2700K/3000K/4000K	230V		1454lm
			CRI97+	DTW 1800K-3000K	230V		823lm

# kreon holon 60



**holon 60 directional, on-track**  
**230Vdc (onetrack),**  
**deep recessed louvre**  
 Gear: incl. ☉

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Light sources							Options			Required accessories		
				9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)		SW Switchable ON/OFF	DD DALI dimming
○	<u>KR962881</u>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
●	<u>KR962882</u>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
◐	<u>KR962885</u>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
BB	<u>KR962884</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
BS	<u>KR962887</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
BG	<u>KR962888</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
GB	<u>KR962889</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	788lm
			CRI95+	2700K/3000K/4000K	230V		709lm
		SP	CRI97+	DTW 1800K-3000K	230V		TBD
	FL		CRI90+	2700K/3000K/4000K	230V	21W	1523lm
			CRI95+	2700K/3000K/4000K	230V		1370lm
			CRI97+	DTW 1800K-3000K	230V		TBD

# kreon holon 60 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

3~ circuit track

See page 446

# kreon holon 60

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
 <b>holon 60 fixed, on-track 48Vdc, low louvre</b> Gear: incl. ♦	○	<a href="#">KR962081</a>	①	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■
	●	<a href="#">KR962082</a>	①	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■
 <b>holon 60 fixed, on-track 48Vdc, deep recessed louvre</b> Gear: incl. ♦	○	<a href="#">KR962281</a>	②	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■
	●	<a href="#">KR962282</a>	②	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■
	◐	<a href="#">KR962285</a>	②	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED SSP & SP	CRI90+	2700K/3000K/4000K	48Vdc	10W	727lm
		CRI95+	2700K/3000K/4000K	48Vdc	10W	TBD
	SP	CRI90+	TW 2700K-5000K	48Vdc	2x12W	835-1053lm
	FL & WFL	CRI90+	2700K/3000K/4000K	48Vdc	19W	1470lm
		CRI95+	2700K/3000K/4000K	48Vdc	19W	1323lm
		CRI90+	TW 2700K-5000K	48Vdc	2x12W	907-1153lm
②	LED SSP & SP	CRI90+	2700K/3000K/4000K	48Vdc	10W	687lm
		CRI95+	2700K/3000K/4000K	48Vdc	10W	TBD
	SP	CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD
	FL	CRI90+	2700K/3000K/4000K	48Vdc	19W	1382lm
		CRI95+	2700K/3000K/4000K	48Vdc	19W	1244lm
		CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD

# kreon holon 60

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
	<b>holon 60 wallwasher, on-track</b>	○	<u>KR962181</u>	①	321,00	-	-	-	19,00	19,00	19,00	23,00	-	30,00	30,00	■
	<b>48Vdc</b> Gear: incl. ♦	●	<u>KR962182</u>	①	321,00	-	-	-	19,00	19,00	19,00	23,00	-	30,00	30,00	■

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED WW	CRI90+	2700K/3000K/4000K	48Vdc	10W	710lm
		CRI95+	2700K/3000K/4000K	48Vdc	10W	639lm
		CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD

# kreon holon 60 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

Low voltage track

See page 420

# kreon holon 60

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW ON/OFF	DD DALI dimming	Required accessories
 <b>holon 60 fixed, on-track 230Vdc (onetrack), low louvre</b> Gear: incl. ☉	○	<a href="#">KR962381</a>	①	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	30,00	■
	●	<a href="#">KR962382</a>	①	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	30,00	■
 <b>holon 60 fixed, on-track 230Vdc (onetrack), deep recessed louvre</b> Gear: incl. ☉	○	<a href="#">KR962581</a>	②	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	30,00	■
	●	<a href="#">KR962582</a>	②	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	30,00	■
	◐	<a href="#">KR962585</a>	②	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	30,00	■
 <b>holon 60 wallwasher, on-track 230Vdc (onetrack)</b> Gear: incl. ☉	○	<a href="#">KR962481</a>	③	326,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	30,00	■
	●	<a href="#">KR962482</a>	③	326,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	30,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	727lm
			CRI95+	2700K/3000K/4000K	230V		654lm
	FL & WFL	CRI90+	2700K/3000K/4000K	230V	21W	1470lm	
		CRI95+	2700K/3000K/4000K	230V		1323lm	
②	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	687lm
			CRI95+	2700K/3000K/4000K	230V		618lm
	FL & WFL	CRI90+	2700K/3000K/4000K	230V	21W	1382lm	
		CRI95+	2700K/3000K/4000K	230V		1244lm	
③	LED	WW	CRI90+	2700K/3000K/4000K	230V	13W	710lm
			CRI95+	2700K/3000K/4000K	230V		639lm

# kreon holon 60 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

3~ circuit track

See page 446

# kreon holon 80

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+			9030 3000K, CRI90+			9040 4000K, CRI90+			9527 2700K, CRI95+			9530 3000K, CRI95+			9540 4000K, CRI95+			SP Spot (22°)	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	DD DALI dimming	Optional accessories
					2700K	3000K	4000K																					
 <b>holon 80 directional surface mounted, low louvre</b> Gear: incl.	○	<a href="#">KR962021</a>	①	643,00	-	-	-	28,00	28,00	28,00	-	-	-	-	-	-	-	42,00	■									
	●	<a href="#">KR962022</a>	①	643,00	-	-	-	28,00	28,00	28,00	-	-	-	-	-	-	-	42,00	■									
 <b>holon 80 directional surface mounted, deep recessed louvre</b> Gear: incl.	○	<a href="#">KR962921</a>	②	643,00	-	-	-	28,00	28,00	28,00	-	-	-	-	-	-	-	42,00	■									
	●	<a href="#">KR962922</a>	②	643,00	-	-	-	28,00	28,00	28,00	-	-	-	-	-	-	-	42,00	■									
	◐	<a href="#">KR962925</a>	②	643,00	-	-	-	28,00	28,00	28,00	-	-	-	-	-	-	-	42,00	■									

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI95+	2700K/3000K/4000K	230V	19,9W	2531lm
	LED	FL	CRI90+	2700K/3000K/4000K	230V	28,5W	2867lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2402lm
LED	WFL	CRI90+	2700K/3000K/4000K	230V	28,5W	2884lm	
		CRI95+	2700K/3000K/4000K	230V	28,5W	2417lm	
②	LED	SP	CRI95+	2700K/3000K/4000K	230V	19,9W	2475lm
	LED	FL	CRI90+	2700K/3000K/4000K	230V	28,5W	2858lm
			CRI95+	2700K/3000K/4000K	230V	28,5W	2395lm
LED	WFL	CRI90+	2700K/3000K/4000K	230V	28,5W	2776lm	
		CRI95+	2700K/3000K/4000K	230V	28,5W	2326lm	

# kreon holon 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Lenses and louvres	<u>KR762002</u>	31,00	Anti-glare louvre
	<u>KR726100</u>	28,00	Sculpture lens
	<u>KR726200</u>	27,00	Diffusing lens



# kreon holon 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap, for holon 80 directional recessed mounted
	<u>KR717000</u>	37,00	Installation kit, back mounting
Plasterkit concrete	<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Installation kit	<u>KR717100</u>	37,00	Installation kit, back mounting
<b>■ Optional accessories</b>			
Lenses and louvres	<u>KR762002</u>	31,00	Anti-glare louvre
	<u>KR726100</u>	28,00	Sculpture lens
	<u>KR726200</u>	27,00	Diffusing lens
Driver	<u>KR772150</u>	53,00	LED driver, 850mA, ON/OFF, 15-34W
	<u>KR772152</u>	80,00	LED driver, 850mA, 1-10V, 1,7-38W
	<u>KR772153</u>	90,00	LED driver, 850mA, DALI, 8,5-38W
	<u>KR772159</u>	145,00	LED driver, 850mA, Casambi, 8,5-38W

# kreon holon 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	DD DALI dimming	Required accessories
	<b>holon 80 directional on-track, low louvre</b> Gear: incl.	○	<a href="#">KR962041</a>	①	625,00	–	–	–	28,00	28,00	28,00	–	–	–	42,00	■
		●	<a href="#">KR962042</a>	①	625,00	–	–	–	28,00	28,00	28,00	–	–	–	42,00	■
	<b>holon 80 directional on-track, deep recessed louvre</b> Gear: incl.	○	<a href="#">KR962941</a>	②	625,00	–	–	–	28,00	28,00	28,00	–	–	–	42,00	■
		●	<a href="#">KR962942</a>	②	625,00	–	–	–	28,00	28,00	28,00	–	–	–	42,00	■
		◐	<a href="#">KR962945</a>	②	625,00	–	–	–	28,00	28,00	28,00	–	–	–	42,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K/4000K	230V	33W	2866lm
			CRI95+	2700K/3000K/4000K	230V	33W	2402lm
	LED	WFL	CRI90+	2700K/3000K/4000K	230V	33W	2884lm
			CRI95+	2700K/3000K/4000K	230V	33W	2417lm
②	LED	FL	CRI90+	2700K/3000K/4000K	230V	33W	2858lm
			CRI95+	2700K/3000K/4000K	230V	33W	2395lm
	LED	WFL	CRI90+	2700K/3000K/4000K	230V	33W	2776lm
			CRI95+	2700K/3000K/4000K	230V	33W	2326lm

# kreon holon 80 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

3~ circuit track

See page 446

# kreon inline direct/surface mounted

	KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	3 350mA	7 700mA	
 inline d-diffus	<u>INL50</u>	①	410,00	-	-	-	-	-	-	-	price/m
 inline s-forward	<u>INL51</u>	②	610,00	-	-	-	-	-	-	-	price/m
 inline s-backward	<u>INL52</u>	③	610,00	-	-	-	-	-	-	-	price/m

	Light flow per meter (approx.)		lm/m (350mA) @ 4000K		lm/m (700mA) @ 4000K
① LED	INLINE-50	d-diffuse	1997lm	or	3656lm
② LED	INLINE-51	s-forward	1703lm	or	3075lm
③ LED	INLINE-52	s-backward	1846lm	or	3162lm

# kreon inline direct/surface mounted

	KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	3 350mA	7 700mA
 inline f-80°	<u>INL53</u>	①	610,00	-	-	-	-	-	-	-
 inline f-40°	<u>INL54</u>	②	610,00	-	-	-	-	-	-	-
 inline f-asym	<u>INL55</u>	③	610,00	-	-	-	-	-	-	-
 inline f-lvr Louver Raster UGR <19	<u>INL56</u>	④	610,00	-	-	-	-	-	-	-

	Light flow per meter (approx.)	lm/m (350mA) @ 4000K	lm/m (700mA) @ 4000K
① LED	INLINE-53 f-80°	1820lm	or 3388lm
② LED	INLINE-54 f-40°	2045lm	or 3653lm
③ LED	INLINE-55 f-asym	1747lm	or 3148lm
④ LED	INLINE-56 f-lvr	1675lm (UGR 19)	or 3025lm (UGR >19)

# kreon inline neo direct/pending

		KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)	2 Suspender, 2 meters	5 Suspender, 5 meters	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	3 350mA	7 700mA
	<b>inline d-diffus</b>	<u><b>INL60</b></u>	①	455,00	-	-	-	-	-	-	-	-	-
	<b>inline s-forward</b>	<u><b>INL61</b></u>	②	650,00	-	-	-	-	-	-	-	-	-
	<b>inline s-backward</b>	<u><b>INL62</b></u>	③	650,00	-	-	-	-	-	-	-	-	-

		Light flow per meter (approx.)	Im/m (350mA) @ 4000K	Im/m (700mA) @ 4000K
①	LED	INLINE-60 d-diffuse	1997lm	or 3656lm
②	LED	INLINE-61 s-forward	1703lm	or 3075lm
③	LED	INLINE-62 s-backward	1846lm	or 3162lm

# kreon inline neo direct/pending

		KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)	2 Suspender, 2 meters	5 Suspender, 5 meters	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	3 350mA	7 700mA
	<b>inline f-80°</b>	<b><u>INL63</u></b>	①	650,00	-	-	-	-	-	-	-	-	-
	<b>inline f-40°</b>	<b><u>INL64</u></b>	②	650,00	-	-	-	-	-	-	-	-	-
	<b>inline f-asym</b>	<b><u>INL65</u></b>	③	650,00	-	-	-	-	-	-	-	-	-
	<b>inline f-lvr</b> Louver Raster UGR <19	<b><u>INL66</u></b>	④	650,00	-	-	-	-	-	-	-	-	-

		Light flow per meter (approx.)	lm/m (350mA) @ 4000K	or	lm/m (700mA) @ 4000K
①	LED	INLINE-63 f-80°	1820lm	or	3388lm
②	LED	INLINE-64 f-40°	2045lm	or	3653lm
③	LED	INLINE-65 f-asym	1747lm	or	3148lm
④	LED	INLINE-66 f-lvr	1675lm (UGR 19)	or	3025lm (UGR >19)

# kreon inline neo direct-indirect/pending

		KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)	2 Suspender, 2 meters	5 Suspender, 5 meters	Wall-mounting	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	37 350mA direct and 700mA indirect
	<b>inline d-diffus</b>	<u><b>INL70</b></u>	①	735,00	-	-	-	-	-	-	-	-	-
	<b>inline s-forward</b>	<u><b>INL71</b></u>	②	930,00	-	-	-	-	-	-	-	-	-
	<b>inline s-backward</b>	<u><b>INL72</b></u>	③	930,00	-	-	-	-	-	-	-	-	-

				Direct portion lm/m (350mA) @ 4000K	and	Indirect portion lm/m (700mA) @ 4000K
①	LED	INLINE-70	d-diffuse	1997lm	and	3980lm
②	LED	INLINE-71	s-forward	1703lm	and	3980lm
③	LED	INLINE-72	s-backward	1846lm	and	3980lm

# kreon inline neo direct-indirect/pending

		KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)	2 Suspender, 2 meters	5 Suspender, 5 meters	Wall-mounting	SW Black	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	DD Dimmable DALI, building side	37 350mA direct and 700mA indirect
	<b>inline f-80°</b>	<u><b>INL73</b></u>	①	930,00	-	-	-	-	-	-	-	-	-
	<b>inline f-40°</b>	<u><b>INL74</b></u>	②	930,00	-	-	-	-	-	-	-	-	-
	<b>inline f-asym</b>	<u><b>INL75</b></u>	③	930,00	-	-	-	-	-	-	-	-	-
	<b>inline f-lvr</b> Louver Raster UGR <19	<u><b>INL76</b></u>	④	930,00	-	-	-	-	-	-	-	-	-

				Direct portion lm/m (350mA) @ 4000K	and	Indirect portion lm/m (700mA) @ 4000K
①	LED	INLINE-73	f-80°	1820lm	and	3980lm
②	LED	INLINE-74	f-40°	2045lm	and	3980lm
③	LED	INLINE-75	f-asym	1747lm	and	3980lm
④	LED	INLINE-76	f-lvr	1675lm (UGR 19)	and	3980lm

	Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	DL Dark light (33°)	WDL Wide dark light (56°)	D1 Dome, glassy	D3 Dome, matt	Optional accessories
 <b>inti fixed</b> Gear: excl., IP44 ⬠	○	<u>KR997211</u>	①	205,00	-	-				40,00	-	■
	●	<u>KR997212</u>	①	205,00	-	-				40,00	-	■
 <b>inti fixed dim-to-warm</b> Gear: excl., IP44 ⬠	○	<u>KR997711</u>	②	205,00						40,00	-	■
	●	<u>KR997712</u>	②	205,00						40,00	-	■
 <b>inti directional</b> Gear: excl., IP40 ⬠	○	<u>KR997221</u>	③	310,00	-	-	-	-	-	40,00	-	■
	●	<u>KR997222</u>	③	310,00	-	-	-	-	-	40,00	-	■
 <b>inti directional dim-to-warm</b> Gear: excl., IP40 ⬠	○	<u>KR997721</u>	④	310,00	-	-	-	-	-	40,00	-	■
	●	<u>KR997722</u>	④	310,00	-	-	-	-	-	40,00	-	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	12W	350mA	825lm
② LED	CRI90+	2700K/3000K	12,6W	350mA	577lm
③ LED dome	CRI90+	2700K/3000K	12W	350mA	576lm
LED dir. 33° / 56°			4W		250lm
20°			1W		100lm
④ LED dome	CRI90+	2700K/3000K	12,6W	350mA	400lm
LED dir. 33° / 56°			4W		250lm
20°			1W		100lm

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Plasterkit concrete	<u><b>KR717102</b></u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Driver	<u><b>KR747064</b></u>	42,00	LED driver, 350mA, 19W, ON/OFF
	<u><b>KR739102</b></u>	61,00	LED driver, 350mA, 15W, 0/1-10V
	<u><b>KR747266</b></u>	76,00	LED driver, 350mA, 15W, DALI
	<u><b>KR747163</b></u>	64,00	LED driver, 350mA, 18W, 0-10V/1-10V, dim-to-warm
	<u><b>KR747267</b></u>	76,00	LED driver, 350mA, 17W, DALI, dim-to-warm
	<u><b>KR747966</b></u>	142,00	LED dual driver, 2x 350mA, 20W, DALI (for inti directional only)
	<u><b>KR772219</b></u>	145,00	LED driver, 350mA, Casambi, 18,5W
Removal tool	<u><b>KR797001</b></u>	13,00	Removal tool for kreon inti fixed

# kreon inti in-line

	Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	DL Dark light (33°)	WDL Wide dark light (56°)	D1 Dome, glassy	D3 Dome, matt	Required accessories	Optional accessories
 <b>inti in-line fixed</b> Gear: excl., IP44 ⬢	○	<a href="#">KR997111</a>	①	205,00	–	–				40,00	–	■	■
	●	<a href="#">KR997112</a>	①	205,00	–	–				40,00	–	■	■
 <b>inti in-line fixed dim-to-warm</b> Gear: excl., IP44 ⬢	○	<a href="#">KR997611</a>	②	205,00						40,00	–	■	■
	●	<a href="#">KR997612</a>	②	205,00						40,00	–	■	■
 <b>inti in-line directional</b> Gear: excl., IP40 ⬢	○	<a href="#">KR997121</a>	③	310,00	–	–	–	–	–	40,00	–	■	■
	●	<a href="#">KR997122</a>	③	310,00	–	–	–	–	–	40,00	–	■	■
 <b>inti in-line directional dim-to-warm</b> Gear: excl., IP40 ⬢	○	<a href="#">KR997621</a>	④	310,00	–	–	–	–	–	40,00	–	■	■
	●	<a href="#">KR997622</a>	④	310,00	–	–	–	–	–	40,00	–	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	12W	350mA	825lm
② LED	CRI90+	2700K/3000K	12,6W	350mA	577lm
③ LED dome	CRI90+	2700K/3000K	12W	350mA	576lm
LED dir. 33° / 56°			4W		250lm
20°			1W		100lm
④ LED dome	CRI90+	2700K/3000K	12,6W	350mA	400lm
LED dir. 33° / 56°			4W		250lm
20°			1W		100lm

# kreon inti in-line accessories

	Colour	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>				
Plasterkit		<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap $\varnothing$ 102 D 110
		<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Plasterkit concrete		<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Installation kit		<u>KR717100</u>	37,00	Installation kit, back mounting
Removal tool		<u>KR797001</u>	13,00	Removal tool for kreon inti fixed
<b>■ Optional accessories</b>				
Driver		<u>KR747064</u>	42,00	LED driver, 350mA, 19W, ON/OFF
		<u>KR739102</u>	61,00	LED driver, 350mA, 15W, 0/1-10V
		<u>KR747266</u>	76,00	LED driver, 350mA, 15W, DALI
		<u>KR747163</u>	64,00	LED driver, 350mA, 18W, 0-10V/1-10V, dim-to-warm
		<u>KR747267</u>	76,00	LED driver, 350mA, 17W, DALI, dim-to-warm
		<u>KR747966</u>	142,00	LED dual driver, 2x 350mA, 20W, DALI (for inti directional only)
		<u>KR772219</u>	145,00	LED driver, 350mA, Casambi, 18,5W
Distance ring (for plasterkit concrete)		<u>KR717307</u>	28,00	Distance ring 2mm (set of 5pcs.)
		<u>KR717308</u>	33,00	Distance ring 3mm (set of 5pcs.)
		<u>KR717309</u>	43,00	Distance ring 5mm (set of 5pcs.)

# kreon kagi profile, lvl. 1

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	DIF Diffuser	SBU Silver bowl under	XS L = 532mm	S L = 1032mm	M L = 1532mm	L L = 2032mm	XL L = 3032mm	Required accessories	Optional accessories
 <b>kagi blind surface mounted, level 1</b> Gear: excl. input voltage: 24Vdc	●	<u>KR954902</u>		96,00					-	26,00	51,00	75,00	124,00	■	■
 <b>kagi 16 surface mounted, level 1</b> Gear: excl. input voltage: 24Vdc	●	<u>KR954502</u>	①	167,00	-	-	-		-	72,00	141,00	216,00	360,00	■	■
 <b>kagi 26 surface mounted, level 1</b> Gear: excl. input voltage: 24Vdc No additional fixtures or cross connectors possible		<u>KR954602</u>	②	170,00	-	-	-		-	74,00	148,00	221,00	368,00	■	■
			③		-	-	-	-	22,00	119,00	215,00	311,00	503,00	■	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	808lm/m
② LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	873lm/m
③ LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	205lm/m

# kreon kagi profile, lvl. 1, accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Installation kit	<a href="#"><u>KR754911</u></a>	26,00	Tooling set for installation (profile + module)
<b>■ Optional accessories</b>			
Power supply hide-away	<a href="#"><u>KR754801</u></a>	35,00	Plasterkit + blind cover, white
	<a href="#"><u>KR754701</u></a>	152,00	Suspension kit, recessed mounted (plasterkit included)
	<a href="#"><u>KR754901</u></a>	212,00	Suspension kit, surface mounted, white
	<a href="#"><u>KR754902</u></a>	212,00	Suspension kit, surface mounted, black
Surface mounted connection box	<a href="#"><u>KR754821</u></a>	212,00	Surface mounted connection box, level 1, 24Vdc, white
	<a href="#"><u>KR754822</u></a>	212,00	Surface mounted connection box, level 1, 24Vdc, black
Power supply	<a href="#"><u>KR772070</u></a>	95,00	LED power supply, 24Vdc, 60W, ON-OFF
	<a href="#"><u>KR772072</u></a>	116,00	LED power supply, 24Vdc, 60W, 0-10V
	<a href="#"><u>KR772073</u></a>	116,00	LED power supply, 24Vdc, 60W, DALI
	<a href="#"><u>KR772074</u></a>	231,00	LED power supply, 24Vdc, 60W, Casambi
	<a href="#"><u>KR772270</u></a>	142,00	LED power supply, 24Vdc, 120W, ON-OFF
	<a href="#"><u>KR772272</u></a>	162,00	LED power supply, 24Vdc, 120W, 0-10V
	<a href="#"><u>KR772273</u></a>	162,00	LED power supply, 24Vdc, 120W, DALI
	<a href="#"><u>KR772274</u></a>	278,00	LED power supply, 24Vdc, 120W, Casambi
CV dimmers	<a href="#"><u>KR774106</u></a>	112,00	1-10V 24Vdc controller for linear light tubes
	<a href="#"><u>KR774006</u></a>	157,00	DALI/DMX/0-10V controller
Gateway	<a href="#"><u>KR762070</u></a>	184,00	Casambi DALI gateway
Switches	<a href="#"><u>KR762971</u></a>	378,00	Casambi Xpress switch, white
	<a href="#"><u>KR762972</u></a>	378,00	Casambi Xpress switch, black

# kreon kagi profile, lvl. 1, gearboxes

	Colour	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>				
1~ phase 20W for linear kagi profiles		<u>KR754024</u>	219,00	kagi gearbox 230V, 20W, ON/OFF, white
		<u>KR754324</u>	219,00	kagi gearbox 230V, 20W, ON/OFF, black
		<u>KR754022</u>	219,00	kagi gearbox 230V, 20W, 1-10V, white
		<u>KR754322</u>	219,00	kagi gearbox 230V, 20W, 1-10V, black
		<u>KR754026</u>	230,00	kagi gearbox, 230V, 20W, DALI, white
		<u>KR754326</u>	230,00	kagi gearbox, 230V, 20W, DALI, black
1~ phase 70W for linear kagi profiles		<u>KR754124</u>	247,00	kagi gearbox 230V, 70W, ON/OFF, white
		<u>KR754424</u>	247,00	kagi gearbox 230V, 70W, ON/OFF, black
		<u>KR754122</u>	247,00	kagi gearbox 230V, 70W, 1-10V, white
		<u>KR754422</u>	247,00	kagi gearbox 230V, 70W, 1-10V, black
		<u>KR754126</u>	258,00	kagi gearbox, 230V, 70W, DALI, white
		<u>KR754426</u>	258,00	kagi gearbox, 230V, 70W, DALI, black
		<u>KR754128</u>	472,00	kagi gearbox, 230V, 70W, Casambi, white
		<u>KR754428</u>	472,00	kagi gearbox, 230V, 70W, Casambi, black
2~ phase 140W for linear kagi profiles and kagi modules		<u>KR754224</u>	421,00	kagi gearbox 230V, 2x70W, ON/OFF, white
		<u>KR754524</u>	421,00	kagi gearbox 230V, 2x70W, ON/OFF, black
		<u>KR754222</u>	421,00	kagi gearbox 230V, 2x70W, 1/10V, white
		<u>KR754522</u>	421,00	kagi gearbox 230V, 2x70W, 1/10V, black
		<u>KR754226</u>	432,00	kagi gearbox, 230V, 2x70W, DALI, white
		<u>KR754526</u>	432,00	kagi gearbox, 230V, 2x70W, DALI, black
		<u>KR754228</u>	635,00	kagi gearbox, 230V, 2x70W, Casambi, white
		<u>KR754528</u>	635,00	kagi gearbox, 230V, 2x70W, Casambi, black

# kreon kagi profile, lvl. 1, gearboxes

Base price (EUR excl. VAT)

## ■ Optional accessories

1~ phase 70W for kagi suspension kit

<u>KR754104</u>	248,00	kagi suspension kit gearbox 230V, 70W, ON/OFF, white
<u>KR754204</u>	248,00	kagi suspension kit gearbox 230V, 70W, ON/OFF, black
<u>KR754102</u>	248,00	kagi suspension kit gearbox 230V, 70W, 1-10V, white
<u>KR754202</u>	248,00	kagi suspension kit gearbox 230V, 70W, 1-10V, black
<u>KR754106</u>	259,00	kagi suspension kit gearbox, 230V, 70W, DALI, white
<u>KR754206</u>	259,00	kagi suspension kit gearbox, 230V, 70W, DALI, black

2~ phase 140W for kagi suspension kit

<u>KR754304</u>	421,00	kagi suspension kit gearbox 230V, 2x70W, ON/OFF, white
<u>KR754404</u>	421,00	kagi suspension kit gearbox 230V, 2x70W, ON/OFF, black
<u>KR754302</u>	421,00	kagi suspension kit gearbox 230V, 2x70W, 1/10V, white
<u>KR754402</u>	421,00	kagi suspension kit gearbox 230V, 2x70W, 1/10V, black
<u>KR754306</u>	433,00	kagi suspension kit gearbox, 230V, 2x70W, DALI, white
<u>KR754406</u>	433,00	kagi suspension kit gearbox, 230V, 2x70W, DALI, black



# kreon kagi modules, level 1

	Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (15°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (38°)	WDL Wide dark light (76°)	DM ON/OFF or PWM dimmable	CD Casambi dimming
 <b>holon 40 on-kagi directional, level 1</b>	○	<a href="#">KR954541</a>	①	416,00	-	-	-	-	-	-	22,00	22,00	-	174,00	
	●	<a href="#">KR954542</a>	①	416,00	-	-	-	-	-	-	22,00	22,00	-	174,00	
 <b>holon 40 on-kagi fixed, level 1</b>	○	<a href="#">KR954521</a>	②	283,00	-	-	-	-	-	-	-	-	-	174,00	
	●	<a href="#">KR954522</a>	②	283,00	-	-	-	-	-	-	-	-	-	174,00	
 <b>holon 40 on-kagi wallwasher, level 1</b>	○	<a href="#">KR954561</a>	③	324,00	-	-	-	-	-	-	-	-	-	174,00	
	●	<a href="#">KR954562</a>	③	324,00	-	-	-	-	-	-	-	-	-	174,00	
 <b>holon 40 stone on-kagi, level 1</b> alabaster finish	●	<a href="#">KR954582</a>	④	420,00	-	-	-	-	-	-	-	-	-	174,00	
 <b>prologe 40 on-kagi fixed, level 1</b>	○	<a href="#">KR954021</a>	②	283,00	-	-	-	-	-	-	-	-	-	174,00	
	●	<a href="#">KR954022</a>	②	283,00	-	-	-	-	-	-	-	-	-	174,00	
 <b>prologe 40 on-kagi wallwasher, level 1</b>	○	<a href="#">KR954061</a>	③	324,00	-	-	-	-	-	-	-	-	-	174,00	
	●	<a href="#">KR954062</a>	③	324,00	-	-	-	-	-	-	-	-	-	174,00	
 <b>prologe 40 stone on-kagi, level 1</b> alabaster finish	●	<a href="#">KR954082</a>	④	420,00	-	-	-	-	-	-	-	-	-	174,00	

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	24Vdc	9,8W	558lm
		DL	CRI90+	2700K/3000K	24Vdc	9,8W	417lm
②	LED		CRI90+	2700K/3000K	24Vdc	9,8W	465lm
③	LED		CRI90+	2700K/3000K	24Vdc	5,2W	279lm
④	LED		CRI90+	2700K/3000K	24Vdc	9,8W	159lm

# kreon kagi profile, lvl. 2

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	DIF Diffuser	XS L = 532mm	S L = 1032mm	M L = 1532mm	L L = 2032mm	XL L = 3032mm	Required accessories	Optional accessories
 <b>kagi blind, level 2</b> Gear: excl. input voltage: 24Vdc	●	<u>KR954412</u>		59,00				—	25,00	50,00	76,00	151,00	■	■
 <b>kagi 16, level 2</b> Gear: excl. input voltage: 24Vdc	●	<u>KR954012</u>	①	126,00	—	—	—	—	73,00	145,00	218,00	363,00	■	■
 <b>kagi 26, level 2</b> Gear: excl. input voltage: 24Vdc No additional fixtures possible	●	<u>KR954112</u>	②	129,00	—	—	—	—	77,00	146,00	211,00	372,00	■	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	808lm/m
② LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	873lm/m

# kreon kagi profile, lvl. 2, accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Cross connector	<u>KR754611</u>	177,00	Mechanical cross connector, level 1 to level 2, white
	<u>KR754612</u>	177,00	Mechanical cross connector, level 1 to level 2, black
	<u>KR754711</u>	259,00	Electrical cross connector, level 1 to level 2, white
	<u>KR754712</u>	259,00	Electrical cross connector, level 1 to level 2, black
<b>■ Optional accessories</b>			
Mounting blocks	<u>KR754601</u>	36,00	Mounting block, level 2, white
	<u>KR754602</u>	36,00	Mounting block, level 2, black
Surface mounted feed	<u>KR754811</u>	330,00	Surface mounted feed, level 1+2, 24Vdc, white
	<u>KR754812</u>	330,00	Surface mounted feed, level 1+2, 24Vdc, black



# kreon kagi modules, level 2

		Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (15°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (38°)	WDL Wide dark light (76°)	DM ON/OFF or PWM dimmable	CD Casambi dimming
	<b>holon 40 on-kagi directional, level 2</b>	○	<a href="#">KR954551</a>	①	416,00	-	-	-	-	-	22,00	22,00	-	174,00
		●	<a href="#">KR954552</a>	①	416,00	-	-	-	-	-	22,00	22,00	-	174,00
	<b>holon 40 on-kagi fixed, level 2</b>	○	<a href="#">KR954531</a>	②	283,00	-	-	-	-				-	174,00
		●	<a href="#">KR954532</a>	②	283,00	-	-	-	-				-	174,00
	<b>holon 40 on-kagi wallwasher, level 2</b>	○	<a href="#">KR954571</a>	③	324,00	-	-						-	174,00
		●	<a href="#">KR954572</a>	③	324,00	-	-						-	174,00
	<b>holon 40 stone on-kagi, level 2</b> alabaster finish	●	<a href="#">KR954592</a>	④	420,00	-	-						-	174,00
	<b>prologe 40 on-kagi fixed, level 2</b>	○	<a href="#">KR954031</a>	②	283,00	-	-	-	-				-	174,00
		●	<a href="#">KR954032</a>	②	283,00	-	-	-	-				-	174,00
	<b>prologe 40 on-kagi wallwasher, level 2</b>	○	<a href="#">KR954071</a>	③	324,00	-	-						-	174,00
		●	<a href="#">KR954072</a>	③	324,00	-	-						-	174,00
	<b>prologe 40 stone on-kagi, level 2</b> alabaster finish	●	<a href="#">KR954092</a>	④	420,00	-	-						-	174,00

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	24Vdc	9,8W	558lm
		DL	CRI90+	2700K/3000K	24Vdc	9,8W	417lm
②	LED		CRI90+	2700K/3000K	24Vdc	9,8W	465lm
③	LED		CRI90+	2700K/3000K	24Vdc	5,2W	279lm
④	LED		CRI90+	2700K/3000K	24Vdc	9,8W	159lm

# kreon kagi recessed profile

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	DIF Diffuser	SBU Silver bowl under	XS L = 532mm	S L = 1032mm	M L = 1532mm	L L = 2032mm	XL L = 3032mm	Required accessories	Optional accessories
 <b>kagi 16 recessed mounted</b> No additional fixtures or cross connectors possible	●	<u>KR954002</u>	①	148,00	-	-	-	-	79,00	132,00	200,00	335,00	■	■	
 <b>kagi 26 recessed mounted</b> No additional fixtures or cross connectors possible	●	<u>KR954102</u>	②	151,00	-	-	-	-	66,00	136,00	205,00	344,00	■	■	
			③	-	-	-	33,00	130,00	226,00	322,00	514,00	■	■		

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	808lm/m
② LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	873lm/m
③ LED	CRI90+	2700K/3000K	24Vdc	12,3W/m	205lm/m

# kreon kagi recessed profile acc.

KR-code

Base price (EUR excl. VAT)

## ■ Required accessories

Plasterkit for recessed mounting	<u>KR754001-XS</u>	83,00	Plasterkit, XS
	<u>KR754001-S</u>	96,00	Plasterkit, S
	<u>KR754001-M</u>	134,00	Plasterkit, M
	<u>KR754001-L</u>	171,00	Plasterkit, L
	<u>KR754001-XL</u>	234,00	Plasterkit, XL

## ■ Optional accessories

Connector	<u>KR754002</u>	34,00	Plasterkit connector
Power supply	<u>KR772070</u>	95,00	LED power supply, 24Vdc, 60W, ON-OFF
	<u>KR772072</u>	116,00	LED power supply, 24Vdc, 60W, 0-10V
	<u>KR772073</u>	116,00	LED power supply, 24Vdc, 60W, DALI
	<u>KR772074</u>	231,00	LED power supply, 24Vdc, 60W, Casambi
	<u>KR772270</u>	142,00	LED power supply, 24Vdc, 120W, ON-OFF
	<u>KR772272</u>	162,00	LED power supply, 24Vdc, 120W, 0-10V
	<u>KR772273</u>	162,00	LED power supply, 24Vdc, 120W, DALI
CV dimmers	<u>KR774106</u>	112,00	1-10V 24Vdc controller for linear light tubes
	<u>KR774006</u>	157,00	DALI/DMX/0-10V controller
Switches	<u>KR762971</u>	378,00	Casambi Xpress switch, white
	<u>KR762972</u>	378,00	Casambi Xpress switch, black

kreon **kagi**  
plug & play

	Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	DD DALI dimming	XS L = 532mm	S L = 1032mm	M L = 1532mm
	<b>kagi 16 surface mounted, gearbox</b> Gear: incl. input voltage: 230Vdc	○ <u>KR954511</u>	①	371,00	-	-	-	11,00	-	73,00	145,00
		● <u>KR954512</u>	①	371,00	-	-	-	11,00	-	73,00	145,00
	<b>kagi 26 surface mounted, gearbox</b> Gear: incl. input voltage: 230Vdc	○ <u>KR964611</u>	①	415,00	-	-	-	11,00	-	73,00	145,00
		● <u>KR964612</u>	①	415,00	-	-	-	11,00	-	73,00	145,00
	<b>kagi 26 SBU surface mounted, gearbox</b> Gear: incl. input voltage: 230Vdc	○ <u>KR964711</u>	①	429,00	-	-	-	11,00	-	73,00	145,00
		● <u>KR964712</u>	①	429,00	-	-	-	11,00	-	73,00	145,00

	CRI	CCT	Voltage	Fixture lumen
① LED	CRI90+	2700K/3000K	230Vdc	873lm/m





# kreon lini 10

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	09 Length 911 mm	Required accessories	Optional accessories	
 <b>lini 10 profile</b> Gear: excl. length: Nx50+5+(2x3) IP44	○	<u>KR974111</u>	①	206,00	-	-					■	■	price/m
	●	<u>KR974112</u>	①	206,00	-	-					■	■	price/m
	Ⓟ	<u>KR974114</u>	①	237,00	-	-					■	■	price/m
 <b>lini 10 cove</b> Gear: excl. length: Nx50+5 IP44		<u>KR774111</u>	②	122,00	-	-						■	price/m
 <b>lini 10 on-track</b> for 48V low voltage track system Gear: incl.	○	<u>KR974811</u>	③	273,00	-	-	-	42,00	42,00	-		■	
	●	<u>KR974812</u>	③	273,00	-	-	-	42,00	42,00	-		■	
	Ⓟ	<u>KR974814</u>	③	301,00	-	-	-	42,00	42,00	-		■	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	24V	14,4W/m	512lm/m
②	LED	CRI90+	2700K/3000K	24V	14,4W/m	954lm/m
③	LED	09 CRI90+	2700K/3000K	48V	15,5W	466lm

# kreon lini 10 accessories

	KR-code	Base price (EUR exc. VAT)		
<b>■ Required accessories</b>				
Surface mounted installation	<u>KR774010</u>	34,00	Mounting clip	
Recessed mounted installation	<u>KR774210</u>	88,00	Recessed trimless plasterkit	price/m
<b>■ Optional accessories</b>				
Power supply	<u>KR490373</u>	69,00	LED power supply 24VdC/30W	
	<u>KR772070</u>	95,00	LED power supply 24VdC/60W	
	<u>KR490375</u>	142,00	LED power supply 24VdC/100W	
	<u>KR490376</u>	208,00	LED power supply 24VdC/150W	
Controller	<u>KR774006</u>	157,00	DALI 24V controller	
	<u>KR774106</u>	112,00	1-10V 24V controller	
L-corner	<u>KR774611</u>	98,00	lini 10 profile L-corner, white	
	<u>KR774612</u>	98,00	lini 10 profile L-corner, black	
	<u>KR774212</u>	172,00	plasterkit lini 10 L-corner (for recessed installation)	
wall-to-ceiling - corner	<u>KR774911</u>	98,00	lini 10 profile wall-to-ceiling corner, 90°, white	
	<u>KR774912</u>	98,00	lini 10 profile wall-to-ceiling corner, 90°, black	
	<u>KR774215</u>	172,00	plasterkit lini 10 wall-to-ceiling (for recessed installation)	
Low voltage track			See page 420	

	Colour	KR-code	Base price (EUR excl. VAT)	Optional accessories
 <p><b>noite base profile, 230V</b> Gear: incl.</p>	○	<a href="#">KR729211</a>	245,00	■
	●	<a href="#">KR729212</a>	245,00	■
	FG	<a href="#">KR729210</a>	270,00	■
	NG	<a href="#">KR729213</a>	270,00	■
	BR	<a href="#">KR729214</a>	270,00	■
	GD	<a href="#">KR729218</a>	270,00	■
 <p><b>noite base profile, 48V</b> Gear: excl.</p>	○	<a href="#">KR729111</a>	175,00	■
	●	<a href="#">KR729112</a>	175,00	■
	FG	<a href="#">KR729110</a>	200,00	■
	NG	<a href="#">KR729113</a>	200,00	■
	BR	<a href="#">KR729114</a>	200,00	■
	GD	<a href="#">KR729118</a>	200,00	■
 <p><b>noite layer profile, 48V</b> Gear: excl.</p>	○	<a href="#">KR729411</a>	150,00	■
	●	<a href="#">KR729412</a>	150,00	■
	FG	<a href="#">KR729410</a>	165,00	■
	NG	<a href="#">KR729413</a>	165,00	■
	BR	<a href="#">KR729414</a>	165,00	■
	GD	<a href="#">KR729418</a>	165,00	■

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Casambi enabling	<u>KR729200</u>	21,00	Casambi enabled noite profile
Additional circuit	<u>KR729300</u>	40,00	Additional circuit ON/OFF
Power supply for noite profile, 48V	<u>KR790474</u>	100,00	Power supply 48Vdc, 60W
	<u>KR790780</u>	140,00	Power supply 48Vdc, 150W
	<u>KR790476</u>	173,00	Power supply 48Vdc, 240W

# kreon noite



	Colour	KR-code		Base price (EUR excl. VAT)	9527 2700K, CRI95+	9530 3000K, CRI95+	DL Dark light (36°)	WDL Wide dark light (60°)	Required accessories
	●	<u>KR929102</u>	①	121,00	-	-	-	-	■
	●	<u>KR929202</u>	②	161,00	-	-	-	-	■
	●	<u>KR929302</u>	③	201,00	-	-	-	-	■
	●	<u>KR929402</u>	④	237,00	-	-	-	-	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED CRI95+	2700K/3000K	48V	5,5W	255lm
②	LED CRI95+	2700K/3000K	48V	9,7W	475lm
③	LED CRI95+	2700K/3000K	48V	13,9W	725lm
④	LED CRI95+	2700K/3000K	48V	18,6W	933lm

# kreon noite

	Colour	KR-code		Base price (EUR excl. VAT)	9527 2700K, CRI90+	9530 3000K, CRI90+	DL Darklight (36°)	WDL Wide darklight (60°)	Required accessories
 <b>noite module five</b>	●	<u>KR929502</u>	①	267,00	-	-	-	-	■
 <b>noite module six</b>	●	<u>KR929602</u>	②	297,00	-	-	-	-	■
 <b>noite module seven</b>	●	<u>KR929702</u>	③	327,00	-	-	-	-	■
 <b>noite module eight</b>	●	<u>KR929802</u>	④	357,00	-	-	-	-	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED CRI95+	2700K/3000K	48V	24,1W	1188lm
②	LED CRI95+	2700K/3000K	48V	27W	1450lm
③	LED CRI95+	2700K/3000K	48V	32,5W	1658lm
④	LED CRI95+	2700K/3000K	48V	37,2W	1866lm

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories
	<b>holon 20 directional in-noite mounting set</b>	●	<u>KR739621</u>	54,00	■
	<b>holon 20 directional twin in-noite mounting set</b>	●	<u>KR739622</u>	75,00	■
	<b>holon 20 pendant in-noite mounting set</b>	●	<u>KR739620</u>	54,00	■

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
holon 20 directional recessed mounted			See page 228 (2 luminaires to be ordered for holon 20 directional twin in-noite)
holon 20 pendant			See page 230
Driver	<b>KR729020</b>	28,00	LED driver, switchable ON/OFF
	<b>KR729024</b>	40,00	LED driver, 1-10V dimmable
	<b>KR729220</b>	40,00	LED driver, DALI dimmable

# kreon nait profile



## nait profile

Gear: incl. or excl.

dim options: phase, 1-10V, DALI

Min. length: 500mm, max length: 6000mm

Colour

KR-code

Base price (EUR excl. VAT)

Required accessories

Optional accessories



[KR703211](#)

150,00



price/m



[KR703212](#)

150,00



price/m



[KR703215](#)

150,00



price/m

**FG**

[KR703210](#)

158,00



price/m

**NG**

[KR703213](#)

158,00



price/m

**BR**

[KR703214](#)

158,00



price/m

**GD**

[KR703218](#)

158,00



price/m



# kreon nuit profile

		KR-code	Light sources	Base price (EUR excl. VAT)		9027 2700K, CRI90+		9030 3000K, CRI90+		9040 4000K, CRI90+		SP Spot (12°)		FL Flood (29°)		WFL Wide flood (40°)		OV Oval (13°+ 36°)		Optional accessories
	<b>nuit profile 1x5 LED module</b>	<u>KR974190</u>	①	244,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K/4000K		7W	500mA	585lm
			230V	7W		585lm

# kreon nuit accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver for nuit 1x5 LED module	<u>KR703020</u>	119,00	LED driver, switchable ON/OFF (1 driver = max. 3 modules)
	<u>KR703021</u>	131,00	LED driver, phase dimmable (1 driver = max. 2 modules)
	<u>KR703022</u>	179,00	LED driver, 1-10V dimmable (1 driver = max. 3 modules)
	<u>KR703023</u>	203,00	LED driver, DALI dimmable (1 driver = max. 3 modules)
Driver for nuit profile gear excl.	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772126</u>	53,00	LED driver, 500mA, DALI, 18W
Emergency kit	<u>KR703120</u>	283,00	Emergency kit, battery pack and indicator LED

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Darklight (40°)	WDL Wide darklight (76°)	Required accessories	Optional accessories
	<b>holon 40 directional in-nuit</b>													
		○	<u>KR962711</u>	①	314,00	-	-	-	-	-	22,00	22,00	■	■
		●	<u>KR962712</u>	①	314,00	-	-	-	-	-	22,00	22,00	■	■
		BB	<u>KR962714</u>	①	359,00	-	-	-	-	-	22,00	22,00	■	■
		BS	<u>KR962717</u>	①	359,00	-	-	-	-	-	22,00	22,00	■	■
		BG	<u>KR962718</u>	①	359,00	-	-	-	-	-	22,00	22,00	■	■
	GB	<u>KR962719</u>	①	359,00	-	-	-	-	-	22,00	22,00	■	■	
	<b>holon 40 pendant in-nuit</b>													
		○	<u>KR962811</u>	①	299,00	-	-	-	-	-	22,00	22,00	■	■
		●	<u>KR962812</u>	①	299,00	-	-	-	-	-	22,00	22,00	■	■
		BB	<u>KR962814</u>	①	344,00	-	-	-	-	-	22,00	22,00	■	■
		BS	<u>KR962817</u>	①	344,00	-	-	-	-	-	22,00	22,00	■	■
		BG	<u>KR962818</u>	①	344,00	-	-	-	-	-	22,00	22,00	■	■
	GB	<u>KR962819</u>	①	344,00	-	-	-	-	-	22,00	22,00	■	■	

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	558lm
		DL & WDL	CRI90+	2700K/3000K	8,4W	700mA	420lm

# kreon nuit accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Driver for holon	<u>KR703030</u>	119,00	LED driver, switchable ON/OFF (1 driver = max. 3 luminaires)
	<u>KR703031</u>	131,00	LED driver, phase dimmable (1 driver = max. 1 luminaire)
	<u>KR703032</u>	179,00	LED driver, 1-10V dimmable (1 driver = max. 3 luminaires)
	<u>KR703033</u>	203,00	LED driver, DALI dimmable (1 driver = max. 3 luminaires)
<b>■ Optional accessories</b>			
Lenses and louvres for SP, FL, WFL	<u>KR762000</u>	26,00	Anti-glare louvre
	<u>KR762200</u>	27,00	Diffusing lens

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant craft sphere bulb in-nuit</b>		○	<u>KR991421</u>	①	444,00	—	—	■
		●	<u>KR991422</u>	①	444,00	—	—	■
		BB	<u>KR991424</u>	①	519,00	—	—	■
		BS	<u>KR991427</u>	①	519,00	—	—	■
		BG	<u>KR991428</u>	①	519,00	—	—	■
		GB	<u>KR991429</u>	①	519,00	—	—	■

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	glass	CRI90+	2700K/3000K	6,7W	700mA	290lm



oran pendant kap craft  
sphere bulb in-nuit

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
○	<u>KR991441</u>	①	543,00	—	—	■
●	<u>KR991442</u>	①	543,00	—	—	■
BB	<u>KR991444</u>	①	723,00	—	—	■
BS	<u>KR991447</u>	①	723,00	—	—	■
BG	<u>KR991448</u>	①	723,00	—	—	■
GB	<u>KR991449</u>	①	723,00	—	—	■

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	glass	CRI90+	2700K/3000K	6,7W	700mA	290lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p><b>oran pendant stone in-nuit, large cube</b></p>	○	<u>KR991711</u>	①	444,00	-	-	■	
	●	<u>KR991712</u>	①	444,00	-	-	■	
	BB	<u>KR991714</u>	①	519,00	-	-	■	
	BS	<u>KR991717</u>	①	519,00	-	-	■	
	BG	<u>KR991718</u>	①	519,00	-	-	■	
	GB	<u>KR991719</u>	①	519,00	-	-	■	
 <p><b>oran pendant stone in-nuit, large cylinder</b></p>	○	<u>KR991611</u>	①	444,00	-	-	■	
	●	<u>KR991612</u>	①	444,00	-	-	■	
	BB	<u>KR991614</u>	①	519,00	-	-	■	
	BS	<u>KR991617</u>	①	519,00	-	-	■	
	BG	<u>KR991618</u>	①	519,00	-	-	■	
	GB	<u>KR991619</u>	①	519,00	-	-	■	

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
	<b>oran pendant stone in-nuit, small cylinder</b>	○	<a href="#"><u>KR991811</u></a>	①	428,00	–	–	■
		●	<a href="#"><u>KR991812</u></a>	①	428,00	–	–	■
		BB	<a href="#"><u>KR991814</u></a>	①	503,00	–	–	■
		BS	<a href="#"><u>KR991817</u></a>	①	503,00	–	–	■
		BG	<a href="#"><u>KR991818</u></a>	①	503,00	–	–	■
		GB	<a href="#"><u>KR991819</u></a>	①	503,00	–	–	■
	<b>oran pendant stone in-nuit, long cylinder</b>	○	<a href="#"><u>KR991911</u></a>	①	444,00	–	–	■
		●	<a href="#"><u>KR991912</u></a>	①	444,00	–	–	■
		BB	<a href="#"><u>KR991914</u></a>	①	519,00	–	–	■
		BS	<a href="#"><u>KR991917</u></a>	①	519,00	–	–	■
		BG	<a href="#"><u>KR991918</u></a>	①	519,00	–	–	■
		GB	<a href="#"><u>KR991919</u></a>	①	519,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p><b>oran pendant kap stone in-nuit, large cube</b></p>	○	<a href="#">KR991731</a>	①	543,00	-	-	■	
	●	<a href="#">KR991732</a>	①	543,00	-	-	■	
	BB	<a href="#">KR991734</a>	①	723,00	-	-	■	
	BS	<a href="#">KR991737</a>	①	723,00	-	-	■	
	BG	<a href="#">KR991738</a>	①	723,00	-	-	■	
	GB	<a href="#">KR991739</a>	①	723,00	-	-	■	
 <p><b>oran pendant kap stone in-nuit, large cylinder</b></p>	○	<a href="#">KR991631</a>	①	543,00	-	-	■	
	●	<a href="#">KR991632</a>	①	543,00	-	-	■	
	BB	<a href="#">KR991634</a>	①	723,00	-	-	■	
	BS	<a href="#">KR991637</a>	①	723,00	-	-	■	
	BG	<a href="#">KR991638</a>	①	723,00	-	-	■	
	GB	<a href="#">KR991639</a>	①	723,00	-	-	■	

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p>oran pendant kap stone in-nuit, small cylinder</p>	○	<a href="#">KR991831</a>	①	527,00	-	-	■	
	●	<a href="#">KR991832</a>	①	527,00	-	-	■	
	BB	<a href="#">KR991834</a>	①	707,00	-	-	■	
	BS	<a href="#">KR991837</a>	①	707,00	-	-	■	
	BG	<a href="#">KR991838</a>	①	707,00	-	-	■	
	GB	<a href="#">KR991839</a>	①	707,00	-	-	■	
 <p>oran pendant kap stone in-nuit, long cylinder</p>	○	<a href="#">KR991931</a>	①	543,00	-	-	■	
	●	<a href="#">KR991932</a>	①	543,00	-	-	■	
	BB	<a href="#">KR991934</a>	①	723,00	-	-	■	
	BS	<a href="#">KR991937</a>	①	723,00	-	-	■	
	BG	<a href="#">KR991938</a>	①	723,00	-	-	■	
	GB	<a href="#">KR991939</a>	①	723,00	-	-	■	

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant glass in-nuit, cylinder, E1</b>	○	<a href="#">KR971611</a>	①	411,00	–	–	■
	●	<a href="#">KR971612</a>	①	411,00	–	–	■
	BB	<a href="#">KR971614</a>	①	486,00	–	–	■
	BS	<a href="#">KR971617</a>	①	486,00	–	–	■
	BG	<a href="#">KR971618</a>	①	486,00	–	–	■
	GB	<a href="#">KR971619</a>	①	486,00	–	–	■
 <b>oran pendant glass in-nuit, double cylinder, F1</b>	○	<a href="#">KR971811</a>	②	444,00	–	–	■
	●	<a href="#">KR971812</a>	②	444,00	–	–	■
	BB	<a href="#">KR971814</a>	②	519,00	–	–	■
	BS	<a href="#">KR971817</a>	②	519,00	–	–	■
	BG	<a href="#">KR971818</a>	②	519,00	–	–	■
	GB	<a href="#">KR971819</a>	②	519,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED CRI90+	2700K/3000K	8,4W	700mA	444lm

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant glass in-nuit, cone, H1</b>		○	<u>KR971711</u>	①	444,00	-	-	■	
		●	<u>KR971712</u>	①	444,00	-	-	■	
		BB	<u>KR971714</u>	①	519,00	-	-	■	
		BS	<u>KR971717</u>	①	519,00	-	-	■	
		BG	<u>KR971718</u>	①	519,00	-	-	■	
		GB	<u>KR971719</u>	①	519,00	-	-	■	
 <b>oran pendant glass in-nuit, cone, H2</b>		○	<u>KR971911</u>	②	444,00	-	-	■	
		●	<u>KR971912</u>	②	444,00	-	-	■	
		BB	<u>KR971914</u>	②	519,00	-	-	■	
		BS	<u>KR971917</u>	②	519,00	-	-	■	
		BG	<u>KR971918</u>	②	519,00	-	-	■	
		GB	<u>KR971919</u>	②	519,00	-	-	■	

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
② LED	CRI90+	2700K/3000K	8,4W	700mA	438lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p><b>oran pendant kap glass in-nuit, cylinder, E1</b></p>	○	<a href="#">KR971631</a>	①	510,00	–	–	■	
	●	<a href="#">KR971632</a>	①	510,00	–	–	■	
	BB	<a href="#">KR971634</a>	①	690,00	–	–	■	
	BS	<a href="#">KR971637</a>	①	690,00	–	–	■	
	BG	<a href="#">KR971638</a>	①	690,00	–	–	■	
	GB	<a href="#">KR971639</a>	①	690,00	–	–	■	
 <p><b>oran pendant kap glass in-nuit, double cylinder, F1</b></p>	○	<a href="#">KR971831</a>	②	543,00	–	–	■	
	●	<a href="#">KR971832</a>	②	543,00	–	–	■	
	BB	<a href="#">KR971834</a>	②	723,00	–	–	■	
	BS	<a href="#">KR971837</a>	②	723,00	–	–	■	
	BG	<a href="#">KR971838</a>	②	723,00	–	–	■	
	GB	<a href="#">KR971839</a>	②	723,00	–	–	■	

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	328lm
②	LED CRI90+	2700K/3000K	8,4W	700mA	420lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p>oran pendant kap glass in-nuit, cone, H1</p>		○	<a href="#">KR971731</a>	①	543,00	–	–	■
		●	<a href="#">KR971732</a>	①	543,00	–	–	■
		BB	<a href="#">KR971734</a>	①	723,00	–	–	■
		BS	<a href="#">KR971737</a>	①	723,00	–	–	■
		BG	<a href="#">KR971738</a>	①	723,00	–	–	■
		GB	<a href="#">KR971739</a>	①	723,00	–	–	■
 <p>oran pendant kap glass in-nuit, cone, H2</p>		○	<a href="#">KR971931</a>	②	543,00	–	–	■
		●	<a href="#">KR971932</a>	②	543,00	–	–	■
		BB	<a href="#">KR971934</a>	②	723,00	–	–	■
		BS	<a href="#">KR971937</a>	②	723,00	–	–	■
		BG	<a href="#">KR971938</a>	②	723,00	–	–	■
		GB	<a href="#">KR971939</a>	②	723,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED CRI90+	2700K/3000K	8,4W	700mA	438lm



# kreon nuit accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Driver for oran	<u>KR703030</u>	119,00	LED driver, switchable ON/OFF (1 driver = max. 3 luminaires)
	<u>KR703031</u>	131,00	LED driver, phase dimmable (1 driver = max. 1 luminaire)
	<u>KR703032</u>	179,00	LED driver, 1-10V dimmable (1 driver = max. 3 luminaires)
	<u>KR703033</u>	203,00	LED driver, DALI dimmable (1 driver = max. 3 luminaires)

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027			SP	FL	WFL	OV	PD	VD	DD	Optional accessories
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+								
 <b>nuit 1x5</b> Gear: excl.	○	<a href="#">KR953501</a>	①	344,00	-	-	-	-	-	-	-	-	-	-	■
	●	<a href="#">KR953502</a>	①	344,00	-	-	-	-	-	-	-	-	-	-	■
	◐	<a href="#">KR953505</a>	①	344,00	-	-	-	-	-	-	-	-	-	-	■
	FG	<a href="#">KR953500</a>	①	361,00	-	-	-	-	-	-	-	-	-	-	■
	NG	<a href="#">KR953503</a>	①	361,00	-	-	-	-	-	-	-	-	-	-	■
	BR	<a href="#">KR953504</a>	①	361,00	-	-	-	-	-	-	-	-	-	-	■
	GD	<a href="#">KR953508</a>	①	361,00	-	-	-	-	-	-	-	-	-	-	■
 <b>nuit 1x5</b> Gear: incl.	○	<a href="#">KR953511</a>	②	379,00	-	-	-	-	-	-	-	15,00	33,00	■	
	●	<a href="#">KR953512</a>	②	379,00	-	-	-	-	-	-	-	15,00	33,00	■	
	◐	<a href="#">KR953515</a>	②	379,00	-	-	-	-	-	-	-	15,00	33,00	■	
	FG	<a href="#">KR953510</a>	②	398,00	-	-	-	-	-	-	-	15,00	33,00	■	
	NG	<a href="#">KR953513</a>	②	398,00	-	-	-	-	-	-	-	15,00	33,00	■	
	BR	<a href="#">KR953514</a>	②	398,00	-	-	-	-	-	-	-	15,00	33,00	■	
	GD	<a href="#">KR953518</a>	②	398,00	-	-	-	-	-	-	-	15,00	33,00	■	

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	7W	500mA	585lm
②	LED	CRI90+	2700K/3000K/4000K	230V	7W	585lm

# kreon nait accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Recessed mounting for nait gear excl.	<u>KR753301</u>	76,00	Trim, white
	<u>KR753302</u>	76,00	Trim, black
	<u>KR753300</u>	24,00	Trimless
Recessed mounting for nait gear incl.	<u>KR753311</u>	99,00	Trim, white
	<u>KR753312</u>	99,00	Trim, black
	<u>KR753310</u>	52,00	Trimless
Driver	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772126</u>	53,00	LED driver, 500mA, DALI, 18W



**nuit 2x5**  
Gear: incl.

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	SP Spot (12°)	FL Flood (29°)	WFL Wide flood (40°)	OV Oval (13°+ 36°)	PD Phase dimming/ ON-OFF	VD 1-10V dimming	DD DALI/touch dimming	Optional accessories
○	<a href="#">KR953521</a>	①	536,00	-	-	-	-	-	-	-	-	15,00	33,00	■
●	<a href="#">KR953522</a>	①	536,00	-	-	-	-	-	-	-	-	15,00	33,00	■
◐	<a href="#">KR953525</a>	①	536,00	-	-	-	-	-	-	-	-	15,00	33,00	■
FG	<a href="#">KR953520</a>	①	563,00	-	-	-	-	-	-	-	-	15,00	33,00	■
NG	<a href="#">KR953523</a>	①	563,00	-	-	-	-	-	-	-	-	15,00	33,00	■
BR	<a href="#">KR953524</a>	①	563,00	-	-	-	-	-	-	-	-	15,00	33,00	■
GD	<a href="#">KR953528</a>	①	563,00	-	-	-	-	-	-	-	-	15,00	33,00	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K/4000K	230V	2x7W	2x585lm

# kreon nuit accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Recessed mounting for nuit gear incl.	<u>KR753311</u>	99,00	Trim, white
	<u>KR753312</u>	99,00	Trim, black
	<u>KR753310</u>	52,00	Trimless



# kreon onn-wall

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9090 3000K, CRI90+	VD 1-10V dimming	DD DALI dimming
 <b>onn-wall 165</b> narrow beam 1-10V gear: incl.	○	<u>KR983511</u>	①	579,00				
	●	<u>KR983512</u>	①	579,00				
 <b>onn-wall 165</b> narrow beam DALI gear: incl.	○	<u>KR983311</u>	①	579,00				
	●	<u>KR983312</u>	①	579,00				
 <b>onn-wall 165</b> wide beam	○	<u>KR983411</u>	②	457,00	-	-	-	-
	●	<u>KR983412</u>	②	457,00	-	-	-	-
 <b>onn-wall 300</b> narrow beam 1-10V gear: incl.	○	<u>KR983521</u>	③	816,00				
	●	<u>KR983522</u>	③	816,00				
 <b>onn-wall 300</b> narrow beam DALI gear: incl.	○	<u>KR983321</u>	③	816,00				
	●	<u>KR983322</u>	③	816,00				
 <b>onn-wall 300</b> wide beam	○	<u>KR983421</u>	④	630,00	-	-	-	-
	●	<u>KR983422</u>	④	630,00	-	-	-	-

	CRI	CCT	Voltage	Wattage	Fixture lumen	
①	LED	CRI80+	2700K	230V	8,6W	664lm
②	LED	CRI90+	2700K/3000K	230V	25W	1590lm
③	LED	CRI80+	2700K	230V	17,2W	1328lm
④	LED	CRI90+	2700K/3000K	230V	50W	3180lm

# kreon oran pendant craft

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories	Optional accessories
	<b>oran pendant craft sphere bulb</b>	○	<u>KR991121</u>	①	426,00	–	–	■	■
		●	<u>KR991122</u>	①	426,00	–	–	■	■
		<b>BB</b>	<u>KR991124</u>	①	501,00	–	–	■	■
		<b>BS</b>	<u>KR991127</u>	①	501,00	–	–	■	■
		<b>BG</b>	<u>KR991128</u>	①	501,00	–	–	■	■
		<b>GB</b>	<u>KR991129</u>	①	501,00	–	–	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	6,7W	700mA	307lm

# kreon oran pendant craft

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		Required accessories	Optional accessories
					9030 3000K, CRI90+			
 <b>oran pendant kap craft sphere bulb</b>	○	<u>KR991141</u>	①	525,00	-	-	■	■
	●	<u>KR991142</u>	①	525,00	-	-	■	■
	BB	<u>KR991144</u>	①	705,00	-	-	■	■
	BS	<u>KR991147</u>	①	705,00	-	-	■	■
	BG	<u>KR991148</u>	①	705,00	-	-	■	■
	GB	<u>KR991149</u>	①	705,00	-	-	■	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K		6,7W	700mA	307lm
②	LED	CRI90+	2700K/3000K	48Vdc	9,5W		307lm

# kreon oran pendant stone

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant stone, large cube</b>		○	<a href="#">KR991211</a>	①	426,00	-	-	■	
		●	<a href="#">KR991212</a>	①	426,00	-	-	■	
		BB	<a href="#">KR991214</a>	①	501,00	-	-	■	
		BS	<a href="#">KR991217</a>	①	501,00	-	-	■	
		BG	<a href="#">KR991218</a>	①	501,00	-	-	■	
		GB	<a href="#">KR991219</a>	①	501,00	-	-	■	
 <b>oran pendant stone, large cylinder</b>		○	<a href="#">KR991111</a>	①	426,00	-	-	■	
		●	<a href="#">KR991112</a>	①	426,00	-	-	■	
		BB	<a href="#">KR991114</a>	①	501,00	-	-	■	
		BS	<a href="#">KR991117</a>	①	501,00	-	-	■	
		BG	<a href="#">KR991118</a>	①	501,00	-	-	■	
		GB	<a href="#">KR991119</a>	①	501,00	-	-	■	

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

# kreon oran pendant stone

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant stone, small cylinder</b>		○	<a href="#">KR991311</a>	①	410,00	–	–	■
		●	<a href="#">KR991312</a>	①	410,00	–	–	■
		BB	<a href="#">KR991314</a>	①	485,00	–	–	■
		BS	<a href="#">KR991317</a>	①	485,00	–	–	■
		BG	<a href="#">KR991318</a>	①	485,00	–	–	■
		GB	<a href="#">KR991319</a>	①	485,00	–	–	■
 <b>oran pendant stone, long cylinder</b>		○	<a href="#">KR991411</a>	①	426,00	–	–	■
		●	<a href="#">KR991412</a>	①	426,00	–	–	■
		BB	<a href="#">KR991414</a>	①	501,00	–	–	■
		BS	<a href="#">KR991417</a>	①	501,00	–	–	■
		BG	<a href="#">KR991418</a>	①	501,00	–	–	■
		GB	<a href="#">KR991419</a>	①	501,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

# kreon oran pendant stone

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <p><b>oran pendant kap stone, large cube</b></p>	○	<a href="#">KR991231</a>	①	525,00	–	–	■	
	●	<a href="#">KR991232</a>	①	525,00	–	–	■	
	BB	<a href="#">KR991234</a>	①	705,00	–	–	■	
	BS	<a href="#">KR991237</a>	①	705,00	–	–	■	
	BG	<a href="#">KR991238</a>	①	705,00	–	–	■	
	GB	<a href="#">KR991239</a>	①	705,00	–	–	■	
 <p><b>oran pendant kap stone, large cylinder</b></p>	○	<a href="#">KR991131</a>	①	525,00	–	–	■	
	●	<a href="#">KR991132</a>	①	525,00	–	–	■	
	BB	<a href="#">KR991134</a>	①	705,00	–	–	■	
	BS	<a href="#">KR991137</a>	①	705,00	–	–	■	
	BG	<a href="#">KR991138</a>	①	705,00	–	–	■	
	GB	<a href="#">KR991139</a>	①	705,00	–	–	■	

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

# kreon oran pendant stone

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant kap stone, small cylinder</b>	○	<a href="#">KR991331</a>	①	509,00	-	-	■	
	●	<a href="#">KR991332</a>	①	509,00	-	-	■	
	BB	<a href="#">KR991334</a>	①	689,00	-	-	■	
	BS	<a href="#">KR991337</a>	①	689,00	-	-	■	
	BG	<a href="#">KR991338</a>	①	689,00	-	-	■	
	GB	<a href="#">KR991339</a>	①	689,00	-	-	■	
 <b>oran pendant kap stone, long cylinder</b>	○	<a href="#">KR991431</a>	①	525,00	-	-	■	
	●	<a href="#">KR991432</a>	①	525,00	-	-	■	
	BB	<a href="#">KR991434</a>	①	705,00	-	-	■	
	BS	<a href="#">KR991437</a>	①	705,00	-	-	■	
	BG	<a href="#">KR991438</a>	①	705,00	-	-	■	
	GB	<a href="#">KR991439</a>	①	705,00	-	-	■	

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	315lm

# kreon oran pendant glass

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant glass, cylinder, type E1</b>		○	<a href="#">KR971111</a>	①	393,00	–	–	■
		●	<a href="#">KR971112</a>	①	393,00	–	–	■
		BB	<a href="#">KR971114</a>	①	468,00	–	–	■
		BS	<a href="#">KR971117</a>	①	468,00	–	–	■
		BG	<a href="#">KR971118</a>	①	468,00	–	–	■
		GB	<a href="#">KR971119</a>	①	468,00	–	–	■
 <b>oran pendant glass, double cylinder, type F1</b>		○	<a href="#">KR971311</a>	②	426,00	–	–	■
		●	<a href="#">KR971312</a>	②	426,00	–	–	■
		BB	<a href="#">KR971314</a>	②	501,00	–	–	■
		BS	<a href="#">KR971317</a>	②	501,00	–	–	■
		BG	<a href="#">KR971318</a>	②	501,00	–	–	■
		GB	<a href="#">KR971319</a>	②	501,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED CRI90+	2700K/3000K	8,4W	700mA	444lm

# kreon oran pendant glass

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant glass, cone, type H1</b>		○	<a href="#">KR971211</a>	①	426,00	–	–	■
		●	<a href="#">KR971212</a>	①	426,00	–	–	■
		BB	<a href="#">KR971214</a>	①	501,00	–	–	■
		BS	<a href="#">KR971217</a>	①	501,00	–	–	■
		BG	<a href="#">KR971218</a>	①	501,00	–	–	■
		GB	<a href="#">KR971219</a>	①	501,00	–	–	■
 <b>oran pendant glass, cone, type H2</b>		○	<a href="#">KR971411</a>	②	426,00	–	–	■
		●	<a href="#">KR971412</a>	②	426,00	–	–	■
		BB	<a href="#">KR971414</a>	②	501,00	–	–	■
		BS	<a href="#">KR971417</a>	②	501,00	–	–	■
		BG	<a href="#">KR971418</a>	②	501,00	–	–	■
		GB	<a href="#">KR971419</a>	②	501,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED CRI90+	2700K/3000K	8,4W	700mA	438lm

# kreon oran pendant glass

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant kap glass, cylinder, type E1</b>		○	<a href="#">KR971131</a>	①	492,00	–	–	■
		●	<a href="#">KR971132</a>	①	492,00	–	–	■
		BB	<a href="#">KR971134</a>	①	672,00	–	–	■
		BS	<a href="#">KR971137</a>	①	672,00	–	–	■
		BG	<a href="#">KR971138</a>	①	672,00	–	–	■
		GB	<a href="#">KR971139</a>	①	672,00	–	–	■
 <b>oran pendant kap glass, double cylinder, type F1</b>		○	<a href="#">KR971331</a>	②	525,00	–	–	■
		●	<a href="#">KR971332</a>	②	525,00	–	–	■
		BB	<a href="#">KR971334</a>	②	705,00	–	–	■
		BS	<a href="#">KR971337</a>	②	705,00	–	–	■
		BG	<a href="#">KR971338</a>	②	705,00	–	–	■
		GB	<a href="#">KR971339</a>	②	705,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	328lm
②	LED CRI90+	2700K/3000K	8,4W	700mA	420lm

# kreon oran pendant glass

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories
 <b>oran pendant kap glass, cone, type H1</b>		○	<a href="#">KR971231</a>	①	525,00	–	–	■
		●	<a href="#">KR971232</a>	①	525,00	–	–	■
		BB	<a href="#">KR971234</a>	①	705,00	–	–	■
		BS	<a href="#">KR971237</a>	①	705,00	–	–	■
		BG	<a href="#">KR971238</a>	①	705,00	–	–	■
		GB	<a href="#">KR971239</a>	①	705,00	–	–	■
 <b>oran pendant kap glass, cone, type H2</b>		○	<a href="#">KR971431</a>	②	525,00	–	–	■
		●	<a href="#">KR971432</a>	②	525,00	–	–	■
		BB	<a href="#">KR971434</a>	②	705,00	–	–	■
		BS	<a href="#">KR971437</a>	②	705,00	–	–	■
		BG	<a href="#">KR971438</a>	②	705,00	–	–	■
		GB	<a href="#">KR971439</a>	②	705,00	–	–	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED CRI90+	2700K/3000K	8,4W	700mA	TBD
②	LED CRI90+	2700K/3000K	8,4W	700mA	TBD



# kreon oran pendant craft

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SW Switchable ON/OFF	
					VD 1-10V dimming	DD DALI dimming	VD 1-10V dimming	DD DALI dimming		
 <b>oran pendant craft sphere bulb on-track</b>	○	<u>KR991721</u>	①	444,00	-	-	-	29,00	29,00	
	●	<u>KR991722</u>	①	444,00	-	-	-	29,00	29,00	
	BB	<u>KR991724</u>	①	519,00	-	-	-	29,00	29,00	
	BS	<u>KR991727</u>	①	519,00	-	-	-	29,00	29,00	
	BG	<u>KR991728</u>	①	519,00	-	-	-	29,00	29,00	
	GB	<u>KR991729</u>	①	519,00	-	-	-	29,00	29,00	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	48Vdc	9,5W	307lm

# kreon oran pendant stone on-track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SM Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
 <b>oran pendant stone on-track, large cube</b>		○	<a href="#">KR991261</a>	①	444,00	–	–	–	29,00	29,00	■
		●	<a href="#">KR991262</a>	①	444,00	–	–	–	29,00	29,00	■
		BB	<a href="#">KR991264</a>	①	519,00	–	–	–	29,00	29,00	■
		BS	<a href="#">KR991267</a>	①	519,00	–	–	–	29,00	29,00	■
		BG	<a href="#">KR991268</a>	①	519,00	–	–	–	29,00	29,00	■
		GB	<a href="#">KR991269</a>	①	519,00	–	–	–	29,00	29,00	■
 <b>oran pendant stone on-track, large cylinder</b>		○	<a href="#">KR991161</a>	①	444,00	–	–	–	29,00	29,00	■
		●	<a href="#">KR991162</a>	①	444,00	–	–	–	29,00	29,00	■
		BB	<a href="#">KR991164</a>	①	519,00	–	–	–	29,00	29,00	■
		BS	<a href="#">KR991167</a>	①	519,00	–	–	–	29,00	29,00	■
		BG	<a href="#">KR991168</a>	①	519,00	–	–	–	29,00	29,00	■
		GB	<a href="#">KR991169</a>	①	519,00	–	–	–	29,00	29,00	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen	
①	LED	CRI90+	2700K/3000K	48Vdc	6,7W	700mA	315lm

# kreon oran pendant stone on-track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SM Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
	<b>oran pendant stone on-track, small cylinder</b>	○	<a href="#">KR991361</a>	①	428,00	–	–	–	29,00	29,00	■
		●	<a href="#">KR991362</a>	①	428,00	–	–	–	29,00	29,00	■
		BB	<a href="#">KR991364</a>	①	503,00	–	–	–	29,00	29,00	■
		BS	<a href="#">KR991367</a>	①	503,00	–	–	–	29,00	29,00	■
		BG	<a href="#">KR991368</a>	①	503,00	–	–	–	29,00	29,00	■
		GB	<a href="#">KR991369</a>	①	503,00	–	–	–	29,00	29,00	■
	<b>oran pendant stone on-track, long cylinder</b>	○	<a href="#">KR991461</a>	①	444,00	–	–	–	29,00	29,00	■
		●	<a href="#">KR991462</a>	①	444,00	–	–	–	29,00	29,00	■
		BB	<a href="#">KR991464</a>	①	519,00	–	–	–	29,00	29,00	■
		BS	<a href="#">KR991467</a>	①	519,00	–	–	–	29,00	29,00	■
		BG	<a href="#">KR991468</a>	①	519,00	–	–	–	29,00	29,00	■
		GB	<a href="#">KR991469</a>	①	519,00	–	–	–	29,00	29,00	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	48Vdc	6,7W	700mA	315lm

# kreon oran pendant glass on-track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SM Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
 <b>oran pendant glass on-track, cylinder, E1</b>		○	<a href="#">KR971161</a>	①	411,00	–	–	–	29,00	29,00	■
		●	<a href="#">KR971162</a>	①	411,00	–	–	–	29,00	29,00	■
		BB	<a href="#">KR971164</a>	①	486,00	–	–	–	29,00	29,00	■
		BS	<a href="#">KR971167</a>	①	486,00	–	–	–	29,00	29,00	■
		BG	<a href="#">KR971168</a>	①	486,00	–	–	–	29,00	29,00	■
		GB	<a href="#">KR971169</a>	①	486,00	–	–	–	29,00	29,00	■
 <b>oran pendant glass on-track, double cylinder, F1</b>		○	<a href="#">KR971361</a>	②	444,00	–	–	–	29,00	29,00	■
		●	<a href="#">KR971362</a>	②	444,00	–	–	–	29,00	29,00	■
		BB	<a href="#">KR971364</a>	②	519,00	–	–	–	29,00	29,00	■
		BS	<a href="#">KR971367</a>	②	519,00	–	–	–	29,00	29,00	■
		BG	<a href="#">KR971368</a>	②	519,00	–	–	–	29,00	29,00	■
		GB	<a href="#">KR971369</a>	②	519,00	–	–	–	29,00	29,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
②	LED	CRI90+	2700K/3000K	8,4W	700mA	444lm

# kreon oran pendant glass on-track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SM Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
	<b>oran pendant glass on-track, cone, H1</b>	○	<a href="#">KR971261</a>	①	444,00	–	–	–	29,00	29,00	■
		●	<a href="#">KR971262</a>	①	444,00	–	–	–	29,00	29,00	■
		BB	<a href="#">KR971264</a>	①	519,00	–	–	–	29,00	29,00	■
		BS	<a href="#">KR971267</a>	①	519,00	–	–	–	29,00	29,00	■
		BG	<a href="#">KR971268</a>	①	519,00	–	–	–	29,00	29,00	■
		GB	<a href="#">KR971269</a>	①	519,00	–	–	–	29,00	29,00	■
	<b>oran pendant glass on-track, cone, H2</b>	○	<a href="#">KR971461</a>	②	444,00	–	–	–	29,00	29,00	■
		●	<a href="#">KR971462</a>	②	444,00	–	–	–	29,00	29,00	■
		BB	<a href="#">KR971464</a>	②	519,00	–	–	–	29,00	29,00	■
		BS	<a href="#">KR971467</a>	②	519,00	–	–	–	29,00	29,00	■
		BG	<a href="#">KR971468</a>	②	519,00	–	–	–	29,00	29,00	■
		GB	<a href="#">KR971469</a>	②	519,00	–	–	–	29,00	29,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
② LED	CRI90+	2700K/3000K	8,4W	700mA	438lm

# kreon oran pendant

	Colour	KR-code	Base price (EUR excl. VAT)	PD Phase dimming	DD DALI dimming	CD Casambi dimming	LV Low voltage connection	HV High voltage connection	Optional accessories
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 1 module, 1 circuit Gear: incl., Ø65 H155	○	<a href="#">KR791231</a>	156,00	–	63,00				
	●	<a href="#">KR791232</a>	156,00	–	63,00				
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 1 module, 1 circuit Gear: incl., Ø120 H30	○	<a href="#">KR791431</a>	172,00	–					
	●	<a href="#">KR791432</a>	172,00	–					
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 2 modules, 1 circuit Gear: incl., L500 W50 H30	○	<a href="#">KR791201</a>	208,00	–	63,00	94,00			
	●	<a href="#">KR791202</a>	208,00	–	63,00	94,00			
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 1 module, 1 circuit Gear: switchable ON/OFF incl., Ø160 H30	○	<a href="#">KR791004</a>	313,00						
	●	<a href="#">KR791005</a>	313,00						
 <b>surface mounted gearbox, 220-240Vdc, 50/60Hz</b> for 2 or 3 modules, 1 circuit Gear: switchable ON/OFF incl., Ø225 H30	○	<a href="#">KR791006</a>	400,00						
	●	<a href="#">KR791007</a>	400,00						
 <b>surface mounted connection box</b> Gear: excl., Ø45 H52	○	<a href="#">KR791111</a>	52,00				–		■
	●	<a href="#">KR791112</a>	52,00				–		■
 <b>surface mounted connection box</b> Gear: excl., Ø65 H52	○	<a href="#">KR791211</a>	68,00				–	–	■
	●	<a href="#">KR791212</a>	68,00				–	–	■
 <b>surface mounted connection box</b> Gear: excl., Ø120 H30	○	<a href="#">KR791411</a>	83,00				–	–	■
	●	<a href="#">KR791412</a>	83,00				–	–	■

# kreon oran pendant accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<a href="#"><u>KR707104</u></a>	18,00	Plasterkit, front mounting, recessed mounted
	<a href="#"><u>KR707000</u></a>	28,00	Plasterkit Ø40, trimless, back installation, 13+mm panel
	<a href="#"><u>KR707002</u></a>	28,00	Plasterkit Ø40, trimless, back installation
Installation kit	<a href="#"><u>KR707100</u></a>	23,00	Installation kit Ø40, trimless, back installation, 13+mm panel
	<a href="#"><u>KR707102</u></a>	23,00	Installation kit Ø40, trimless, back installation
Recessed mounted	<a href="#"><u>KR791100</u></a>	56,00	Recessed suspension kit
	<a href="#"><u>KR707106</u></a>	17,00	Louvre for plasterkit, white
	<a href="#"><u>KR707122</u></a>	17,00	Louvre for plasterkit, black
	<a href="#"><u>KR707124</u></a>	42,00	Louvre for plasterkit, brushed bronze
	<a href="#"><u>KR707127</u></a>	42,00	Louvre for plasterkit, brushed silver
	<a href="#"><u>KR707128</u></a>	42,00	Louvre for plasterkit, brushed gold
	<a href="#"><u>KR707129</u></a>	42,00	Louvre for plasterkit, gun black
<b>■ Optional accessories</b>			
Driver	<a href="#"><u>KR762700</u></a>	41,00	LED driver, 700mA, ON/OFF, 1,4-11W
	<a href="#"><u>KR772631</u></a>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
	<a href="#"><u>KR772632</u></a>	60,00	LED driver, 700mA, 0/1-10V, 7-21W
	<a href="#"><u>KR772633</u></a>	66,00	LED driver, 700mA, DALI, 1,4-8,4W
	<a href="#"><u>KR752633</u></a>	66,00	LED driver, 700mA, DALI, 1,75-10W
Distance ring (for plasterkit concrete)	<a href="#"><u>KR707307</u></a>	23,00	Distance ring 2mm (set of 5 pcs.)
	<a href="#"><u>KR707308</u></a>	28,00	Distance ring 3mm (set of 5 pcs.)
	<a href="#"><u>KR707309</u></a>	33,00	Distance ring 5mm (set of 5 pcs.)
Low voltage track			See page 420

# kreon oran in-line

	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	Required accessories	Optional accessories
 <b>oran in-line stone</b> Ⓞ Ø 102 H 100	<u>KR991101</u>	①	270,00	—	—	■	■
 <b>oran in-line craft sphere bulb</b> Ⓞ Ø 102 H 100	<u>KR991102</u>	②	270,00	—	—	■	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	6,7W	700mA	68lm
② LED	CRI90+	2700K/3000K	6,7W	700mA	282lm

# kreon oran in-line accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap
	<u>KR717000</u>	36,00	Plasterkit, back mounting, no shadowgap
Plasterkit concrete	<u>KR717102</u>	36,00	Plasterkit for concrete installation, no shadowgap, small (200x200)
Installation kit	<u>KR717100</u>	37,00	Installation kit, back mounting
Louvre (only for KR991102)	<u>KR707106</u>	17,00	Louvre, white
	<u>KR707122</u>	17,00	Louvre, black
	<u>KR707124</u>	42,00	Louvre, brushed bronze
	<u>KR707127</u>	42,00	Louvre, brushed silver
	<u>KR707128</u>	42,00	Louvre, brushed gold
	<u>KR707129</u>	42,00	Louvre, gun black
<b>■ Optional accessories</b>			
Driver	<u>KR772024</u>	42,00	LED driver, 500mA/700mA, ON/OFF, 20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	76,00	LED driver, 700mA, DALI, 18W
	<u>KR772931</u>	32,00	LED driver, 700mA, phase dim, 14W
Distance ring	<u>KR717307</u>	28,00	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	33,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	43,00	Distance ring 5mm (set of 5 pcs.)

# kreon oran wall

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	
 <b>oran wall stone</b> gear: incl. 	○		<u>KR991251</u>	①	331,00	9027 2700K, CRI90+
						9030 3000K, CRI90+
						-

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K	230V	6,7W	68lm

# kreon oran object

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)		
	<b>oran object stone</b>	●	<u>KR991032</u>	①	636,00	-	-
						<b>9027</b> 2700K, CRI90+	<b>P2</b> Black shade bottom

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K	230V	6,7W	43lm

# kreon prologe 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (38°)	DL Dark light (40°)	WDL Wide dark light (76°)	Required accessories	Optional accessories
	<b>prologe 40 directional, surface mounted</b>	○	<u>KR967251</u>	①	320,00	-	-	-	-	-	22,00	22,00	■	
		●	<u>KR967252</u>	①	320,00	-	-	-	-	-	22,00	22,00	■	
	<b>prologe 40 directional, recessed mounted</b>	○	<u>KR967151</u>	①	320,00	-	-	-	-	-	22,00	22,00	■	■
		●	<u>KR967152</u>	①	320,00	-	-	-	-	-	22,00	22,00	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	547lm
		DL	CRI90+	2700K/3000K	8,4W	700mA	380lm

# kreon prologe 40 accessories

	Colour	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>				
Plasterkit		<u>KR707104</u>	18,00	Plasterkit, front mounting, recessed mounted
		<u>KR707000</u>	28,00	Plasterkit, Ø40, trimless, back installation, 13+mm panel
		<u>KR707002</u>	28,00	Plasterkit, Ø40, trimless, back installation, 9-13mm
Installation kit		<u>KR707100</u>	23,00	Installation kit Ø40, trimless, back installation, 13+mm panel
		<u>KR707102</u>	23,00	Installation kit Ø40, trimless, back installation
<b>■ Optional accessories</b>				
Louvre for SP, FL, WFL		<u>KR762010</u>	30,00	Anti-glare louvre
Driver		<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, 1,4-11W
		<u>KR772631</u>	60,00	LED driver, 700mA, phase dim, 2,1-9,8W
		<u>KR772632</u>	60,00	LED driver, 700mA, 0/1-10V, 7-12W
		<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 1,5-8,4W
		<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 2,2-20W
Installation cover		<u>KR766101</u>	37,00	Installation cover, prologe 40, white
		<u>KR766102</u>	37,00	Installation cover, prologe 40, black

# kreon prologe 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (38°)	DL Dark light (40°)	WDL Wide dark light (76°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	<b>prologe 40 directional on-track</b> Driver: excl.	○	<u>KR967351</u>	①	380,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00	■
		●	<u>KR967352</u>	①	380,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	48V	10,9W	547lm
		DL	CRI90+	2700K/3000K	48V	10,9W	380lm

# kreon prologe 40 accessories

Base price (EUR exc. VAT)

## ■ Optional accessories

Low voltage track

See page 420

# kreon prologe 40

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (38°)	DL Dark light (40°)	WDL Wide dark light (76°)	EX Driver excluded	SW Switchable ON/OFF	PD Phase dimming	Required accessories
 <b>prologe 40 single</b> Driver: excl.	○	<a href="#">KR967141</a>	①	230,00	-	-	-	-	-	22,00	22,00				■
	●	<a href="#">KR967142</a>	①	230,00	-	-	-	-	-	22,00	22,00				■
 <b>prologe 40 single, deep louvre</b> Driver: excl.	○	<a href="#">KR967241</a>	②	230,00	-	-	-	-	-						■
	●	<a href="#">KR967242</a>	②	230,00	-	-	-	-	-						■
 <b>prologe 40 double</b>	○	<a href="#">KR967341</a>	③	292,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00	■
	●	<a href="#">KR967342</a>	③	292,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00	■
 <b>prologe 40 double, deep louvre</b> Driver: excl.	○	<a href="#">KR967441</a>	④	292,00	-	-	-	-	-			-			■
	●	<a href="#">KR967442</a>	④	292,00	-	-	-	-	-			-			■

			CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen	
①	LED	FL	CRI90+	2700K/3000K		8,4W	700mA	547lm	
		DL	CRI90+	2700K/3000K		8,4W	700mA	380lm	
②	LED	FL	CRI90+	2700K/3000K		8,4W	700mA	490lm	
③	LED	EX	FL	CRI90+	2700K/3000K		12W	500mA	912lm
			DL	CRI90+	2700K/3000K		12W	500mA	622lm
		SW/PD	FL	CRI90+	2700K/3000K	230V	12W		912lm
④	LED	EX	FL	CRI90+	2700K/3000K		12W	747lm	
			DL	CRI90+	2700K/3000K	230V	12W		621lm

# kreon prologe 40 accessories

	Colour	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>				
Louvre for SP, FL, WFL		<a href="#"><u>KR762010</u></a>	26,00	Anti-glare louvre
Driver (for prologe 40 single)		<a href="#"><u>KR772034</u></a>	42,00	LED driver, 700mA, ON/OFF, 20W
		<a href="#"><u>KR762902</u></a>	60,00	LED driver, 700mA, 1-10V, 25W
		<a href="#"><u>KR772430</u></a>	37,00	LED driver, 700mA, phase dim, 14W
		<a href="#"><u>KR772236</u></a>	76,00	LED driver, 700mA, DALI, 18W
Driver (for prologe 40 double)		<a href="#"><u>KR772024</u></a>	42,00	LED driver, 500mA, ON/OFF, 20W
		<a href="#"><u>KR772220</u></a>	64,00	LED driver, 500mA, 1-10V, 20W
		<a href="#"><u>KR772542</u></a>	34,00	LED driver, 500mA, phase dim, 18W
		<a href="#"><u>KR752843</u></a>	73,00	LED driver, 500mA, phase dim, 24W
		<a href="#"><u>KR752853</u></a>	52,00	LED driver, 500mA, phase dim, 2,4-20W
		<a href="#"><u>KR772126</u></a>	53,00	LED driver, 500mA, DALI, 18W
		<a href="#"><u>KR772123</u></a>	90,00	LED driver, 500mA, DALI, 27W
Installation cover	○	<a href="#"><u>KR766101</u></a>	37,00	Installation cover prologe 40 single, white
	●	<a href="#"><u>KR766102</u></a>	37,00	Installation cover prologe 40 single, black
	○	<a href="#"><u>KR767241</u></a>	66,00	Installation cover prologe 40 double, white
	●	<a href="#"><u>KR767242</u></a>	66,00	Installation cover prologe 40 double, black

# kreon prologe 40 downlight

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (17°)	FL Flood (24°)	WFL Wide flood (40°)	DL Dark light (32°)	WDL Wide dark light (55°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	
	<b>prologe 40 single downlight, on-track</b>	○	<a href="#">KR945011</a>	①	258,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00	
		●	<a href="#">KR945012</a>	①	258,00	-	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		◐	<a href="#">KR945015</a>	①	258,00	-	-	-	-	-	-	22,00	22,00	-	29,00	29,00
	<b>prologe 40 single wallwasher, on-track</b>	○	<a href="#">KR945111</a>	②	271,00	-	-	-	-	-	-	-	-	29,00	29,00	
		●	<a href="#">KR945112</a>	②	271,00	-	-	-	-	-	-	-	-	-	29,00	29,00
	<b>prologe 40 double downlight, on-track</b>	○	<a href="#">KR945211</a>	③	332,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00	
		●	<a href="#">KR945212</a>	③	332,00	-	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		◐	<a href="#">KR945215</a>	③	332,00	-	-	-	-	-	-	22,00	22,00	-	29,00	29,00

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	4,5W	190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	10,7W	375lm
②	LED		CRI90+	2700K/3000K	48Vdc	6,5W	290lm
③	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	6,5W	2x 190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	18,9W	2x 375lm

# kreon prologe 40 downlight accessories

Base price (EUR exc. VAT)

## ■ Required accessories

Low voltage track

See page 420

# kreon prologe 80

				Base price (EUR excl. VAT)
	Colour	KR-code	Light sources	
 <b>prologe 80 single fixed LED PAR16</b> Lamp: excl.	○	<u>KR968131</u>	①	178,00
	●	<u>KR968132</u>	①	178,00

	CRI	Voltage	Wattage
① LED PAR16	fitting GU10	230V	2x 20W

# kreon prologe 80

				Base price (EUR excl. VAT)	
		Colour	KR-code	Light sources	
 <b>prologe 80 double fixed LED PAR16</b> Lamp: excl.		○	<u>KR968231</u>	①	218,00
		●	<u>KR968232</u>	①	218,00

	CRI	Voltage	Wattage
① LED PAR16	fitting GU10	230V	2x 20W



# kreon prologe 145

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (14°)	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	PD Phase dimming	VD 1-10V dimming	DD DALI dimming	Optional accessories
 <b>prologe 145 single directional</b> Gear: incl. Lamp: incl.	○	<u>KR988651</u>	①	367,00	-	-	-	-	-	-	11,00	17,00	■	
	●	<u>KR988652</u>	①	367,00	-	-	-	-	-	-	-	11,00	17,00	■
 <b>prologe 145 double directional</b> Gear: incl. Lamp: incl.	○	<u>KR988751</u>	②	561,00	-	-	-	-	-	-	11,00	17,00	■	
	●	<u>KR988752</u>	②	561,00	-	-	-	-	-	-	-	11,00	17,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	230V	12W	790lm
②	LED	FL	CRI90+	2700K/3000K	230V	2 x 12W	2x 790lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CR180+	9027 2700K, CR190+	9030 3000K, CR190+	HGB High gloss black frame finishing	SST Brushed stainless steel frame finishing	Optional accessories
	<b>raga horizontal</b> IP 66		<u>KR904005</u>	①	2980,00	-	-	-	-	-	
			<u>KR904006</u>	②	2980,00	-	-	-	-	-	
	<b>raga horizontal</b> IP 66		<u>KR904102</u>	③	1065,00	-	-	-	-	-	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CR180+	2700K	230V	12W	685lm
②	LED	CR180+	2700K	230V	12W	540lm
③	LED	CR190+	2700K/3000K	230V	12W	449lm

# kreon raga accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Anchor	<u>KR704000</u>	64,00	Concrete anchor
	<u>KR704004</u>	64,00	Flooring anchor

# kreon rei profile

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
	○	<a href="#">KR983251</a>	①	978,00	–	–	–	45,00	45,00	
	●	<a href="#">KR983252</a>	①	978,00	–	–	–	45,00	45,00	
	○	<a href="#">KR983241</a>	①	807,00	–	–	–	45,00	45,00	■
	●	<a href="#">KR983242</a>	①	807,00	–	–	–	45,00	45,00	■
	○	<a href="#">KR993251</a>	②	1067,00	–	–	–	45,00	45,00	
	●	<a href="#">KR993252</a>	②	1067,00	–	–	–	45,00	45,00	
	○	<a href="#">KR993241</a>	②	896,00	–	–	–	45,00	45,00	■
	●	<a href="#">KR993242</a>	②	896,00	–	–	–	45,00	45,00	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K	230V	25,7W/m	644lm/m
② LED	CRI90+	2700K/3000K	230V	25,7W/m	713lm/m

# kreon rei profile accessories

	KR-code	Base price (EUR excl. VAT)		
<b>■ Required accessories</b>				
Plasterkit for recessed mounting	<u>KR783040</u>	157,00	Trimless plasterkit, flange frontside ☉ LxW Lx75 D 88	price/m
	<u>KR783240</u>	157,00	Trimless plasterkit, flange backside ☉ LxW Lx80 D 85	price/m

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Optional accessories
 <b>mini rokko</b> Gear: excl. ⬢	○	<u>KR943021-B</u>	①	130,00	■
	●	<u>KR943022-B</u>	①	130,00	■
 <b>mini rokko</b> Gear: incl. ◻	○	<u>KR943121-B</u>	②	155,00	■
	●	<u>KR943122-B</u>	②	155,00	■
 <b>mini square rokko</b> Gear: incl. ◻	○	<u>KR943321-B</u>	③	274,00	■
	●	<u>KR943322-B</u>	③	274,00	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI80+	2700K		2,3W	700mA	84lm
② LED	CRI80+	2700K	230V	2,3W		84lm
③ LED	CRI80+	2700K	230V	6,9W		169lm

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Installation set	<u>KR743002</u>	19,00	Plasterboard installation set
Concrete pouring mould	<u>KR743004</u>	3,00	Concrete pouring mould for mini rokko
	<u>KR743304</u>	4,00	Concrete pouring mould for mini square rokko
Driver	<u>KR772034</u>	42,00	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W

# kreon side 25

		Colour louvre	KR-code	Light source	Base price (EUR excl. VAT)									
	<b>side 25 x 100</b> Gear: excl., IP20	○	<u>KR932111</u>	①	183,00	<b>9027</b> 2700K, CRI90+	-	-	-	-	-	-	-	-
		●	<u>KR932112</u>	①	183,00	<b>9030</b> 3000K, CRI90+	-	-	-	-	-	-	-	-
						<b>P1</b> Painted white backplate	-	-	-	-	-	-	-	-
						<b>P2</b> Painted black backplate	-	-	-	-	-	-	-	-
						<b>A2</b> Alu black backplate	-	-	-	-	-	-	-	-
						<b>A3</b> Fume grey backplate	-	-	-	-	-	-	-	-
						<b>A4</b> Bronze backplate	-	-	-	-	9,00	9,00	■	
						<b>A8</b> Gold backplate	-	-	-	-	9,00	9,00	■	
						Optional accessories								

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	2,75W	500mA	158lm

# kreon side 25 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Concrete plate	<u>KR732113</u>	7,00	Concrete plate for side 25 x 100 ☉ LxW 190x70 D 60
Concrete installation box	<u>KR775124</u>	10,00	Concrete installation box for side 25 x 100 ☉ LxW 200x110 D 60
Driver	<u>KR772820</u>	41,00	LED driver, 500mA, ON/OFF, 11W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772813</u>	66,00	LED driver, 500mA, DALI, 10W

# kreon side 40

		Colour louvre	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	DD DALI dimming	P1 Painted white backplate	P2 Painted black backplate	A2 Alu black backplate	A3 Fume grey backplate	A4 Bronze backplate	A8 Gold backplate	Optional accessories
	<b>side 40 x 100</b> Gear: excl., IP55	○	<a href="#">KR932311</a>	①	210,00	-	-			-	-	-	-	12,00	12,00	■
		●	<a href="#">KR932312</a>	①	210,00	-	-			-	-	-	-	-	12,00	12,00
	<b>side 40 x 200</b> Gear: excl., IP55	○	<a href="#">KR932411</a>	①	235,00	-	-			-	-	-	-	14,00	14,00	■
		●	<a href="#">KR932412</a>	①	235,00	-	-			-	-	-	-	-	14,00	14,00
	<b>side 40 x 200</b> Gear: incl., IP20	○	<a href="#">KR932511</a>	②	275,00	-	-	-	22,00	-	-	-	-	14,00	14,00	■
		●	<a href="#">KR932512</a>	②	275,00	-	-	-	22,00	-	-	-	-	-	14,00	14,00

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K		4W	700mA	242lm
② LED	CRI90+	2700K/3000K	230V	4W		242lm

# kreon side 40 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Concrete plasterkit	<u>KR732313</u>	13,00	Concrete plasterkit for side 40 x 100 ☉ LxW 190x90 D 80
	<u>KR732413</u>	16,00	Concrete plasterkit for side 40 x 200 ☉ LxW 290x90 D 80
Concrete installation box	<u>KR775324</u>	13,00	Concrete installation box for side 40 x 100 ☉ LxW 200x110 D 85
	<u>KR775424</u>	16,00	Concrete installation box for side 40 x 200 ☉ LxW 300x110 D 85
Driver	<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, max. 11W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, max. 20W
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, max. 10W

# kreon side 80

		Colour louvre	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	EX Gear excluded $\diamond$	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	P1 Painted white backplate	P2 Painted black backplate	A2 Alu black backplate	A3 Fume grey backplate	A4 Bronze backplate	A8 Gold backplate	Optional accessories
	<b>side 80 x 200</b> Gear: incl., IP20	○	<u>KR932611</u>	①	379,00	-	-	-	18,00	24,00	-	-	-	-	19,00	19,00	■	
		●	<u>KR932612</u>	①	379,00	-	-	-	18,00	24,00	-	-	-	-	19,00	19,00	■	
	<b>side 80 x 200</b> Gear: incl., IP55	○	<u>KR932601</u>	①	423,00	-	-	-	-	-	-	-	-	19,00	19,00	■		
		●	<u>KR932602</u>	①	423,00	-	-	-	-	-	-	-	-	19,00	19,00	■		
	<b>side 80 x 200</b> Gear: excl., IP55	○	<u>KR932601</u>	②	340,00	-	-	-	-	-	-	-	-	19,00	19,00	■		
		●	<u>KR932602</u>	②	340,00	-	-	-	-	-	-	-	-	19,00	19,00	■		

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	230V	8,25W		613lm
②	LED	CRI90+	2700K/3000K		8,25W	500mA	613lm

# kreon side 80 accessories

	KR-code	Base price (EUR exkl. VAT)	
<b>■ Optional accessories</b>			
Concrete plasterkit	<u>KR732613</u>	20,00	Concrete plasterkit for side 80 ☉ LxW 290x130 D 80
Concrete installation box	<u>KR775624</u>	20,00	Concrete installation box for side 80 ☉ LxW 300x150 D 85
Driver	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
	<u>KR772126</u>	53,00	LED driver, 500mA, DALI, 18W

# kreon side in-line 25

		Colour louvre	KR-code	Light source	Base price (EUR excl. VAT)									Required accessories	Optional accessories
						<b>9027</b> 2700K, CRI90+	<b>9030</b> 3000K, CRI90+	<b>P1</b> Painted white backplate	<b>P2</b> Painted black backplate	<b>A2</b> Alu black backplate	<b>A3</b> Fume grey backplate	<b>A4</b> Bronze backplate	<b>A8</b> Gold backplate		
	<b>side in-line 25 x 100</b> Gear: excl., IP20	○	<u>KR932121</u>	①	172,00	-	-	-	-	-	-	9,00	9,00	■	■
		●	<u>KR932122</u>	①	172,00	-	-	-	-	-	-	9,00	9,00	■	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	5,5 Vdc	2,75W	500mA	158lm

# kreon side in-line 25 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR775120</u>	31,00	Plasterkit for side in-line 25 x 100 ☉ LxW 124x51 D 58
	<u>KR775120-10</u>	275,00	10 pieces plasterkit for side in-line 25 x 100 ☉ LxW 124x51 D 58
	<u>KR775123</u>	7,00	Concrete plate for side in-line 25 x 100 ☉ LxW 190x134 D 10
	<u>KR775124</u>	10,00	Concrete installation box for side in-line 25 x 100 ☉ LxW 200x110 D 60
Removal tool	<u>KR775002</u>	11,00	Removal tool for side in-line 25
<b>■ Optional accessories</b>			
Driver	<u>KR772820</u>	41,00	LED driver, 500mA, ON/OFF, 11W
	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772813</u>	66,00	LED driver, 500mA, DALI, 10W

# kreon side in-line 40

		Colour louvre	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	DD DALI dimming	P1 Painted white backplate	P2 Painted black backplate	A2 Alu black backplate	A3 Fume grey backplate	A4 Bronze backplate	A8 Gold backplate	Required accessories	Optional accessories
	<b>side in-line 40 x 100</b> Gear: excl., IP55	○	<a href="#">KR932321</a>	①	195,00	-	-	-	-	-	-	-	-	12,00	12,00	■	■
		●	<a href="#">KR932322</a>	①	195,00	-	-	-	-	-	-	-	-	12,00	12,00	■	■
	<b>side in-line 40 x 200</b> Gear: excl., IP55	○	<a href="#">KR932421</a>	①	218,00	-	-	-	-	-	-	-	-	14,00	14,00	■	■
		●	<a href="#">KR932422</a>	①	218,00	-	-	-	-	-	-	-	-	14,00	14,00	■	■
	<b>side in-line 40 x 200</b> Gear: incl., IP20	○	<a href="#">KR932331</a>	②	258,00	-	-	-	22,00	-	-	-	-	14,00	14,00	■	
		●	<a href="#">KR932332</a>	②	258,00	-	-	-	22,00	-	-	-	-	14,00	14,00	■	

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	5,6 Vdc	4W	700mA	242lm
②	LED	CRI90+	2700K/3000K	230V	4W	700mA	242lm

# kreon side in-line 40 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR775320</u>	38,00	Plasterkit for side in-line 40 x 100 ☉ LxW 124x65 D 80
	<u>KR775320-10</u>	344,00	10 pieces plasterkit for side in-line 40 x 100 ☉ LxW 124x65 D 80
	<u>KR775420</u>	43,00	Plasterkit for side in-line 40 x 200 ☉ LxW 220x105 D 80
	<u>KR775420-10</u>	401,00	10 pieces plasterkit for side in-line 40 x 200 ☉ LxW 220x105 D 80
	<u>KR775420-30</u>	1134,00	30 pieces plasterkit for side in-line 40 x 200 ☉ LxW 220x105 D 80
	<u>KR775323</u>	13,00	Concrete plate for side in-line 40 x 100 ☉ LxW 190x134 D 10
	<u>KR775423</u>	16,00	Concrete plate for side in-line 40 x 200 ☉ LxW 290x134 D 10
	<u>KR775324</u>	13,00	Concrete installation box for side in-line 40 x 100 ☉ LxW 200x110 D 85
Removal tool	<u>KR775424</u>	16,00	Concrete installation box for side in-line 40 x 200 ☉ LxW 300x110 D 85
	<u>KR775004</u>	14,00	Removal tool for side in-line 40
<b>■ Optional accessories</b>			
Driver	<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, max. 11W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, max. 20W
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, max. 10W

# kreon side in-line 80

		Colour louvre	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	EX Gear excluded $\diamond$	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	P1 Painted white backplate	P2 Painted black backplate	A2 Alu black backplate	A3 Fume grey backplate	A4 Bronze backplate	A8 Gold backplate	Required accessories	Optional accessories
	<b>side in-line 80 x 200</b> Gear: incl., IP20	○	<a href="#">KR932621</a>	①	367,00	-	-	-	18,00	24,00	-	-	-	-	19,00	19,00	■		
		●	<a href="#">KR932622</a>	①	367,00	-	-	-	18,00	24,00	-	-	-	-	19,00	19,00	■		
	<b>side in-line 80 x 200</b> Gear: incl., IP55	○	<a href="#">KR932631</a>	①	414,00	-	-	-	-	-	-	-	-	19,00	19,00	■			
		●	<a href="#">KR932632</a>	①	414,00	-	-	-	-	-	-	-	-	19,00	19,00	■			
	<b>side in-line 80 x 200</b> Gear: excl., IP55	○	<a href="#">KR932631</a>	①	332,00	-	-	-	-	-	-	-	-	19,00	19,00	■	■		
		●	<a href="#">KR932632</a>	①	332,00	-	-	-	-	-	-	-	-	19,00	19,00	■	■		

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	230V	8,25W	500mA	613lm

# kreon side in-line 80 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR775620</u>	55,00	Plasterkit for side in-line 80 ☉ LxW 220x105 D 80
	<u>KR775620-10</u>	516,00	10 pieces plasterkit for side in-line 80 ☉ LxW 220x105 D 80
	<u>KR775620-20</u>	1031,00	20 pieces plasterkit for side in-line 80 ☉ LxW 220x105 D 80
	<u>KR775623</u>	20,00	Concrete plate for side in-line 80 ☉ LxW 290x174 D 10
	<u>KR775624</u>	20,00	Concrete installation box for side in-line 80 ☉ LxW 300x150 D 85
Removal tool	<u>KR775008</u>	16,00	Removal tool for side in-line 80
<b>■ Optional accessories</b>			
Driver	<u>KR772220</u>	64,00	LED driver, 500mA, 1-10V, 20W
	<u>KR772024</u>	42,00	LED driver, 500mA, ON/OFF, 20W
	<u>KR772126</u>	53,00	LED driver, 500mA, DALI, 18W

# kreon stripe

		Colour	KR-code	Light source	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	DL Dark light (36°)	WDL Wide dark light (60°)	Required accessories	Optional accessories
	<b>stripe single</b> Gear: excl., IP20	○	<u>KR939001</u>	①	178,00	-	-	-			■	■
		●	<u>KR939002</u>	①	178,00	-	-	-			■	■
	<b>stripe single</b> Gear: excl., IP20	○	<u>KR939101</u>	②	195,00	-	-		-	-	■	■
		●	<u>KR939102</u>	②	195,00	-	-		-	-	■	■
	<b>stripe double</b> Gear: excl., IP20	○	<u>KR939201</u>	③	206,00	-	-	-			■	■
		●	<u>KR939202</u>	③	206,00	-	-	-			■	■
	<b>stripe double</b> Gear: excl., IP20	○	<u>KR939301</u>	④	229,00	-	-		-	-	■	■
		●	<u>KR939302</u>	④	229,00	-	-		-	-	■	■
	<b>stripe wallwasher</b> Gear: excl., IP20	○	<u>KR939401</u>	⑤	209,00	-	-				■	■
		●	<u>KR939402</u>	⑤	209,00	-	-				■	■

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	2W	700mA	172lm
②	LED	DL	CRI90+	2700K/3000K	4,2W	350mA	255lm
③	LED	SP	CRI90+	2700K/3000K	4W	700mA	335lm
④	LED	DL	CRI90+	2700K/3000K	8,3W	350mA	455lm
⑤	LED		CRI90+	2700K/3000K	4W	700mA	249lm

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit	<u>KR739000</u>	31,00	Plasterkit ☉ LxW 124x51 D 65
Concrete plate	<u>KR775123</u>	7,00	Concrete plate ☉ LxW 190x70 D 60
Concrete installation box	<u>KR775124</u>	10,00	Concrete installation box ☉ LxW 200x110 D 60
<b>■ Optional accessories</b>			
Driver for light sources ① ③ ⑤	<u>KR762700</u>	41,00	LED driver, 700mA, ON/OFF, 11W
	<u>KR772232</u>	64,00	LED driver, 700mA, 1-10V, 20W
	<u>KR772633</u>	66,00	LED driver, 700mA, DALI, 8W
	<u>KR752633</u>	66,00	LED driver, 700mA, DALI, 10W
	<u>KR772931</u>	32,00	LED driver, 700mA, Phase dim, 14W
Driver for light sources ② ④	<u>KR739104</u>	42,00	LED driver, 350mA, ON/OFF, 15W
	<u>KR739102</u>	61,00	LED driver, 350mA, 1-10V, 15W
	<u>KR747162</u>	64,00	LED driver, 350mA, 1-10V, 18W
	<u>KR747266</u>	76,00	LED driver, 350mA, DALI, 15W
	<u>KR752743</u>	64,00	LED driver, 350mA, Phase dim, 17W
	<u>KR772511</u>	52,00	LED driver, 350mA, Phase dim, 3,5-16,8W

# kreon up 40

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90	SP Spot	FL Flood	SB Spot with baffle	FB Flood with baffle	XC (optional) For recessed wall or ceiling installation	Optional accessories
 <b>up 40</b>	○	<u>KR952111</u>	①	206,00	-	-	-	-	-	-	23,00	■
	●	<u>KR952112</u>	①	206,00	-	-	-	-	-	-	23,00	■
 <b>up 40 surface mounted</b>	○	<u>KR952011</u>	①	252,00	-	-	-	-	-	-		■
	●	<u>KR952012</u>	①	252,00	-	-	-	-	-	-		■
 <b>up 40 circular</b>	○	<u>KR952611</u>	①	206,00	-	-	-	-	-	-	23,00	■
	●	<u>KR952612</u>	①	206,00	-	-	-	-	-	-	23,00	■
 <b>up 40 circular surface mounted</b>	○	<u>KR952911</u>	①	252,00	-	-	-	-	-	-		■
	●	<u>KR952912</u>	①	252,00	-	-	-	-	-	-		■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	2W	700mA	149lm

# kreon up 40 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Driver	<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
	<u>KR772850</u>	47,00	LED driver, 700mA, ON/OFF, 7.5W (IP67)
	<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
	<u>KR772853</u>	109,00	LED driver, 700mA, DALI, 30W (IP68)

# kreon up 40 linear

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	Optional accessories
 <b>up 40 linear single wallgrazer</b> Gear: excl., IP67	●	<a href="#">KR952212</a>	①	390,00	—	■
 <b>up 40 linear single direct</b> Gear: excl., IP67	●	<a href="#">KR952222</a>	②	390,00	—	■
 <b>up 40 linear double wallgrazer</b> Gear: excl., IP67	●	<a href="#">KR952422</a>	③	690,00	—	■
 <b>up 40 linear double direct</b> Gear: excl., IP67	●	<a href="#">KR952412</a>	④	690,00	—	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K	14W	700mA	...lm
② LED	CRI90+	2700K	9,8W	500mA	...lm
③ LED	CRI90+	2700K	28W	700mA	...lm
④ LED	CRI90+	2700K	19,6W	500mA	...lm

# kreon up 40 linear accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Matchbox	<u>KR752206</u>	80,00	Matchbox up 40 linear single
	<u>KR752606</u>	103,00	Matchbox up 40 linear double
Drivers	<u>KR772750-500</u>	TBD	LED driver, 500mA, 3,5-30W (IP68)
	<u>KR772853-500</u>	TBD	LED driver, 500mA, 3,5-30W (IP68)
	<u>KR772630</u>	89,00	LED driver, 700mA, 3,5-30W (IP68)
	<u>KR772752</u>	102,00	LED driver, 700mA, 0-10V, 7-12W (IP67)
	<u>KR772753</u>	136,00	LED driver, 700mA, 0/1-10V, DALI-2, dim-to-warm, 7-35W (IP68)

# kreon up 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (21°)	FL Flood (29°)	WFL Wide flood (38°)	DF Diffused (87°)	WW Wallwasher	XC (optional) For recessed wall or ceiling installation	Required accessories	Optional accessories
	<b>up 80</b>	●	<u>KR952132</u>	①	431,00	-	-	-	-	-	-	14,00	22,00	■	■
	<b>up 80 circular</b>	●	<u>KR952632</u>	①	431,00	-	-	-	-	-	-	14,00	22,00	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	341lm
		DF	CRI90+	2700K/3000K	8,4W	700mA	111lm
		WW	CRI90+	2700K/3000K	4W	700mA	263lm

# kreon up 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Removal tool	<u>KR752110</u>	28,00	Suction cup
<b>■ Optional accessories</b>			
Matchbox	<u>KR752303</u>	85,00	Matchbox up 80
	<u>KR752803</u>	85,00	Matchbox up 80 circular
Driver	<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
	<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
	<u>KR772753</u>	136,00	LED driver, 700mA, DALI, 35W (IP68)

# kreon up 80 glass series



	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	Optional accessories
 <b>up 80 circular stub</b>	●	<a href="#">KR952702</a>	①	1088,00	—	■
 <b>up 80 circular gherkin</b>	●	<a href="#">KR952712</a>	①	1088,00	—	■
 <b>up 80 circular freeform stub</b>	●	<a href="#">KR952722</a>	①	1088,00	—	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K	8,4W	700mA	152lm

# kreon up 80 glass series accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Matchbox	<u>KR752803</u>	85,00	Matchbox up 80 circular
Driver	<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
	<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
	<u>KR772753</u>	136,00	LED driver, 700mA, DALI, 35W (IP68)
Installation tube	<u>KR752700</u>	46,00	Installation tube for in-sand installations

# kreon up 165

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9090 2700K, CRI90+	C5 Maritime	Optional accessories
 <b>up 165</b> Gear: excl., anti-glare louvre incl.	○	<u>KR982121</u>	①	688,00	–	–	55,00	■
	●	<u>KR982122</u>	①	688,00	–	–	55,00	■
 <b>up 165 wallwasher</b> Gear: excl.	○	<u>KR982181</u>	②	755,00	–	–	55,00	■
	●	<u>KR982182</u>	②	755,00	–	–	55,00	■
 <b>up 165 circular</b> Gear: excl., anti-glare louvre incl.	○	<u>KR982621</u>	①	688,00	–	–	55,00	■
	●	<u>KR982622</u>	①	688,00	–	–	55,00	■
 <b>up 165 circular wallwasher</b> Gear: excl.	○	<u>KR982681</u>	②	755,00	–	–	55,00	■
	●	<u>KR982682</u>	②	755,00	–	–	55,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	17,1W	700mA	824lm
② LED	CRI90+	2700K/3000K	17,1W	700mA	1099lm

# kreon up 165 accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Optional accessories</b>			
Matchbox	<u>KR782104</u>	142,00	Matchbox for up (in-line) 165 square
	<u>KR782604</u>	163,00	Matchbox for up (in-line) 165 circular
Coupling sleeve	<u>KR782105</u>	34,00	Coupling sleeve
Driver	<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
	<u>KR772852</u>	72,00	LED driver, 700mA, 1-10V, 30W (IP67)
	<u>KR772853</u>	109,00	LED driver, 700mA, DALI, 30W (IP68)

# kreon up in-line 80

				Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP spot (21°)	FL flood (29°)	WFL Wide flood (38°)	DF Diffused	WW Wallwasher	Required accessories	Optional accessories
	Colour	KR-code	Light sources										
	●	<a href="#">KR952332</a>	①	431,00	-	-	-	-	-	-	14,00	■	■
	●	<a href="#">KR952832</a>	①	431,00	-	-	-	-	-	-	14,00	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	FL	CRI90+	2700K/3000K	8,4W	700mA	341lm
		DF	CRI90+	2700K/3000K	8,4W	700mA	111lm
		WW	CRI90+	2700K/3000K	4W	700mA	263lm

# kreon up in-line 80 accessories

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Removal tool	<u>KR752110</u>	28,00	Suction cup
<b>■ Optional accessories</b>			
Matchbox	<u>KR752303</u>	85,00	Matchbox up 80
	<u>KR752803</u>	85,00	Matchbox up 80 circular
Driver	<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
	<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
	<u>KR772753</u>	136,00	LED driver, 700mA, DALI, 35W (IP68)

# kreon up in-line 165

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	C5 Maritime	Optional accessories
 <b>up in-line 165</b> anti-glare louvre incl.	○	<a href="#">KR982321</a>	①	618,00	–	–	55,00	■
	●	<a href="#">KR982322</a>	①	618,00	–	–	55,00	■
 <b>up in-line 165 wallwasher</b>	○	<a href="#">KR982381</a>	②	684,00	–	–	55,00	■
	●	<a href="#">KR982382</a>	②	684,00	–	–	55,00	■
 <b>up in-line 165 circular</b> anti-glare louvre incl.	○	<a href="#">KR982821</a>	①	618,00	–	–	55,00	■
	●	<a href="#">KR982822</a>	①	618,00	–	–	55,00	■
 <b>up in-line 165 circular wallwasher</b>	○	<a href="#">KR982881</a>	②	684,00	–	–	55,00	■
	●	<a href="#">KR982882</a>	②	684,00	–	–	55,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	17,1W	700mA	824lm
② LED	CRI90+	2700K/3000K	17,1W	700mA	1099lm

# kreon up in-line 165 accessories

Base price (EUR excl. VAT)

## ■ Optional accessories

Matchbox	<u>KR782104</u>	142,00	Matchbox for gear for up in-line 165 (for fixtures gear excl.)
	<u>KR782604</u>	163,00	Matchbox for gear for up in-line 165 circular (for fixtures gear excl.)
Coupling sleeve	<u>KR782105</u>	34,00	Coupling sleeve
Driver	<u>KR772630</u>	89,00	LED driver, 700 mA, ON/OFF, 30W (IP68)
	<u>KR772852</u>	72,00	LED driver, 700 mA, 1-10V, 30W (IP67)
	<u>KR772853</u>	109,00	LED driver, 700 mA, DALI, 30W (IP68)

 <b>vergo</b> Gear: excl., IP67	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	DL Dark light (20°)	WDL Wide dark light (38°)	Required accessories	Optional accessories
	●	<u>KR961002</u>	①	265,00	-	-	-	-	■	■

		CRI	CCT	Wattage	Drive current	Fixture lumen	
①	LED	DL	CRI90+	2700K/3000K	8,3W	700mA	331lm
		WDL	CRI90+	2700K/3000K	8,3W	700mA	361lm

	KR-code	Base price (EUR exc. VAT)	
<b>■ Required accessories</b>			
Installation	<a href="#"><u>KR761010</u></a>	TBD	vergo installation kit
	<a href="#"><u>KR761100</u></a>	45,00	Ground pin
	<a href="#"><u>KR761112</u></a>	45,00	Surface mounted base, rear cable entry, black
	<a href="#"><u>KR761310</u></a>	54,00	Recessed mounted base
	<a href="#"><u>KR761412</u></a>	54,00	Floor base
Pole	<a href="#"><u>KR761302</u></a>	25,00	Pole 300mm, black
	<a href="#"><u>KR761402</u></a>	35,00	Pole 600mm, black
	<a href="#"><u>KR761502</u></a>	45,00	Pole 900mm, black
<b>■ Optional accessories</b>			
Converter, IP67	<a href="#"><u>KR761000</u></a>	57,00	LED converter 24Vdc to 700mA, PWM, 14W
Power supply, IP67	<a href="#"><u>KR761120</u></a>	120,00	LED power supply, 24Vdc, ON/OFF, 60W
	<a href="#"><u>KR761124</u></a>	278,00	LED power supply, 24Vdc, Casambi, 60W
	<a href="#"><u>KR761224</u></a>	313,00	LED power supply, 24Vdc, Casambi, 120W
Splitter	<a href="#"><u>KR761822</u></a>	44,00	Splitter one to two
	<a href="#"><u>KR761823</u></a>	58,00	Splitter one to three
Cable	<a href="#"><u>KR761721</u></a>	47,00	Outdoor extension cable, length 1m, IP68
	<a href="#"><u>KR761725</u></a>	86,00	Outdoor extension cable, length 5m, IP68
	<a href="#"><u>KR761726</u></a>	134,00	Outdoor extension cable, length 10m, IP68
	<a href="#"><u>KR761728</u></a>	183,00	Outdoor extension cable, length 20m, IP68
	<a href="#"><u>KR761723</u></a>	232,00	Outdoor extension cable, length 30m, IP68

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	FL Flood (30°)	SW Switchable ON/OFF	Optional accessories
	<b>wabi</b> Gear: incl. 	●	<u>KR943052</u>	①	521,00	-	-	-		■
	<b>wabi</b> Gear: excl. 	●	<u>KR943252</u>	②	478,00	-	-	-		■
	<b>wabi bollard 300</b> Gear: incl. 	●	<u>KR943552</u>	③	932,00	-	-	-	-	■
	<b>wabi bollard 750</b> Gear: incl. 	●	<u>KR943752</u>	③	1012,00	-	-	-	-	■
	<b>wabi wall</b> Gear: incl. 	●	<u>KR943352</u>	④	257,00	-	-			
	<b>wabi wall</b> Gear: excl. 	●	<u>KR943152</u>	⑤	222,00	-	-			■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	230V	4,1W	350mA	387lm
②	LED	CRI90+	2700K/3000K		12W	1050mA	783lm
③	LED	CRI90+	2700K/3000K	230V	8,4W	700mA	645lm
④	LED	CRI90+	2700K/3000K		4W		240lm
⑤	LED	CRI90+	2700K/3000K	230V	4W	700mA	240lm

	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>			
Glare preventer	<u>KR743052</u>	109,00	Glare preventer (straight black H50)
Optional installation (only for wabi)	<u>KR743750</u>	61,00	Concrete anchor
	<u>KR743850</u>	56,00	Ground pin
	<u>KR743950</u>	70,00	Spacer
Driver	<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
	<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
	<u>KR772853</u>	109,00	LED driver, 700mA, DALI, 30W (IP68)
	<u>KR772840</u>	105,00	LED driver, 1050mA, ON/OFF, 52W (IP68)
	<u>KR772862</u>	136,00	LED driver, 1050mA, 0-10V/1-10V & DALI, 52W (IP67)
Wall box for wabi wall	<u>KR727611</u>	9,00	Concrete wall box
	<u>KR727711</u>	7,00	Hollow wall box
	<u>KR727811</u>	6,00	Brick wall box

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	EX Gear excluded	SW Switchable ON/OFF	Required accessories	Optional accessories
	<b>wabi pillar 300</b> IP65	●	<u>KR943062</u>	①	519,00	–	–	–	43,00	■	■
	<b>wabi pillar 600</b> IP65	●	<u>KR943162</u>	①	673,00	–	–	–	43,00	■	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	230V	4W	700mA	275lm

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Installation kit	<u>KR743650</u>	21,00	Installation kit
<b>■ Optional accessories</b>			
Optional installation	<u>KR743740</u>	63,00	Concrete anchor
	<u>KR743840</u>	63,00	Floor anchor
Driver	<u>KR772630</u>	89,00	LED driver, 700mA, ON/OFF, 30W (IP68)
	<u>KR772752</u>	102,00	LED driver, 700mA, 1-10V, 12W (IP67)
	<u>KR772853</u>	109,00	LED driver, 700mA, DALI, 30W (IP68)

# kreon 48V microtrack

	Colour	KR-code	Base price (EUR excl. VAT)	
Surface mounted low voltage microtrack profile	○	<a href="#">KR766191</a>	162,00	2000mm, white
	●	<a href="#">KR766192</a>	162,00	2000mm, black
	○	<a href="#">KR766291</a>	242,00	3000mm, white
	●	<a href="#">KR766292</a>	242,00	3000mm, black
Accessories	○	<a href="#">KR766011</a>	10,00	End cap surface mounted 48V microtrack low voltage, white
	●	<a href="#">KR766012</a>	10,00	End cap surface mounted 48V microtrack low voltage, black
	○	<a href="#">KR766111</a>	47,00	Aesthetic track cover, surface mounted 48V microtrack low voltage, 3000mm, white
	●	<a href="#">KR766112</a>	47,00	Aesthetic track cover, surface mounted 48V microtrack low voltage, 3000mm, black
	○	<a href="#">KR766411</a>	49,00	End feed 48V microtrack low voltage + wire 2,5m, white
	●	<a href="#">KR766412</a>	49,00	End feed 48V microtrack low voltage + wire 2,5m, black
	○	<a href="#">KR766511</a>	38,00	End feed 48V microtrack low voltage, white
	●	<a href="#">KR766512</a>	38,00	End feed 48V microtrack low voltage, black
	○	<a href="#">KR766311</a>	21,00	Straight connector 48V microtrack low voltage, white
	●	<a href="#">KR766312</a>	21,00	Straight connector 48V microtrack low voltage, black
	○	<a href="#">KR766611</a>	76,00	L-connector microtrack low voltage, white
	●	<a href="#">KR766612</a>	76,00	L-connector microtrack low voltage, black
	○	<a href="#">KR766911</a>	16,00	Mechanical L-joint microtrack low voltage, white
	●	<a href="#">KR766912</a>	16,00	Mechanical L-joint microtrack low voltage, black
	○	<a href="#">KR766811</a>	90,00	Flex elec joint microtrack low voltage, white
	●	<a href="#">KR766812</a>	90,00	Flex elec joint microtrack low voltage, black
			<a href="#">KR746920</a>	99,00

# kreon 48V microtrack recessed

	Colour	KR-code	Base price (EUR excl. VAT)	
Recessed mounted low voltage microtrack profile	●	<a href="#">KR766490</a>	209,00	2000mm, black
	●	<a href="#">KR766590</a>	293,00	3000mm, black
Accessories	●	<a href="#">KR766712</a>	10,00	End cap recessed mounted 48V microtrack low voltage, black
	●	<a href="#">KR766122</a>	47,00	Aesthetic track cover, recessed mounted 48V microtrack low voltage, 3000mm, black
	●	<a href="#">KR766412</a>	49,00	End feed 48V microtrack low voltage + wire 2,5m, black
	●	<a href="#">KR766512</a>	38,00	End feed 48V microtrack low voltage, black
	●	<a href="#">KR766312</a>	21,00	Straight connector 48V microtrack low voltage, black
	●	<a href="#">KR766612</a>	76,00	L-connector microtrack low voltage, black
	●	<a href="#">KR766812</a>	90,00	Flex elec joint microtrack low voltage
		<a href="#">KR746920</a>	99,00	Cutting tool for microtrack low voltage

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (15°)	DL Dark light (20°)	WDL Wide dark light (38°)	SW Switchable ON/OFF	DD DALI dimming	Required accessories
	<b>holon 20 directional on-microtrack</b>		○	<u>KR952771</u>	①	225,00	–	–	–	22,00	22,00	–	30,00	■
			●	<u>KR952772</u>	①	225,00	–	–	–	22,00	22,00	–	30,00	■
			BB	<u>KR952774</u>	①	245,00	–	–	–	22,00	22,00	–	30,00	■
			BS	<u>KR952777</u>	①	245,00	–	–	–	22,00	22,00	–	30,00	■
			BG	<u>KR952778</u>	①	245,00	–	–	–	22,00	22,00	–	30,00	■
			GB	<u>KR952779</u>	①	245,00	–	–	–	22,00	22,00	–	30,00	■

			CRI	CCT	Wattage	Drive Current	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K	1W	350mA	80lm
		DL & WDL	CRI90+	2700K/3000K	4,2W	350mA	250lm

# kreon holon 20 accessories

Base price (EUR exc. VAT)

## ■ Required accessories

48V microtrack low voltage

See page 416

	Colour	KR-code	Base price (EUR excl. VAT)	
Standard low voltage track profile	○	<a href="#">KR746091</a>	81,00	1000mm, white
	●	<a href="#">KR746092</a>	81,00	1000mm, black
	○	<a href="#">KR746191</a>	162,00	2000mm, white
	●	<a href="#">KR746192</a>	162,00	2000mm, black
	○	<a href="#">KR746291</a>	242,00	3000mm, white
	●	<a href="#">KR746292</a>	242,00	3000mm, black
Accessories	○	<a href="#">KR746041</a>	198,00	Curved std. low voltage track, radius 500mm 90°, white
	●	<a href="#">KR746042</a>	198,00	Curved std. low voltage track, radius 500mm 90°, black
	○	<a href="#">KR746401</a>	10,00	End cap standard LV track, white
	●	<a href="#">KR746402</a>	10,00	End cap standard LV track, black
	○	<a href="#">KR790971</a>	52,00	Aesthetic track cover, stucchi track, white
	●	<a href="#">KR790972</a>	52,00	Aesthetic track cover, stucchi track, black
	○	<a href="#">KR746511</a>	38,00	Feed connector low voltage, white
	●	<a href="#">KR746512</a>	38,00	Feed connector low voltage, black
	○	<a href="#">KR746531</a>	21,00	Straight connector, white
	●	<a href="#">KR746532</a>	21,00	Straight connector, black
	○	<a href="#">KR746631</a>	76,00	Straight connector with adjustable corner low voltage, white
	●	<a href="#">KR746632</a>	76,00	Straight connector with adjustable corner low voltage, black
	○	<a href="#">KR746611</a>	76,00	L-connector low voltage, white
	●	<a href="#">KR746612</a>	76,00	L-connector low voltage, black
	○	<a href="#">KR746701</a>	74,00	Mechanical L-joint, white
	●	<a href="#">KR746702</a>	74,00	Mechanical L-joint, black
		<a href="#">KR746920</a>	99,00	Cutting tool for track conductors

# kreon 48V track

	Colour	KR-code	Base price (EUR excl. VAT)	
Suspension components		<u>KR746710</u>	14,00	Suspension steel wire 1500mm
	○	<u>KR746810</u>	16,00	Suspension steel wire 2500mm, white
	●	<u>KR746812</u>	16,00	Suspension steel wire 2500mm, black
		<u>KR746830</u>	10,00	Pendant clip for suspension by steel wire, short
		<u>KR746930</u>	16,00	Pendant clip for suspension by steel wire, long – can be used as reinforcing bracket to connect two pieces of tracks
Power supply		<u>KR790474</u>	100,00	Power supply 48Vdc, 60W
		<u>KR790476</u>	173,00	Power supply 48Vdc, 240W (IP67)
	○	<u>KR790771</u>	65,00	In-track power supply 48Vdc, 100W, white
	●	<u>KR790772</u>	65,00	In-track power supply 48Vdc, 100W, black
Gearboxes endfeed	○	<u>KR790173</u>	179,00	Gearbox, endfeed, white 30W
	●	<u>KR790174</u>	179,00	Gearbox, endfeed, black 30W
	○	<u>KR790175</u>	221,00	Gearbox, endfeed, white 60W
	●	<u>KR790176</u>	221,00	Gearbox, endfeed, black 60W
Casambi gateway	○	<u>KR762171</u>	395,00	Casambi DALI gateway for 48vdc track, white
	●	<u>KR762172</u>	395,00	Casambi DALI gateway for 48vdc track, black

	Colour	KR-code	Base price (EUR excl. VAT)		
Recessed, trimless low voltage track profile	●	<a href="#">KR746390</a>	89,00	Recessed profile, 1000mm, black	
	●	<a href="#">KR746490</a>	179,00	Recessed profile, 2000mm, black	
	○	<a href="#">KR746491</a>	179,00	Recessed profile, 2000mm, white	
	●	<a href="#">KR746590</a>	268,00	Recessed profile, 3000mm, black	
	○	<a href="#">KR746591</a>	268,00	Recessed profile, 3000mm, white	
Accessories	○	<a href="#">KR746601</a>	10,00	End cap recessed low voltage track, white	
	●	<a href="#">KR746602</a>	10,00	End cap recessed low voltage track, black	
	○	<a href="#">KR790971</a>	52,00	Aesthetic track cover, stucchi track, white	
	●	<a href="#">KR790972</a>	52,00	Aesthetic track cover, stucchi track, black	
	○	<a href="#">KR746511</a>	38,00	Feed connector low voltage, white	
	●	<a href="#">KR746512</a>	38,00	Feed connector low voltage, black	
	○	<a href="#">KR746531</a>	21,00	Straight connector low voltage, white	
	●	<a href="#">KR746532</a>	21,00	Straight connector low voltage, black	
	○	<a href="#">KR746631</a>	76,00	Straight connector with adjustable corner low voltage, white	
	●	<a href="#">KR746632</a>	76,00	Straight connector with adjustable corner low voltage, black	
	○	<a href="#">KR746611</a>	76,00	L-connector low voltage, white	
	●	<a href="#">KR746612</a>	76,00	L-connector low voltage, black	
			<a href="#">KR746800</a>	9,00	Reinforcing bracket to join two pieces of LV recessed track
			<a href="#">KR746900</a>	5,00	Mounting bracket for recessed LV profile
		<a href="#">KR746920</a>	99,00	Cutting tool for track conductors	
Power supply		<a href="#">KR790474</a>	100,00	Power supply 48Vdc, 60W	
		<a href="#">KR790476</a>	173,00	Power supply 48Vdc, 240W (IP67)	
	○	<a href="#">KR790771</a>	65,00	In-track power supply 48Vdc, 100W, white	
	●	<a href="#">KR790772</a>	65,00	In-track power supply 48Vdc, 100W, black	
Casambi gateway	○	<a href="#">KR762171</a>	395,00	Casambi DALI gateway for 48vdc track, white	
	●	<a href="#">KR762172</a>	395,00	Casambi DALI gateway for 48vdc track, black	

# kreon 48V track deep recessed

	Colour	KR-code	Base price (EUR excl. VAT)		Required accessories	Optional accessories
 deep recessed profile	<input type="radio"/>	<a href="#">KR745201</a>	148,00	Deep recessed profile, white	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	<input checked="" type="radio"/>	<a href="#">KR745202</a>	148,00	Deep recessed profile, black	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>standard configurations</b>						
length is 2038mm	<input type="radio"/>	<a href="#">KR945601</a>	502,00	Deep recessed profile, 2m, white		<input type="checkbox"/>
	<input checked="" type="radio"/>	<a href="#">KR945602</a>	502,00	Deep recessed profile, 2m, black		<input type="checkbox"/>
length is 3038mm	<input type="radio"/>	<a href="#">KR945701</a>	723,00	Deep recessed profile, 3m, white		<input type="checkbox"/>
	<input checked="" type="radio"/>	<a href="#">KR945702</a>	723,00	Deep recessed profile, 3m, black		<input type="checkbox"/>
length is 4071mm	<input type="radio"/>	<a href="#">KR945801</a>	985,00	Deep recessed profile, 4m, white		<input type="checkbox"/>
	<input checked="" type="radio"/>	<a href="#">KR945802</a>	985,00	Deep recessed profile, 4m, black		<input type="checkbox"/>
length is 5071mm	<input type="radio"/>	<a href="#">KR945901</a>	1206,00	Deep recessed profile, 5m, white		<input type="checkbox"/>
	<input checked="" type="radio"/>	<a href="#">KR945902</a>	1206,00	Deep recessed profile, 5m, black		<input type="checkbox"/>

# kreon 48V deep recessed

	Colour	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>				
48V track	○	<a href="#">KR745401</a>	91,00	48Vdc track for deep recessed installation, 1m, white
	●	<a href="#">KR745402</a>	91,00	48Vdc track for deep recessed installation, 1m, black
	○	<a href="#">KR745501</a>	166,00	48Vdc track for deep recessed installation, 2m, white
	●	<a href="#">KR745502</a>	166,00	48Vdc track for deep recessed installation, 2m, black
	○	<a href="#">KR745601</a>	243,00	48Vdc track for deep recessed installation, 3m, white
	●	<a href="#">KR745602</a>	243,00	48Vdc track for deep recessed installation, 3m, black
Feed connector	○	<a href="#">KR746511</a>	38,00	End feed connector, white
	●	<a href="#">KR746512</a>	38,00	End feed connector, black
<b>■ Optional accessories</b>				
48V track	○	<a href="#">KR765501</a>	153,00	90° corner cut deep recessed profile, white
	●	<a href="#">KR765502</a>	153,00	90° corner cut deep recessed profile, black
	○	<a href="#">KR765601</a>	77,00	48Vdc track, corner cut 90°, white
	●	<a href="#">KR765602</a>	77,00	48Vdc track, corner cut 90°, black
Power supply		<a href="#">KR790474</a>	100,00	Power supply, 48Vdc, 60W
		<a href="#">KR790476</a>	173,00	Power supply, 48Vdc, 240W
	○	<a href="#">KR790771</a>	65,00	In-track power supply 48Vdc, 100W, white
	●	<a href="#">KR790772</a>	65,00	In-track power supply 48Vdc, 100W, black

# kreon 48V deep recessed

	Colour	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>				
Connectors	○	<a href="#"><u>KR746531</u></a>	21,00	Straight connector low voltage, white
	●	<a href="#"><u>KR746532</u></a>	21,00	Straight connector low voltage, black
	○	<a href="#"><u>KR746631</u></a>	76,00	Straight connector with adjustable corner low voltage, white
	●	<a href="#"><u>KR746632</u></a>	76,00	Straight connector with adjustable corner low voltage, black
	○	<a href="#"><u>KR746611</u></a>	76,00	L-connector low voltage, white
	●	<a href="#"><u>KR746612</u></a>	76,00	L-connector low voltage, black
Cutting tool		<a href="#"><u>KR746920</u></a>	99,00	Cutting tool for track conductors
Casambi gateway	○	<a href="#"><u>KR762171</u></a>	395,00	Casambi DALI gateway for 48vdc track, white
	●	<a href="#"><u>KR762172</u></a>	395,00	Casambi DALI gateway for 48vdc track, black



# kreon 48V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	SW Switchable ON/OFF	VD 1-10V dimmable	DD DALI dimmable	Optional accessories
	<b>diapason 80 on-track</b>	○	<u>KR916621</u>	①	380,00	—	—	—	—	—	—	29,00	29,00	■
		●	<u>KR916622</u>	①	380,00	—	—	—	—	—	—	29,00	29,00	■

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	48V	8,2W	428lm

# kreon 48V track



## diapason 120 on-track

Colour  
KR-code  
Light sources

Base price (EUR excl. VAT)

**9027**  
2700K, CRI90+  
**9030**  
3000K, CRI90+  
**9827**  
2700K, CRI98+  
**9830**  
3000K, CRI98+

**SP**  
Spot (12°)  
**FL**  
Flood (24°)  
**WFL**  
Wide flood (38°)

**SW**  
Switchable ON/OFF  
**VD**  
1-10V dimmable  
**DD**  
DALI dimmable

Optional accessories

○ [KR926621](#) ①  
● [KR926622](#) ①

527,00  
527,00

— — 28,00 28,00  
— — 28,00 28,00

— — —  
— — —

— 29,00 29,00  
— 29,00 29,00


■  
■

		CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	SP	CRI90+	2700K/3000K	48V	22W	1185lm
		CRI98+	2700K/3000K	48V	19,5W	939lm
	FL & WFL	CRI90+	2700K/3000K	48V	19W	1761lm
		CRI98+	2700K/3000K	48V	19,9W	1794lm

	Colour	KR-code	Base price (EUR exc. VAT)	
<b>■ Optional accessories</b>				
Glare preventer for diapason 80	○	<a href="#"><u>KR706721</u></a>	64,00	Straight glare preventer, white (H30)
	●	<a href="#"><u>KR706722</u></a>	64,00	Straight glare preventer, black (H30)
	○	<a href="#"><u>KR706731</u></a>	73,00	Rounded glare preventer, white (H54)
	●	<a href="#"><u>KR706732</u></a>	73,00	Rounded glare preventer, black (H54)
Louvres and lenses for diapason 80		<a href="#"><u>KR706070</u></a>	43,00	Anti-glare louvre
		<a href="#"><u>KR706270</u></a>	33,00	Diffusing lens
Glare preventer for diapason 120	○	<a href="#"><u>KR706821</u></a>	75,00	Straight glare preventer, white (H40)
	●	<a href="#"><u>KR706822</u></a>	75,00	Straight glare preventer, black (H40)
	○	<a href="#"><u>KR706831</u></a>	84,00	Rounded glare preventer, white (H90)
	●	<a href="#"><u>KR706832</u></a>	84,00	Rounded glare preventer, black (H90)
Louvres and lenses for diapason 120		<a href="#"><u>KR706080</u></a>	43,00	Anti-glare louvre
		<a href="#"><u>KR706180</u></a>	39,00	Sculpture lens
		<a href="#"><u>KR706280</u></a>	33,00	Diffusing lens



# kreon 48V track



## holon 20 directional on-track

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	DL Dark light (40°)	WDL Wide dark light (76°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
○	<a href="#">KR952971</a>	①	250,00	–	–	–	22,00	22,00	–	38,00	30,00	■
●	<a href="#">KR952972</a>	①	250,00	–	–	–	22,00	22,00	–	30,00	30,00	■
BB	<a href="#">KR952974</a>	①	270,00	–	–	–	22,00	22,00	–	30,00	30,00	■
BS	<a href="#">KR952977</a>	①	270,00	–	–	–	22,00	22,00	–	30,00	30,00	■
BG	<a href="#">KR952978</a>	①	270,00	–	–	–	22,00	22,00	–	30,00	30,00	■
GB	<a href="#">KR952979</a>	①	270,00	–	–	–	22,00	22,00	–	30,00	30,00	■

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI90+	2700K/3000K	48V	4,2W	250lm

# kreon 48V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	DL Dark light (38°)	WDL Wide dark light (76°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	<b>holon 40 directional on-track</b>	○	<a href="#">KR962611</a>	①	320,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		●	<a href="#">KR962612</a>	①	320,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		<b>BB</b>	<a href="#">KR962614</a>	①	365,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		<b>BS</b>	<a href="#">KR962617</a>	①	365,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		<b>BG</b>	<a href="#">KR962618</a>	①	365,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		<b>GB</b>	<a href="#">KR962619</a>	①	365,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
	<b>holon 40 pendant on-track</b>	○	<a href="#">KR945401</a>	②	344,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		●	<a href="#">KR945402</a>	②	344,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		<b>BB</b>	<a href="#">KR945404</a>	②	389,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		<b>BS</b>	<a href="#">KR945407</a>	②	389,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		<b>BG</b>	<a href="#">KR945408</a>	②	389,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
		<b>GB</b>	<a href="#">KR945409</a>	②	389,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00

			CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	48V	10,9W	700mA	558lm
		DL & WDL	CRI90+	2700K/3000K	48V	10,9W	700mA	420lm
②	LED	FL	CRI90+	2700K/3000K		8,4W	700mA	558lm
		DL & WDL	CRI90+	2700K/3000K		8,4W	700mA	420lm

# kreon 48V track



## prologe 40 directional on-track

Driver: excl.

Colour  
KR-code  
Light sources

Base price (EUR excl. VAT)

**9027**  
2700K, CRI90+  
**9030**  
3000K, CRI90+  
**SP**  
Spot (20°)  
**FL**  
Flood (30°)  
**WFL**  
Wide flood (38°)  
**DL**  
Dark light (40°)  
**WDL**  
Wide dark light (76°)  
**SW**  
Switchable ON/OFF  
**VD**  
1-10V dimming  
**DD**  
DALI dimming

○	<u>KR967351</u>	①	380,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00
●	<u>KR967352</u>	①	380,00	-	-	-	-	-	22,00	22,00	-	29,00	29,00

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL	CRI90+	2700K/3000K	48V	10,9W	547lm
		DL & WDL	CRI90+	2700K/3000K	48V	10,9W	380lm

# kreon 48V track



## holon 60 directional, on-track 48Vdc, low louvre

Gear: incl.

Colour	KR-code	Light sources	Base price (EUR excl. VAT)											SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
				9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+										
○	<a href="#">KR962771</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■		
●	<a href="#">KR962772</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■		
BB	<a href="#">KR962774</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■		
BS	<a href="#">KR962777</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■		
BG	<a href="#">KR962778</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■		
GB	<a href="#">KR962779</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	-	30,00	30,00	■		

		CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	SSP & SP	CRI90+	2700K/3000K/4000K	48V	10,2W	808lm
		CRI95+	2700K/3000K/4000K	48V	10,2W	727lm
	SP	CRI90+	TW 2700K-5000K	48V	2x11W	835-1053lm
		CRI97+	DTW 1800K-3000K	48V	15,1W	726lm
	FL & WFL	CRI90+	2700K/3000K/4000K	48V	18,5W	1616lm
		CRI95+	2700K/3000K/4000K	48V	18,5W	1454lm
		CRI90+	TW 2700K-5000K	48V	2x11W	907-1153lm
		CRI97+	DTW 1800K-3000K	48V	15,1W	823lm

# kreon 48V track



## holon 60 directional, on-track 48Vdc, deep recessed louvre

Gear: incl. ♦

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories
○	<a href="#">KR962671</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
●	<a href="#">KR962672</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
◐	<a href="#">KR962675</a>	①	410,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
BB	<a href="#">KR962674</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
BS	<a href="#">KR962677</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
BG	<a href="#">KR962678</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■
GB	<a href="#">KR962679</a>	①	475,00	-	-	-	19,00	19,00	19,00	23,00	11,00	-	-	-	-	30,00	30,00	■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED SSP & SP	CRI90+	2700K/3000K/4000K	48V	10,2W	788lm
	CRI95+	2700K/3000K/4000K	48V	10,2W	709lm
SP	CRI90+	TW 2700K-5000K	48V	2x11W	TBD
	CRI97+	DTW 1800K-3000K	48V	15,1W	TBD
FL	CRI90+	2700K/3000K/4000K	48V	18,5W	1523lm
	CRI95+	2700K/3000K/4000K	48V	18,5W	1370lm
	CRI90+	TW 2700K-5000K	48V	2x11W	TBD
	CRI97+	DTW 1800K-3000K	48V	15,1W	TBD



# kreon 48V track

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SW Switchable ON/OFF	
					VD 1-10V dimming	DD DALI dimming	VD 1-10V dimming	DD DALI dimming		
 <b>oran pendant craft on-track, small bulb</b>	○	<a href="#">KR991721</a>	①	444,00	-	-	-	29,00	29,00	
	●	<a href="#">KR991722</a>	①	444,00	-	-	-	29,00	29,00	
	BB	<a href="#">KR991724</a>	①	519,00	-	-	-	29,00	29,00	
	BS	<a href="#">KR991727</a>	①	519,00	-	-	-	29,00	29,00	
	BG	<a href="#">KR991728</a>	①	519,00	-	-	-	29,00	29,00	
	GB	<a href="#">KR991729</a>	①	519,00	-	-	-	29,00	29,00	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K	48V	9,5W	307lm

# kreon 48V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SM Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
 <b>oran pendant stone on-track, large cube</b>		○	<a href="#">KR991261</a>	①	444,00	–	–	–	29,00	29,00
		●	<a href="#">KR991262</a>	①	444,00	–	–	–	29,00	29,00
		BB	<a href="#">KR991264</a>	①	519,00	–	–	–	29,00	29,00
		BS	<a href="#">KR991267</a>	①	519,00	–	–	–	29,00	29,00
		BG	<a href="#">KR991268</a>	①	519,00	–	–	–	29,00	29,00
		GB	<a href="#">KR991269</a>	①	519,00	–	–	–	29,00	29,00
 <b>oran pendant stone on-track, large cylinder</b>		○	<a href="#">KR991161</a>	①	444,00	–	–	–	29,00	29,00
		●	<a href="#">KR991162</a>	①	444,00	–	–	–	29,00	29,00
		BB	<a href="#">KR991164</a>	①	519,00	–	–	–	29,00	29,00
		BS	<a href="#">KR991167</a>	①	519,00	–	–	–	29,00	29,00
		BG	<a href="#">KR991168</a>	①	519,00	–	–	–	29,00	29,00
		GB	<a href="#">KR991169</a>	①	519,00	–	–	–	29,00	29,00

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen	
①	LED	CRI90+	2700K/3000K	48Vdc	6,7W	700mA	315lm

# kreon 48V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SM Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	<b>oran pendant stone on-track, small cylinder</b>	○	<a href="#">KR991361</a>	①	428,00	–	–	–	29,00	29,00
		●	<a href="#">KR991362</a>	①	428,00	–	–	–	29,00	29,00
		BB	<a href="#">KR991364</a>	①	503,00	–	–	–	29,00	29,00
		BS	<a href="#">KR991367</a>	①	503,00	–	–	–	29,00	29,00
		BG	<a href="#">KR991368</a>	①	503,00	–	–	–	29,00	29,00
		GB	<a href="#">KR991369</a>	①	503,00	–	–	–	29,00	29,00
	<b>oran pendant stone on-track, long cylinder</b>	○	<a href="#">KR991461</a>	①	444,00	–	–	–	29,00	29,00
		●	<a href="#">KR991462</a>	①	444,00	–	–	–	29,00	29,00
		BB	<a href="#">KR991464</a>	①	519,00	–	–	–	29,00	29,00
		BS	<a href="#">KR991467</a>	①	519,00	–	–	–	29,00	29,00
		BG	<a href="#">KR991468</a>	①	519,00	–	–	–	29,00	29,00
		GB	<a href="#">KR991469</a>	①	519,00	–	–	–	29,00	29,00

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen	
①	LED	CRI90+	2700K/3000K	48Vdc	6,7W	700mA	315lm

# kreon 48V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SM Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	<b>oran pendant glass on-track, cylinder, E1</b>	○	<a href="#">KR971161</a>	①	411,00	–	–	–	29,00	29,00
		●	<a href="#">KR971162</a>	①	411,00	–	–	–	29,00	29,00
		BB	<a href="#">KR971164</a>	①	486,00	–	–	–	29,00	29,00
		BS	<a href="#">KR971167</a>	①	486,00	–	–	–	29,00	29,00
		BG	<a href="#">KR971168</a>	①	486,00	–	–	–	29,00	29,00
		GB	<a href="#">KR971169</a>	①	486,00	–	–	–	29,00	29,00
	<b>oran pendant glass on-track, double cylinder, F1</b>	○	<a href="#">KR971361</a>	②	444,00	–	–	–	29,00	29,00
		●	<a href="#">KR971362</a>	②	444,00	–	–	–	29,00	29,00
		BB	<a href="#">KR971364</a>	②	519,00	–	–	–	29,00	29,00
		BS	<a href="#">KR971367</a>	②	519,00	–	–	–	29,00	29,00
		BG	<a href="#">KR971368</a>	②	519,00	–	–	–	29,00	29,00
		GB	<a href="#">KR971369</a>	②	519,00	–	–	–	29,00	29,00

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
② LED	CRI90+	2700K/3000K	8,4W	700mA	444lm

# kreon 48V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SM Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	<b>oran pendant glass on-track, cone, H1</b>	○	<a href="#">KR971261</a>	①	444,00	-	-	-	29,00	29,00
		●	<a href="#">KR971262</a>	①	444,00	-	-	-	29,00	29,00
		BB	<a href="#">KR971264</a>	①	519,00	-	-	-	29,00	29,00
		BS	<a href="#">KR971267</a>	①	519,00	-	-	-	29,00	29,00
		BG	<a href="#">KR971268</a>	①	519,00	-	-	-	29,00	29,00
		GB	<a href="#">KR971269</a>	①	519,00	-	-	-	29,00	29,00
	<b>oran pendant glass on-track, cone, H2</b>	○	<a href="#">KR971461</a>	②	444,00	-	-	-	29,00	29,00
		●	<a href="#">KR971462</a>	②	444,00	-	-	-	29,00	29,00
		BB	<a href="#">KR971464</a>	②	519,00	-	-	-	29,00	29,00
		BS	<a href="#">KR971467</a>	②	519,00	-	-	-	29,00	29,00
		BG	<a href="#">KR971468</a>	②	519,00	-	-	-	29,00	29,00
		GB	<a href="#">KR971469</a>	②	519,00	-	-	-	29,00	29,00

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	8,4W	700mA	450lm
② LED	CRI90+	2700K/3000K	8,4W	700mA	438lm

# kreon 48V track

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SP spot (1.7°)	FL flood (2.4°)	WFL Wide flood (40°)	DL darklight (32°)	WDL Wide darklight (55°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
	○	<a href="#">KR945001</a>	①	258,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	●	<a href="#">KR945002</a>	①	258,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	◐	<a href="#">KR945005</a>	①	258,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	○	<a href="#">KR945101</a>	②	271,00	-	-	-	-	-	-	-	29,00	29,00	
	●	<a href="#">KR945102</a>	②	271,00	-	-	-	-	-	-	-	29,00	29,00	
	○	<a href="#">KR945201</a>	③	332,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	●	<a href="#">KR945202</a>	③	332,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	◐	<a href="#">KR945205</a>	③	332,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	○	<a href="#">KR945011</a>	①	258,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	●	<a href="#">KR945012</a>	①	258,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	◐	<a href="#">KR945015</a>	①	258,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	○	<a href="#">KR945111</a>	②	271,00	-	-	-	-	-	-	-	29,00	29,00	
	●	<a href="#">KR945112</a>	②	271,00	-	-	-	-	-	-	-	29,00	29,00	
	○	<a href="#">KR945211</a>	③	332,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	●	<a href="#">KR945212</a>	③	332,00	-	-	-	-	22,00	22,00	-	29,00	29,00	
	◐	<a href="#">KR945215</a>	③	332,00	-	-	-	-	22,00	22,00	-	29,00	29,00	

		CRI	CCT	Voltage	Wattage	Fixture lumen	
①	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	4,5W	190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	10,7W	375lm
②	LED		CRI90+	2700K/3000K	48Vdc	6,5W	290lm
③	LED	SP/FL/WFL	CRI90+	2700K/3000K	48Vdc	6,5W	2x 190lm
		DL/WDL	CRI90+	2700K/3000K	48Vdc	18,9W	2x 375lm

# kreon 48V track

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027	9030	9040	9527	9530	9540	TW	SSP	SP	FL	WFL	SW	VD	DD	Required accessories
					2700K, CRI90+	3000K, CRI90+	4000K, CRI90+	2700K, CRI95+	3000K, CRI95+	4000K, CRI95+	Tunable white, CRI90+	Superspot (18°)	Spot (33°)	Flood (54°)	Wide flood (69°)	ON/OFF	1-10V dimming	DALI dimming	
 <b>holon 60 fixed, on-track 48Vdc, low louvre</b> Gear: incl. ♦	○	<a href="#">KR962081</a>	①	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■
	●	<a href="#">KR962082</a>	①	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■
 <b>holon 60 fixed, on-track 48Vdc, deep recessed louvre</b> Gear: incl. ♦	○	<a href="#">KR962281</a>	②	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■
	●	<a href="#">KR962282</a>	②	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■
	◐	<a href="#">KR962285</a>	②	310,00	-	-	-	19,00	19,00	19,00	23,00	-	-	-	-	-	30,00	30,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED SSP & SP	CRI90+	2700K/3000K/4000K	48Vdc	10W	727lm	
		CRI95+	2700K/3000K/4000K	48Vdc	10W	TBD	
	SP	CRI90+	TW 2700K-5000K	48Vdc	2x12W	835-1053lm	
	FL & WFL	CRI90+	2700K/3000K/4000K	48Vdc	19W	1470lm	
		CRI95+	2700K/3000K/4000K	48Vdc	19W	1323lm	
		CRI90+	TW 2700K-5000K	48Vdc	2x12W	907-1153lm	
②	LED SSP & SP	CRI90+	2700K/3000K/4000K	48Vdc	10W	687lm	
		CRI95+	2700K/3000K/4000K	48Vdc	10W	TBD	
	SP	CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD	
	FL	CRI90+	2700K/3000K/4000K	48Vdc	19W	1382lm	
		CRI95+	2700K/3000K/4000K	48Vdc	19W	1244lm	
		CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD	

# kreon 48V track

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	TW Tunable white, CRI90+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	
	<b>holon 60 wallwasher, on-track</b>		○	<u>KR962181</u>	①	321,00	–	–	–	19,00	19,00	19,00	23,00	–	30,00	30,00	■	
	<b>48Vdc</b>		●	<u>KR962182</u>	①	321,00	–	–	–	19,00	19,00	19,00	23,00	–	30,00	30,00	■	
Gear: incl. ♦																		

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	WW	CRI90+	2700K/3000K/4000K	48Vdc	10W	710lm
			CRI95+	2700K/3000K/4000K	48Vdc	10W	639lm
			CRI90+	TW 2700K-5000K	48Vdc	2x12W	TBD

# kreon 48V track

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	09 Length 911 mm
 <b>lini 10 on-track</b> for 48V low voltage track system Gear: incl.	○	<u>KR974811</u>	②	273,00	–	–	–	42,00	42,00	–	–	
	●	<u>KR974812</u>	②	273,00	–	–	–	42,00	42,00	–	–	
	BR	<u>KR974814</u>	②	301,00	–	–	–	42,00	42,00	–	–	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	09 CRI90+	2700K/3000K	48V	15,5W	466lm

# kreon 3~ 230V track

	Colour	KR-code	Base price (EUR excl. VAT)	
3~circuit track + databus	○	<a href="#">KR736821</a>	149,00	2000mm, white, onetrack, 3~ with DALI
	●	<a href="#">KR736822</a>	149,00	2000mm, black, onetrack, 3~ with DALI
	○	<a href="#">KR736831</a>	218,00	3000mm, white, onetrack, 3~ with DALI
	●	<a href="#">KR736832</a>	218,00	3000mm, black, onetrack, 3~ with DALI
Track accessories	○	<a href="#">KR736801</a>	4,00	End cap, white
	●	<a href="#">KR736802</a>	4,00	End cap, black
	○	<a href="#">KR736101</a>	11,00	PVC cover, 1000mm, white
	●	<a href="#">KR736102</a>	11,00	PVC cover, 1000mm, black
		<a href="#">KR746920</a>	99,00	Cutting tool for track conductors
Connections	○	<a href="#">KR736601</a>	31,00	End feed, earth right, white
	●	<a href="#">KR736602</a>	31,00	End feed, earth right, black
	○	<a href="#">KR736611</a>	31,00	End feed, earth left, white
	●	<a href="#">KR736612</a>	31,00	End feed, earth left, black
	○	<a href="#">KR736641</a>	21,00	Straight connector, white
	●	<a href="#">KR736642</a>	21,00	Straight connector, black
	○	<a href="#">KR736401</a>	62,00	Mid feed, white
	●	<a href="#">KR736402</a>	62,00	Mid feed, black
	○	<a href="#">KR736201</a>	66,00	I-coupler with feed, white
	●	<a href="#">KR736202</a>	66,00	I-coupler with feed, black
	○	<a href="#">KR736701</a>	80,00	L-coupler with feed, earth inside, white
	●	<a href="#">KR736702</a>	80,00	L-coupler with feed, earth inside, black
	○	<a href="#">KR736711</a>	80,00	L-coupler with feed, earth outside, white
	●	<a href="#">KR736712</a>	80,00	L-coupler with feed, earth outside, black
	○	<a href="#">KR736901</a>	94,00	Adjustable corner with feed, white
●	<a href="#">KR736902</a>	94,00	Adjustable corner with feed, black	

# kreon 3~ 230V track

	Colour	KR-code	Base price (EUR excl. VAT)	
Track fixing accessories		<u><a href="#">KR736000</a></u>	7,00	Installation bracket surface mounted
	○	<u><a href="#">KR791211-HV</a></u>	68,00	Connection box ø65 x 52, white ☺
	●	<u><a href="#">KR791212-HV</a></u>	68,00	Connection box ø65 x 52, black ☺
		<u><a href="#">KR736410</a></u>	23,00	Supply cable transparant 6x0,75mm <sup>2</sup> , 4000mm
Accessories for suspended 3~230V-track		<u><a href="#">KR726963</a></u>	39,00	Suspension kit with steel wire 1500mm
		<u><a href="#">KR726973</a></u>	46,00	Suspension kit with steel wire 3000mm
		<u><a href="#">KR736312</a></u>	25,00	Suspension bracket for suspension wire, mechanical coupler

# kreon 3~ 230V track recessed

	Colour	KR-code	Base price (EUR excl. VAT)	
3~circuit track + databus	○	<a href="#">KR736921</a>	145,00	2000mm, white, recessed onetrack, 3~ with DALI
	●	<a href="#">KR736922</a>	145,00	2000mm, black, recessed onetrack, 3~ with DALI
	○	<a href="#">KR736931</a>	227,00	3000mm, white, recessed onetrack, 3~ with DALI
	●	<a href="#">KR736932</a>	227,00	3000mm, black, recessed onetrack, 3~ with DALI
Track accessories	○	<a href="#">KR736811</a>	6,00	End cap, white
	●	<a href="#">KR736812</a>	6,00	End cap, black
	○	<a href="#">KR736101</a>	11,00	PVC cover, 1000mm, white
	●	<a href="#">KR736102</a>	11,00	PVC cover, 1000mm, black
	○	<a href="#">KR746920</a>	99,00	Cutting tool for track conductors
Connections	○	<a href="#">KR736601</a>	31,00	End feed, earth right, white
	●	<a href="#">KR736602</a>	31,00	End feed, earth right, black
	○	<a href="#">KR736611</a>	31,00	End feed, earth left, white
	●	<a href="#">KR736612</a>	31,00	End feed, earth left, black
	○	<a href="#">KR736641</a>	21,00	Straight connector, white
	●	<a href="#">KR736642</a>	21,00	Straight connector, black
	○	<a href="#">KR736401</a>	62,00	Mid feed, white
	●	<a href="#">KR736402</a>	62,00	Mid feed, black
	○	<a href="#">KR736201</a>	66,00	I-coupler with feed, white
	●	<a href="#">KR736202</a>	66,00	I-coupler with feed, black
	○	<a href="#">KR736701</a>	80,00	L-coupler with feed, earth inside, white
	●	<a href="#">KR736702</a>	80,00	L-coupler with feed, earth inside, black
	○	<a href="#">KR736711</a>	80,00	L-coupler with feed, earth outside, white
	●	<a href="#">KR736712</a>	80,00	L-coupler with feed, earth outside, black

# kreon 3~ 230V track recessed

	Colour	KR-code	Base price (EUR excl. VAT)	
Accessories for connections	○	<u>KR736631</u>	16,00	Recessed cover for endfeed, white
	●	<u>KR736632</u>	16,00	Recessed cover for endfeed, black
	○	<u>KR736231</u>	17,00	Recessed cover for I-coupler, white
	●	<u>KR736232</u>	17,00	Recessed cover for I-coupler, black
	○	<u>KR736731</u>	14,00	Recessed cover for L-coupler, white
	●	<u>KR736732</u>	14,00	Recessed cover for L-coupler, black

# kreon 3~ 230V track



## erubo on-track high output

Colour  
KR-code  
Light sources

Base price (EUR excl. VAT)

**9027**  
2700K, CRI90+  
**9030**  
3000K, CRI90+  
**9040**  
4000K, CRI90+  
**9527**  
2700K, CRI95+  
**9530**  
3000K, CRI95+  
**9540**  
4000K, CRI95+  
**FL**  
Flood (24°)  
**WFL**  
Wide flood (38°)  
**PD**  
Phase dimming

○ KR927635 ①  
● KR927632 ①

530,00  
530,00

- - - 29,00 29,00 29,00  
- - - 29,00 29,00 29,00

- - -  
- - -

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	FL & WFL	CRI90+	2700K/3000K/4000K	230V	19W	1492lm
			CRI95+	2700K/3000K/4000K	230V	19W	1276lm



# kreon 3~ 230V track



**holon 60 directional, on-track**  
**230Vdc (onetrack), low louvre**  
 Gear: incl. ©

Colour  
 KR-code  
 Light sources

Base price (EUR excl. VAT)

**9027** 2700K, CRI90+  
**9030** 3000K, CRI90+  
**9040** 4000K, CRI90+  
**9527** 2700K, CRI95+  
**9530** 3000K, CRI95+  
**9540** 4000K, CRI95+  
**DTW** Dim-to-warm, CRI97+  
**SSP** Superspot (18°)  
**SP** Spot (33°)  
**FL** Flood (54°)  
**WFL** Wide flood (69°)  
**SW** Switchable ON/OFF  
**DD** DALI dimming  
 Required accessories

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	DTW Dim-to-warm, CRI97+	SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	WFL Wide flood (69°)	SW Switchable ON/OFF	DD DALI dimming	Required accessories
○	<u>KR962981</u>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
●	<u>KR962982</u>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
BB	<u>KR962984</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
BS	<u>KR962987</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
BG	<u>KR962988</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■
GB	<u>KR962989</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	-	30,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	808lm
			CRI95+	2700K/3000K/4000K	230V		727lm
		SP	CRI97+	DTW 1800K-3000K	230V		726lm
	FL & WFL	CRI90+	2700K/3000K/4000K	230V	21W	1616lm	
		CRI95+	2700K/3000K/4000K	230V		1454lm	
		CRI97+	DTW 1800K-3000K	230V		823lm	

# kreon 3~ 230V track



**holon 60 directional, on-track  
230Vdc (onetrack),  
deep recessed louvre**  
Gear: incl. ☉

Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Base price (EUR excl. VAT)							SSP Superspot (18°)	SP Spot (33°)	FL Flood (54°)	SW Switchable ON/OFF	DD DALI dimming	Required accessories
				9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	DTW Dim-to-warm, CRI97+						
○	<u>KR962881</u>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
●	<u>KR962882</u>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
◐	<u>KR962885</u>	①	415,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
BB	<u>KR962884</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
BS	<u>KR962887</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
BG	<u>KR962888</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■
GB	<u>KR962889</u>	①	480,00	-	-	-	19,00	19,00	19,00	11,00	-	-	-	-	30,00	■

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	788lm
			CRI95+	2700K/3000K/4000K	230V		709lm
		SP	CRI97+	DTW 1800K-3000K	230V		TBD
	FL		CRI90+	2700K/3000K/4000K	230V	21W	1523lm
			CRI95+	2700K/3000K/4000K	230V		1370lm
			CRI97+	DTW 1800K-3000K	230V		TBD

# kreon 3~ 230V track

	Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+			9030 3000K, CRI90+			9040 4000K, CRI90+			9527 2700K, CRI95+			9530 3000K, CRI95+			9540 4000K, CRI95+			SSP Superspot (18°)		SP Spot (33°)		FL Flood (54°)		WFL Wide flood (69°)		SW Switchable ON/OFF		DD DALI dimming		Required accessories
					19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	19,00	
 <b>holon 60 fixed, on-track 230Vdc (onetrack), low louvre</b> Gear: incl. ☉	○	<a href="#">KR962381</a>	①	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00	■					
	●	<a href="#">KR962382</a>	①	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00	■					
 <b>holon 60 fixed, on-track 230Vdc (onetrack), deep recessed louvre</b> Gear: incl. ☉	○	<a href="#">KR962581</a>	②	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00	■						
	●	<a href="#">KR962582</a>	②	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00	■						
	◐	<a href="#">KR962585</a>	②	316,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00	■						
 <b>holon 60 wallwasher, on-track 230Vdc (onetrack)</b> Gear: incl. ☉	○	<a href="#">KR962481</a>	③	326,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00	■						
	●	<a href="#">KR962482</a>	③	326,00	-	-	-	19,00	19,00	19,00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30,00	■						

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	727lm
			CRI95+	2700K/3000K/4000K	230V		654lm
	FL & WFL	CRI90+	2700K/3000K/4000K	230V	21W	1470lm	
		CRI95+	2700K/3000K/4000K	230V		1323lm	
②	LED	SSP & SP	CRI90+	2700K/3000K/4000K	230V	13W	687lm
			CRI95+	2700K/3000K/4000K	230V		618lm
	FL	CRI90+	2700K/3000K/4000K	230V	21W	1382lm	
		CRI95+	2700K/3000K/4000K	230V		1244lm	
③	LED	WW	CRI90+	2700K/3000K/4000K	230V	13W	710lm
			CRI95+	2700K/3000K/4000K	230V		639lm

# kreon 3~ 230V track

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	9527 2700K, CRI95+	9530 3000K, CRI95+	9540 4000K, CRI95+	SP Spot (22°)	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable ON/OFF	DD DALI dimming
	<b>holon 80 directional on-track, low louvre</b> Gear: incl.	○	<a href="#">KR962041</a>	①	625,00	–	–	–	28,00	28,00	28,00	–	–	–	–	41,00
		●	<a href="#">KR962042</a>	①	625,00	–	–	–	28,00	28,00	28,00	–	–	–	–	41,00
	<b>holon 80 directional on-track, deep recessed louvre</b> Gear: incl.	○	<a href="#">KR962941</a>	①	625,00	–	–	–	28,00	28,00	28,00	–	–	–	–	41,00
		●	<a href="#">KR962942</a>	①	625,00	–	–	–	28,00	28,00	28,00	–	–	–	–	41,00
		◐	<a href="#">KR962945</a>	①	625,00	–	–	–	28,00	28,00	28,00	–	–	–	–	41,00

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI90+	2700K/3000K/4000K	230V	19,9W	
			CRI95+	2700K/3000K/4000K	230V	19,9W	
	LED	FL 6 WFL	CRI90+	2700K/3000K/4000K	230V	28,9W	1610lm
			CRI95+	2700K/3000K/4000K	230V	28,9W	1610lm
②	LED	SP	CRI90+	2700K/3000K/4000K	230V	19,9W	
			CRI95+	2700K/3000K/4000K	230V	19,9W	
	LED	FL 6 WFL	CRI90+	2700K/3000K/4000K	230V	28,9W	2415lm
			CRI95+	2700K/3000K/4000K	230V	28,9W	1937lm

# kreon audio recessed

	Colour	KR-code	Base price (EUR excl. VAT)	RD1 Round, white	RD2 Round, black	SQ1 Square, white	SQ2 Square, black	Required accessories
		<u>KR907091</u>	289,00					■
		<u>KR907092</u>	289,00					■
		<u>KR907891</u>	393,00					■
		<u>KR907892</u>	393,00					■
		<u>KR937091</u>	333,00	-	-	-	-	
		<u>KR937092</u>	333,00	-	-	-	-	
		<u>KR937991</u>	478,00	-	-	-	-	
		<u>KR937992</u>	478,00	-	-	-	-	

# kreon audio recessed accessories

	KR-code	Base price (EUR excl. VAT)	
<b>■ Required accessories</b>			
Plasterkit (round)	<u>KR717104</u>	25,00	Plasterkit aplis in-line 80, front mounting, no shadowgap
	<u>KR717000</u>	36,00	Plasterkit aplis in-line 80, back mounting, no shadowgap
	<u>KR707204</u>	32,00	Plasterkit aplis in-line 120, front mounting, no shadowgap
Plasterkit (square)	<u>KR717114</u>	25,00	Plasterkit down in-line 80, front mounting, no shadowgap
	<u>KR707214</u>	29,00	Plasterkit down in-line 120, front mounting, no shadowgap
Installation kit (round)	<u>KR717100</u>	37,00	Installation kit, back mounting
Louvre (round)	<u>KR717106</u>	21,00	Louvre aplis in-line 80, white
	<u>KR717122</u>	21,00	Louvre aplis in-line 80, black
	<u>KR717124</u>	46,00	Louvre aplis in-line 80, brushed bronze
	<u>KR717127</u>	46,00	Louvre aplis in-line 80, brushed silver
	<u>KR717128</u>	46,00	Louvre aplis in-line 80, brushed gold
	<u>KR717129</u>	46,00	Louvre aplis in-line 80, gun black
	<u>KR707206</u>	23,00	Louvre aplis in-line 120, white
	<u>KR707222</u>	23,00	Louvre aplis in-line 120, black
Louvre (square)	<u>KR717116</u>	21,00	Louvre down in-line 80, white
	<u>KR717112</u>	21,00	Louvre down in-line 80, black
	<u>KR707216</u>	23,00	Louvre down in-line 120, white
	<u>KR707212</u>	23,00	Louvre down in-line 120, black

# kreon audio in cadre

		Colour	KR-code	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	VD 1-10V dimming	DD DALI dimming	Required accessories
	<b>cadre 1200 linear</b>		<a href="#"><u>KR963460</u></a>	1687,00	-	-	-	11,00	
			<a href="#"><u>KR963462</u></a>	1687,00	-	-	-	11,00	
	<b>cadre 1500 linear</b>		<a href="#"><u>KR963470</u></a>	1859,00	-	-	-	11,00	
			<a href="#"><u>KR963472</u></a>	1859,00	-	-	-	11,00	

# kreon audio in cadre accessories

		Colour	KR-code	Base price (EUR excl. VAT)
<b>■ Required accessories</b>				
Leather telescopic suspension, black anodised (for KR9634x2)				
Pendant height 900-1200 mm	End part	○	<u>KR763761</u>	845,00
		●	<u>KR763762</u>	845,00
Coupler		○	<u>KR763361</u>	422,00
		●	<u>KR763362</u>	422,00
Pendant height 1200-1650 mm	End part	○	<u>KR763861</u>	878,00
		●	<u>KR763862</u>	878,00
Coupler		○	<u>KR763461</u>	439,00
		●	<u>KR763462</u>	439,00
Leather telescopic suspension, chrome (for KR9634x0)				
Pendant height 900-1200 mm	End part	○	<u>KR763751</u>	914,00
		●	<u>KR763752</u>	914,00
Coupler		○	<u>KR763351</u>	457,00
		●	<u>KR763352</u>	457,00
Pendant height 1200-1650 mm	End part	○	<u>KR763851</u>	973,00
		●	<u>KR763852</u>	973,00
Coupler		○	<u>KR763451</u>	487,00
		●	<u>KR763452</u>	487,00

# kreon audio in-cana

	Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>holon 80 in-cana single</b>	○	<a href="#">KR934211</a>	573,00	■	■
	●	<a href="#">KR934212</a>	573,00	■	■
 <b>prologe 80 in-cana single</b>	○	<a href="#">KR934261</a>	573,00	■	■
	●	<a href="#">KR934262</a>	573,00	■	■

## ■ Required accessories

See kreon cana 80 on page 98 for more information on the serie.

## ■ Optional accessories

See kreon cana 80 on page 98 for more information on the serie.

# kreon audio in nuit

	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 <b>nuit</b>	<u>KR974890</u>	500,00	■	■

## ■ Required accessories

See kreon nuit range on page 318 for more information on the serie.

## ■ Optional accessories

See kreon nuit range on page 318 for more information on the serie.

	Colour	KR-code	Base price (EUR excl. VAT)	Optional accessories
<b>mini kreamp amplifier</b> DIN-rail 4-positions		<u>KR957020</u>	575,00	■
<b>kreamp amplifier</b> DIN-rail 6-positions		<u>KR957025</u>	806,00	■
<b>connect BT ↗ + jack</b> LxH 80x80, 68mm standard socket box	○	<u>KR957321</u>	408,00	
	●	<u>KR957322</u>	408,00	
<b>subwoofer</b> LxH 560x190x113		<u>KR957620</u>	960,00	
<b>■ Optional accessories</b>				
Voltage		<u>KR757020</u>	84,00	DIN-rail 24V-60W for minikreamp
		<u>KR757025</u>	172,00	DIN-rail 48V-100W for minikreamp
Cable RJ45		<u>KR710102</u>	2,00	Cable RJ45, 0.3m
		<u>KR710000</u>	3,00	Cable RJ45, 0.5m
		<u>KR710001</u>	4,00	Cable RJ45, 1m
		<u>KR710003</u>	7,00	Cable RJ45, 3m
		<u>KR710005</u>	11,00	Cable RJ45, 5m
		<u>KR710010</u>	18,00	Cable RJ45, 10m
		<u>KR710015</u>	26,00	Cable RJ45, 15m
		<u>KR710020</u>	35,00	Cable RJ45, 20m
Splitter		<u>KR710300</u>	110,00	Splitterbox



# kreon emergency lighting

				Base price (EUR excl. VAT)	7050 5000K, CRI70	Required accessories
		Colour	KR-code			
	<b>emergency anti-panic lighting</b>	<input type="radio"/>	<u>KR950011</u> ①	563,00	–	■
		<input checked="" type="radio"/>	<u>KR950012</u> ①	563,00	–	■
	<b>emergency escape route lighting</b>	<input type="radio"/>	<u>KR950111</u> ②	563,00	–	■
		<input checked="" type="radio"/>	<u>KR950112</u> ②	563,00	–	■

		CRI	CCT	Wattage	Fixture lumen
①	LED	CRI70	5000K	0,9W	220lm
②	LED	CRI70	5000K	0,9W	210lm

# kreon emergency lighting accessories

KR-code

Base price (EUR excl. VAT)

## ■ Required accessories

	KR-code	Base price (EUR excl. VAT)	Description
Plasterkit	<u>KR717104</u>	25,00	Plasterkit kit without trim, front mounting, no shadowgap ☉ Ø 102
	<u>KR717108</u>	25,00	Plasterkit kit without trim, front mounting, with shadowgap ☉ Ø 102
	<u>KR717000</u>	36,00	Plasterkit kit without trim, back mounting, with shadowgap ☉ Ø 102
Installation kit	<u>KR717100</u>	31,00	Installation kit, no shadowgap

# kreon power supply hide-away

	Colour	KR-code	Base price (EUR excl. VAT)	Required accessories
 <b>power supply hide-away</b>	○	<u>KR754801</u>	35,00	■

# kreon power supply hide-away accessories

KR-code

Base price (EUR excl. VAT)

## ■ Required accessories

Plasterkit	<u>KR717104</u>	25,00	Plasterkit kit without trim, front mounting, no shadowgap ⦿ Ø 102
Installation kit	<u>KR717100</u>	31,00	Installation kit, no shadowgap

# kreon ventilation

	Colour	KR-code	Base price (EUR excl. VAT)	Required accessories
 <b>air vent size 80</b>	○	<u>KR931251</u>	78,00	■
	●	<u>KR931252</u>	78,00	■

# kreon ventilation accessories

KR-code

Base price (EUR excl. VAT)

## ■ Required accessories

Plasterkit	<u>KR717104</u>	25,00	Plasterkit, front mounting, no shadowgap ● Ø102
Louvre	<u>KR717106</u>	21,00	Louvre aplis in-line 80, white
	<u>KR717122</u>	21,00	Louvre aplis in-line 80, black

## ■ Optional accessories

Concrete plasterkit	<u>KR737702</u>	36,00	Plasterkit for concrete installation
---------------------	-----------------	-------	--------------------------------------

## **kreon HQ**

Industrieweg-Noord 1152  
3660 Oudsbergen  
Belgium  
T +32 89 81 97 80  
belgium@kreon.com  
www.kreon.com

## **kreon Austria**

austria@kreon.com

## **kreon China / The Belgian House**

Changle Road Lane 672, No. 33,  
Building No. 5,  
Jingan, Shanghai  
China  
T +86 183 1711 3541  
china@kreon.com

## **kreon France**

5, rue d'Aboukir  
75002 Paris  
France  
T +33 1 44 50 53 54  
france@kreon.com

## **kreon Germany**

Brühler Straße 11-13  
50968 Cologne  
Germany  
T +49 221 937 22 0  
germany@kreon.com

## **kreon Italy**

Via V. Forcella 5  
20144 Milano  
Italy  
T +39 02 89 42 08 46  
italy@kreon.com

## **kreon Middle East & India**

Dubai Airport Free Zone Area (DAFZA)  
West Wing 6  
Office 6 WA 634  
P.O. Box 293889  
Dubai  
United Arab Emirates  
T +971 56 705 2522  
middle.east@kreon.com

## **kreon Inc.**

### **North America & Canada**

20 Murray Hill Parkway  
Suite #180  
East Rutherford NJ 07073  
United States of America  
+1 (201) 298-44 48  
usa@kreon.com

## **kreon Poland**

T +48 504 788 355  
poland@kreon.com

## **kreon Scandinavia**

T +31 (0)6 52 39 16 80  
scandinavia@kreon.com

## **kreon South East Asia**

singapore@kreon.com

## **kreon Spain & Portugal**

Ángel Guimera 7-9 local C  
Barcelona 08017  
Spain  
T +34 600 462 551  
spain@kreon.com

## **kreon Switzerland**

Neufeldweg 6  
5103 Möriken  
Switzerland  
T +41 61 316 74 01  
switzerland@kreon.com

## **kreon The Netherlands**

Danzigerbocht 39  
1013 AM Amsterdam  
The Netherlands  
T +31 (0)6 52 391 680  
the.netherlands@kreon.com

## **kreon Turkey**

Sehit Murat Demirli Cad.  
Resadiye Yolu 76  
Alemdag-Ümraniye 34794  
Istanbul  
Turkey  
T +90 216 430 86 00  
proje@kreon.com.tr

## **kreon UK**

67 Maltings Place  
169 Tower Bridge Road  
London  
SE1 3LJ  
United Kingdom  
T +44 (0)20 7740 2112  
uk@kreon.com