




LEUCCOS

You spot it from afar



SOLECO

| | | |
|-------|---|---|
| 04-07 | About LEUCOS | More than sixty years of lighting history Più di sessant'anni di storia dell'illuminazione |
| 08-27 | AELLA | |
| 10 | | Pendant L - Sospensione L |
| 11 | | AELLA S 54 L |
| 12 | | AELLA S 45 L |
| 13 | | AELLA S 30 L |
| 14 | | Pendant - Sospensione |
| 15 | | AELLA S 54 |
| 16 | | AELLA S 45 |
| 17 | | AELLA S 30 |
| 18-19 | | Color finishes - Colori finiture |
| 22 | | Table - Tavolo |
| 23 | | AELLA T 54 |
| 24 | | AELLA T 45 |
| 25 | | AELLA T 30 |
| 26-27 | | Color finishes - Colori finiture |
| 28-51 | STACKING | |
| 30 | | Pendant Horizontal - Sospensione Orizzontale |
| 33 | | STACKING S 180 H |
| 34 | | STACKING S 120 H |
| 36 | | STACKING S 180 H Naked |
| 37 | | STACKING S 120 H Naked |
| 38 | | Pendant Vertical - Sospensione Verticale |
| 41 | | STACKING S 90 V |
| 42 | | STACKING S 60 V |
| 43 | | STACKING S 30 V |
| 44 | | STACKING S 90 V Naked |
| 45 | | STACKING S 60 V Naked |
| 46 | | STACKING S 30 V Naked |
| 48 | | Floor - Terra |
| 49 | | STACKING B TR |
| 50 | | STACKING C TR |
| 51 | | STACKING D TR |
| 52-61 | AURELIA | |
| 54 | | Pendant 45 - Sospensione 45 |
| 55 | | AURELIA S 45 Single Switch |
| 56-57 | | Color Finishes - Colori finiture |
| 58 | | Pendant Bold 22 - Sospensione Bold 22 |
| 59 | | AURELIA BOLD S 22 Single Switch |
| 60-61 | | Color Finishes - Colori finiture |
| 62-71 | LIGHTBODY | |
| 64 | | Pendant - Sospensione |
| 67 | | LIGHTBODY S |
| 68 | | Table - Tavolo |
| 69 | | LIGHTBODY T |
| 70-71 | | Color Finishes - Colori finiture |
| 72-79 | ETHER | |
| 72 | | Pendant - Sospensione |
| 75 | | ETHER S 150 |
| 76 | | ETHER S 90 |
| 77 | | ETHER S |
| 78 | | Customize your Ether - Personalizza la tua Ether |
| 80 | General Information - Informazioni Generali | |
| 82 | Contact Info - Contatti | |





More than sixty years of lighting history and many more in the making

Più di sessant'anni di storia dell'illuminazione e molti altri in divenire

EN

LEUCOS was born in 1962 near Venice, where craftsmanship is synonymous with art. Since the beginning, we have been known for creating lamps of unmistakable quality and unparalleled beauty.

At LEUCOS, we strive to provide exceptional products and state-of-the-art production methods. This results in efficient, dependable, and prompt products and project development.

Our formula is a combination of design, materials, manufacturing techniques, technologies, and exceptional human resources. The handblown glass represents the local tradition, but behind every new project there is a global ambition.

With a deep passion for timeless beauty, we are continuously driven to innovate and elevate our modern classics.

You Spot it from Afar.

THE LEUCOS SPOT



EN

A historical mark used since LEUCOS was born. It represents the unmistakable quality and unparalleled beauty of our products.

IT

Un marchio storico utilizzato fin dalla nascita di LEUCOS. Rappresenta l'inconfondibile qualità e la bellezza ineguagliabile dei nostri prodotti.



IT

LEUCOS nasce nel 1962 vicino a Venezia, dove artigianato è sinonimo di arte. Fin dall'inizio, siamo conosciuti per la creazione di lampade di inconfondibile qualità e bellezza senza pari.

In LEUCOS ci impegniamo a fornire prodotti eccezionali con metodi di produzione all'avanguardia. Ciò si traduce in uno sviluppo di prodotti e progetti efficiente, affidabile e tempestivo. Il vetro soffiato a mano rappresenta la tradizione locale, ma dietro ogni nuovo progetto c'è un'ambizione globale.

La nostra formula è una combinazione di design, materiali, tecniche di produzione, tecnologie e risorse umane eccezionali.

Con una profonda passione per la bellezza senza tempo, siamo continuamente spinti a innovare ed elevare i nostri classici moderni.

You Spot it from afar.

«My childhood memories led me to discover the timeless beauty of LEUCOS. Falling in love with the brand's history and classic icons sparked a passion in me to modernize its portfolio and bring new life to its timeless classics.»

– Abramo Manfrotto

IT

"Figlio di un imprenditore visionario e innovatore, fondatore del marchio Manfrotto, leader nella produzione di supporti per fotocamere e illuminazioni professionali, sono stato attratto dall'arte della luce nella fotografia.

Ho sempre saputo che un giorno sarei entrato nel mondo dell'illuminazione, perché fin da piccolo sono stato immerso nella luce: una luce equilibrata, sublime, da fotografia professionale di alto livello. La sua capacità di evocare emozioni e dare forma a stati d'animo mi ha sempre affascinato.

Utilizzando la conoscenza del passato e ciò che sappiamo oggi su innovazione, modelli di business, distribuzione, sostenibilità e soluzioni su misura, sono certo che LEUCOS sia il partner giusto per portare alla luce la visione dei nostri clienti."

EN

"Growing up as the son of the visionary entrepreneur and innovator behind the world-renowned Manfrotto, a manufacturer of professional camera and lighting equipment, I was drawn to the art of light in photography.

I always knew one day I would get into lighting, because from an early age I have been immersed in light: a balanced, sublime, high-end professional photographic light – its ability to evoke emotions and shape moods fascinated me.

Using the knowledge from the past and what we know today about innovation, business models, distribution, sustainability and bespoke solutions, I am confident that LEUCOS is the right partner to bring our clients' vision to light."

«I miei ricordi d'infanzia mi hanno portato a scoprire la bellezza senza tempo di LEUCOS. L'amore per la storia del marchio e per le sue icone classiche ha acceso in me la passione per ammodernare la sua gamma di prodotti e dare nuova vita ai suoi classici senza tempo.»

– Abramo Manfrotto



AELLA S 45 L
Diffuser: Shaded Burgundy
Structure: Matte Black



AELLA S 54 L
Diffuser: Transparent with White Spot
Structure: Matte White



AELLA S 30 L
Diffuser: Smoke Grey
Structure: Matte Bronze

EN

Conceived in 1968 by the creative minds of the designer couple Renato Toso and Noti Massari, the Aella Collection represents the essence of Leucos' timeless design.

Aella is the "tornado" embodied by the soft curves of handblown glass diffuser swirling out to catch a harmonic and evanescent cyclone of light. The light emits as a flame of light that evenly spreads throughout the room.

The LED light sources are user-friendly and easily replaceable, ensuring longevity and easy maintenance thanks to a smart disassembly system.

With three sizes available for table and suspension versions, and several combinations of colors for its structure and diffuser, Aella caters to various needs and allow you to tailor the ambiance to your preference.

IT

Nata dalle menti creative della coppia di designer Renato Toso e Noti Massari nel 1968, la Collezione Aella rappresenta l'essenza dell'intramontabile design di Leucos.

Aella è il "tornado" materializzato dalle morbide curve del diffusore in vetro soffiato a bocca e lavorato a mano che si snodano per catturare un armonico ed evanescente ciclone di luce. La luce esce come una fiamma luminosa che si diffonde uniformemente in tutta la stanza.

Le sorgenti luminose a LED sono facili da utilizzare e sostituire, garantendo durata e facilità di manutenzione grazie ad un sistema di smontaggio semplificato.

Con tre dimensioni disponibili per le versioni da tavolo e sospensione, e con molteplici combinazioni di colori struttura/diffusore, Aella incontra diverse esigenze di arredo e consente di personalizzare l'ambiente a piacimento.

PENDANT L

AELLA



AELLA S 45 L
Diffuser: Shaded White
Structure: Matte Black




AELLA S 30 L
Diffuser: Transparent with White Spot
Structure: Matte White



AELLA S 54 L - INDOOR

Toso & Massari, 2016

Upgraded



Discover more

REPLACEABLE LED

TECHNICAL SHEET

| | |
|-------------------------|---|
| MATERIALS | Diffuser: Blown Glass Structure: Metal |
| DIMENSIONS | Diffuser: Ø54 cm H23,2 cm [Ø21 1/4" H9 1/4"] Canopy: Ø18 cm H4,9cm [Ø7" H2"] Cable length: 300 cm [118 1/8"] |
| CANOPY | Matte white |
| LIGHT SOURCE | LED 1 X 26,6W 4060lm (nominal) 3000K CRI≥90 LED 1 X 26,6W 3808lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali |
| MARKING | DRY LOCATION |
| WEIGHT | Net weight: 13,9kg |

PENDANT - SOSPENSIONE



[5]

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|--|-------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Transparent with White Spot + Matte White | LED 3000K LED 2700K | 0012649 0012650 |
| [2] Transparent with White Spot + Matte Black | LED 3000K LED 2700K | 0012651 0012652 |
| [3] Transparent with White Spot + Matte Bronze | LED 3000K LED 2700K | 0012653 0012654 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012655 0012656 |
| [5] Shaded Burgundy + Matte Black | LED 3000K LED 2700K | 0012657 0012658 |
| [6] Shaded Burgundy + Matte Bronze | LED 3000K LED 2700K | 0012659 0012660 |
| [7] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012931 0012932 |
| [8] Smoke Grey + Matte Black | LED 3000K LED 2700K | 0012933 0012934 |
| [9] Smoke Grey + Matte Bronze | LED 3000K LED 2700K | 0012935 0012936 |

ON REQUEST

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|---|-------------------------|--|
| FINISH | Source | STRUCTURE |
| [10] [11] [12] Transparent "Pulegoso" with metal powder inclusion | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [13] [14] [15] Shaded White | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [16] [17] [18] White Shaded Pink | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [19] [20] [21] Alabaster with Brush Strikes | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |

ON REQUEST


Class 3 version installation with remote driver (supplied without canopy & driver)

| DIMMING PROTOCOL | Driver and canopy not included |
|------------------|--------------------------------|
|------------------|--------------------------------|

AELLA S 45 L - INDOOR

Toso & Massari, 2023

New



Discover more

REPLACEABLE LED



[13]

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|--|-------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Transparent with White Spot + Matte White | LED 3000K LED 2700K | 0012625 0012626 |
| [2] Transparent with White Spot + Matte Black | LED 3000K LED 2700K | 0012627 0012628 |
| [3] Transparent with White Spot + Matte Bronze | LED 3000K LED 2700K | 0012629 0012630 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012925 0012926 |
| [5] Shaded Burgundy + Matte Black | LED 3000K LED 2700K | 0012927 0012928 |
| [6] Shaded Burgundy + Matte Bronze | LED 3000K LED 2700K | 0012929 0012930 |
| [7] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012919 0012920 |
| [8] Smoke Grey + Matte Black | LED 3000K LED 2700K | 0012921 0012922 |
| [9] Smoke Grey + Matte Bronze | LED 3000K LED 2700K | 0012923 0012924 |

ON REQUEST

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|---|-------------------------|--|
| FINISH | Source | STRUCTURE |
| [10] [11] [12] Transparent "Pulegoso" with metal powder inclusion | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [13] [14] [15] Shaded White | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [16] [17] [18] White Shaded Pink | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [19] [20] [21] Alabaster with Brush Strikes | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)


| DIMMING PROTOCOL | Driver and canopy not included |
|------------------|--------------------------------|
|------------------|--------------------------------|

PENDANT - SOSPENSIONE

AELLA S 30 L - INDOOR



Toso & Massari, 2016

Upgraded



Discover more

REPLACEABLE LED

| TECHNICAL SHEET | |
|------------------|--|
| MATERIALS | Diffuser: Blown Glass Structure: Metal |
| DIMENSIONS | Diffuser: Ø30 cm H12,9 cm [Ø11 3/4" H5 1/8"] Canopy: Ø14,5 cm H4,6cm [Ø5 3/4" H1 3/4"] Cable lenght: 300 cm [118 1/8"] |
| CANOPY | Matte white |
| LIGHT SOURCE | LED 1 X 11,9W 1635lm (nominal) 3000K CRI≥90 LED 1 X 11,9W 1535lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali |
| MARKING | DRY LOCATION   |
| WEIGHT | Net weight: 3,8kg |



[1]

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|--|-------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Transparent with White Spot + Matte White | LED 3000K LED 2700K | 0012607 0012608 |
| [2] Transparent with White Spot + Matte Black | LED 3000K LED 2700K | 0012609 0012610 |
| [3] Transparent with White Spot + Matte Bronze | LED 3000K LED 2700K | 0012611 0012612 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012613 0012614 |
| [5] Shaded Burgundy + Matte Black | LED 3000K LED 2700K | 0012615 0012616 |
| [6] Shaded Burgundy + Matte Bronze | LED 3000K LED 2700K | 0012617 0012618 |
| [7] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012913 0012914 |
| [8] Smoke Grey + Matte Black | LED 3000K LED 2700K | 0012915 0012916 |
| [9] Smoke Grey + Matte Bronze | LED 3000K LED 2700K | 0012917 0012918 |

ON REQUEST

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|---|-------------------------|--|
| FINISH | Source | STRUCTURE |
| [10] [11] [12] Transparent "Pulegoso" with metal powder inclusion | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [13] [14] [15] Shaded White | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [16] [17] [18] White Shaded Pink | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [19] [20] [21] Alabaster with Brush Strikes | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)

| DIMMING PROTOCOL | Driver and canopy not included |
|------------------|--------------------------------|
|------------------|--------------------------------|

PENDANT - SOSPENSIONE

PENDANT AELLA




AELLA S 45
Diffuser: Shaded Burgundy
Structure: Matte Black

AELLA S 54 - INDOOR

Toso & Massari, 2016

Upgraded



Discover more

REPLACEABLE LED

TECHNICAL SHEET

| | |
|-------------------------|--|
| MATERIALS | Diffuser: Blown Glass Structure: Metal |
| DIMENSIONS | Diffuser: Ø54 cm H23,2 cm [Ø21 1/4" H9 1/8"] Canopy: Ø18 cm H4,9cm [Ø7 3/32" H1 15/16"] Cable lenght: 300 cm [118 1/8"] |
| CANOPY | Matte white |
| LIGHT SOURCE | LED 1 X 26,6W 4060lm (nominal) 3000K CRI≥90 LED 1 X 26,6W 3808lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali |
| MARKING | DRY LOCATION |
| WEIGHT | Net weight: 13kg |

PENDANT - SOSPENSIONE



[5]

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|--|-------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Transparent with White Spot + Matte White | LED 3000K LED 2700K | 0012740 0012741 |
| [2] Transparent with White Spot + Matte Black | LED 3000K LED 2700K | 0012742 0012743 |
| [3] Transparent with White Spot + Matte Bronze | LED 3000K LED 2700K | 0012744 0012745 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012746 0012747 |
| [5] Shaded Burgundy + Matte Black | LED 3000K LED 2700K | 0012748 0012749 |
| [6] Shaded Burgundy + Matte Bronze | LED 3000K LED 2700K | 0012750 0012751 |
| [7] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012885 0012886 |
| [8] Smoke Grey + Matte Black | LED 3000K LED 2700K | 0012887 0012888 |
| [9] Smoke Grey + Matte Bronze | LED 3000K LED 2700K | 0012889 0012890 |

ON REQUEST

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|---|-------------------------|--|
| FINISH | Source | STRUCTURE |
| [10] [11] [12] Transparent "Pulegoso" with metal powder inclusion | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [13] [14] [15] Shaded White | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [16] [17] [18] White Shaded Pink | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [19] [20] [21] Alabaster with Brush Strikes | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |

ON REQUEST


**Class 3 version installation with remote driver
(supplied without canopy & driver)**

| DIMMING PROTOCOL | Driver and canopy not included |
|------------------|--------------------------------|
|------------------|--------------------------------|

AELLA S 45 - INDOOR

Toso & Massari, 2023

New



Discover more

REPLACEABLE LED



| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|--|-------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Transparent with White Spot + Matte White | LED 3000K LED 2700K | 0012716 0012717 |
| [2] Transparent with White Spot + Matte Black | LED 3000K LED 2700K | 0012718 0012719 |
| [3] Transparent with White Spot + Matte Bronze | LED 3000K LED 2700K | 0012720 0012721 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0013233 0013234 |
| [5] Shaded Burgundy + Matte Black | LED 3000K LED 2700K | 0013235 0013236 |
| [6] Shaded Burgundy + Matte Bronze | LED 3000K LED 2700K | 0013237 0013238 |
| [7] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012879 0012880 |
| [8] Smoke Grey + Matte Black | LED 3000K LED 2700K | 0012881 0012882 |
| [9] Smoke Grey + Matte Bronze | LED 3000K LED 2700K | 0012883 0012884 |

ON REQUEST

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|---|-------------------------|--|
| FINISH | Source | STRUCTURE |
| [10] [11] [12] Transparent "Pulegoso" with metal powder inclusion | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [13] [14] [15] Shaded White | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [16] [17] [18] White Shaded Pink | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [19] [20] [21] Alabaster with Brush Strikes | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |

ON REQUEST

Class 3 version installation with remote driver (supplied without canopy & driver)


| DIMMING PROTOCOL | Driver and canopy not included |
|------------------|--------------------------------|
|------------------|--------------------------------|

PENDANT - SOSPENSIONE

AELLA S 30 - INDOOR

Toso & Massari, 2016

Upgraded



Discover more

REPLACEABLE LED

| TECHNICAL SHEET | |
|------------------|---|
| MATERIALS | Diffuser: Blown Glass Structure: Metal |
| DIMENSIONS | Diffuser: Ø30 cm H12,9 cm [Ø11 3/4" H5 1/8"] Canopy: Ø14,5 cm H4,6 cm [Ø5 3/4" H1 3/4"] Cable length: 300 cm [118 1/8"] |
| CANOPY | Matte white |
| LIGHT SOURCE | LED 1 X 11,9W 1635lm (nominal) 3000K CRI≥90 LED 1 X 11,9W 1535lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali |
| MARKING | DRY LOCATION |
| WEIGHT | Net Weight: 3,7kg |



| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|--|-------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Transparent with White Spot + Matte White | LED 3000K LED 2700K | 0012662 0012663 |
| [2] Transparent with White Spot + Matte Black | LED 3000K LED 2700K | 0012664 0012665 |
| [3] Transparent with White Spot + Matte Bronze | LED 3000K LED 2700K | 0012666 0012667 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012704 0012705 |
| [5] Shaded Burgundy + Matte Black | LED 3000K LED 2700K | 0012706 0012707 |
| [6] Shaded Burgundy + Matte Bronze | LED 3000K LED 2700K | 0012708 0012709 |
| [7] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012873 0012874 |
| [8] Smoke Grey + Matte Black | LED 3000K LED 2700K | 0012875 0012876 |
| [9] Smoke Grey + Matte Bronze | LED 3000K LED 2700K | 0012877 0012878 |

ON REQUEST

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|---|-------------------------|--|
| FINISH | Source | STRUCTURE |
| [10] [11] [12] Transparent "Pulegoso" with metal powder inclusion | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [13] [14] [15] Shaded White | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [16] [17] [18] White Shaded Pink | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [19] [20] [21] Alabaster with Brush Strikes | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |

ON REQUEST

Class 3 version installation with remote driver (supplied without canopy & driver)

| DIMMING PROTOCOL | Driver and canopy not included |
|------------------|--------------------------------|
|------------------|--------------------------------|

PENDANT - SOSPENSIONE

STANDARD COLOR FINISHES - FINITURE STANDARD

COLOR FINISHES ON REQUEST - FINITURE SU RICHIESTA

STRUCTURE

STRUCTURE

Matte white

Matte Black

Matte Bronze

Matte white

Matte Black

Matte Bronze

DIFFUSER

DIFFUSER

Transparent
with White
Spot

Transparent
"Pulegoso"
with metal
powder
inclusion



Shaded
Burgundy

Shaded White



Smoke Grey

White Shaded
Pink



Alabaster with
Brush Strikes

The still life images represent the metal/glass colors combinations also for Aella S 30-45-54.
Le foto rappresentano le combinazioni colore metallo/vetro anche per Aella S 30-45-54.



Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.

The still life images represent the metal/glass colors combinations also for Aella S 30-45-54.
Le foto rappresentano le combinazioni colore metallo/vetro anche per Aella S 30-45-54.

AELLA T 45
Diffuser: Shaded Burgundy
Structure: Matte Black



AELLA T 54
Diffuser: Transparent with White Spot
Structure: Matte White



AELLA T 30
Diffuser: Smoke Grey
Structure: Matte Bronze



TABLE


AELLA

AELLA T 54 - INDOOR

Toso & Massari, 1968

TABLE - TAVOLO

upgraded



Discover more

REPLACEABLE LED

TECHNICAL SHEET

| | |
|------------------|---|
| MATERIALS | Diffuser: Blown Glass Structure: Metal |
| DIMENSIONS | Diffuser: Ø54 cm H23,2 cm [Ø21 1/4" H9 1/4"] Base: Ø16,8 cm H25,9 cm [Ø6 1/2" H10 1/4"] Cable lenght: 200 cm [78 3/4"] |
| LIGHT SOURCE | LED 1 X 26,6W 4060lm (nominal) 3000K CRI≥90 LED 1 X 26,6W 3808lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Dimmer on cord |
| MARKING | DRY LOCATION |
| WEIGHT | Net weight: 16,45kg |



[2]

| DIMMING PROTOCOL | Dimmer on cord | |
|--|------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Transparent with White Spot + Matte White | LED 3000K LED 2700K | 0012589 0012590 |
| [2] Transparent with White Spot + Matte Black | LED 3000K LED 2700K | 0012591 0012592 |
| [3] Transparent with White Spot + Matte Bronze | LED 3000K LED 2700K | 0012593 0012594 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012595 0012596 |
| [5] Shaded Burgundy + Matte Black | LED 3000K LED 2700K | 0012597 0012598 |
| [6] Shaded Burgundy + Matte Bronze | LED 3000K LED 2700K | 0012599 0012600 |
| [7] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012907 0012908 |
| [8] Smoke Grey + Matte Black | LED 3000K LED 2700K | 0012909 0012910 |
| [9] Smoke Grey + Matte Bronze | LED 3000K LED 2700K | 0012911 0012912 |

ON REQUEST


| DIMMING PROTOCOL | Dimmer on cord | |
|---|------------------------|--|
| FINISH | Source | STRUCTURE |
| [10] [11] [12] Transparent "Pulegoso" with metal powder inclusion | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [13] [14] [15] Shaded White | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [16] [17] [18] White Shaded Pink | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [19] [20] [21] Alabaster with Brush Strikes | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |

AELLA T 54
Diffuser: Transparent with White Spot
Structure: Matte White

AELLA T 30
Diffuser: Smoke Grey
Structure: Matte Bronze

AELLA T 45 - INDOOR

Toso & Massari, 2023



Discover more

REPLACEABLE LED



[5]

| DIMMING PROTOCOL | Dimmer on cord | |
|--|------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Transparent with White Spot + Matte White | LED 3000K LED 2700K | 0012571 0012572 |
| [2] Transparent with White Spot + Matte Black | LED 3000K LED 2700K | 0012573 0012574 |
| [3] Transparent with White Spot + Matte Bronze | LED 3000K LED 2700K | 0012575 0012576 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012903 0012904 |
| [5] Shaded Burgundy + Matte Black | LED 3000K LED 2700K | 0012537 0012538 |
| [6] Shaded Burgundy + Matte Bronze | LED 3000K LED 2700K | 0012905 0012906 |
| [7] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012897 0012898 |
| [8] Smoke Grey + Matte Black | LED 3000K LED 2700K | 0012899 0012900 |
| [9] Smoke Grey + Matte Bronze | LED 3000K LED 2700K | 0012901 0012902 |


ON REQUEST

| DIMMING PROTOCOL | Dimmer on cord | |
|---|------------------------|--|
| FINISH (DIFFUSER + STRUCTURE) | Source | STRUCTURE |
| [10] [11] [12] Transparent "Pulegoso" with metal powder inclusion | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [13] [14] [15] Shaded White | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [16] [17] [18] White Shaded Pink | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [19] [20] [21] Alabaster with Brush Strikes | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |

AELLA T 30 - INDOOR

Toso & Massari, 2017

upgraded



Discover more

REPLACEABLE LED



[1]

| TECHNICAL SHEET | |
|------------------|--|
| MATERIALS | Diffuser: Blown Glass Structure: Metal |
| DIMENSIONS | Diffuser: Ø30 cm H12,9 cm [Ø11 3/4" H5 1/8"] Base: Ø10cm H14,7 cm [Ø4" H5 1/8"] Cable lenght: 200 cm [78 3/4"] |
| LIGHT SOURCE | LED 1 X 11,9W 1635lm (nominal) 3000K CRI≥90 LED 1 X 11,9W 1535lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Dimmer on cord |
| MARKING | DRY LOCATION |
| WEIGHT | Net weight: 3,3kg |

| DIMMING PROTOCOL | Dimmer on cord | |
|--|------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Transparent with White Spot + Matte White | LED 3000K LED 2700K | 0012523 0012524 |
| [2] Transparent with White Spot + Matte Black | LED 3000K LED 2700K | 0012525 0012526 |
| [3] Transparent with White Spot + Matte Bronze | LED 3000K LED 2700K | 0012527 0012528 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012553 0012554 |
| [5] Shaded Burgundy + Matte Black | LED 3000K LED 2700K | 0012555 0012556 |
| [6] Shaded Burgundy + Matte Bronze | LED 3000K LED 2700K | 0012557 0012558 |
| [7] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012517 0012518 |
| [8] Smoke Grey + Matte Black | LED 3000K LED 2700K | 0012519 0012520 |
| [9] Smoke Grey + Matte Bronze | LED 3000K LED 2700K | 0012521 0012522 |

ON REQUEST

| DIMMING PROTOCOL | Dimmer on cord | |
|---|------------------------|--|
| FINISH (DIFFUSER + STRUCTURE) | Source | STRUCTURE |
| [10] [11] [12] Transparent "Pulegoso" with metal powder inclusion | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [13] [14] [15] Shaded White | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [16] [17] [18] White Shaded Pink | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |
| [19] [20] [21] Alabaster with Brush Strikes | LED 3000K LED 2700K | Matte White Matte Black Matte Bronze |

STANDARD COLOR FINISHES - FINITURE STANDARD

COLOR FINISHES ON REQUEST - FINITURE SU RICHIESTA

STRUCTURE

STRUCTURE

Matte white

Matte Black

Matte Bronze

Matte white

Matte Black

Matte Bronze

DIFFUSER

Transparent
with White
Spot

DIFFUSER

Transparent
"Pulegoso"
with metal
powder
inclusion



[1]



[2]



[3]



[10]



[11]



[12]

Shaded
Burgundy


Shaded White



[4]



[5]



[6]



[13]



[14]



[15]

Smoke Grey

White Shaded
Pink



[7]




[8]



[9]



[16]



[17]



[18]

Alabaster with
Brush Strikes



[19]



[20]



[21]

Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.

STACKING

EN

Designed by Rockwell Group, the Stacking Collection merge cutting-edge technology and traditional glassmaking techniques. It includes three sets of floor lamps and a series of horizontal and vertical pendant lights.

The floor version was conceived in 2007 and pays homage to the rich Venetian glassmaking tradition employing the "incamiciato" technique (Italian for "jacketed" or "layered"), which requires skilled glassblowers layer multiple glasses during the blowing process. This labor-intensive technique builds up different colors and opacities in each module. When these cylinder modules are combined and overlaps, a captivating mixture of colors cast a sophisticated ambient light.

Sixteen years later, the suspended lamps are added to the collection.

Stacking S is composed of a cylindrical diffuser powered by 5 high-quality LED strips. The decorative elements are made out of blown borosilicate glass. Machined aluminum end-caps keep everything together and act as suspension anchoring points. The "Naked" version without decorative glass is also available.

With three different sizes for vertical versions and two for horizontal version, the suspended range can work in clusters and create beautiful and fascinating shapes of lights.



IT

Progettata da Rockwell Group, la Collezione Stacking unisce tecnologia all'avanguardia e tecniche tradizionali di lavorazione del vetro. Comprende tre serie di lampade da terra e una serie di lampade a sospensione orizzontali e verticali.

La versione da terra è stata disegnata nel 2007 e rende omaggio alla ricca tradizione vetraria veneziana che utilizza la tecnica chiamata "incamiciato": abili maestri vetrai sovrappongono vetri con proprietà distinte, creando un affascinante mosaico di colori e opacità dando vita a inaspettate sinergie di luce. Questa tecnica ad alta intensità di lavoro crea diversi colori e opacità in ciascun modulo di vetro. Quando questi moduli cilindrici si accostano e si sovrappongono, un accattivante mix di colori proietta una sofisticata luce su tutto l'ambiente circostante.

Nel 2023, alla collezione "terra" si aggiungono le lampade a sospensione. Stacking S è composta da un corpo cilindrico con diffusore centrale alimentato da 5 strip LED di alta qualità. Gli elementi decorativi sono una composizione di vetri dalle diverse lunghezze in borosilicato soffiato. Elementi in alluminio tornito dal pieno posti alle due estremità della lampada servono come chiusura e punti di fissaggio per la sospensione. È disponibile anche la versione "Naked" (senza vetro decorativo).

Con tre diverse misure per la versione verticale e due per l'orizzontale, la gamma a sospensione può funzionare in composizioni multiple e creare forme di luce belle e affascinanti.



PENDANT HORIZONTAL

STACKING



STACKING S 180 H
Diffuser: Transparent
Structure: Anodized Aluminum



STACKING S 120 H
Diffuser: Transparent
Structure: Anodized Aluminum


PENDANT HORIZONTAL

STACKING

STACKING S 180 H - INDOOR

David Rockwell, 2023


PENDANT - SOSPENSIONE




Discover more

REPLACEABLE LED

TECHNICAL SHEET

| | | |
|------------------|--|--|
| MATERIALS | Difuser: Blown Borosilicate Glass Structure: Aluminum | |
| DIMENSIONS | Difuser: Ø10cm L180cm [Ø4" 70 7/8"] Canopy: 40cm x 7cm x H4cm [15 3/4" x 2 3/4" x H1 5/8"] Cable lenght: 300cm [118 1/8"] | |
| CANOPY | Matte white | |
| LIGHT SOURCE | 5 X LED STRIP 24V 43,75W (total) 5031 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 43,75W (total) 4812 lm (nominal) 2700K CRI≥90 | |
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| MARKING | DRY LOCATION  IP20 | |
| WEIGHT | Net weight: 10kg | |



Standard version (supplied with canopy & driver)

| | | |
|----------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminium | LED 3000K | 0012296 |
| | LED 2700K | 0012380 |

Class 3 version installation with remote driver (supplied without canopy & driver)


| | | |
|----------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminium | LED 3000K | 0013255 |
| | LED 2700K | 0013256 |

STACKING S 180 H
Difuser: Transparent
Structure: Anodized Aluminum

STACKING S 120 H - INDOOR


David Rockwell, 2023

PENDANT - SOSPENSIONE



Discover more

REPLACEABLE LED



TECHNICAL SHEET

| | |
|------------------|---|
| MATERIALS | Diffuser: Blown Borosilicate Glass Structure: Aluminum |
| DIMENSIONS | Diffuser: Ø10cm L120cm [Ø4" 47 1/4"] Canopy: 40cm x 7cm x H4cm [15 3/4" x 2 3/4" x H1 5/8"] Cable lenght: 300cm [118 1/8"] |
| CANOPIE | Matte white |
| LIGHT SOURCE | 5 X LED STRIP 24V 28,75W (total) 3306 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 28,75W (total) 3162 lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI |
| MARKING | DRY LOCATION |
| WEIGHT | Net weight: 5,6 kg |

Standard version (supplied with canopy & driver)

| | | |
|---------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminum | LED 3000K | 0012360 |
| | LED 2700K | 0012383 |

Class 3 version installation with remote driver (supplied without canopy & driver)


| | | |
|---------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminum | LED 3000K | 0013253 |
| | LED 2700K | 0013254 |



STACKING S 180 H
Diffuser: Transparent
Structure: Anodized Aluminum


STACKING S 180 H NAKED - INDOOR

David Rockwell, 2023



Discover more

REPLACEABLE LED



Standard version (supplied with canopy & driver)

| | | |
|-------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0012431 |
| | LED 2700K | 0012432 |


Class 3 version installation with remote driver (supplied without canopy & driver)

| | | |
|-------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0013265 |
| | LED 2700K | 0013266 |

PENDANT - SOSPENSIONE


STACKING S 120 H NAKED - INDOOR

David Rockwell, 2023



Discover more

REPLACEABLE LED



TECHNICAL SHEET

| | |
|--------------|---|
| MATERIALS | Difuser: Polymethacrylate Structure: Aluminum |
| DIMENSIONS | Difuser: Ø7,5cm L120cm [Ø2 7/8" L47 1/4"] Canopy: 40cm x 7cm x H4cm [15 3/4" x 2 3/4" x H1 5/8"] Cable lenght: 300cm [118 1/8"] |
| CANOPY | Matte white |
| LIGHT SOURCE | 5 X LED STRIP 24V 28,75W (total) 3306 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 28,75W (total) 3162 lm (nominal) 2700K CRI≥90 |

CANOPY Matte white

LIGHT SOURCE 5 X LED STRIP 24V 28,75W (total) 3306 lm (nominal) 3000K CRI≥90
5 X LED STRIP 24V 28,75W (total) 3162 lm (nominal) 2700K CRI≥90

DIMMING PROTOCOL Push-dim; 0/1-10V, DALI

MARKING DRY LOCATION  

WEIGHT Net weight: 3,4kg

Standard version (supplied with canopy & driver)

| | | |
|-------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0012433 |
| | LED 2700K | 0012434 |

Class 3 version installation with remote driver (supplied without canopy & driver)

| | | |
|-------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0013263 |
| | LED 2700K | 0013264 |

PENDANT - SOSPENSIONE

PENDANT VERTICAL

STACKING



STACKING S 90 V
Diffuser: Transparent
Structure: Anodized Aluminum



STACKING S 60 V
Diffuser: Transparent
Structure: Anodized Aluminum



STACKING S 30 V
Diffuser: Transparent
Structure: Anodized Aluminum



PENDANT VERTICAL STACKING

STACKING S 60 V
Diffuser: Transparent
Structure: Anodized Aluminum



STACKING S 30 V
Diffuser: Transparent
Structure: Anodized Aluminum




STACKING S 90 V
Diffuser: Transparent
Structure: Anodized Aluminum



STACKING S 90 V - INDOOR



David Rockwell, 2023



Discover more

REPLACEABLE LED

TECHNICAL SHEET

| | | |
|------------------|--|--|
| MATERIALS | Diffuser: Blown Borosilicate Glass Structure: Aluminum | |
| DIMENSIONS | Diffuser: Ø10cm H90cm [Ø4" 35 3/8"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" H1 3/4"] Cable length: 300cm [118 1/8"] | |
| CANOPY | Matte white | |
| LIGHT SOURCE | 5 X LED STRIP 24V 21,25W (total) 2443 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 21,25W (total) 2337 lm (nominal) 2700K CRI≥90 | |
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| MARKING | DRY LOCATION   | |
| WEIGHT | Net weight: 4,3kg | |

PENDANT - SOSPENSIONE



Standard version (supplied with canopy & driver)


| | | |
|---------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminum | LED 3000K | 0012363 |
| | LED 2700K | 0012386 |

Class 3 version installation with remote driver (supplied without canopy & driver)

| | | |
|---------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminum | LED 3000K | 0013261 |
| | LED 2700K | 0013262 |

STACKING S 60 V - INDOOR

David Rockwell, 2023



Discover more

REPLACEABLE LED





Standard version (supplied with canopy & driver)

| | | |
|---------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminum | LED 3000K | 0012362 |
| | LED 2700K | 0012389 |

Class 3 version installation with remote driver (supplied without canopy & driver)

| | | |
|---------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminum | LED 3000K | 0013259 |
| | LED 2700K | 0013260 |


TECHNICAL SHEET

| | |
|------------------|--|
| MATERIALS | Difuser: Blown Borosilicate Glass Structure: Aluminum |
| DIMENSIONS | Difuser: Ø10cm H60cm [Ø4" 23 5/8"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" 1 3/4"] Cable lenght: 300cm [118 1/8"] |
| CANOPY | Matte white |
| LIGHT SOURCE | 5 X LED STRIP 24V 13,75W (total) 1581 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 13,75W (total) 1512 lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI |
| MARKING | DRY LOCATION   |
| WEIGHT | Net weight: 3,2kg |

PENDANT - SOSPENSIONE

STACKING S 30 V - INDOOR

David Rockwell, 2023



Discover more

REPLACEABLE LED





Standard version (supplied with canopy & driver)

| | | |
|---------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminum | LED 3000K | 0012361 |
| | LED 2700K | 0012392 |

Class 3 version installation with remote driver (supplied without canopy & driver)

| | | |
|---------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Transparent + Anodized Aluminum | LED 3000K | 0013257 |
| | LED 2700K | 0013258 |

TECHNICAL SHEET

| | |
|------------------|--|
| MATERIALS | Difuser: Blown Borosilicate Glass Structure: Aluminum |
| DIMENSIONS | Difuser: Ø10cm H30cm [Ø4" H11 3/4"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" H1 3/4"] Cable lenght: 300cm [118 1/8"] |
| CANOPY | Matte white |
| LIGHT SOURCE | 5 X LED STRIP 24V 6,25W (total) 718 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 6,25W (total) 687 lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI |
| MARKING | DRY LOCATION   |
| WEIGHT | Net weight: 2,3kg |


PENDANT - SOSPENSIONE

STACKING S 90 V NAKED - INDOOR

David Rockwell, 2023





Discover more



REPLACEABLE LED

TECHNICAL SHEET

| | |
|------------------|--|
| MATERIALS | Diffuser: Polymethacrylate Structure: Aluminum |
| DIMENSIONS | Diffuser: Ø7,5cm H90cm [Ø2 7/8" H35 3/8"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" H1 3/4"] Cable length: 300cm [118 1/8"] |
| CANOPY | Matte white |
| LIGHT SOURCE | 5 X LED STRIP 24V 21,25W (total) 2443 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 21,25W (total) 2337 lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI |
| MARKING | DRY LOCATION   |
| WEIGHT | Net weight: 2,6kg |

PENDANT - SOSPENSIONE



Standard version (supplied with canopy & driver)

| | | |
|-------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0012435 |
| | LED 2700K | 0012436 |

Class 3 version installation with remote driver (supplied without canopy & driver)


| | | |
|-------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0013271 |
| | LED 2700K | 0013272 |

STACKING S 60 V NAKED - INDOOR

David Rockwell, 2023





Discover more



REPLACEABLE LED

TECHNICAL SHEET

| | |
|------------------|--|
| MATERIALS | Diffuser: Polymethacrylate Structure: Aluminum |
| DIMENSIONS | Diffuser: Ø7,5cm H60cm [Ø2 7/8" H23 5/8"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" H1 3/4"] Cable length: 300cm [118 1/8"] |
| CANOPY | Matte white |
| LIGHT SOURCE | 5 X LED STRIP 24V 13,75W (total) 1581 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 13,75W (total) 1512 lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI |
| MARKING | DRY LOCATION   |
| WEIGHT | Net weight: 2kg |

PENDANT - SOSPENSIONE



Standard version (supplied with canopy & driver)

| | | |
|-------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0012437 |
| | LED 2700K | 0012438 |

Class 3 version installation with remote driver (supplied without canopy & driver)

| | | |
|-------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0013269 |
| | LED 2700K | 0013270 |


STACKING S 30 V NAKED - INDOOR

David Rockwell, 2023

PENDANT - SOSPENSIONE



Discover more



REPLACEABLE LED



Standard version (supplied with canopy & driver)


| | | |
|-------------------------------|-------------------------|---------|
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0012439 |
| | LED 2700K | 0012440 |

Class 3 version installation with remote driver (supplied without canopy & driver)

| | | |
|-------------------------------|--------------------------------|---------|
| DIMMING PROTOCOL | Driver and canopy not included | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White + Anodized Aluminum | LED 3000K | 0013267 |
| | LED 2700K | 0013268 |

TECHNICAL SHEET


| | |
|------------------|--|
| MATERIALS | Difuser: Polymethacrylate Structure: Aluminum |
| DIMENSIONS | Difuser: Ø7,5cm H30cm [Ø2 7/8" H11 3/4"] Canopy: Ø14,5cm H4,6cm [Ø5 3/4" 1 3/4"] Cable lenght: 300cm [118 1/8"] |
| CANOPIY | Matte white |
| LIGHT SOURCE | 5 X LED STRIP 24V 6,25W (total) 718 lm (nominal) 3000K CRI≥90 5 X LED STRIP 24V 6,25W (total) 687 lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V, DALI |
| MARKING | DRY LOCATION CE IP20 |
| WEIGHT | Net weight: 1,7kg |



STACKING S 30 V NAKED
Difuser: Matte White
Structure: Anodized Aluminum

STACKING S 60 V NAKED
Difuser: Matte White
Structure: Anodized Aluminum

STACKING S 90 V NAKED
Difuser: Matte White
Structure: Anodized Aluminum



Discover more

TECHNICAL SHEET

MATERIALS Difuser: Blown Glass
Structure: Metal

DIMENSIONS Difuser: Ø23cm h115cm [Ø9" h45 1/4"]
Cable lenght: 220cm [86 5/8"]

LIGHT SOURCE GU10 4 x 7W Retrofit LED

DIMMING PROTOCOL Dimmer on cord

MARKNG DRY LOCATION

WEIGHT Net weight: 29kg




| | | |
|---|--------------------------|-------------|
| DIMMING PROTOCOL | Dimmer on cord | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Smoke Grey, White, Smoke Grey, White, Mirror + Chrome | GU10 | 0004096 |
| NOTE | Light bulbs not included | |



STACKING B TR
Difuser: Smoke Grey, White, Smoke Grey, White, Mirror
Structure: Chrome

STACKING C TR - INDOOR

Rockwell Group, 2007



Discover more

| | |
|------------------|---|
| TECHNICAL SHEET | |
| MATERIALS | Difuser: Blown Glass Structure: Metal |
| DIMENSIONS | Difuser: Ø23cm h163cm [Ø9" h64 1/4"] Cable lenght: 220cm [86 5/8"] |
| LIGHT SOURCE | GU10 4 x 7W Retrofit LED |
| DIMMING PROTOCOL | Dimmer on cord |
| MARKNG | DRY LOCATION |
| WEIGHT | Net weight: 36,7g |


FLOOR - TERRA



| | | |
|--|--------------------------|---------|
| DIMMING PROTOCOL | Dimmer on cord | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| Smoke Grey, White, Amber, Tobacco, White, Amber + Gold | GU10 | 0004098 |
| NOTE | Light bulbs not included | |

STACKING D TR - INDOOR

Rockwell Group, 2007



Discover more

| | |
|------------------|---|
| TECHNICAL SHEET | |
| MATERIALS | Difuser: Blown Glass Structure: Metal |
| DIMENSIONS | Difuser: Ø23cm h148cm [Ø9" h58 1/4"] Cable lenght: 220cm [86 5/8"] |
| LIGHT SOURCE | GU10 4 X 7W Retrofit LED |
| DIMMING PROTOCOL | Dimmer on cord |
| MARKNG | DRY LOCATION |
| WEIGHT | Gross weight: 30,2kg |

FLOOR - TERRA



| | | |
|---|--------------------------|---------|
| DIMMING PROTOCOL | Dimmer on cord | |
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| White, Gold, Transparent Tobacco, White, Gold, Black + Gold | GU10 | 0004100 |
| NOTE | Light bulbs not included | |

AURELIA

EN

Designed by the visionary Patrick Jouin, Aurelia is a breathtaking collection of suspension lamps in which functionality and craftsmanship meet aesthetics and elegance.

Aurelia is equipped with a downwards direct light source and an upwards indirect light ring. The metal structure contains and hides from sight all electronic and heat-dissipation elements.

The LED light sources are user-friendly and easily replaceable, ensuring longevity and easy maintenance thanks to a smart disassembly system.

Available in two shapes and two sizes, Aurelia Collection offers several color combinations for the handblown glass diffuser and the metal structure.

IT

Disegnata dal visionario Patrick Jouin, Aurelia è una collezione mozzafiato di lampade a sospensione dove funzionalità e artigianalità incontrano estetica ed eleganza.

Aurelia è dotata di una luce diretta verso il basso e di un anello di luce indiretta verso l'alto. La struttura in metallo racchiude e nasconde alla vista gli elementi elettronici.

Le sorgenti luminose a LED sono facili da utilizzare e sostituire, garantendo durata e facilità di manutenzione grazie ad un sistema di smontaggio semplificato.

Disponibile in due forme e due dimensioni, la Collezione Aurelia offre molteplici combinazioni di colori per il diffusore in vetro soffiato a bocca e la struttura in metallo.



AURELIA BOLD S 22 SS
Diffuser: Smoke Grey
Structure: Vintage Brass



AURELIA S 45 SS
Diffuser: Shaded Burgundy
Structure: Matte Gunmetal



AURELIA BOLD S 22 SS
Diffuser: Transparent "Pulegoso"
with metal powder inclusion
Structure: Matte White

PENDANT AURELIA




AURELIA S 45 SS
Diffuser: Transparent Water Effect
Structure: Matte Gunmetal





AURELIA S 45 SS (SINGLE SWITCH) - INDOOR

Patrick Jouin, 2021



Discover more

REPLACEABLE LED

| TECHNICAL SHEET | |
|------------------|--|
| MATERIALS | Diffuser: Blown Glass Structure: Metal |
| DIMENSIONS | Diffuser: Ø45 cm H14 cm [Ø17 3/4" H5 1/2"] Canopy: Ø18 cm H4,9cm [Ø7" H2"] Cable lenght: 300 cm [118 1/8"] |
| LIGHT SOURCE | Direct: LED 1 X 11,6W 1531 lm (nominal) 3000K CRI≥90 Indirect: LED 1 X 14,4W 2450 lm (nominal) 3000K CRI≥90 or Direct: LED 1 X 11,6W 1471 lm (nominal) 2700K CRI≥90 Indirect: LED 1 X 14,4W 2360 lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali |
| MARKING | DRY LOCATION   |
| WEIGHT | Net Weight: 9,3kg |

PENDANT - SOSPENSIONE



[7]

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|--|-------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012332 0012333 |
| [2] Smoke Grey + Vintage Brass | LED 3000K LED 2700K | 0012334 0012335 |
| [3] Smoke Grey + Matte Gunmetal | LED 3000K LED 2700K | 0012336 0012337 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012447 0012448 |
| [5] Shaded Burgundy + Vintage Brass | LED 3000K LED 2700K | 0012449 0012450 |
| [6] Shaded Burgundy + Matte Gunmetal | LED 3000K LED 2700K | 0012451 0012452 |
| [7] Transparent Water Effect + Matte White | LED 3000K LED 2700K | 0012453 0012454 |
| [8] Transparent Water Effect + Vintage Brass | LED 3000K LED 2700K | 0012455 0012456 |
| [9] Transparent Water Effect + Matte Gunmetal | LED 3000K LED 2700K | 0012457 0012458 |
| [10] Blue Water Effect + Matte White | LED 3000K LED 2700K | 0012459 0012460 |
| [11] Blue Water Effect + Vintage Brass | LED 3000K LED 2700K | 0012461 0012462 |
| [12] Blue Water Effect + Matte Gunmetal | LED 3000K LED 2700K | 0012463 0012464 |
| [13] Transparent "Pulegoso" with metal powder inclusion + Matte White | LED 3000K LED 2700K | 0012465 0012466 |
| [14] Transparent "Pulegoso" with metal powder inclusion + Vintage Brass | LED 3000K LED 2700K | 0012467 0012468 |
| [15] Transparent "Pulegoso" with metal powder inclusion + Matte Gunmetal | LED 3000K LED 2700K | 0012469 0012470 |

ON REQUEST

Class 3 version installation with remote driver
(supplied without canopy & driver)

| DIMMING PROTOCOL | Driver and canopy not included |
|------------------|--------------------------------|
| | |

STRUCTURE

Matte white

Vintage Brass


Matte Gunmetal

DIFFUSER

Smoke Grey




Shaded Burgundy



Transparent Water Effect



Blue Water Effect



STRUCTURE

Matte white

Vintage Brass

Matte Gunmetal

DIFFUSER

Transparent
"Pulegoso"
with metal
powder
inclusion



Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.

PENDANT


AURELIA BOLD




AURELIA S 22 BOLD
 Diffuser: Shaded Bugundy
 Structure: Vintage Brass

AURELIA BOLD S 22 SS (SINGLE SWITCH) - INDOOR

Patrick Jouin, 2021



Discover more



REPLACEABLE LED

PENDANT - SOSPENSIONE



| TECHNICAL SHEET | |
|------------------|--|
| MATERIALS | Diffuser: Blown Glass Structure: Metal |
| DIMENSIONS | Diffuser: Ø22,5 cm H20,5 cm [Ø8 3/4" H8"] Canopy: Ø18 cm H4,9cm [Ø7" H2"] Cable lenght: 300 cm [118 1/8"] |
| LIGHT SOURCE | Direct: LED 1 X 11,6W 1531 lm (nominal) 3000K CRI≥90 Indirect: LED 1 X 5,8W 980 lm (nominal) 3000K CRI≥90 or Direct: LED 1 X 11,6W 1471 lm (nominal) 2700K CRI≥90 Indirect: LED 1 X 5,8W 944 lm (nominal) 2700K CRI≥90 |
| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali |
| MARKING | DRY LOCATION |
| WEIGHT | Net Weight: 3,5kg |

| DIMMING PROTOCOL | Push-dim; 0/1-10V; Dali | |
|--|-------------------------|--------------------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Smoke Grey + Matte White | LED 3000K LED 2700K | 0012344 0012345 |
| [2] Smoke Grey + Vintage Brass | LED 3000K LED 2700K | 0012346 0012347 |
| [3] Smoke Grey + Matte Gunmetal | LED 3000K LED 2700K | 0012348 0012349 |
| [4] Shaded Burgundy + Matte White | LED 3000K LED 2700K | 0012477 0012478 |
| [5] Shaded Burgundy + Vintage Brass | LED 3000K LED 2700K | 0012479 0012480 |
| [6] Shaded Burgundy + Matte Gunmetal | LED 3000K LED 2700K | 0012481 0012482 |
| [7] Transparent Water Effect + Matte White | LED 3000K LED 2700K | 0012483 0012484 |
| [8] Transparent Water Effect + Vintage Brass | LED 3000K LED 2700K | 0012485 0012486 |
| [9] Transparent Water Effect + Matte Gunmetal | LED 3000K LED 2700K | 0012487 0012488 |
| [10] Blue Water Effect + Matte White | LED 3000K LED 2700K | 0012489 0012490 |
| [11] Blue Water Effect + Vintage Brass | LED 3000K LED 2700K | 0012491 0012492 |
| [12] Blue Water Effect + Matte Gunmetal | LED 3000K LED 2700K | 0012493 0012494 |
| [13] Transparent "Pulegoso" with metal powder inclusion + Matte White | LED 3000K LED 2700K | 0012495 0012496 |
| [14] Transparent "Pulegoso" with metal powder inclusion + Vintage Brass | LED 3000K LED 2700K | 0012497 0012498 |
| [15] Transparent "Pulegoso" with metal powder inclusion + Matte Gunmetal | LED 3000K LED 2700K | 0012499 0012500 |

ON REQUEST

Class 3 version installation with remote driver
 (supplied without canopy & driver)

| DIMMING PROTOCOL | Driver and canopy not included |
|------------------|--------------------------------|
| | |

STANDARD COLOR FINISHES - FINITURE STANDARD

STANDARD COLOR FINISHES - FINITURE STANDARD

STRUCTURE

STRUCTURE

Matte white

Vintage Brass

Matte Gunmetal

Matte white

Vintage Brass

Matte Gunmetal

DIFFUSER

DIFFUSER

Smoke Grey

Transparent
"Pulegoso"
with metal
powder
inclusion



[1]

[2]

[3]

[13]

[14]

[15]

Shaded
Burgundy




[4]

[5]

[6]

Transparent
Water Effect



[7]

[8]

[9]

Blue Water
Effect



[10]

[11]

[12]

Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.



LIGHTBODY S

Diffuser: Transparent Pink
Structure: Matte Chrome



EN

Lightbody is a piece by Jörg Hugo, a designer exploring the relationship between materiality, form, and space.

Available in floor/table and suspended versions, Lightbody's glass diffuser is completely hand made using the "free blown" glass technique. This artisanal method requires a glassmaker maestro to shape the glass without the constraints of molds, giving life to a unique and unrepeatable lamp every time.

Shielded by the glass, the light comes out with a warm, atmospheric quality. The bright bulb accentuates the unique contours of the glass with lively highlights.

Available in several color combinations both for floor/table and suspended versions, Lightbody brings a handcrafted elegance to your lighting choices.

LIGHTBODY T

Diffuser: Shaded Burgundy
Structure: Matte Black



LIGHTBODY T

Diffuser: Shaded White
Structure: Matte Black

IT

Lightbody è un pezzo di Jörg Hugo, designer emergente tedesco che esplora la relazione tra materialità, forma e spazio.

Disponibile nelle versioni da terra/tavolo e sospensione, il diffusore in vetro di Lightbody è meticolosamente realizzato a mano utilizzando la tecnica del vetro "a soffio libero". Questo metodo artigianale prevede che un maestro vetraio modelli il vetro senza i vincoli degli stampi, dando vita ogni volta ad una lampada unica e irripetibile.

La lampadina luminosa accentua i contorni unici del vetro con riflessi vivaci. Schermata dal vetro, la luce esce con una qualità calda e suggestiva.


Disponibile in molteplici combinazioni di colori sia per la versione da terra/tavolo che a sospensione, Lightbody è un sinonimo di eleganza e artigianalità.



PENDANT
LIGHTBODY



LIGHTBODY S
Difuser: Transparent
Structure: Matte Chrome



LIGHTBODY S
Difuser: Shaded Burgundy
Structure: Matte Chrome




PENDANT LIGHTBODY



LIGHTBODY S
Diffuser: Transparent Pink
Structure: Matte Chrome

LIGHTBODY S - INDOOR

Jörg Hugo, 2021



Discover more

TECHNICAL SHEET

MATERIALS Diffuser: Blown Glass
Structure: Metal

DIMENSIONS Diffuser: 25-30cm H28-33cm
[9 3/4"-11 3/4" H11"-13"]
Canopy: Ø11cm H2,8cm [Ø4 1/4" H1"]
Cable length: 300 cm [118 1/8"]

LIGHT SOURCE E27 1 x 10W Retrofit LED

MARKING DRY LOCATION  

WEIGHT Net Weight: 4,1kg


PENDANT - SOSPENSIONE



| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
|---|-------------------------|---------|
| [1] Trasparent + Matte Chrome | E27 | 0012403 |
| [2] Trasparent with Satin Finish + Matte Chrome | E27 | 0012404 |
| [3] Shaded Burgundy + Matte Chrome | E27 | 0012405 |
| [4] Shaded White + Matte Chrome | E27 | 0012406 |
| [5] Trasparent Pink + Matte Chrome | E27 | 0012407 |
| NOTE | Light bulb not included | |

TABLE
LIGHTBODY

LIGHTBODY T - INDOOR
Jörg Hugo, 2021



Discover more

TECHNICAL SHEET

MATERIALS Difuser: Blown Glass
Structure: Metal

DIMENSIONS Difuser: 25-30cm H28-33cm
[9 3/4"-11 3/4" H11"-13"]
Cable lenght: 300 cm [118 1/8"]

LIGHT SOURCE E27 1 x 10W Retrofit LED

CONTROL On-Off

MARKING DRY LOCATION   

WEIGHT Net Weight: 4,2kg



| CONTROL | On-Off | |
|--|-------------------------|---------|
| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
| [1] Trasparent + Matte Black | E27 | 0012195 |
| [2] Trasparent with Satin Finish + Matte Black | E27 | 0012395 |
| [3] Shaded Burgundy + Matte Black | E27 | 0012397 |
| [4] Shaded White + Matte Black | E27 | 0012399 |
| [5] Trasparent Pink + Matte Black | E27 | 0012401 |
| NOTE | Light bulb not included | |

LIGHTBODY T
Difuser: Shaded White



LIGHTBODY T
Difuser: Transparent Satin Finish
Structure: Matte Black



LIGHTBODY T
Difuser: Shaded Burgundy
Structure: Matte Black

STANDARD COLOR FINISHES - FINITURE STANDARD

STANDARD COLOR FINISHES - FINITURE STANDARD

STRUCTURE

STRUCTURE

Matte chrome

DIFFUSER

Transparent



[1]

Shaded Burgundy



[3]

Transparent Pink



[5]

Matte chrome

DIFFUSER

Transparent with White Finish



[2]

Shaded White




[4]

Matte black


DIFFUSER

Transparent




[1]

Shaded Burgundy



[3]

Transparent Pink



[5]

Matte Black

DIFFUSER

Transparent with White Finish



[2]

Shaded White



[4]

Please, refer to the number on the pictures to match the correct code of the color finishes in the spec sheets.
Si prega di fare riferimento al numero sulle immagini per abbinare il codice corretto delle finiture colore nelle schede tecniche.



ETHER S 150
Diffuser: Transparent
Structure: Polished Steel

EN

Designed by Patrick Jouin, Ether is a cascade of borosilicate blown glass bubbles available in three different sizes (Ether S, Ether S 90 and Ether S 150).

It can be customized on demand into any size, finish, and configuration.

Also available with an optional remote controlled RGB LED. Ether is light and airy yet creates hypnotizing visual impact.

IT

Disegnata da Patrick Jouin, Ether è una cascata di bolle di vetro soffiato borosilicato disponibile in tre diverse dimensioni (Ether S, Ether S 90 e Ether S 150).

Può essere personalizzata su richiesta in dimensione, finitura e configurazione. È disponibile anche con un LED RGB opzionale controllato a distanza.

Scenografica e sontuosa, Ether è una lampada che trasforma gli spazi con personalità, diventandone la protagonista.


PENDANT ETHER



Bodegas Alion of Penafiel
(Valladolid, Spain)




ETHER S 150 - INDOOR

Patrick Jouin, 2006



Discover more

TECHNICAL SHEET

| | |
|--------------|--|
| MATERIALS | Difuser: Borosilicate Blown Glass Structure: Steel |
| DIMENSIONS | Difuser: Ø100cm h143cm [Ø39 3/8" h56" 1/4"] Canopy: Ø65cm h7cm [Ø25 5/8" h2 3/4"] |
| LIGHT SOURCE | G53 4 x 15W Retrofit LED G53 4 x 15W Retrofit LED + GU5,3 1 x 8W Retrofit LED RGB 660lm |
| MARKING | DRY LOCATION    |
| WEIGHT | Net weight: 36,8kg |
| ON REQUEST | Special Versions |

PENDANT - SOSPENSIONE




| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
|-------------------------------|--|---------|
| Transparent + Polished Steel | G53 | 0010060 |
| Transparent + Polished Steel | G53 + GU5,3* | 0010061 |
| NOTE | *GU5,3 LED with RGB + REMOTE CONTROL (included, usable until 5M) | |
| NOTE | Light bulbs not included | |

ETHER S 90 - INDOOR




Patrick Jouin, 2006

PENDANT - SOSPENSIONE



Discover more

TECHNICAL SHEET

| | |
|--------------|--|
| MATERIALS | Difuser: Borosilicate Blown Glass Structure: Steel |
| DIMENSIONS | Difuser: Ø100cm h86cm [Ø39 3/8" h33" 7/8"] Canopy: Ø65cm h7cm [Ø25 5/8" h2 3/4"] |
| LIGHT SOURCE | G53 4 x 15W Retrofit LED G53 4 x 15W Retrofit LED + GU5,3 1 X 8W Retrofit LED RGB 660lm |
| MARKING | DRY LOCATION    |
| WEIGHT | Net weight: 30kg |
| ON REQUEST | Special Versions |




| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
|-------------------------------|--|---------|
| Transparent + Polished Steel | G53 | 0010064 |
| Transparent + Polished Steel | G53 + GU5,3* | 0010065 |
| NOTE | *GU5,3 LED with RGB + REMOTE CONTROL (included, usable until 5M) | |
| NOTE | Light bulbs not included | |

ETHER S - INDOOR




Patrick Jouin, 2007


PENDANT - SOSPENSIONE



Discover more

TECHNICAL SHEET

| | |
|--------------|--|
| MATERIALS | Difuser: Borosilicate Blown Glass Structure: Steel |
| DIMENSIONS | Difuser: Ø60cm h85cm [Ø23 5/8" h33 1/2"] Canopy: Ø47cm h6cm [Ø18 1/2" h2 3/8"] |
| LIGHT SOURCE | GU10 5 x 7W Retrofit LED |
| MARKING | DRY LOCATION    |
| WEIGHT | Net weight: 12,60kg |
| ON REQUEST | Special Versions |



| FINISH (DIFFUSER + STRUCTURE) | SOURCE | CODE |
|-------------------------------|--------------------------|---------|
| Transparent + Polished Steel | GU10 | 0010070 |
| NOTE | Light bulbs not included | |

CUSTOMIZE YOUR ETHER PERSONALIZZA LA TUA ETHER

EN

The Ether pendant light by LEUCOS is the brainchild of the designer Patrick Jouin who first designed the "chandelier-curtain" for the "MIX" restaurant in Las Vegas, by Alain Ducass, in 2005 (photo on the right).

Conceived as part of a scenography, the iconic chandelier was composed of 13800 blown spheres, suspended on steel cables, and creating a cascade of sparkling glass.

A work of art that lights up thanks to sophisticated lights embedded in the ceiling, offering a unique visual experience.

Drawing inspiration from this outstanding project, LEUCOS today offers to Architects and Designers the possibility to customize Ether by choosing the color, size, and quantity of the bubbles, as well as defining the number of spheres per cable based on the length of the drop, giving life to a unique composition tailored to each environment.

Get in contact with us to know more.

IT

La lampada a sospensione Ether di LEUCOS è frutto dell'opera creativa del designer Patrick Jouin, il quale ha ideato per la prima volta il "lampadario-tendaggio" per il ristorante "MIX" di Las Vegas, di Alain Ducass, nel 2005 (foto a destra).

Concepito come parte di una scenografia, l'iconico lampadario è composto da 13.800 sfere soffiate e sospese con cavi d'acciaio, creando una cascata di vetro scintillante.

Un'opera d'arte che si illumina grazie a sofisticate luci incorporate nel soffitto, offrendo un'esperienza visiva unica.

Ispirandosi a questo eccezionale progetto, oggi LEUCOS offre la possibilità ad architetti e designer di personalizzare e configurare Ether scegliendo il colore, le dimensioni e la quantità delle bolle. Si può inoltre definire il numero di sfere per cavo in base alla lunghezza della calata, dando vita a una composizione unica su misura per ogni tipo ambiente.

Contattaci per saperne di più.



The Mix Restaurant
by Jouin Manku Studio
(Las Vegas, USA)

EN

GENERAL INFORMATION

LEUCOS reserves the right to modify at any time without notice the technical and aesthetic characteristics of the elements printed in this catalog.

The colours shown in the catalog are an indication only .

Regardless of the patent protection, designs and patterns produced by LEUCOS and reported in this catalog are protected by copyright.

The registered brands quoted in the catalog are the exclusive property of their respective owners.

All technical details referring to the Retrofit LED 'wattage' are an indication only.

Due to the ever-changing improvements of technology, Leucos reserves the right to update both the list of available products and their technical characteristics.

It is forbidden to reproduce any part of this catalog.

Printed in Italy.

Edition February 2024.

IT

INFORMAZIONI GENERALI

LEUCOS si riserva la facoltà di modificare in qualunque momento e senza preavviso le caratteristiche tecniche ed estetiche degli elementi illustrati nel presente catalogo.

I colori riprodotti nel catalogo sono indicativi.

Indipendentemente dalla tutela brevettuale, i disegni ed i modelli prodotti da LEUCOS e riportati in questo catalogo sono da considerarsi protetti da diritto di autore.

I marchi registrati in questo catalogo sono di esclusiva proprietà dei rispettivi proprietari.

I dati tecnici "wattaggio" riferiti alla sorgente Retrofit LED sono puramente indicativi.

Stante la continua evoluzione delle tecnologie, Leucos si riserva di aggiornare sia la lista dei prodotti disponibili che le caratteristiche tecniche degli stessi.

È vietata la riproduzione anche parziale di questo catalogo.

Stampato in Italia.

Edizione febbraio 2024.

Special Thanks to:

- Baxter Srl: featured on pages 10, 21, 30, 40 and 53.
- laCividina: featured on pages 29, 39, 48, 54 and 65.
- Pengo Spa: featured on pages 29, 31, 32, 39, 48 and 64.
- Palazzo Roberti: featured on pages 28, 62, 65 and 66.
- Zoe Boutique: featured on the cover and on pages 03 and 07.
- Alma Manfrotto

You spot it from afar



LEUCOS SRL
Via del Commercio, 22
36060 Romano d'Ezzelino
(VICENZA) Italy
info.it@leucos.com

LEUCOS USA INC.
11 Mayfield Avenue
Edison New Jersey, 08837
United States of America
001 732 225-0010
info.us@leucos.com

leucos.com



900418

