

martinelli luce

PRICE-LIST 2025

RESIDENTIAL
ARCHITECTURAL
ELECTRIFIED TRACKS
OUTDOOR
FURNITURE

EXPORT

Alle Preise zzgl. ges. MwSt.



PRICE-LIST 2025

RESIDENTIAL	11
ARCHITECTURAL	67
TRACKS	115
OUTDOOR	127
FURNITURE	145



residential | type index

TABLE

Cabriolette	16
Cobra	21
Cobra 100	21
Cobra Scorpius	21
Cyborg	26
Cyborg Texture	26
Delux	27
Elica	30
Elmetto	30
Fluida	31
Grammoluca	33
Hoop	33
L'Amica	42
Metrica	46
Mico	47
Pipistrello	54
Pipistrello 50	55
Pipistrello Pop	56
Pipistrello White Matt	57
Profiterolle	59
Ruspa	59
Serpente	60
Tx1	64
Visiere	65
Wand	65

WALL

Cabriolette	16
Corona	25
Elos	31
Fra Tac	32
Gomito	33
Koko Uno	38
Le Rondini	43
Led+O	43
Lucciola	44
Lunanera	44
Marx	46
Max 65	46
Metrica	47
Papavero	53
Set	61
Toggle	62
Tortuga	62
Tube	63

CEILING

Bolla	14
Chet-B	18
Ciulifruli	20
Coassiale	21
Cordon	24
Delux	27
Elastica	30
Infinita	37
Koko Uno	38
Maggiolino	44
Maggiolone	45
Multidot	51
Pouff	58
Semisfera	60

SUSPENSION

Avro	12
Babele	13
Blow	14
Bubbles	15
Cabriolette	17
Chet-B	18
Cicala	18
Ciulifruli	19
Colibri	22
Cono	24
Cupolone	26
Dia	28
Fra Tac	32
Infinita	35
Koko Uno	39
Lady Galala	42
Maggiolone	45
Multidot	49
Nuvole Vagabonde	53
Plissè	58
Poliedro	58
Vela 22	64

FLOOR

Biconica	14
Cabriolette	16
Colibri	22
Dia	28
Eva	31
L'Amica	42
Metrica	46
Pistillo	58
Serpente	60
Tenso	62
Vdl	64
Y3	65

general index

RESIDENTIAL

Avolt x Martinelli Luce	66
Avro	12
Babele	13
Biconica	14
Blow	14
Bolla	14
Bubbles	15
Cabriolette	16
Chet-B	18
Cicala	18
Ciulifruli	19
Coassiale	21
Cobra	21
Cobra 100	21
Cobra Scorpius	21
Colibri	22
Cono	24
Cordon	24
Corona	25
Cupolone	26
Cyborg	26
Cyborg Texture	26
Delux	27
Dia	28
Elastica	30
Elica	30
Elmetto	30
Elos	31
Eva	31
Fluida	31
Fra Tac	32
Gomito	33
Grammoluce	33
Hoop	33
Infinita	35
Koko Uno	38
L'Amica	42
Lady Galala	42
Le Rondini	43
Led+O	43
Lucciola	44
Lunanera	44
Maggiolino	44
Maggiolone	45
Marx	46
Max 65	46
Metrica	46

Mico	47
Multidot	49
Nuvole Vagabonde	53
Papavero	53
Pipistrello	54
Pipistrello 50	55
Pipistrello Pop	56
Pipistrello White Matt	57
Pistillo	58
Plissé	58
Poliedro	58
Pouff	58
Profiterolle	59
Ruspa	59
Semisfera	60
Serpente	60
Set	61
Tenso	62
Toggle	62
Tortuga	62
Tube	63
Tx1	64
Vdl	64
Vela 22	64
Visiere	65
Wand	65
Y3	65

ARCHITECTURAL

Calabrone	68
Calabronet	70
Colibri	73
Condor	79
Duemilatre	79
Eye	79
Eye recessed	82
Hush	82
Lent	87
Loop	88
Luna	92
Lunaop	92
Lunaop Slim	97
Mamba	101
Pistillo	104
R11	104
Canopies multiproducts	106
Shanghai	109

Sistema Brick	112
Sistema Spottò	112
Sistema U	113

ELECTRIFIED TRACKS

Avro	120
Tracks	116
Cip	121
Grillo	122
Linear Module	122
R19	123
R23	124
S23	124
Sistema U	125

OUTDOOR

Amanita	128
Biconica Pol	128
Boleto	129
Bowl	129
Brim	130
Bruco	131
Ciulifruli	135
Cyborg	137
Frog	138
Glouglou Pol	139
Jan	139
Kiki	140
Lady Galala	141
Pistillo	142
Sistema Polo	142
Trilly	143

FURNITURE

Box	147
Metafora	147

code index

BOX/37/BI	147	620/MA	54	828/J/NE	27	1434/DIM/T/2700/BI	43	1722/TR	58
BOX/37/GR	147	620/MED/DIM/BI	54	828/NE	27	1434/DIM/T/BI	43	1858	14
BOX/37/NE	147	620/MED/DIM/BZ	54	832/AZ	16	1437/BI	44	1861/BI	24
BOX/37/S/BI	147	620/MED/DIM/MA	54	832/BI	16	1440/2/AN	131	1861/BZ	24
BOX/37/S/GR	147	620/MED/DIM/NE	54	832/CL/AZ	16	1440/2/CO	131	1861/J/BI	24
BOX/37/S/NE	147	620/MED/DIM/NE/GI	56	832/CL/BI	16	1440/AN	131	1861/J/BZ	24
500X	116	620/MED/DIM/OP/BI	57	832/CL/GI	16	1440/CO	131	1861/J/NE	24
519.1J	116	620/MED/DIM/OT	54	832/CL/NE	16	1441/20/BI	125	1861/J/RO	24
519J	116	620/MED/DIM/VE	54	832/GI	16	1441/20/DIM/BI	125	1861/NE	24
520.1J	116	620/NE	54	832/NE	16	1441/20/DIM/NE	125	1861/RO	24
520J	116	620/OP/BI	57	833/BI	46	1441/20/NE	125	1884/AN	142
521.1J	116	620/OT	54	833/NE	46	1441/38/BI	125	1884/CO	142
521J	116	620/VE	54	837/NE	65	1441/38/DIM/BI	125	1884/S/AN	142
522J	117	629	21	838/NE	33	1441/38/DIM/NE	125	1884/S/CO	142
523.1J	116	629/GI	21	1196/BI	33	1441/38/NE	125	1889	26
523J	116	629/NE	21	1221/BI	63	1442/BI	16	1979.1	147
524.1J	116	629/RO	21	1221/BM	63	1442/NE	16	2003/50/DIM/L/1/AN	79
524J	116	629/SC	21	1221/OV	63	1449/14/BI	121	2011J	53
525.1J	116	633/4/BI	59	1221/V/BI	63	1449/14/DIM/BI	121	2033/45/C/AR	15
525J	116	633/4/GI	59	1221/V/BM	63	1449/14/DIM/NE	121	2033/45/C/BI	15
526J	117	633/BI	59	1221/V/OV	63	1449/14/NE	121	2033/45/C/BL	15
544.1J	116	633/GI	59	1249/3/L/1	43	1449/32/BI	121	2033/45/C/GI	15
544J	116	640	59	1261/BI	63	1449/32/DIM/BI	121	2033/55/C/BI	15
545.1J	117	642/BI	65	1261/BM	63	1449/32/DIM/NE	121	2040/65/SD	13
545J	117	685/AR	30	1261/OV	63	1449/32/NE	121	2040/J	13
565.1J	122	685/AU	30	1261/V/BI	63	1450/2/24/NE	122	2040/SD	13
565J	122	685/BI	30	1261/V/BM	63	1450/24/NE	122	2063/DIM/L/1	104
566.1J	122	685/BL	30	1261/V/OV	63	1452/20/BI	113	2063/L	104
566J	122	685/GI	30	1285	46	1452/20/NE	113	2063/L/1	104
567.1J	123	685/NE	30	1341/L/1/BI	61	1452/38/BI	113	2064/P/L/1	142
567J	123	685/RO	30	1341/L/1/BZ	61	1452/38/NE	113	2064/P/XS	142
591J/NE	116	685/VE	30	1341/L/1/OV	61	1452/J/20/BI	113	2070/NE	73
592J/NE	116	736/L/GR	42	1342/L/1/BI	61	1452/J/20/NE	113	2073	143
593J/NE	116	736/L/NE	42	1342/L/1/BZ	61	1452/J/38/BI	113	2073/J	143
597.1J	123	736/L/VE	42	1342/L/1/OV	61	1452/J/38/NE	113	2080/1/BZ	74
597J	123	793/NE/BI	47	1343/L/1/BI	61	1453/AN	138	2080/1/NE	74
599	60	799/DIM/L/1/BI	64	1343/L/1/BZ	61	1453/AR	138	2080/2/BZ	74
599/AU	60	799/DIM/L/1/GR	64	1343/L/1/OV	61	1453/BL	138	2080/2/NE	74
599/BZ	60	799/MED/DIM/L/1/BI	64	1347/Q/DIM/L/1	31	1453/GI	138	2080/3/BZ	75
620/BI	54	799/MED/DIM/L/1/GR	64	1396/S/L/1/Q1/BI	112	1454/AU	38	2080/3/NE	75
620/BZ	54	807/J/BI	30	1396/S/L/1/R/BI	112	1454/BI	38	2085/DIM/L/1/AN	79
620/DIM/BD/L/1/BI	54	807/J/GI	30	1406/NE	73	1454/BZ	38	2085/J/DIM/L/1/AN	79
620/DIM/BD/L/1/MA	54	807/J/NE	30	1407/C/XL/26D/AN	104	1454/J/AU	38	2087/NE	73
620/DIM/L/1/NE	54	812	129	1407/C/XL/26D/BI	104	1454/J/BI	38	2090/DIM/NE	68
620/DIM/L/1/NE/GI	56	822/BI	139	1407/C/XL/36D/AN	104	1454/J/BZ	38	2090/G/DIM/NE	68
620/DIM/L/1/OP/BI	57	823/BI	31	1407/C/XL/36D/BI	104	1454/J/NE	38	2091/2700/BI	18
620/DIM/L/1/ORO	55	824/BI	33	1407/P/XL/26D/AN	104	1454/NE	38	2091/2700/BM	18
620/DIM/L/1/OT	54	824/NE	33	1407/P/XL/26D/BI	104	1455/AN	62	2091/2700/NE	18
620/J/DIM/BI	55	825/AL	26	1407/P/XL/36D/AN	104	1455/BI	62	2091/2700/OV	18
620/J/DIM/BZ	55	825/AZ	26	1407/P/XL/36D/BI	104	1459/BI	47	2091/BI	18
620/J/DIM/MA	55	825/BI	26	1410/B/AU	73	1463/AN	62	2091/BM	18
620/J/DIM/NE	55	825/FC	26	1410/B/NE	73	1463/BI	62	2091/NE	18
620/J/DIM/NE/GI	56	825/GR	26	1421/NE	73	1463/RG	62	2091/OV	18
620/J/DIM/OP/BI	57	825/TEXTURE/KR	26	1431/230/BI	44	1463/VE	62	2093/50/AU	39
620/J/DIM/OT	55	825/VE	26	1431/230/GI	44	1464/RG	130	2093/50/BI	39
620/J/DIM/T/CL/BI	55	828/CH	27	1433/J/NE	68	1466/2/AN	131	2093/50/BZ	39
620/J/DIM/T/CL/MA	55	828/CP	27	1433/NE	68	1466/2/CO	131	2093/50/NE	39
620/J/DIM/T/CL/NE/GI	56	828/J/CH	27	1434/2700/BI	43	1466/AN	131	2093/AU	39
620/J/DIM/VE	55	828/J/CP	27	1434/BI	43	1466/CO	131	2093/BI	39


2093/BZ	39	2301/NE	30	2886/DIM/BI	92	5142.2	117	21006/250/DIM/NE	90
2093/J/50/AU	39	2301/RO	30	2886/DIM/NE	92	5142.3	117	21010/DIM/AU	90
2093/J/50/BI	39	2302/NE	65	2886/G/DIM/BI	92	5289.2	111	21010/DIM/BI	90
2093/J/50/BZ	39	2303/NE	42	2886/G/DIM/NE	92	5955/BI	118	21010/DIM/CU	90
2093/J/50/NE	39	2303/VE	42	2886/J/DIM/BI	92	5955/NE	118	21010/DIM/NE	90
2093/J/AU	39	2306/GI	137	2886/J/DIM/NE	92	5956/BI	118	21012/20/BI	125
2093/J/BI	39	2306/GR	137	2887/BI	123	5956/NE	118	21012/20/DIM/BI	125
2093/J/BZ	39	2308/230/CO	129	2887/NE	123	5957/BI	118	21012/20/DIM/NE	125
2093/J/NE	39	2308/70/230/CO	129	2891/DIM/2700/BI	45	5957/NE	118	21012/20/NE	125
2093/NE	39	2308/J/230/CO	129	2891/DIM/2700/BZ	45	5958/BI	119	21012/38/BI	125
2096/DIM/2700/BI	45	2309/AN	138	2891/DIM/2700/GI	45	5958/NE	119	21012/38/DIM/BI	125
2096/DIM/2700/BZ	45	2309/AR	138	2891/DIM/2700/NE	45	5959/BI	119	21012/38/DIM/NE	125
2096/DIM/2700/GI	45	2309/BL	138	2891/DIM/BI	45	5959/NE	119	21012/38/NE	125
2096/DIM/2700/NE	45	2309/GI	138	2891/DIM/BZ	45	5960/BI	119	21013/20/BI	113
2096/DIM/BI	45	2309/J/AR	138	2891/DIM/GI	45	5960/NE	119	21013/20/NE	113
2096/DIM/BZ	45	2309/J/BL	138	2891/DIM/NE	45	5961/BI	119	21013/38/BI	113
2096/DIM/GI	45	2309/J/GI	138	2899/AU	38	5961/NE	119	21013/38/NE	113
2096/DIM/NE	45	2311/GR	128	2899/BI	38	5962/BI	119	21015/BI	22
2096/G/DIM/2700/BI	45	2312/BI	22	2899/BZ	38	5962/NE	119	21015/GI	22
2096/G/DIM/2700/BZ	45	2312/GI	22	2899/G/AU	38	5963/BI	119	21015/NE	22
2096/G/DIM/2700/GI	45	2312/NE	22	2899/G/BI	38	5963/NE	119	21017/DIM/NE	64
2096/G/DIM/2700/NE	45	2314/BI	46	2899/G/BZ	38	5964/BI	119	21019/BE/3000/AR	120
2096/G/DIM/BI	45	2314/NE	46	2899/G/NE	38	5964/NE	119	21019/BE/3000/AZ	120
2096/G/DIM/BZ	45	2315/N/BI	137	2899/NE	38	5965/BI	119	21019/BE/3000/BI	120
2096/G/DIM/GI	45	2315/RO	137	2900/J/BI	27	5965/NE	119	21019/BE/3000/NE	120
2096/G/DIM/NE	45	2315/VE	137	2900/J/NE	27	5967	119	21019/BE/AR	120
2097/NE	68	2317	28	2901/BI	53	21001/DIM/DK/GI	87	21019/BE/AZ	120
2131	60	2317/BZ	28	2901/BZ	53	21001/DIM/DK/GR	87	21019/BE/BI	120
2131/AU	60	2319/AZ	16	2901/G/DIM/BI	53	21001/DIM/DK/VE	87	21019/BE/NE	120
2131/BZ	60	2319/BI	16	2901/G/DIM/BZ	53	21001/DIM/GI	87	21019/BE/SP/AR	121
2217/L/1/AU	14	2319/GI	16	2901/G/DIM/OV	53	21001/DIM/GR	87	21019/BE/SP/AZ	121
2217/L/1/BI	14	2319/NE	16	2901/G/DIM/RO	53	21001/DIM/VE	87	21019/BE/SP/BI	121
2217/L/1/NE	14	2321/GR/MAR/BI	139	2901/J/BI	53	21002/AN	58	21019/BE/SP/NE	121
2217/POL/P/BD/L	128	2322.1/RG	130	2901/J/BZ	53	21003/160/DIM/AU	88	21019/DIM/3000/AR	12
2217/POL/P/BD/L/1	128	2322/RG	130	2901/J/OV	53	21003/160/DIM/BI	88	21019/DIM/3000/AZ	12
2234/L/1	64	2323/G/NE	62	2901/J/RO	53	21003/160/DIM/CU	88	21019/DIM/3000/BI	12
2260/P/L/1/BI	58	2323/NE	62	2901/OV	53	21003/160/DIM/NE	88	21019/DIM/3000/NE	12
2270/BI	31	2760/35/I	14	2901/RO	53	21003/200/DIM/AU	88	21019/DIM/AR	12
2270/NE	31	2760/50/I	14	2904/BI	124	21003/200/DIM/BI	88	21019/DIM/AZ	12
2270/NE/NE	31	2760/60/I	15	2904/J/BI	124	21003/200/DIM/CU	88	21019/DIM/BI	12
2270/XG/NE/NE	31	2760/85/I	15	2904/J/NE	124	21003/200/DIM/NE	88	21019/DIM/NE	12
2275/2/L/1/Q1/BI	112	2771/42/I	60	2904/NE	124	21003/300/DIM/AU	88	21019/J/3000/AR	12
2275/2/L/1/Q1/NE	112	2771/52/I	60	2905/230/BI	124	21003/300/DIM/BI	88	21019/J/3000/AZ	12
2275/2/L/1/R/BI	112	2830/DIM/L/1/BI	46	2905/230/NE	124	21003/300/DIM/CU	88	21019/J/3000/BI	12
2275/2/L/1/R/NE	112	2834/M/J/L/1	25	2905/BI	124	21003/300/DIM/NE	88	21019/J/3000/NE	12
2277/L/1/NE	112	2834/M/L/1	25	2905/NE	124	21003/400/DIM/AU	89	21019/J/AR	12
2277/L/NE	112	2862/J/DIM/L/1/BI/AR	92	2906/AR	44	21003/400/DIM/BI	89	21019/J/AZ	12
2278/NE	22	2862/J/DIM/L/1/BI/BI	92	2906/BI	44	21003/400/DIM/NE	89	21019/J/BE/3000/AR	120
2290/AU	22	2862/M/DIM/L/1/BI/AR	92	2906/BZ	44	21003/500/DIM/AU	89	21019/J/BE/3000/AZ	120
2290/NE	22	2862/M/DIM/L/1/BI/BI	92	2906/G/AR	44	21003/500/DIM/BI	89	21019/J/BE/3000/BI	120
2293/3/NE	69	2868/J/L/1/BI	58	2906/G/BI	44	21003/500/DIM/CU	89	21019/J/BE/3000/NE	120
2301/AZ	30	2868/L/1/BI	59	2906/G/BZ	44	21003/500/DIM/NE	89	21019/J/BE/AR	120
2301/GI	30	2876/1/L/1/24/BI	79	2907/DIM/AU	18	21004/10/NE	140	21019/J/BE/AZ	120
2301/GR	30	2876/1/L/1/24/NE	79	2907/DIM/BZ	18	21004/3/NE	140	21019/J/BE/BI	120
2301/J/AZ	30	2876/1/L/1/35/BI	79	2907/DIM/GR	18	21004/5/NE	140	21019/J/BE/NE	120
2301/J/GI	30	2876/1/L/1/35/NE	79	2907/J/DIM/AU	18	21004/DIM/CL/NE	139	21019/J/BI	12
2301/J/GR	30	2882/L/1/MS/BI	82	2907/J/DIM/BZ	18	21006/250/DIM/AU	90	21019/J/NE	12
2301/J/NE	30	2882/L/1/R/BI	82	2907/J/DIM/GR	18	21006/250/DIM/BI	90	21019/SP/AR	13
2301/J/RO	30	2885/S/NE	21	5142.1	117	21006/250/DIM/CU	90	21019/SP/AZ	13

code index

21019/SP/BI	13	30867/BI	20	40002/SL/3000/OV	97	40010/BM	95	40054/NE	140
21019/SP/NE	13	30869/NE	68	40002/SL/4000/AU	97	40010/NE	95	40059/AN	133
21020/AZ	17	30901/BI	20	40002/SL/4000/BI	97	40010/OV	95	40059/CO	133
21020/BI	17	30902	111	40002/SL/4000/BM	97	40011/AU	95	40060/AN	134
21020/GI	17	30903/BI	20,136	40002/SL/4000/NE	97	40011/BI	95	40060/CO	134
21020/NE	17	40001/2700/AU	93	40002/SL/4000/OV	97	40011/BM	95	40061.1/AN	134
21023	28	40001/2700/BI	93	40003/2700/AU	94	40011/NE	95	40061.1/CO	134
21023/50	28	40001/2700/BM	93	40003/2700/BI	94	40011/OV	95	40061/AN	134
21023/50/BZ	28	40001/2700/NE	93	40003/2700/BM	94	40013/AU	95	40061/CO	134
21023/BZ	28	40001/2700/OV	93	40003/2700/NE	94	40013/BI	95	40062/AN	134
21030/DIM/AU	18	40001/3000/AU	93	40003/2700/OV	94	40013/BM	95	40062/CO	134
21030/DIM/BZ	18	40001/3000/BI	93	40003/3000/AU	94	40013/NE	95	40063/AN	134
21030/DIM/GR	18	40001/3000/BM	93	40003/3000/BI	94	40013/OV	95	40063/CO	134
30080	147	40001/3000/NE	93	40003/3000/BM	94	40014/AU	96	40064/AN	134
30640	110	40001/3000/OV	93	40003/3000/NE	94	40014/BI	96	40064/CO	134
30640.1	110	40001/4000/AU	93	40003/3000/OV	94	40014/BM	96	40065	16
30640.1/T	110	40001/4000/BI	93	40003/4000/AU	94	40014/NE	96	40072	74
30640/T	110	40001/4000/BM	93	40003/4000/BI	94	40014/OV	96	40074.1/GR	84
30642	109	40001/4000/NE	93	40003/4000/BM	94	40015/AU	96	40074.2/GR	85
30642.1	109	40001/4000/OV	93	40003/4000/NE	94	40015/BI	96	40074.3/GR	86
30642.1/T	109	40001/SL/2700/AU	97	40003/4000/OV	94	40015/BM	96	40074/GR	82
30642/T	109	40001/SL/2700/BI	97	40003/SL/2700/AU	98	40015/NE	96	40075	86
30647	111	40001/SL/2700/BM	97	40003/SL/2700/BI	98	40015/OV	96	40076	83
30650	111	40001/SL/2700/NE	97	40003/SL/2700/BM	98	40020/2700/BI	101	40077	83
30721/BI	111	40001/SL/2700/OV	97	40003/SL/2700/NE	98	40020/4000/BI	101	40077.1	84
30728	110	40001/SL/3000/AU	97	40003/SL/2700/OV	98	40020/BI	101	40078	83
30728.1	110	40001/SL/3000/BI	97	40003/SL/3000/AU	98	40021/2700/BI	101	40078.1	84
30728.1/T	110	40001/SL/3000/BM	97	40003/SL/3000/BI	98	40021/4000/BI	101	40079	83
30728/T	110	40001/SL/3000/NE	97	40003/SL/3000/BM	98	40021/BI	101	40079.1	84
30729	110	40001/SL/3000/OV	97	40003/SL/3000/NE	98	40022/2700/BI	101	40080	83
30729.1	110	40001/SL/4000/AU	97	40003/SL/3000/OV	98	40022/4000/BI	101	40080.1	84
30729.1/T	110	40001/SL/4000/BI	97	40003/SL/4000/AU	98	40022/BI	101	40081/NE	76
30729/T	110	40001/SL/4000/BM	97	40003/SL/4000/BI	98	40023.1/BI	102	40082/NE	76
30775	111	40001/SL/4000/NE	97	40003/SL/4000/BM	98	40023.1/DIM/BI	102	40083/NE	76
30811.1	73	40001/SL/4000/OV	97	40003/SL/4000/NE	98	40023/BI	102	40084/NE	77
30812/NE	142	40002/2700/AU	94	40003/SL/4000/OV	98	40023/DIM/BI	102	40085/NE	78
30836	74	40002/2700/BI	94	40004/AU	95	40024.1/BI	102	40086.1/BI	118
30837	143	40002/2700/BM	94	40004/BI	95	40024.1/DIM/BI	102	40086.1/NE	118
30857/AZ	19	40002/2700/NE	94	40004/BM	95	40024/BI	103	40086/BI	117
30857/BI	19	40002/2700/OV	94	40004/NE	95	40024/DIM/BI	103	40086/NE	117
30857/GI	19	40002/3000/AU	94	40004/OV	95	40025/BI	102	40087/NE	113
30857/RO	19	40002/3000/BI	94	40005/AU	95	40025/DIM/BI	102	40088/AU	90
30857/VE	19	40002/3000/BM	94	40005/BI	95	40026/BI	103	40088/BI	90
30858/AZ	135	40002/3000/NE	94	40005/BM	95	40027/BI	103	40088/CU	90
30858/BI	135	40002/3000/OV	94	40005/NE	95	40028/BI	103	40088/NE	90
30858/GI	135	40002/4000/AU	94	40005/OV	95	40030/NE	70	40091/AU	91
30858/RO	135	40002/4000/BI	94	40007/AU	95	40031/NE	70	40091/BI	91
30858/VE	135	40002/4000/BM	94	40007/BI	95	40032/NE	71	40091/CU	91
30859/BI	20,135	40002/4000/NE	94	40007/BM	95	40033/NE	70	40091/NE	91
30860/BI	20,135	40002/4000/OV	94	40007/NE	95	40034/NE	71	40093/AU	91
30861/BI	20,135	40002/SL/2700/AU	97	40007/OV	95	40036/NE	72	40093/BI	91
30862/BI	20,136	40002/SL/2700/BI	97	40008.1/BI	96	40037/NE	71	40093/CU	91
30863/AZ	19	40002/SL/2700/BM	97	40008/AU	95	40047/BI	103	40093/NE	91
30863/BI	19	40002/SL/2700/NE	97	40008/BI	95	40048/BI	103	40096	90
30863/GI	19	40002/SL/2700/OV	97	40008/BM	95	40049/NE	71	40097/AU	90
30863/RO	19	40002/SL/3000/AU	97	40008/NE	95	40052/NE	71	40097/BI	90
30863/VE	19	40002/SL/3000/BI	97	40008/OV	95	40053/2700/BI	101	40097/CU	90
30864/BI	20	40002/SL/3000/BM	97	40010/AU	95	40053/4000/BI	101	40097/NE	90
30865/BI	20	40002/SL/3000/NE	97	40010/BI	95	40053/BI	101	40101/NE	77

40102/NE	78	40152/24/NE	81	40174/BI	43	40210.2700.16.11.380.200	49	40226/BI	41
40111	137	40152/35/BI	81	40174/BL	43	40210.2700.24.11.450.180	50	40226/BZ	41
40112.1/BI	87	40152/35/NE	81	40174/GI	43	40210.2700.32.11.550.195	50	40226/NE	41
40112.1/VE	87	40153/24/BI	81	40175	129	40210.2700.8.11.210.118	49	40227/AU	41
40112/BI	83	40153/24/NE	81	40181/AN	134	40210.3000.12.11.280.145	49	40227/BI	41
40112/VE	83	40153/35/BI	81	40181/CO	134	40210.3000.16.11.380.200	49	40227/BZ	41
40114.1/NE	72	40153/35/NE	81	40182/AU	95	40210.3000.24.11.450.180	50	40227/NE	41
40114/BZ	75	40154/24/BI	81	40182/BI	95	40210.3000.32.11.550.195	50	40228/AU	41
40114/NE	75	40154/24/NE	81	40182/BM	95	40210.3000.8.11.210.118	49	40228/BI	41
40115/NE	77	40154/35/BI	81	40182/NE	95	40211.150.4/DIM/BI	51	40228/BZ	41
40116/NE	77	40154/35/NE	81	40182/OV	95	40211.150.4/DIM/NE	51	40228/NE	41
40117/NE	77	40155/BI	81	40183/NE/BI	24	40211.20.1/DIM/BI	50	40229/AU	41
40118/NE	77	40155/NE	81	40183/NE/RO	24	40211.20.1/DIM/NE	50	40229/BI	41
40119	83	40156/BI	82	40184	25	40211.200.12/DIM/BI	51	40229/BZ	41
40120	83	40156/NE	82	40185	25	40211.200.12/DIM/NE	51	40229/NE	41
40121	83	40157/BI	82	40186	25	40211.240.8/DIM/BI	51	40230/BZ	29
40122	83	40157/NE	82	40187/NE	25	40211.240.8/DIM/NE	51	40230/GR	29
40123.1/BZ	75	40158.1/NE	72	40189/AZ	12	40211.400.12/DIM/BI	51	40232/NE	52
40123.1/NE	75	40158/NE	72	40189/BI	12	40211.400.12/DIM/NE	51	40233/NE	52
40123/BZ	75	40160/NE	72	40189/GR	12	40211.600.18/DIM/BI	51	40234/NE	52
40123/NE	75	40161/NE	78	40189/NE	12	40211.600.18/DIM/NE	51	40235/NE	52
40124/BI	102	40162/NE	78	40190/AZ	66	40211.720.24/DIM/BI	51	40236/NE	52
40124/DIM/BI	102	40163/NE	78	40190/BI	66	40211.720.24/DIM/NE	51	40237/NE	52
40128/AU	90	40165	113	40190/GR	66	40212/AN	133	40238	52
40128/BI	90	40166	138	40190/NE	66	40212/CO	133	40239	52
40128/CU	90	40167/NE	74	40192	138	40213.1/AN	133	40248/BI	120
40128/NE	90	40168.1/GI	122	40196/BI	111	40213.1/CO	133	40248/NE	120
40129/NE	77	40168.1/NE	122	40197/BI	111	40213/AN	133		
40130/NE	77	40168.2/GI	122	40198/BI	111	40213/CO	133		
40132/GR	86	40168.2/NE	122	40199/120	35	40214/AU	32		
40133/GI	88	40168/GI	122	40199/150	35	40214/GR	32		
40133/GR	88	40168/NE	122	40199/35	35	40215/AU	32		
40133/VE	88	40169	140	40199/70	35	40215/GR	32		
40134/GR	83	40169.1	140	40200/CG	36	40216/AU	33		
40135/2700/BI	101	40169.2	140	40200/FU	36	40216/GR	33		
40135/4000/BI	101	40171.1/AN	141	40200/RS	36	40217/AU	32		
40135/BI	101	40171.1/BI	141	40200/TR	36	40217/GR	32		
40137/NE	71	40171/BI	42	40201/CG	36	40220.240.8/DIM/BI	51		
40147.1/BI	102	40172.1/AR	141	40201/FU	36	40220.240.8/DIM/NE	51		
40147.1/DIM/BI	102	40172.1/BI	141	40201/RS	36	40221/BI	23		
40147/BI	103	40172.1/BL	141	40201/TR	36	40221/BZ	29		
40147/DIM/BI	103	40172.1/GI	141	40202/CG	36	40221/GR	29		
40148/24/BI	80	40172/AR	43	40202/FU	36	40221/GT	37		
40148/24/NE	80	40172/BI	43	40202/RS	36	40221/NE	23		
40148/35/BI	80	40172/BL	43	40202/TR	36	40222/BI	23		
40148/35/NE	80	40172/GI	43	40203/CG	36	40222/BZ	29		
40149/24/BI	80	40173.1/AR	141	40203/FU	36	40222/GR	29		
40149/24/NE	80	40173.1/BI	141	40203/RS	36	40222/GT	37		
40149/35/BI	80	40173.1/BL	141	40203/TR	36	40222/NE	23		
40149/35/NE	80	40173.1/GI	141	40204.1	12	40223/BI	23		
40150/24/BI	80	40173/AR	43	40205	137	40223/GI	23		
40150/24/NE	80	40173/BI	43	40206	37	40223/NE	23		
40150/35/BI	80	40173/BL	43	40206/DIM	37	40224/AZ	17		
40150/35/NE	80	40173/GI	43	40207	37	40224/BI	17		
40151/24/BI	81	40174.1/AR	141	40207/DIM	37	40224/GI	17		
40151/24/NE	81	40174.1/BI	141	40208	37	40224/NE	17		
40151/35/BI	81	40174.1/BL	141	40208/DIM	37	40225/BZ	29		
40151/35/NE	81	40174.1/GI	141	40209	12	40225/GR	29		
40152/24/BI	81	40174/AR	43	40210.2700.12.11.280.145	49	40226/AU	41		

RESIDENTIAL



Light source	CCT	Code	Colour	€ excl. VAT.
36W 5000lm	2700K	21019/DIM/AR	Orange Polished RAL 2001	1.113,00
		21019/DIM/AZ	Azure Polished RAL 5014	1.113,00
		21019/DIM/BI	White Embossed RAL 9003	1.025,00
		21019/DIM/NE	Black Embossed RAL 9005	1.025,00
	3000K	21019/DIM/3000/AR	Orange Polished RAL 2001	1.113,00
		21019/DIM/3000/AZ	Azure Polished RAL 5014	1.113,00
		21019/DIM/3000/BI	White Embossed RAL 9003	1.025,00
		21019/DIM/3000/NE	Black Embossed RAL 9005	1.025,00


Type: pendant **Emission:** Direct Light, Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Dimmable 5 wires | Optional WI-FI dimming

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 200cm

Net weight: 5,5 Kg **Gross weight:** 8,9 Kg **Package nr:** 1 **Package dimension:** 65x65x31,5 cm

Accessories			
Multisocket with cable	40189/BI	White	69,00
	40189/GR	Grey	69,00
	40189/AZ	Azure	69,00
	40189/NE	Black	69,00
Tuya WiFi, RF, BT device for dimming	40204.1		70,00
Button for Tuya	40209		30,00

AVRO Junior Studio Natural


Light source	CCT	Code	Colour	€ excl. VAT.
16W 2380lm	2700K	21019/J/AR	Orange Polished RAL 2001	759,00
		21019/J/AZ	Azure Polished RAL 5014	759,00
		21019/J/BI	White Embossed RAL 9003	694,00
		21019/J/NE	Black Embossed RAL 9005	694,00
	3000K	21019/J/3000/AR	Orange Polished RAL 2001	759,00
		21019/J/3000/AZ	Azure Polished RAL 5014	759,00
		21019/J/3000/BI	White Embossed RAL 9003	694,00
		21019/J/3000/NE	Black Embossed RAL 9005	694,00


Type: pendant **Emission:** Direct Light, Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable | Optional WI-FI dimming

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 200cm

Net weight: 2,9 Kg **Gross weight:** 3,9 Kg **Package nr:** 1 **Package dimension:** 40x40x40 cm

Accessories			
Multisocket with cable	40189/BI	White	69,00
	40189/GR	Grey	69,00
	40189/AZ	Azure	69,00
	40189/NE	Black	69,00
Tuya WiFi, RF, BT device for dimming	40204.1		70,00
Button for Tuya	40209		30,00



Light source	Code	Colour	€ excl. VAT.
	21019/SP/AR	Orange Polished RAL 2001	543,00
	21019/SP/AZ	Azure Polished RAL 5014	543,00
	21019/SP/BI	White Embossed RAL 9003	492,00
	21019/SP/NE	Black Embossed RAL 9005	492,00

Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 200cm


Net weight: 1,3 Kg **Gross weight:** 1,5 Kg **Package nr:** 1 **Package dimension:** 30x23x30 cm

Accessories

Multisocket with cable	40189/BI	White	69,00
	40189/GR	Grey	69,00
	40189/AZ	Azure	69,00
	40189/NE	Black	69,00

Babele Marc Sadler

BABELE Ø 40 cm Marc Sadler



Light source	Code	Colour	€ excl. VAT.
max 75 W E27 G120	2040/J	Micaceous	540,00




Type: pendant **Emission:** Direct Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 2,5 Kg **Gross weight:** 4 Kg **Package nr:** 1 **Package dimension:** 47x47x47 cm

BABELE Ø 65 cm Marc Sadler



Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G120	2040/65/SD	Micaceous	1.350,00




Type: pendant **Emission:** Direct Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 4,5 Kg **Gross weight:** 7 Kg **Package nr:** 1 **Package dimension:** 73x47x73 cm

BABELE Ø 92 cm Marc Sadler



Light source	Code	Colour	€ excl. VAT.
3x max 100 W E27 G120	2040/SD	Micaceous	1.750,00




Type: pendant **Emission:** Direct Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 10 Kg **Gross weight:** 11 Kg **Package nr:** 1 **Package dimension:** 100x45x100 cm



Light source	CCT	Code	Colour	€ excl. VAT.
27,5W 3534lm	3000K	2217/L/1/NE	Black Polished RAL 9005	1.073,00
		2217/L/1/BI	White Polished RAL 9003	1.100,00
		2217/L/1/AU	Pearl Gold Opaque RAL 1036	1.190,00

Type: floor **Emission:** Indirect Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Dimmer on the cable

Materials | Structure: Plastic **Diffuser:** Polycarbonate **Power cable:** 50+200cm

Net weight: 7,8 Kg **Gross weight:** 7,5 - 5 Kg **Package nr:** 2 **Package dimension:** 37x180x37 - 30x12x30 cm

Blow

Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G120	1858	White Polished	550,00



Type: pendant **Emission:** Diffuse Light **Light source:** Bulb not included

Volt: 230 V


Materials Diffuser: Methacrylate 050 **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 8 Kg **Gross weight:** 9 Kg **Package nr:** 1 **Package dimension:** 90x45x90 cm

Bolla

Elio Martinelli

BOLLA 35 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 60 W E27	2760/35/I	White Polished RAL 9003	211,00




Type: ceiling **Emission:** Diffuse Light **Light source:** Bulb not included

Volt: 230 V **Note:** Supports in anodized aluminum.

Materials Diffuser: Methacrylate 040 **Base:** Iron **Elements:** Aluminium

Net weight: 1,55 Kg **Gross weight:** 2,5 Kg **Package nr:** 1 **Package dimension:** 42x28x42 cm

BOLLA 50 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 75 W E27	2760/50/I	White Polished RAL 9003	285,00



Type: ceiling **Emission:** Diffuse Light **Light source:** Bulb not included


Volt: 230 V **Note:** Supports in anodized aluminum.

Materials Diffuser: Methacrylate 040 **Base:** Iron **Elements:** Aluminium

Net weight: 3,35 Kg **Gross weight:** 5,25 Kg **Package nr:** 1 **Package dimension:** 59x32x59 cm


Bolla Elio Martinelli

BOLLA 60 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 100 W E27	2760/60/I	White Polished RAL 9003	317,00
			
Type: ceiling Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V Note: Supports in anodized aluminum.			
Materials Diffuser: Methacrylate 040 Base: Iron Elements: Aluminium			
Net weight: 4,2 Kg Gross weight: 6,75 Kg Package nr: 1 Package dimension: 69x32x69 cm			


BOLLA 85 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
5xmax 40 W E27	2760/85/I	White Polished RAL 9003	626,00
			
Type: ceiling Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V Note: Supports in anodized aluminum.			
Materials Diffuser: Methacrylate 040 Base: Iron Elements: Plastic			
Package nr: 1			


Bubbles Emiliana Martinelli, Elio Martinelli

BUBBLES Ø 45 cm Emiliana Martinelli, Elio Martinelli




Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G120 	2033/45/C/GI	Yellow Bisatinate	245,00
	2033/45/C/AR	Orange Bisatinate	245,00
	2033/45/C/BI	White Polished	230,00
	2033/45/C/BL	Blue Bisatinate	245,00
Type: pendant Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Diffuser: Methacrylate Power cable: 400cm Suspension cable: 350cm			
Net weight: 2,5 Kg Gross weight: 3,5 Kg Package nr: 1 Package dimension: 51x28x51 cm			

BUBBLES Ø 55 cm Emiliana Martinelli, Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G120 	2033/55/C/BI	White Polished	280,00
Type: pendant Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Diffuser: Methacrylate Power cable: 400cm Suspension cable: 350cm			
Net weight: 3 Kg Gross weight: 4 Kg Package nr: 1 Package dimension: 59x32x59 cm			

CABRIOLETTE Table Studio Natural



Light source	CCT	Code	Colour	€ excl. VAT.
7,5W 1110lm	2700K	832/BI	White Polished RAL 9003	355,00
		832/NE	Black Polished RAL 9005	355,00
		832/GI	Yellow Polished RAL 1012	370,00
		832/AZ	Azure Polished RAL 5014	370,00


Type: table **Emission:** Direct Light, Adjustable Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Dimmer on the cable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040

Net weight: 1,6 Kg **Gross weight:** 2,5 Kg **Package nr:** 1 **Package dimension:** 20x20x32 cm

CABRIOLETTE CORDLESS Studio Natural



Light source	CCT	Code	Colour	€ excl. VAT.
1,5W 220lm	2700K	832/CL/BI	White Polished RAL 9003	407,00
		832/CL/NE	Black Polished RAL 9005	407,00
		832/CL/GI	Yellow Polished RAL 1012	420,00
		832/CL/AZ	Azure Polished RAL 5014	420,00

Type: table **Emission:** Direct Light, Adjustable Light **Light source:** Integrated LED

Volt: 5 V **Driver:** Electronic control board with rechargeable battery Excluded External **Dimming:** Touch on body **Note:** with rechargeable battery


Materials | Structure: Aluminium **Diffuser:** Methacrylate 040

Net weight: 1,5 Kg **Gross weight:** 2,5 Kg **Package nr:** 1 **Package dimension:** 20x20x32 cm

Accessories

USB charger	40065	20,00
-------------	-------	-------

CABRIOLETTE floor Studio Natural



Light source	CCT	Code	Colour	€ excl. VAT.
14W 2200lm	2700K	2319/BI	White Polished RAL 9003	525,00
		2319/NE	Black Polished RAL 9005	525,00
		2319/GI	Yellow Polished RAL 1012	550,00
		2319/AZ	Azure Polished RAL 5014	550,00


Type: floor **Emission:** Direct Light, Adjustable Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Dimmer on the cable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 50+200cm

Net weight: 4 Kg **Gross weight:** 6 Kg **Package nr:** 1 **Package dimension:** 126x22x22 cm

CABRIOLETTE wall Studio Natural



Light source	CCT	Code	Colour	€ excl. VAT.
14W 2200lm	2700K	1442/BI	White Polished RAL 9003	271,00
		1442/NE	Black Polished RAL 9005	271,00

Type: wall **Emission:** Direct Light, Adjustable Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040

Net weight: 1 Kg **Gross weight:** 1,5 Kg **Package nr:** 1 **Package dimension:** 20x26x20 cm

Cabriolette Studio Natural

CABRIOLETTE Suspension Studio Natural



Light source	CCT	Code	Colour	€ excl. VAT.
7,5W 1110lm	2700K	21020/BI	White Polished RAL 9003	300,00
		21020/NE	Black Polished RAL 9005	300,00
		21020/GI	Yellow Polished RAL 1012	315,00
		21020/AZ	Azure Polished RAL 5014	315,00

Type: pendant **Emission:** Direct Light, Adjustable Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040

Net weight: 1,6 Kg **Gross weight:** 2,5 Kg **Package nr:** 1 **Package dimension:** 20x32x20 cm


Cabriolette Studio Tecnico ML

CABRIOLETTE Studio Tecnico ML



CABRIOLETTE Canopies

Linear Canopy




Watt	Dimmer	Code	Colour	€ excl. VAT.
100W	Push Dali2 Triac 5 wires 1-10V 0-10V	40222/NE	Black Opaque	520,00
		40222/BI	White Opaque	520,00
	Non dimmable	40221/NE	Black Opaque	500,00
		40221/BI	White Opaque	500,00

Volt: 230/24 V **Driver:** Electronic power supply Included Internal

Structure: Steel

CABRIOLETTE Body lamp



Light source	CCT	Code	Colour	€ excl. VAT.
7,5W 1110lm	2700K	40224/BI	White Polished RAL 9003	240,00
		40224/NE	Black Polished RAL 9005	240,00
		40224/GI	Yellow Polished RAL 1012	253,00
		40224/AZ	Azure Polished RAL 5014	253,00

Emission: Direct Light, Adjustable Light **Light source:** Integrated LED


Volt: 24 V **Driver:** Electronic power supply Excluded External

Structure: Aluminium **Diffuser:** Methacrylate 040

Net weight: 1,6 Kg **Gross weight:** 2,5 Kg **Package nr:** 1 **Package dimension:** 20x32x20 cm

Chet-B Francesco Lucchese

CHET-B wall / ceiling Francesco Lucchese




Light source	CCT	Code	Colour	€ excl. VAT.
9W 1030lm+ 35W 3850lm	2700K	2907/DIM/AU	Pearl Gold Opaque RAL 1036	965,00
		2907/DIM/BZ	Bronze Matt	970,00
		2907/DIM/GR	Hammered Grey Opaque	930,00

Type: ceiling **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Push | Dali2 | Triac 5 wires | 1-10V | 0-10V

Materials | Structure: Glass **Diffuser:** Glass

CHET-B Junior - wall / ceiling Francesco Lucchese




Light source	CCT	Code	Colour	€ excl. VAT.
5W 600lm+ 18W 2000lm	2700K	2907/J/DIM/AU	Pearl Gold Opaque RAL 1036	630,00
		2907/J/DIM/BZ	Bronze Matt	630,00
		2907/J/DIM/GR	Hammered Grey Opaque	600,00

Type: ceiling **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Push | Dali2 | Triac 5 wires | 1-10V | 0-10V

Materials | Structure: Glass **Diffuser:** Glass

CHET-B Suspension Francesco Lucchese



Light source	CCT	Code	Colour	€ excl. VAT.
9W 1030lm+ 35W 3850lm	2700K	21030/DIM/AU	Pearl Gold Opaque RAL 1036	1.195,00
		21030/DIM/BZ	Bronze Matt	1.210,00
		21030/DIM/GR	Hammered Grey Opaque	1.180,00


Type: pendant **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Push | Dali2 | Triac 5 wires | 1-10V | 0-10V

Materials | Structure: Glass **Diffuser:** Glass **Power cable:** 350cm **Suspension cable:** 400cm

Cicala Emiliana Martinelli

CICALA Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
13W 2079lm	3000K	2091/BI	White Embossed RAL 9003	595,00
		2091/NE	Black Embossed RAL 9005	665,00
		2091/BM	Bronze Textured	770,00
		2091/OV	Vintage Brass	770,00
	2700K	2091/2700/BI	White Embossed RAL 9003	595,00
		2091/2700/NE	Black Embossed RAL 9005	665,00
		2091/2700/BM	Bronze Textured	770,00
		2091/2700/OV	Vintage Brass	770,00

Type: pendant **Emission:** Direct Light, Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Methacrylate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 2,8 Kg **Gross weight:** 4,9 Kg **Package nr:** 1 **Package dimension:** 50x50x45 cm



single configuration

lamp holder with canopy
cod. 30857

+

diffuser

cluster configuration

canopy 3 elements
code 30901
canopy 5 elements
code 30867

lamp holder
without canopy
cod. 30863

+

diffuser

spider configuration

canopy 3 elements
cod. 30864
canopy 5 elements
cod. 30865


lamp holder
without canopy
cod. 30863

+

diffuser

Ciulifruli is a modular lamp that can be assembled in different combinations; it is possible to match 5 colours of the lamp holder with 5 different shapes of the diffuser. Configuration are available: single, cluster or spider. The last two with 3 or 5 elements. The different shapes and sizes of the diffusers implies the choice of a suitable bulb.

CIULIFRULI Body lamp



Light source	Beam	Code	Colour	€ excl. VAT.
max 40 W E27 A60	270°	30857/BI	White Opaque	110,00
		30857/AZ	Light Blue Opaque	110,00
		30857/GI	Yellow Opaque	110,00
		30857/RO	Red Opaque	110,00
		30857/VE	Green Opaque	110,00

Light source: Bulb not included

230 V


Structure: Polyethylene **Power cable:** 350cm

Net weight: 0,5 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 23x13,5x15,5 cm

Bulbs

6W E27 G45 440lm 2700K		5056	6,00
12W E27 A60 1100lm 2700K		5049	8,00
17W E27 T38 2200lm 2700K		567X	68,00

CIULIFRULI Cluster and spider body lamp



Light source	Beam	Code	Colour	€ excl. VAT.
max 40 W E27 A60	270°	30863/BI	White Opaque	90,00
		30863/AZ	Light Blue Opaque	90,00
		30863/GI	Yellow Opaque	90,00
		30863/RO	Red Opaque	90,00
		30863/VE	Green Opaque	90,00

Light source: Bulb not included

230 V

Structure: Polyethylene **Power cable:** 350cm

Net weight: 0,5 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 23x13,5x15,5 cm


Bulbs

6W E27 G45 440lm 2700K		5056	6,00
12W E27 A60 1100lm 2700K		5049	8,00
17W E27 T38 2200lm 2700K		567X	68,00

CIULIFRULI Diffusers



Diffuser 1 | Ø 16 cm




	Code	Colour	€ IVA esc.
compatible with bulb code 5049 (E27 A60)	30859/BI	White Opaque	90,00
Material: Polyethylene Note: compatible with bulb code 5049 (E27 A60) Net weight: 0,3 Kg Gross weight: 0,4 Kg Package nr: 1 Package dimension 17x19x17 cm			

CIULIFRULI Diffusers




Diffuser 2 Ø 23 cm




	Code	Colour	€ IVA esc.
compatible with bulb code 5049 (E27 A60)	30860/BI	White Opaque	90,00
Material: Polyethylene Note: compatible with bulb code 5049 (E27 A60) Net weight: 0,4 Kg Gross weight: 0,6 Kg Package nr: 1 Package dimension 24x22x24 cm			

Diffuser 3 | Ø 15 cm




	Code	Colour	€ IVA esc.
compatible with bulb code 5049 (E27 A60)	30861/BI	White Opaque	90,00
Material: Polyethylene Note: compatible with bulb code 5049 (E27 A60) Net weight: 0,5 Kg Gross weight: 0,7 Kg Package nr: 1 Package dimension 17x32x17 cm			

Diffuser 4 | Ø 29 cm



	Code	Colour	€ IVA esc.
compatible with bulb code 5056 (E27 G45)	30862/BI	White Opaque	90,00
Material: Polyethylene Note: compatible with bulb code 5056 (E27 G45) Net weight: 0,6 Kg Gross weight: 0,8 Kg Package nr: 1 Package dimension 30x16x30 cm			

Diffuser 5 | Ø 50 cm



	Code	Colour	€ IVA esc.
compatible with bulb code 567X (E27 T38)	30903/BI	White Opaque	160,00
Material: Polyethylene Note: compatible with bulb code 567X (E27 T38) Net weight: 2 Kg Gross weight: 3 Kg Package nr: 1 Package dimension 52x28x52 cm			


CIULIFRULI Canopies



	Code	Colour	€ excl. VAT.
Canopy Ciulifruli Cluster version for 3 supports	30901/BI	White Opaque RAL 9003	160,00
Canopy Ciulifruli Cluster version for 5 supports	30867/BI	White Opaque RAL 9003	160,00
Canopy Ciulifruli Spider version for 3 supports	30864/BI	White Opaque RAL 9003	120,00
Canopy Ciulifruli Spider version for 5 supports	30865/BI	White Opaque RAL 9003	120,00

Structure: Aluminium


Net weight: 2 Kg **Package nr:** 1



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
2x8,6W 2x 1080lm	10°	3000K	2885/S/NE	Black Opaque RAL 9005	760,00
Type: ceiling Emission: Direct Light, Indirect Light Light source: Integrated LED					
Volt: 230 V Driver: Electronic power supply with cable and plug Included External Dimming: Non dimmable					
Materials Structure: Aluminium Diffuser: Methacrylate					
Net weight: 2,4 Kg Gross weight: 3,5 Kg Package nr: 1 Package dimension: 45x16x45 cm					

Cobra


Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 75 W E27	629	White Polished RAL 9003	820,00
	629/NE	Black Polished RAL 9005	1.020,00
	629/RO	Red Polished RAL 3020	1.100,00
Type: table Emission: Direct Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Resin Reflector: Aluminium Base: Resin Power cable: 40+200cm			
Net weight: 8,8 Kg Gross weight: 11,9 Kg Package nr: 1 Package dimension: 51x51x51 cm			

Cobra 100


Elio Martinelli




Light source	Code	Colour	€ excl. VAT.
max 75 W E27	629/GI	Yellow Polished RAL 1023	1.580,00
			
Type: table Emission: Direct Light Light source: Bulb not included			
Volt: 230 V Note: limited edition, numbered and signed			
Materials Structure: Resin Reflector: Aluminium Base: Resin Power cable: 40+200cm			
Net weight: 8,8 Kg Gross weight: 13 Kg Package nr: 1 Package dimension: 52x52x52 cm			

Cobra Scorpis

Elio Martinelli, Emiliana Martinelli



Light source	Code	Colour	€ excl. VAT.
max 75 W E27	629/SC	Blue Polished RAL 5004	1.220,00
			
Type: table Emission: Direct Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Resin Diffuser: Methacrylate Base: Resin Power cable: 40+200cm			
Net weight: 9 Kg Gross weight: 12,1 Kg Package nr: 1 Package dimension: 51x51x51 cm			

COLIBRÌ reading lamp Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
6,5W 630lm	2700K	2312/BI	White Polished RAL 9003	720,00
		2312/NE	Black Opaque RAL 9005	720,00
		2312/GI	Yellow Polished RAL 1012	770,00

Type: floor **Emission:** Direct Light, Adjustable Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply with cable and plug Included External **Dimming:** Touch on body

Materials | Diffuser: Polycarbonate **Base:** Iron **Elements:** Aluminium **Power cable:** 50+200cm

Net weight: 9,1 Kg **Gross weight:** 3,5 - 7 Kg **Package nr:** 2 **Package dimension:** 40x40x23 - 12x180x12 cm

COLIBRÌ Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
4x2,1W 4x 300lm	3000K	2278/NE	Black Opaque RAL 9005	900,00

Type: floor **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Base:** Iron **Power cable:** 50+200cm

Net weight: 4,9 Kg **Gross weight:** 2 - 4 Kg **Package nr:** 2 **Package dimension:** 12x170x12 - 30x10x30 cm

COLIBRÌ Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
14,6W 2418lm	3000K	2290/NE	Black Opaque RAL 9005	900,00
		2290/AU	Gold Opaque	900,00

Type: floor **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Silicone **Base:** Iron **Power cable:** 50+200cm

Net weight: 5 Kg **Gross weight:** 2 - 4 Kg **Package nr:** 2 **Package dimension:** 12x180x12 - 30x30x23 cm

COLIBRÌ Suspension Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
6,5W 630lm	2700K	21015/NE	Black Opaque RAL 9005	250,00
		21015/GI	Yellow Polished RAL 1012	300,00
		21015/BI	White Polished RAL 9003	250,00

Type: pendant **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Non dimmable


Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 0,7 Kg **Gross weight:** 1 Kg **Package nr:** 1 **Package dimension:** 10x42x10 cm



COLIBRÌ Canopies

Linear Canopy




Watt	Dimmer	Code	Colour	€ excl. VAT.
100W	Push Dali2 Triac 5 wires 1-10V 0-10V	40222/NE	Black Opaque	520,00
		40222/BI	White Opaque	520,00
	Non dimmable	40221/NE	Black Opaque	500,00
		40221/BI	White Opaque	500,00

Volt:230/24 V **Driver:** Electronic power supply Included Internal

Structure: Steel

COLIBRÌ Body lamp



Light source	CCT	Code	Colour	€ excl. VAT.
6,5W 630lm	2700K	40223/BI	White Polished RAL 9003	195,00
		40223/NE	Black Opaque RAL 9005	195,00
		40223/GI	Yellow Polished RAL 1012	249,00

Emission: Direct Light **Light source:** Integrated LED


Volt:24 V **Driver:** Electronic power supply Excluded External

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 0,5 Kg **Package dimension** 12x15x140 cm

Cono Elio Martinelli

CONO Ø 30 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 75 W E27	1861/J/RO	Red Opaque RAL 3020	255,00
	1861/J/BI	White Opaque RAL 9003	200,00
	1861/J/NE	Black Opaque RAL 9005	200,00
	1861/J/BZ	Bronze Matt	220,00


Type: pendant **Emission:** Direct Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Aluminium **Reflector:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 1,5 Kg **Gross weight:** 2,3 Kg **Package nr:** 1 **Package dimension:** 40x23x40 cm

CONO Ø 45 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G120	1861/RO	Red Opaque RAL 3020	285,00
	1861/BI	White Opaque RAL 9003	220,00
	1861/NE	Black Opaque RAL 9005	220,00
	1861/BZ	Bronze Matt	285,00

Type: pendant **Emission:** Direct Light **Light source:** Bulb not included


Volt: 230 V

Materials | Structure: Aluminium **Reflector:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 2,5 Kg **Gross weight:** 3,5 Kg **Package nr:** 1 **Package dimension:** 47x47x47 cm


Cordon Serge & Robert Cornelissen

CORDON Serge & Robert Cornelissen



Modular ceiling lamp with several cylindrical elements and power cables. The cable, available in 2 lengths, connects and powers the different spotlights, allowing the spotlights to be freely positioned on the ceiling. A cable with plug is also available to power the spotlights from a wall socket.

CORDON Light modules



Light source	CCT	Code	Colour	€ excl. VAT.
8,5W 1000lm	2700K	40183/NE/BI	Black/white Opaque RAL 9005/RAL 9003	415,00
		40183/NE/RO	Black/red Opaque RAL 9005/RAL 3000	415,00

Emission: Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimmer:** Non dimmable

Structure: Aluminium **Diffuser:** Polycarbonate

Net weight: 0,85 Kg **Gross weight:** 1,3 Kg **Package nr:** 1 **Package dimension:** 27x20x20 cm


	Code	Colour	€ excl. VAT.
Cable kit Cordon 3 m	40184	Black	30,00
Structure: Pvc - Polyvinyl Chloride			
Net weight: 0,2 Kg Gross weight: 0,25 Kg Package nr: 1 Package dimension 21x21x3 cm			
Accessories			
Canopy Cordon	40187/NE	Black	10,00

	Code	Colour	€ excl. VAT.
Cable kit Cordon 5 m	40185	Black	35,00
Structure: Pvc - Polyvinyl Chloride			
Net weight: 0,35 Kg Gross weight: 0,4 Kg Package nr: 1 Package dimension 21x21x3 cm			
Accessories			
Canopy Cordon	40187/NE	Black	10,00

	Code	Colour	€ excl. VAT.
Cable kit with plug Cordon 5 m	40186	Black	40,00
Structure: Pvc - Polyvinyl Chloride			
Net weight: 0,55 Kg Gross weight: 0,6 Kg Package nr: 1 Package dimension 21x21x3 cm			


Corona Emiliana Martinelli

CORONA Ø 28 cm Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
16,3W 2559lm	3000K	2834/M/J/L/1	White Opaque	320,00
Type: wall, ceiling Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Methacrylate 040 Elements: Aluminium				
Net weight: 1,4 Kg Gross weight: 2,75 Kg Package nr: 1 Package dimension: 35x35x15 cm				


CORONA Ø 42 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
26W 3200lm	3000K	2834/M/L/1	White Opaque	410,00
Type: wall, ceiling Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Methacrylate 040 Elements: Aluminium				
Net weight: 1,4 Kg Gross weight: 2,3 Kg Package nr: 1 Package dimension: 43x14x43 cm				




Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G120	1889	White Opaque RAL 9003	530,00
			
Type: pendant Emission: Direct Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Aluminium Power cable: 400cm Suspension cable: 350cm			
Net weight: 2,8 Kg Gross weight: 6 Kg Package nr: 1 Package dimension: 69x32x69 cm			




Light source	CCT	Code	Colour	€ excl. VAT.
3,7W LED COB 450lm	3000K	825/AZ	Azure Polished NCS CIANO + NCS S 1030-R80B	380,00
		825/VE	Green Polished LIME NCS-S 0520-G40Y	380,00
		825/AL	Aluminium Embossed	340,00
		825/GR	Grey Polished NCS-S 2000-N	380,00
		825/BI	White Polished RAL 9003	380,00
		825/FC	Fuchsia Polished RAL 4010	380,00


Type: table Emission: Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic plug-in power supply Included External Dimming: Touch on body				
Materials Structure: Aluminium Diffuser: Polycarbonate Power cable: 175cm				
Net weight: 0,75 Kg Gross weight: 1,35 Kg Package nr: 1 Package dimension: 24x24x35 cm				




Light source	CCT	Code	Colour	€ excl. VAT.
3,7W LED COB 450lm	3000K	825/TEXTURE/KR		900,00
Type: table Emission: Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic plug-in power supply Included External Dimming: Touch on body Note: limited edition				
Materials Structure: Aluminium Diffuser: Polycarbonate Power cable: 175cm				
Net weight: 0,75 Kg Gross weight: 1,35 Kg Package nr: 1 Package dimension: 24x24x35 cm				



Light source	Code	Colour	€ excl. VAT.
max 75 W E27	828/CH	Golden Sand Opaque RAL 1035	670,00
	828/CP	Pearl Copper Polished RAL 8029	670,00
	828/NE	Black Polished RAL 9005	650,00
Type: table Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Aluminium Diffuser: Glass			
Net weight: 5,6 Kg Gross weight: 3,36 - 4,5 Kg Package nr: 2 Package dimension: 41x28x41 - 41x28x41 cm			




Light source	Code	Colour	€ excl. VAT.
max 40 W E14 G45	828/J/CH	Golden Sand Opaque RAL 1035	340,00
	828/J/CP	Pearl Copper Polished RAL 8029	340,00
	828/J/NE	Black Polished RAL 9005	320,00
Type: table Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Aluminium Diffuser: Glass			
Net weight: 1,5 Kg Gross weight: 1,9 Kg Package nr: 1 Package dimension: 33x33x38 cm			



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
10W 900lm	90°	3000K	2900/J/BI	White Opaque RAL 9003	190,00
			2900/J/NE	Black Opaque RAL 9005	190,00
Type: ceiling Emission: Diffuse Light Light source: Integrated LED					
Volt: 230 V Dimming: Non dimmable					
Materials Diffuser: Glass Base: Aluminium					
Net weight: 1,3 Kg Gross weight: 1,7 Kg Package nr: 1 Package dimension: 33x33x38 cm					

DIA Floor Simon Schmitz



Light source	CCT	Code	Colour	€ excl. VAT.
2x9W 2x 1224lm	2700K	2317	Grey Matt	1.180,00
		2317/BZ	Bronze Matt	1.180,00


Type: floor **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable **Note:** double lighting

Materials | Structure: Aluminium **Diffuser:** Glass **Base:** Iron **Elements:** Aluminium **Power cable:** 50+200cm

Net weight: 8 Kg **Gross weight:** 6,5 - 4 Kg **Package nr:** 2 **Package dimension:** 25x190x25 - 40x23x40 cm

DIA Suspension - direct light Simon Schmitz



Light source	CCT	Code	Colour	€ excl. VAT.
9W 1224lm	2700K	21023	Grey Matt	560,00
		21023/BZ	Bronze Matt	560,00


Type: pendant **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal

Materials | Structure: Glass **Diffuser:** Glass

Net weight: 3,5 Kg **Gross weight:** 5 Kg **Package nr:** 1 **Package dimension:** 65x65x30 cm

DIA Suspension - direct/indirect light Simon Schmitz




Light source	CCT	Code	Colour	€ excl. VAT.
2x9W 2x 1224lm	2700K	21023/50	Grey Matt	730,00
		21023/50/BZ	Bronze Matt	730,00

Type: pendant **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal


Materials | Structure: Glass **Diffuser:** Glass **Elements:** Aluminium

Net weight: 3,5 Kg **Gross weight:** 5 Kg **Package nr:** 1 **Package dimension:** 65x65x30 cm



DIA Canopies

Linear Canopy




Watt	Dimmer	Code	Colour	€ excl. VAT.
100W	Push Dali2 Triac 5 wires 1-10V 0-10V	40222/GR	Grey Opaque	560,00
		40222/BZ	Bronze Opaque	560,00
	Non dimmable	40221/GR	Grey Opaque	545,00
		40221/BZ	Bronze Opaque	545,00
Volt: 230/24 V Driver: Electronic power supply Included Internal				
Structure: Steel				

DIA Body lamp




Dia Suspension - direct light




Light source	CCT	Code	Colour	€ excl. VAT.
9W 1224lm	2700K	40225/GR	Grey Matt	404,00
		40225/BZ	Bronze Matt	412,00
Emission: Direct Light Light source: Integrated LED				
Volt: 24 V Driver: Electronic power supply Excluded External				
Structure: Glass Diffuser: Glass				
Net weight: 3,5 Kg Gross weight: 5 Kg Package nr: 1 Package dimension 65x65x30 cm				

Dia Suspension - direct/indirect light



Light source	CCT	Code	Colour	€ excl. VAT.
2x9W2x 1224lm	2700K	40230/GR	Grey Matt	554,00
		40230/BZ	Bronze Matt	562,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 24 V Driver: Electronic power supply Excluded External				
Structure: Glass Diffuser: Glass Elements: Aluminium				
Net weight: 3,5 Kg Gross weight: 5 Kg Package nr: 1 Package dimension 65x65x30 cm				



Light source	CCT	Code	Colour	€ excl. VAT.
23W 2112lm	2700K	2301/RO	Red Opaque NCS S 2570-R	620,00
		2301/NE	Black Opaque RAL 9005	570,00
		2301/GR	Grey Opaque RAL 7015	570,00
		2301/GI	Yellow Opaque NCS S 3060-Y30R	620,00
		2301/AZ	Azure Opaque NCS S 6020-B	620,00

Type: ceiling, floor **Emission:** Indirect Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Dimmer on elastic band

Materials | Structure: Elastic Fabric **Base:** Aluminium **Power cable:** 250cm

Net weight: 5 Kg **Gross weight:** 5,5 Kg **Package nr:** 1 **Package dimension:** 22x26x22 cm

ELASTICA JUNIOR

Habits Design



Light source	CCT	Code	Colour	€ excl. VAT.
23W 2112lm	2700K	2301/J/RO	Red Opaque NCS S 2570-R	620,00
		2301/J/NE	Black Opaque RAL 9005	570,00
		2301/J/GR	Grey Opaque RAL 7015	570,00
		2301/J/GI	Yellow Opaque NCS S 3060-Y30R	620,00
		2301/J/AZ	Azure Opaque NCS S 6020-B	620,00

Type: ceiling, floor **Emission:** Indirect Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Dimmer on elastic band

Materials | Structure: Elastic Fabric **Base:** Aluminium **Power cable:** 250cm

Net weight: 5 Kg **Gross weight:** 5,5 Kg **Package nr:** 1 **Package dimension:** 22x26x22 cm

Elica

Brian Sironi



Light source	CCT	Code	Colour	€ excl. VAT.
9W 720lm	3000K	807/J/BI	White Polished RAL 9003	600,00
		807/J/GI	Yellow Polished RAL 1012	680,00
		807/J/NE	Black Polished RAL 9005	680,00

Type: table **Emission:** Direct Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Non dimmable

Materials | Structure: Aluminium **Power cable:** 195cm

Net weight: 5 Kg **Gross weight:** 6 Kg **Package nr:** 1 **Package dimension:** 27x73x23 cm

Elmetto

Elio Martinelli




Light source	Code	Colour	€ excl. VAT.
max 40 W E27 G45 	685/AR	Orange Polished RAL 2011	260,00
	685/AU	Pearl Gold Opaque RAL 1036	320,00
	685/BI	White Polished RAL 9003	220,00
	685/BL	Blue Polished RAL 5007	260,00
	685/GI	Yellow Polished RAL 1012	260,00
	685/NE	Black Polished RAL 9005	260,00
	685/VE	Green Polished RAL 6013	260,00
	685/RO	Red Polished RAL 3003	260,00

Type: table **Emission:** Direct Light, Indirect Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Abs **Power cable:** 200cm

Net weight: 1,1 Kg **Gross weight:** 1,9 Kg **Package nr:** 1 **Package dimension:** 24x40x24 cm




Light source	CCT	Code	Colour	€ excl. VAT.
12W 1400lm	3000K	1347/Q/DIM/L/1		880,00
Type: wall Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Push Dali2				
Materials Structure: Glass Diffuser: Methacrylate				
Net weight: 6 Kg Gross weight: 6,6 Kg Package nr: 1				

Eva

Emiliana Martinelli

EVA Emiliana Martinelli




Light source	Code	Colour	€ excl. VAT.
max 100 W E27 T38	2270/BI	White RAL TIPO 9003	690,00
	2270/NE	Black RAL 9005	690,00
	2270/NE/NE		610,00

Type: floor **Emission:** Diffuse Light **Light source:** Bulb not included
Volt: 230 V **Dimming:** Dimmer on the cable
Materials | Structure: Aluminium **Reflector:** Fabric **Power cable:** 50+200cm
Net weight: 5,7 Kg **Gross weight:** 4,7 - 3,6 Kg **Package nr:** 2 **Package dimension:** 8x145x8 - 56x56x56 cm

Bulbs			
17W E27 2000lm 2700K dimmable	597X		60,00

EVA XG Emiliana Martinelli




Light source	Code	Colour	€ excl. VAT.
max 150 W E27 T38	2270/XG/NE/NE	Black RAL 9005	1.880,00

Type: floor **Emission:** Direct Light, Indirect Light **Light source:** Bulb not included
Volt: 230 V **Dimming:** Push on the cable
Materials | Structure: Aluminium **Diffuser:** Fabric **Power cable:** 50+200cm
Net weight: 14 Kg **Gross weight:** 2 - 5 - 12 Kg **Package nr:** 3 **Package dimension:** 30x30x23 - 8x145x8 - 110x110x110 cm


Bulbs			
17W E27 2000lm 2700K dimmable	597X		60,00

Fluida

Studio Natural




Light source	CCT	Code	Colour	€ excl. VAT.
3W 495lm	3000K	823/BI	White Opaque RAL 9003	290,00
Type: table Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Non dimmable				
Materials Structure: Aluminium Base: Abs Power cable: 200cm				
Net weight: 1 Kg Gross weight: 1,7 Kg Package nr: 1 Package dimension: 16x5x117 cm				



Fra Tac consists of lightweight, "C"-shaped curved aluminium modules that are joined together by magnets. The magnet attachment not only connects mechanically the modules but also serves as an electrical connection. For the configuration of the lamp, 3 different supports with integrated ballast are available: wall-mounted, tri-suspension and linear suspension versions.


FRA TAC Light modules



Light source	CCT	Code	Colour	€ excl. VAT.
3,5W 500lm	2700K	40217/AU	Pearl Gold Opaque RAL 1036	130,00
		40217/GR	Grey Opaque RAL 7000	115,00
Emission: Diffuse Light, Indirect Light Light source: Integrated LED				
Structure: Aluminium				
Net weight: 0,3 Kg Gross weight: 0,6 Kg Package nr: 1 Package dimension: 30x30x23 cm				


FRA TAC Canopies

Canopy Fra Tac wall - max 5 modules



Watt	Dimmer	Code	Colour	€ excl. VAT.
18W	Non dimmable	40214/AU	Pearl Gold Opaque RAL 1036	330,00
		40214/GR	Grey Opaque RAL 7000	270,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium				


Canopy Fra Tac suspension - composition at 3



Watt	Dimmer	Code	Colour	€ excl. VAT.
53W	Non dimmable	40215/AU	Pearl Gold Opaque RAL 1036	590,00
		40215/GR	Grey Opaque RAL 7000	535,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Suspension cable: 400cm				

FRA TAC Canopies

Canopy Fra Tac suspension - linear composition 4




Watt	Dimmer	Code	Colour	€ excl. VAT.
70W	Non dimmable	40216/AU	Pearl Gold Opaque RAL 1036	610,00
		40216/GR	Grey Opaque RAL 7000	555,00

Volt: 230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Suspension cable:** 400cm

Gomito Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 75 W E27	1196/BI	White Polished RAL 9003	135,00




Type: wall **Emission:** Direct Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Resin

Net weight: 0,5 Kg **Gross weight:** 1 Kg **Package nr:** 1 **Package dimension:** 15x25x15 cm

Grammoluce Min Dong, Habits Design




Light source	CCT	Code	Colour	€ excl. VAT.
33W 3300lm	1800 - 3000K	838/NE	Black Opaque RAL 9005	1.290,00

Type: table **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply with cable and plug Included Internal **Dimming:** Electronics

Materials | Structure: Glass **Diffuser:** Glass **Base:** Aluminium **Elements:** Glass

Hoop Adolini+Simonini Associati



Light source	CCT	Code	Colour	€ excl. VAT.
6W 462lm	3000K	824/BI	White Polished RAL 9003	250,00
		824/NE	Black Polished RAL 9005	250,00

Type: table **Emission:** Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic dimmable plug-in power supply unit Included External **Dimming:** Touch on body

Materials | Structure: Resin **Diffuser:** Methacrylate **Reflector:** Resin **Power cable:** 200cm


Net weight: 1,6 Kg **Gross weight:** 1,9 Kg **Package nr:** 1 **Package dimension:** 22x22x27 cm




tubular

diffusers


canopy




compositions with circular rosettes



1 tubular
canopy
cod.40206




3 tubulars
canopy
cod.40207



5 tubulars
canopy
cod.40208

composizioni con rosone lineare




3 tubulars
canopy
cod.40221

Modular lamp in different configurations through the free combination of 4 different diffuser shapes on the glass tubular. The diffusers are fixed freely, in type and arrangement, on the tubular glass by means of a transparent silicone O-ring. The glass tubes are available in 4 different lengths. The system allows, with the use of specific rosettes, the suspension of 1, 3 or 5 tubular profiles of different or equal lengths. Also available rosette for linear composition.

INFINITA Light modules




Light module Infinita Length 35 cm




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
9W 970lm	35°	2700K	40199/35	Transparent Polished	390,00
Emission: Diffuse Light Light source: Integrated LED					
Volt: 24 V Driver: Excluded External					
Structure: Glass Power cable: 250cm					
Net weight: 0,5 Kg Package nr: 1					

Light module Infinita Length 70 cm




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
9W 970lm	35°	2700K	40199/70	Transparent Polished	425,00
Emission: Diffuse Light Light source: Integrated LED					
Volt: 24 V Driver: Excluded External					
Structure: Glass Power cable: 250cm					
Net weight: 0,9 Kg Package nr: 1					

Light module Infinita Length 120 cm




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
9W 970lm	35°	2700K	40199/120	Transparent Polished	490,00
Emission: Diffuse Light Light source: Integrated LED					
Volt: 24 V Driver: Excluded External					
Structure: Glass Power cable: 250cm					
Net weight: 1 Kg Package nr: 1					

Light module Infinita Length 150 cm




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
9W 970lm	35°	2700K	40199/150	Transparent Polished	510,00
Emission: Diffuse Light Light source: Integrated LED					
Volt: 24 V Driver: Excluded External					
Structure: Glass Power cable: 250cm					
Net weight: 1,6 Kg Package nr: 1					



	Code	Colour	€ excl. VAT.
Diffuser 1	40200/TR	Transparent Polished	130,00
	40200/RS	Pink Polished	170,00
	40200/CG	Cognac Polished	170,00
	40200/FU	Fumé Polished	185,00

Diffuser: Glass


Net weight: 0,3 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 30x23x30 cm



	Code	Colour	€ excl. VAT.
Diffuser 2	40201/TR	Transparent Polished	115,00
	40201/RS	Pink Polished	160,00
	40201/CG	Cognac Polished	160,00
	40201/FU	Fumé Polished	170,00

Diffuser: Glass


Net weight: 0,3 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 30x23x30 cm



	Code	Colour	€ excl. VAT.
Diffuser 3	40202/TR	Transparent Polished	160,00
	40202/RS	Pink Polished	200,00
	40202/CG	Cognac Polished	200,00
	40202/FU	Fumé Polished	215,00

Diffuser: Glass

Net weight: 0,3 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 30x23x30 cm



	Code	Colour	€ excl. VAT.
Diffuser 4	40203/TR	Transparent Polished	175,00
	40203/RS	Pink Polished	187,00
	40203/CG	Cognac Polished	215,00
	40203/FU	Fumé Polished	230,00


Diffuser: Glass

Net weight: 0,3 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 30x23x30 cm

INFINITA Canopies



Canopy 9 W for 1 lamp




Watt	Dimmer	Code	Colour	€ excl. VAT.
9W	Non dimmable	40206	Opaque	270,00
9W	Push Dali2 Triac 5 wires 0-10V 1-10V	40206/DIM	Opaque	285,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 0,3 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 30x23x30 cm

Canopy 27 W for 3 lamps




Watt	Dimmer	Code	Colour	€ excl. VAT.
27W	Non dimmable	40207	Opaque	430,00
27W	Push Dali2 Triac 5 wires 0-10V 1-10V	40207/DIM	Opaque	530,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 0,3 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 30x23x30 cm

Canopy 45 W - for 5 lamps




Watt	Dimmer	Code	Colour	€ excl. VAT.
45W	Non dimmable	40208	Opaque	645,00
45W	Push Dali2 Triac 5 wires 0-10V 1-10V	40208/DIM	Opaque	775,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 0,3 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 30x23x30 cm

Linear Canopy




Watt	Dimmer	Code	Colour	€ excl. VAT.
100W	Non dimmable	40221/GT	Opaque	545,00
100W	Push Dali2 Triac 5 wires 1-10V 0-10V	40222/GT	Opaque	560,00

Volt:230/24 V **Driver:** Electronic power supply Included Internal

Structure: Steel

KOKOUNO Ceiling H 25 cm Studio PLS Design



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	2899/BI	White Opaque RAL 9003	210,00
			2899/NE	Black Opaque RAL 9005	210,00
			2899/BZ	Bronze Matt	220,00
			2899/AU	Pearl Gold Opaque RAL 1036	220,00


Type: ceiling **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable **Note:** available with other beam angles

Materials | Structure: Aluminium **Diffuser:** Polycarbonate

Net weight: 1 Kg **Gross weight:** 1,5 Kg **Package nr:** 1 **Package dimension:** 10x42x10 cm

KOKOUNO Ceiling H 50 cm Studio PLS Design



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	2899/G/BI	White Opaque RAL 9003	245,00
			2899/G/NE	Black Opaque RAL 9005	245,00
			2899/G/BZ	Bronze Matt	260,00
			2899/G/AU	Pearl Gold Opaque RAL 1036	260,00


Type: ceiling **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable **Note:** available with other beam angles

Materials | Structure: Aluminium

Net weight: 1,5 Kg **Package nr:** 1

KOKOUNO Wall H 25 cm Studio PLS Design



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	1454/J/BI	White Opaque RAL 9003	270,00
			1454/J/NE	Black Opaque RAL 9005	270,00
			1454/J/BZ	Bronze Matt	290,00
			1454/J/AU	Pearl Gold Opaque RAL 1036	290,00


Type: wall **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable **Note:** available with other beam angles

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Base:** Aluminium

Net weight: 1,3 Kg **Gross weight:** 1,5 Kg **Package nr:** 1

KOKOUNO Wall H 50 cm Studio PLS Design



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm+ 8,6W 1080lm	10°	3000K	1454/BI	White Opaque RAL 9003	320,00
			1454/NE	Black Opaque RAL 9005	320,00
			1454/BZ	Bronze Matt	350,00
			1454/AU	Pearl Gold Opaque RAL 1036	350,00


Type: wall **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable **Note:** available with other beam angles

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Base:** Aluminium

Net weight: 1,3 Kg **Gross weight:** 2 Kg **Package nr:** 1 **Package dimension:** 18x58x18 cm

KOKOUNO Suspension H 50 cm Studio PLS Design



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	2093/50/BI	White Opaque RAL 9003	260,00
			2093/50/NE	Black Opaque RAL 9005	260,00
			2093/50/BZ	Bronze Matt	280,00
			2093/50/AU	Pearl Gold Opaque RAL 1036	280,00


Type: pendant **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable **Note:** available with other beam angles

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Gross weight:** 1,4 Kg **Package nr:** 1 **Package dimension:** 16x64x16 cm

KOKOUNO Suspension H 80 cm Studio PLS Design



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	2093/BI	White Opaque RAL 9003	270,00
			2093/NE	Black Opaque RAL 9005	270,00
			2093/BZ	Bronze Matt	300,00
			2093/AU	Pearl Gold Opaque RAL 1036	300,00


Type: pendant **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable **Note:** available with other beam angles

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Gross weight:** 1,5 Kg **Package nr:** 1 **Package dimension:** 8,5x120x8,5 cm

KOKOUNO Suspension H 50 cm Studio PLS Design



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8W 840lm	10°	3000K	2093/J/50/BI	White Opaque RAL 9003	250,00
			2093/J/50/NE	Black Opaque RAL 9005	250,00
			2093/J/50/BZ	Bronze Matt	280,00
			2093/J/50/AU	Pearl Gold Opaque RAL 1036	280,00


Type: pendant **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable **Note:** available with other beam angles

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Package nr:** 1

KOKOUNO Suspension H 80 cm Studio PLS Design




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8W 840lm	10°	3000K	2093/J/BI	White Opaque RAL 9003	260,00
			2093/J/NE	Black Opaque RAL 9005	260,00
			2093/J/BZ	Bronze Matt	290,00
			2093/J/AU	Pearl Gold Opaque RAL 1036	290,00

Type: pendant **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable **Note:** available with other beam angles


Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Gross weight:** 1,5 Kg **Package nr:** 1



KOKO UNO Canopies


Linear Canopy

	Watt	Dimmer	Code	Colour	€ excl. VAT.
	100W	Push Dalí2 Triac 5 wires 1-10V 0-10V	40222/NE	Black Opaque	520,00
			40222/BI	White Opaque	520,00
			40222/GR	Grey Opaque	560,00
			40222/BZ	Bronze Opaque	560,00
		Non dimmable	40221/NE	Black Opaque	500,00
			40221/BI	White Opaque	500,00
			40221/GR	Grey Opaque	545,00
			40221/BZ	Bronze Opaque	545,00
	Volt:230/24 V Driver: Electronic power supply Included Internal				
Structure: Steel					

KOKO UNO Body lamp



Kokouno Suspension H 50 cm



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	40227/BI	White Opaque RAL 9003	192,00
			40227/NE	Black Opaque RAL 9005	192,00
			40227/BZ	Bronze Matt	228,00
			40227/AU	Pearl Gold Opaque RAL 1036	228,00


Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External **Note:**available with other beam angles

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Gross weight:** 1,4 Kg **Package nr:** 1 **Package dimension** 16x64x16 cm

Kokouno Suspension H 80 cm



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	40226/BI	White Opaque RAL 9003	206,00
			40226/NE	Black Opaque RAL 9005	206,00
			40226/BZ	Bronze Matt	231,00
			40226/AU	Pearl Gold Opaque RAL 1036	231,00


Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External **Note:**available with other beam angles

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Gross weight:** 1,5 Kg **Package nr:** 1 **Package dimension** 8,5x120x8,5 cm

Kokouno Suspension H 50 cm



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8W 840lm	10°	3000K	40229/BI	White Opaque RAL 9003	222,00
			40229/NE	Black Opaque RAL 9005	222,00
			40229/BZ	Bronze Matt	246,00
			40229/AU	Pearl Gold Opaque RAL 1036	246,00


Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External **Note:**available with other beam angles

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Package nr:** 1

Kokouno Suspension H 80 cm



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8W 840lm	10°	3000K	40228/BI	White Opaque RAL 9003	208,00
			40228/NE	Black Opaque RAL 9005	208,00
			40228/BZ	Bronze Matt	238,00
			40228/AU	Pearl Gold Opaque RAL 1036	238,00

Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External **Note:** available with other beam angles

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm


Net weight: 1,3 Kg **Gross weight:** 1,5 Kg **Package nr:** 1

L'Amica

Emiliana Martinelli

L'AMICA Floor

Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
7,2W 800lm	3000K	2303/NE	Black Polished RAL 9005	590,00
		2303/VE	Green Polished NCS 1075/670Y10.E	590,00

Type: floor **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Non dimmable

Materials | Structure: Iron **Diffuser:** Methacrylate 040 **Reflector:** Aluminium **Base:** Iron **Elements:** Nylon **Power cable:** 150cm

Net weight: 4,5 Kg **Gross weight:** 7,5 Kg **Package nr:** 1 **Package dimension:** 30x17x141 cm

L'AMICA Table

Elio Martinelli, Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
7,2W 800lm	3000K	736/L/VE	Green Polished NCS 1075/670Y10.E	450,00
		736/L/GR	Silver Soft	450,00
		736/L/NE	Black Polished RAL 9005	450,00

Type: table **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Non dimmable

Materials | Structure: Iron **Diffuser:** Methacrylate 040 **Reflector:** Aluminium **Base:** Iron **Elements:** Nylon **Power cable:** 200cm


Net weight: 3 Kg **Gross weight:** 3,3 Kg **Package nr:** 1 **Package dimension:** 25x12x71 cm

Lady Galala


Peluffo & Partners

LADY GALALA INDOOR

Peluffo & Partners



LADY GALALA Body lamp



Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G120	40171/BI	White Opaque RAL 9003	140,00

Emission: Direct Light, Diffuse Light **Light source:** Bulb not included

Volt: 230 V


Structure: Aluminium **Power cable:** 250cm

Net weight: 0,5 Kg **Gross weight:** 0,8 Kg **Package nr:** 1 **Package dimension:** 20x20x27 cm

LADY GALALA Diffusers



Diffuser Ø 25 cm




Code	Colour	€ excl. VAT.
40172/BI	White Bisatinate	70,00
40172/GI	Yellow Bisatinate	70,00
40172/BL	Blue Bisatinate	70,00
40172/AR	Orange Bisatinate	70,00

Diffuser: Methacrylate

Net weight: 0,3 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 30x23x30 cm

Diffuser Ø 40 cm




Code	Colour	€ excl. VAT.
40173/BI	White Bisatinate	90,00
40173/GI	Yellow Bisatinate	90,00
40173/BL	Blue Bisatinate	90,00
40173/AR	Orange Bisatinate	90,00

Diffuser: Methacrylate

Net weight: 0,4 Kg **Gross weight:** 1 Kg **Package nr:** 1 **Package dimension** 42x13x42 cm

Diffuser Ø 60 cm




Code	Colour	€ excl. VAT.
40174/BI	White Bisatinate	140,00
40174/GI	Yellow Bisatinate	140,00
40174/BL	Blue Bisatinate	140,00
40174/AR	Orange Bisatinate	140,00

Diffuser: Methacrylate

Net weight: 1 Kg **Gross weight:** 2,2 Kg **Package nr:** 1 **Package dimension** 61x8x61 cm

Le Rondini Elio Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
3x3W G4 3x 350lm	3000K	1249/3/L/1	White Opaque RAL 9003	630,00

Type: wall **Emission:** Indirect Light **Light source:** Bulb LED provided


Volt: 230 V **Driver:** Electronic power supply Included External

Materials | Structure: Brass **Elements:** Iron

Net weight: 2 Kg **Gross weight:** 3 Kg **Package nr:** 1 **Package dimension:** 25x130x25 cm

Led+O Studio Natural

LED+O Studio Natural




Light source	Dimmer	CCT	Code	Colour	€ excl. VAT.
17,8W 2786lm	Triac 5 wires	2700K	1434/DIM/T/2700/BI	White Embossed RAL 9003	250,00
21,9W 2826lm	Non dimmable		1434/2700/BI	White Embossed RAL 9003	230,00
17,8W 2786lm	Triac 5 wires	3000K	1434/DIM/T/BI	White Embossed RAL 9003	250,00
21,9W 2826lm	Non dimmable		1434/BI	White Embossed RAL 9003	230,00

Type: wall **Emission:** Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal

Materials | Structure: Aluminium **Diffuser:** Methacrylate **Base:** Aluminium


Net weight: 1,3 Kg **Gross weight:** 1,8 Kg **Package nr:** 1 **Package dimension:** 12x33x33 cm



Light source	CCT	Code	Colour	€ excl. VAT.
17W 1870lm	3000K	1431/230/BI	White Opaque RAL 9003	370,00
		1431/230/GI	Yellow Soft RAL 1012	370,00
Type: wall Emission: Indirect Light Light source: Integrated LED				
Volt: 230 V Dimming: Non dimmable				
Materials Diffuser: Methacrylate Reflector: Aluminium Base: Aluminium				
Net weight: 0,6 Kg Gross weight: 1,4 Kg Package nr: 1 Package dimension: 35x16x35 cm				

Lunanera

Marc Sadler




Light source	CCT	Code	Colour	€ excl. VAT.
13W 2079lm	3000K	1437/BI	White Opaque RAL 9003	490,00
Type: wall, ceiling Emission: Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Methacrylate 030				
Net weight: 1,7 Kg Gross weight: 2,5 Kg Package nr: 1 Package dimension: 45x45x16 cm				

Maggiolino

Emiliana Martinelli

MAGGIOLINO Emiliana Martinelli



Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G125	2906/BI	White Glossy RAL 9004	70,00
	2906/AR	Orange Opaque RAL 2001	70,00
	2906/BZ	Bronze Matt	70,00

Type: ceiling **Emission:** Direct Light, Diffuse Light **Light source:** Bulb not included


Volt: 230 V

Materials | **Structure:** Aluminium

Bulbs

7W E27 550lm 2700K (1)	583Y	40,00
7W E27 600lm 2700K (2)	584Y	70,00
7W E27 650lm 2700K (3)	585Y	50,00

MAGGIOLINO Emiliana Martinelli



Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G260	2906/G/BI	White Glossy RAL 9004	80,00
	2906/G/AR	Orange Opaque RAL 2001	85,00
	2906/G/BZ	Bronze Matt	85,00

Type: ceiling **Emission:** Direct Light, Diffuse Light **Light source:** Bulb not included

Volt: 230 V


Materials | **Structure:** Aluminium

Bulbs

17W E27 1550lm 2700K	522W	60,00
----------------------	------	-------

Maggiolone Emiliana Martinelli

MAGGIOLONE Ø 60 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
26W 3200lm	3000K	2096/DIM/BI	White Embossed RAL 9003	750,00
		2096/DIM/NE	Black Embossed RAL 9005	820,00
		2096/DIM/GI	Yellow Embossed RAL 1012	890,00
		2096/DIM/BZ	Bronze Matt	910,00
	2700K	2096/DIM/2700/BI	White Embossed RAL 9003	750,00
		2096/DIM/2700/NE	Black Embossed RAL 9005	820,00
		2096/DIM/2700/GI	Yellow Embossed RAL 1012	890,00
		2096/DIM/2700/BZ	Bronze Matt	910,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2

Materials | Structure: Aluminium **Diffuser:** Methacrylate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 3,9 Kg **Gross weight:** 6,8 Kg **Package nr:** 1 **Package dimension:** 34x70x70 cm

MAGGIOLONE Ø 85 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
32W 4890lm	3000K	2096/G/DIM/BI	White Embossed RAL 9003	1.190,00
		2096/G/DIM/NE	Black Embossed RAL 9005	1.300,00
		2096/G/DIM/GI	Yellow Embossed RAL 1012	1.440,00
		2096/G/DIM/BZ	Bronze Matt	1.480,00
32W 4900lm	2700K	2096/G/DIM/2700/BI	White Embossed RAL 9003	1.190,00
		2096/G/DIM/2700/GI	Yellow Embossed RAL 1012	1.440,00
		2096/G/DIM/2700/NE	Black Embossed RAL 9005	1.300,00
		2096/G/DIM/2700/BZ	Bronze Matt	1.480,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2

Materials | Structure: Aluminium **Diffuser:** Methacrylate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 6,8 Kg **Gross weight:** 11,5 Kg **Package nr:** 1 **Package dimension:** 90x90x23 cm

MAGGIOLONE Ceiling Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
26W 3200lm	3000K	2891/DIM/BI	White Embossed RAL 9003	690,00
		2891/DIM/NE	Black Embossed RAL 9005	760,00
		2891/DIM/GI	Yellow Embossed RAL 1012	820,00
		2891/DIM/BZ	Bronze Matt	850,00
	2700K	2891/DIM/2700/BI	White Embossed RAL 9003	690,00
		2891/DIM/2700/NE	Black Embossed RAL 9005	763,00
		2891/DIM/2700/GI	Yellow Embossed RAL 1012	820,00
		2891/DIM/2700/BZ	Bronze Matt	850,00

Type: ceiling **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Push | Dali2

Materials | Structure: Aluminium **Diffuser:** Methacrylate

Net weight: 3,8 Kg **Gross weight:** 5 Kg **Package nr:** 1 **Package dimension:** 70x70x34 cm



Light source	Code	Colour	€ excl. VAT.
max 100 W E27 T38	1285	Wood	950,00



Type: wall **Emission:** Indirect Light **Light source:** Bulb not included


Volt: 230 V

Materials | Structure: Wood **Reflector:** Steel **Elements:** Iron

Net weight: 5 Kg **Gross weight:** 7 Kg **Package nr:** 1 **Package dimension:** 100x30x40 cm

Max 65

Elio Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
32W 4680lm	2700K	2830/DIM/L/1/BI	White Opaque RAL 9003	725,00

Type: wall, ceiling **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic dimmable power supply Included Internal **Dimming:** Push | Dali2

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Elements:** Aluminium


Net weight: 4,5 Kg **Gross weight:** 5,5 Kg **Package nr:** 1 **Package dimension:** 60x60x632 cm

Metrica

Habits Design

METRICA TABLE

Habits Design



Light source	CCT	Code	Colour	€ excl. VAT.
8W 340lm	3000K	833/BI	White Polished RAL 9003	540,00
		833/NE	Black Polished RAL 9005	540,00

Type: table **Emission:** Direct Light **Light source:** Integrated LED


Volt: 24/230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Electronics

Materials | Structure: Iron **Diffuser:** Polycarbonate **Base:** Iron **Elements:** Aluminium

Net weight: 1,5 Kg **Gross weight:** 3 Kg **Package nr:** 1 **Package dimension:** 20x20x30 cm

METRICA FLOOR

Habits Design




Light source	CCT	Code	Colour	€ excl. VAT.
15W 850lm	3000K	2314/BI	White Polished RAL 9003	980,00
		2314/NE	Black Polished RAL 9005	980,00

Type: floor **Emission:** Direct Light **Light source:** Integrated LED


Volt: 24/230 V **Driver:** Electronic power supply with cable and plug Included External **Dimming:** Electronics

Materials | Structure: Iron **Diffuser:** Polycarbonate **Base:** Iron **Elements:** Aluminium **Power cable:** 50+200cm

Net weight: 3,5 Kg **Gross weight:** 5 Kg **Package nr:** 1 **Package dimension:** 30x30x100 cm




Light source	CCT	Code	Colour	€ excl. VAT.
4W 170lm	3000K	1459/BI	White Polished RAL 9003	500,00
Type: wall Emission: Direct Light, Adjustable Light Light source: Integrated LED				
Volt: 24/230 V Driver: Electronic power supply Included Internal Dimming: Electronics				
Materials Structure: Iron Diffuser: Polycarbonate Base: Iron Elements: Aluminium				
Net weight: 1 Kg Gross weight: 1,5 Kg Package nr: 1 Package dimension: 15x15x20 cm				




Light source	Code	Colour	€ excl. VAT.
max 100 W E27	793/NE/BI	Black Polished RAL 9005	890,00
			
Type: table Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Aluminium Diffuser: Methacrylate Power cable: 40+200cm			
Net weight: 6,7 Kg Gross weight: 6,4 - 3,7 Kg Package nr: 2 Package dimension: 47x47x47 - 59x32x59 cm			





cables



canopies




rings



MULTIDOT Light source 8 spheres



Chain 8 spheres



Light source	CCT	Code	Colour	€ excl. VAT.
6,4W 422lm	2700K	40210.2700.8.11.210.118	Black Opaque	260,00
6,4W 422lm	3000K	40210.3000.8.11.210.118	Black Opaque	260,00

Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External


Structure: Pvc - Polyvinyl Chloride **Diffuser:** Polycarbonate

Net weight: 0,75 Kg **Gross weight:** 0,95 Kg **Package nr:** 1 **Package dimension** 38x26x6 cm

MULTIDOT Light source 12 spheres



Chain 12 spheres



Light source	CCT	Code	Colour	€ excl. VAT.
9,6W 633lm	2700K	40210.2700.12.11.280.145	Black Opaque	330,00
9,6W 633lm	3000K	40210.3000.12.11.280.145	Black Opaque	330,00

Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External


Structure: Pvc - Polyvinyl Chloride **Diffuser:** Polycarbonate

Net weight: 0,75 Kg **Gross weight:** 0,95 Kg **Package nr:** 1 **Package dimension** 38x26x6 cm

MULTIDOT Light source 16 spheres



Chain 16 spheres



Light source	CCT	Code	Colour	€ excl. VAT.
12,8W 845lm	2700K	40210.2700.16.11.380.200	Black Opaque	410,00
12,8W 845lm	3000K	40210.3000.16.11.380.200	Black Opaque	410,00

Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External


Structure: Pvc - Polyvinyl Chloride **Diffuser:** Polycarbonate

Net weight: 0,8 Kg **Gross weight:** 1 Kg **Package nr:** 1 **Package dimension** 38x26x6 cm

MULTIDOT Light source 24 spheres



Chain 24 spheres



Light source	CCT	Code	Colour	€ excl. VAT.
19,2W 1267lm	2700K	40210.2700.24.11.450.180	Black Opaque	580,00
19,2W 1267lm	3000K	40210.3000.24.11.450.180	Black Opaque	580,00

Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External


Structure: Pvc - Polyvinyl Chloride **Diffuser:** Polycarbonate

Net weight: 0,9 Kg **Gross weight:** 1,1 Kg **Package nr:** 1 **Package dimension** 38x26x6 cm

MULTIDOT Light source 32 spheres



Chain 32 spheres



Light source	CCT	Code	Colour	€ excl. VAT.
25,6W 1688lm	2700K	40210.2700.32.11.550.195	Black Opaque	750,00
25,6W 1688lm	3000K	40210.3000.32.11.550.195	Black Opaque	750,00


Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External

Structure: Pvc - Polyvinyl Chloride **Diffuser:** Polycarbonate

Net weight: 1,2 Kg **Gross weight:** 1,4 Kg **Package nr:** 1 **Package dimension** 38x26x6 cm

MULTIDOT Canopies for single chain



Watt	Dimmer	Code	Colour	€ excl. VAT.
20W	Push Dali2 Triac 5 wires 0-10V 1-10V	40211.20.1/DIM/NE	Black Opaque RAL 9005	180,00
		40211.20.1/DIM/BI	White Opaque RAL 9003	180,00


Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium

MULTIDOT Canopies



Canopy 4 chains




Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40211.150.4/DIM/NE	Black Opaque RAL 9005	390,00
		40211.150.4/DIM/BI	White Opaque RAL 9003	390,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1,7 Kg **Gross weight:** 2,9 Kg **Package nr:** 1 **Package dimension** 43x43x15 cm

Canopy 8 chains




Watt	Dimmer	Code	Colour	€ excl. VAT.
240W	Push Dali2 Triac 5 wires 0-10V 1-10V	40211.240.8/DIM/NE	Black Opaque RAL 9005	430,00
		40211.240.8/DIM/BI	White Opaque RAL 9003	430,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 2,4 Kg **Gross weight:** 3,4 Kg **Package nr:** 1 **Package dimension** 43x43x15 cm

Canopy 12 chains




Watt	Dimmer	Code	Colour	€ excl. VAT.
200W	Push Dali2 Triac 5 wires 0-10V 1-10V	40211.200.12/DIM/NE	Black Opaque RAL 9005	440,00
		40211.200.12/DIM/BI	White Opaque RAL 9003	440,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 2,4 Kg **Gross weight:** 3,4 Kg **Package nr:** 1 **Package dimension** 43x15x43 cm

Canopy 12 chains




Watt	Dimmer	Code	Colour	€ excl. VAT.
400W	Push Dali2 Triac 5 wires 0-10V 1-10V	40211.400.12/DIM/NE	Black Opaque RAL 9005	740,00
		40211.400.12/DIM/BI	White Opaque RAL 9003	740,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 2,4 Kg **Gross weight:** 3,4 Kg **Package nr:** 1

Canopy 18 chains




Watt	Dimmer	Code	Colour	€ excl. VAT.
600W	Push Dali2 Triac 5 wires 0-10V 1-10V	40211.600.18/DIM/NE	Black Opaque RAL 9005	1.160,00
		40211.600.18/DIM/BI	White Opaque RAL 9003	1.160,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** **Gross weight:** **Package nr:**

Canopy 24 chains




Watt	Dimmer	Code	Colour	€ excl. VAT.
720W	Push Dali2 Triac 5 wires 0-10V 1-10V	40211.720.24/DIM/NE	Black Opaque RAL 9005	1.270,00
		40211.720.24/DIM/BI	White Opaque RAL 9003	1.270,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium

MULTIDOT Linear Canopies






Watt	Dimmer	Code	Colour	€ excl. VAT.
240W	Push Dali2	40220.240.8/DIM/NE	Black Opaque RAL 9005	457,00
		40220.240.8/DIM/BI	White Opaque RAL 9003	457,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium

MULTIDOT Ring

 Ø31			
	Ring Multidot Ø 31	40232/NE	Black Opaque RAL 9005
	Structure: Aluminium		
			€ excl. VAT. 100,00
Accessories			
	Cable holder kit	40238	1,00
	Suspension kit 4 steel cables 500 cm	40239	50,00
 Ø37			
	Ring Multidot Ø 37	40233/NE	Black Opaque RAL 9005
	Structure: Aluminium		
			€ excl. VAT. 110,00
Accessories			
	Cable holder kit	40238	1,00
	Suspension kit 4 steel cables 500 cm	40239	50,00
 Ø51			
	Ring Multidot Ø 51	40234/NE	Black Opaque RAL 9005
	Structure: Aluminium		
			€ excl. VAT. 115,00
Accessories			
	Cable holder kit	40238	1,00
	Suspension kit 4 steel cables 500 cm	40239	50,00
 Ø75			
	Ring Multidot Ø 75	40235/NE	Black Opaque RAL 9005
	Structure: Aluminium		
			€ excl. VAT. 135,00
Accessories			
	Cable holder kit	40238	1,00
	Suspension kit 4 steel cables 500 cm	40239	50,00
 Ø100			
	Ring Multidot Ø 100	40237/NE	Black Opaque RAL 9005
	Structure: Aluminium		
			€ excl. VAT. 170,00
Accessories			
	Cable holder kit	40238	1,00
	Suspension kit 4 steel cables 500 cm	40239	50,00
 Ø150			
	Ring Multidot Ø 150	40236/NE	Black Opaque RAL 9005
	Structure: Aluminium		
			€ excl. VAT. 200,00
Accessories			
	Cable holder kit	40238	1,00
	Suspension kit 4 steel cables 500 cm	40239	50,00




Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G120	2011J	White Opaque RAL 9003	630,00
			
Type: pendant Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Steel Diffuser: Polycarbonate Elements: Aluminium Power cable: 400cm Suspension cable: 350cm			
Net weight: 3,5 Kg Gross weight: 3,85 Kg Package nr: 1 Package dimension: 43x43x43 cm			

Papavero


Emiliana Martinelli

PAPAVERO Ø 30 cm Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
15W 2129lm	2700K	2901/J/BI	White Opaque	360,00
		2901/J/RO	Red Polished RAL 3000	440,00
		2901/J/BZ	Bronze Matt	390,00
		2901/J/OV	Vintage Brass	530,00
Type: wall, ceiling Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Methacrylate 040 Elements: Aluminium				
Net weight: 1,2 Kg Gross weight: 2,5 Kg Package nr: 1 Package dimension: 40x40x23 cm				

PAPAVERO Ø 50 cm Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
32,6W 4998lm	2700K	2901/BI	White Opaque	560,00
		2901/RO	Red Polished RAL 3000	660,00
		2901/BZ	Bronze Matt	600,00
		2901/OV	Vintage Brass	900,00
Type: wall, ceiling Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Methacrylate 040 Elements: Aluminium				
Net weight: 3,5 Kg Gross weight: 5 Kg Package nr: 1 Package dimension: 60x60x20 cm				

PAPAVERO Ø 90 cm Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
66W 8040lm	2700K	2901/G/DIM/BI	White Opaque	1.135,00
		2901/G/DIM/RO	Red Polished RAL 3000	1.520,00
		2901/G/DIM/BZ	Bronze Matt	1.680,00
		2901/G/DIM/OV	Vintage Brass	1.925,00
Type: wall, ceiling Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Methacrylate 040 Elements: Aluminium				
Net weight: 3,5 Kg Gross weight: 5 Kg Package nr: 1 Package dimension: 60x60x20 cm				

PIPISTRELLO bulb Gae Aulenti




Light source	CCT	Code	Colour	€ excl. VAT.
 4x4W E14 G45 4x 450lm	2700K	620/MA	Brown Opaque RAL TIPO 8019	1.590,00
		620/BI	White Polished RAL 9003	1.590,00
		620/NE	Black Polished RAL 9005	1.650,00
		620/VE	Agave Green Opaque RAL 6004	1.590,00
		620/OT	Brass Satin	2.365,00
		620/BZ	Bronze Matt	1.710,00
Type: table, floor Emission: Diffuse Light Light source: Bulb LED provided				
Volt: 230 V				
Materials Structure: Aluminium Diffuser: Methacrylate 040 Base: Iron Power cable: 45+200cm				
Net weight: 8,8 Kg Gross weight: 10,4 - 2,1 Kg Package nr: 2 Package dimension: 41x78x41 - 54x26x54 cm				

PIPISTRELLO led Gae Aulenti




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
14W 1400lm	45°	2700K	620/DIM/L/1/MA	Brown Opaque RAL 8019	1.730,00
			620/DIM/L/1/BI	White Polished RAL 9003	1.730,00
			620/DIM/L/1/NE	Black Polished RAL 9005	1.790,00
			620/DIM/L/1/VE	Agave Green Opaque RAL 6004	1.730,00
			620/DIM/L/1/OT	Brass Satin	2.380,00
			620/DIM/L/1/BZ	Bronze Matt	1.850,00
Type: table, floor Emission: Diffuse Light Light source: Integrated LED					
Volt: 230 V Driver: Electronic power supply Included External Dimming: Dimmer on the cable					
Materials Structure: Aluminium Diffuser: Methacrylate 040 Base: Iron Power cable: 45+200cm					
Net weight: 9,6 Kg Gross weight: 11 - 2,1 Kg Package nr: 2 Package dimension: 41x78x41 - 54x26x54 cm					

PIPISTRELLO tunable white Gae Aulenti



Light source	CCT	Code	Colour	€ excl. VAT.
12,6W 1560lm	2400	620/DIM/BD/L/1/MA	Brown Opaque RAL 8019	1.860,00
	6500K	620/DIM/BD/L/1/BI	White Polished RAL 9003	1.860,00
Type: table, floor Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Bluetooth Optional Wi-Fi dimming				
Materials Structure: Aluminium Diffuser: Methacrylate 040 Base: Iron Power cable: 45+200cm				
Net weight: 9,6 Kg Gross weight: 11 - 2,1 Kg Package nr: 2 Package dimension: 41x78x41 - 54x26x54 cm				


PIPISTRELLO MED medium Gae Aulenti



Light source	CCT	Code	Colour	€ excl. VAT.
6,8W LED SMD 868lm	2700K	620/MED/DIM/MA	Brown Opaque RAL 8019	1.285,00
		620/MED/DIM/BI	White Polished RAL 9003	1.285,00
		620/MED/DIM/NE	Black Polished RAL 9005	1.330,00
		620/MED/DIM/VE	Agave Green Opaque RAL 6004	1.285,00
		620/MED/DIM/OT	Brass Satin	1.660,00
		620/MED/DIM/BZ	Bronze Matt	1.390,00
Type: table Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Dimmer on the cable				
Materials Structure: Aluminium Diffuser: Methacrylate 040 Base: Iron Power cable: 45+200cm				
Net weight: 5 Kg Gross weight: 8,7 Kg Package nr: 1 Package dimension: 41x78x41 cm				

Pipistrello Gae Aulenti

MINIPIPISTRELLO Gae Aulenti



Light source	CCT	Code	Colour	€ excl. VAT.
5,8W LED SMD 772lm	2700K	620/J/DIM/MA	Brown Opaque RAL 8019	735,00
		620/J/DIM/BI	White Polished RAL 9003	735,00
		620/J/DIM/NE	Black Polished RAL 9005	765,00
		620/J/DIM/VE	Agave Green Opaque RAL 6004	735,00
		620/J/DIM/OT	Brass Satin	1.050,00
		620/J/DIM/BZ	Bronze Matt	820,00


Type: table **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic dimmable plug-in power supply unit Included External **Dimming:** Dimmer on the cable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 45+200cm

Net weight: 2,2 Kg **Gross weight:** 3,8 Kg **Package nr:** 1 **Package dimension:** 33x62x33 cm

MINIPIPISTRELLO CORDLESS Gae Aulenti



Light source	CCT	Code	Colour	€ excl. VAT.
2,9W LED SMD 386lm	2700K	620/J/DIM/T/CL/MA	Brown Opaque RAL TIPO 8019	960,00
		620/J/DIM/T/CL/BI	White Polished RAL 9003	960,00


Type: table **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 5 V **Driver:** Dimmable electronic power supply and rechargeable battery Included External **Dimming:** Touch on body **Note:** with rechargeable battery (charger included) | only available for EU markets

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron

Net weight: 1,8 Kg **Gross weight:** 3,8 Kg **Package nr:** 1 **Package dimension:** 33x62x33 cm

Pipistrello 50 Gae Aulenti



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
14W 1400lm	45°	2700K	620/DIM/L/1/ORO	Gold Plated	on request

Type: table, floor **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Dimmer on the cable **Note:** limited edition, numbered and signed

Materials | Structure: Brass **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 45+200cm


Net weight: 10 Kg **Gross weight:** 14 Kg **Package nr:** 2 **Package dimension:** 54X54X26 - 41X41X78 cm

Pipistrello Pop

Gae Aulenti

PIPISTRELLO POP

Gae Aulenti



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
14W 1400lm	45°	2700K	620/DIM/L/1/NE/GI	Yellow Polished RAL 1021	1.930,00

Type: table, floor **Emission:** Diffuse Light


Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Dimmer on the cable **Note:** numbered and signed edition

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 45+200cm

Net weight: 9,6 Kg **Gross weight:** 11 - 2,1 Kg **Package nr:** 2 **Package dimension:** 41x78x41 - 54x26x54 cm

PIPISTRELLO MED POP

Gae Aulenti



Light source	CCT	Code	Colour	€ excl. VAT.
6,8W LED SMD 868lm	2700K	620/MED/DIM/NE/GI	Yellow Polished RAL 1021	1.470,00

Type: table **Emission:** Diffuse Light


Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Dimmer on the cable **Note:** numbered and signed edition

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 45+200cm

Net weight: 5 Kg **Gross weight:** 8,7 Kg **Package nr:** 1 **Package dimension:** 41x78x41 cm

MINIPISTRELLO POP

Gae Aulenti



Light source	CCT	Code	Colour	€ excl. VAT.
5,8W LED SMD 772lm	2700K	620/J/DIM/NE/GI	Yellow Polished RAL 1021	910,00

Type: table **Emission:** Diffuse Light


Volt: 230 V **Driver:** Electronic dimmable plug-in power supply unit Included External **Dimming:** Touch on body **Note:** numbered and signed edition

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 45+200cm

Net weight: 2,2 Kg **Gross weight:** 3,8 Kg **Package nr:** 1 **Package dimension:** 33x62x33 cm

MINIPISTRELLO POP CORDLESS

Gae Aulenti



Light source	CCT	Code	Colour	€ excl. VAT.
2,9W LED SMD 386lm	2700K	620/J/DIM/T/CL/NE/GI	Yellow Polished RAL 1021	1.110,00

Type: table **Emission:** Diffuse Light **Light source:** Integrated LED


Volt: 5 V **Driver:** Dimmable electronic power supply and rechargeable battery Included External **Dimming:** Touch on body **Note:** numbered and signed edition | only available for EU markets

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron

Net weight: 1,8 Kg **Gross weight:** 3,8 Kg **Package nr:** 1 **Package dimension:** 33x62x33 cm

Pipistrello White Matt Gae Aulenti

PIPISTRELLO bulb Gae Aulenti



Light source	CCT	Code	Colour	€ excl. VAT.
4x4W E14 G45 4x 450lm	2700K	620/OP/BI	White Opaque	1.740,00




Type: table, floor **Emission:** Diffuse Light **Light source:** Bulb LED provided

Volt: 230 V

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 45+200cm

Net weight: 8,8 Kg **Gross weight:** 10,4 - 2,1 Kg **Package nr:** 2 **Package dimension:** 41x78x41 - 54x26x54 cm

PIPISTRELLO led Gae Aulenti



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
14W 1400lm	45°	2700K	620/DIM/L/1/OP/BI	White Opaque	1.880,00


Type: table, floor **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Dimmer on the cable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 45+200cm

Net weight: 9,6 Kg **Gross weight:** 11 - 2,1 Kg **Package nr:** 2 **Package dimension:** 41x78x41 - 54x26x54 cm

PIPISTRELLO MED medium Gae Aulenti



Light source	CCT	Code	Colour	€ excl. VAT.
6,8W LED SMD 868lm	2700K	620/MED/DIM/OP/BI	White Opaque	1.440,00


Type: table **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Dimmer on the cable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 45+200cm

Net weight: 5 Kg **Gross weight:** 8,7 Kg **Package nr:** 1 **Package dimension:** 41x78x41 cm

MINIPIPISTRELLO Gae Aulenti




Light source	CCT	Code	Colour	€ excl. VAT.
5,8W LED SMD 772lm	2700K	620/J/DIM/OP/BI	White Opaque	890,00

Type: table **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic dimmable plug-in power supply unit Included External **Dimming:** Dimmer on the cable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Iron **Power cable:** 45+200cm


Net weight: 2,2 Kg **Gross weight:** 3,8 Kg **Package nr:** 1 **Package dimension:** 33x62x33 cm



Light source	CCT	Code	Colour	€ excl. VAT.
64,3W 4958lm	3000K	2260/P/L/1/BI	White Opaque RAL 9003	970,00
Type: floor Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Push				
Materials Diffuser: Methacrylate Power cable: 50+200cm				
Net weight: 8 Kg Gross weight: 4 - 8,1 Kg Package nr: 2 Package dimension: 25x25x205 - 30x200x30 cm				

Plissé


Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
11,5W 1150lm	3000K	21002/AN	Anthracite Opaque RAL 7021	680,00
Type: pendant Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Non dimmable				
Materials Structure: Methacrylate Elements: Aluminium Power cable: 400cm Suspension cable: 350cm				
Net weight: 2 Kg Gross weight: 3,2 Kg Package nr: 1 Package dimension: 52x52x28 cm				

Poliedro

Elio Martinelli




Light source	Code	Colour	€ excl. VAT.
max 100 W E27 G120	1722/TR	Transparent	900,00
			
Type: pendant Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Polycarbonate Elements: Aluminium Power cable: 400cm Suspension cable: 350cm			
Net weight: 4,5 Kg Gross weight: 6 Kg Package nr: 1 Package dimension: 56x56x56 cm			

Pouff

Emiliana Martinelli

POUFF Ø 32 cm Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
13W 2079lm	3000K	2868/J/L/1/BI	White Opal	260,00
Type: ceiling Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Diffuser: Methacrylate 040 Base: Aluminium				
Net weight: 2 Kg Gross weight: 3 Kg Package nr: 1 Package dimension: 40x40x23 cm				

Pouff

Emiliana Martinelli


POUFF Ø 46 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
16,3W 2559lm	3000K	2868/L/1/BI	White Opal	350,00
Type: ceiling Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Diffuser: Methacrylate 040 Base: Aluminium				
Net weight: 4 Kg Gross weight: 5 Kg Package nr: 1 Package dimension: 50x40x50 cm				

Profiterolle

Sergio Asti




Light source	Code	Colour	€ excl. VAT.
4xmax 40 W E14 G45	640	Resin-coated	980,00
			
Type: table, floor Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Diffuser: Methacrylate Base: Aluminium Power cable: 40+200cm			
Net weight: 3 Kg Gross weight: 6 Kg Package nr: 1 Package dimension: 71x46x71 cm			

Ruspa


Gae Aulenti

RUSPA Gae Aulenti



Light source	Code	Colour	€ excl. VAT.
2xmax 40 W E14 G45	633/BI	White Polished RAL 9003	4.600,00
	633/GI	Yellow Polished RAL 1021	5.300,00
			
Type: table Emission: Direct Light, Indirect Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Aluminium Reflector: Aluminium Base: Aluminium Power cable: 40+200cm			
Net weight: 10,5 Kg Gross weight: 13 Kg Package nr: 1 Package dimension: 40x65x40 cm			


RUSPA 4 Gae Aulenti



Light source	Code	Colour	€ excl. VAT.
8xmax 40 W E14 G45	633/4/BI	White Polished RAL 9003	15.000,00
	633/4/GI	Yellow Polished RAL 1021	16.290,00
			
Type: table Emission: Direct Light, Indirect Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Aluminium Reflector: Aluminium Base: Aluminium Power cable: 40+200cm			
Net weight: 42 Kg Gross weight: 45 Kg Package nr: 1 Package dimension: 80x90x80 cm			


Semisfera Elio Martinelli

SEMISFERA Ø 42 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 60 W E27	2771/42/I	White Opal	160,00
Type: ceiling Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Diffuser: Methacrylate 040			
Net weight: 1,3 Kg Gross weight: 2,1 Kg Package nr: 1 Package dimension: 42x20x42 cm			


SEMISFERA Ø 52 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 75 W E27	2771/52/I	White Opal	180,00
Type: ceiling Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Diffuser: Methacrylate 040			
Net weight: 2 Kg Gross weight: 3,3 Kg Package nr: 1 Package dimension: 54x32x54 cm			


Serpente Elio Martinelli

SERPENTE table Elio Martinelli




Light source	Code	Colour	€ excl. VAT.
max 75 W E27	599	White Polished RAL 9003	970,00
	599/AU	Pearl Gold Opaque RAL 1036	1.180,00
	599/BZ	Bronze Opaque	1.160,00
Type: table Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Iron Diffuser: Methacrylate 040 Base: Iron Power cable: 40+200cm			
Net weight: 7,9 Kg Gross weight: 10,5 Kg Package nr: 1 Package dimension: 53x53x53 cm			

SERPENTE floor Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 100 W E27	2131	White Polished RAL 9003	1.980,00
	2131/AU	Pearl Gold Opaque RAL 1036	2.300,00
	2131/BZ	Bronze Opaque	2.270,00
Type: floor Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Structure: Iron Diffuser: Methacrylate 040 Base: Iron Power cable: 40+200cm			
Net weight: 25 Kg Gross weight: 30 Kg Package nr: 1 Package dimension: 60x110x85 cm			

SET 17,5 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
6,5W 1070lm+ 6,5W 1070lm	3000K	1341/L/1/BI	White Opaque RAL 9003	235,00
		1341/L/1/BZ	Bronze Opaque	290,00
		1341/L/1/OV	Vintage Brass	310,00


Type: wall **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate

Net weight: 0,7 Kg **Gross weight:** 1 Kg **Package nr:** 1 **Package dimension:** 15x25x15 cm

SET 35,5 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
11,7W 1926lm+ 11,7W 1926lm	3000K	1342/L/1/BI	White Opaque RAL 9003	295,00
		1342/L/1/BZ	Bronze Opaque	360,00
		1342/L/1/OV	Vintage Brass	380,00


Type: wall **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate

Net weight: 1,2 Kg **Gross weight:** 1,5 Kg **Package nr:** 1 **Package dimension:** 15x25x15 cm

SET 70 cm Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
23,4W 3852lm+ 23,4W 3852lm	3000K	1343/L/1/BI	White Opaque RAL 9003	490,00
		1343/L/1/BZ	Bronze Opaque	550,00
		1343/L/1/OV	Vintage Brass	570,00

Type: wall **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate


Net weight: 2,3 Kg **Gross weight:** 2,7 Kg **Package nr:** 1 **Package dimension:** 15x25x15 cm




Light source	CCT	Code	Colour	€ excl. VAT.
32W 3520lm	2700K	2323/NE	Black Opaque RAL 9005	990,00
Type: floor Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Dimmer on the cable				
Materials Structure: Aluminium				
Net weight: 2,5 Kg Gross weight: 3 Kg Package nr: 1 Package dimension: 60x50x195 cm				



Light source	CCT	Code	Colour	€ excl. VAT.
45W 4950lm	2700K	2323/G/NE	Black Opaque RAL 9005	1.320,00
Type: floor Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Dimmer on the cable				
Materials Structure: Aluminium				
Net weight: 3,1 Kg Gross weight: 3,5 Kg Package nr: 1 Package dimension: 70x60x270 cm				




Light source	CCT	Code	Colour	€ excl. VAT.
4,5W 700lm	2700K	1455/BI	White Embossed RAL 9003	220,00
		1455/AN	Anthracite Embossed RAL 7024	270,00
Type: wall Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate Elements: Aluminium				
Net weight: 0,7 Kg Gross weight: 1 Kg Package nr: 1 Package dimension: 30x10x30 cm				



Light source	CCT	Code	Colour	€ excl. VAT.
6,5W 885lm	2700K	1463/BI	White Embossed RAL 9003	220,00
		1463/AN	Anthracite Embossed RAL 7021	220,00
		1463/RG	Rusty Opaque	230,00
		1463/VE	Green Opaque RAL 6013	280,00
Type: wall Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal				
Materials Structure: Aluminium Base: Aluminium				
Net weight: 1 Kg Gross weight: 1.5 Kg Package nr: 1 Package dimension: 10x15x17 cm				

TUBE Ø 10 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 60 W E27 G45	1221/BI	White Opaque RAL 9003	115,00
	1221/BM	Bronze Textured	190,00
	1221/OV	Vintage Brass	205,00


Type: wall **Emission:** Direct Light, Indirect Light **Light source:** Bulb not included

Volt: 230 V

Materials Reflector: Aluminium **Base:** Polyamide

Net weight: 0,5 Kg **Gross weight:** 0,7 Kg **Package nr:** 1 **Package dimension:** 27x20x20 cm

TUBE/V glass Ø 10 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 60 W E27 G45	1221/V/BI	White Opaque RAL 9003	150,00
	1221/V/BM	Bronze Textured	160,00
	1221/V/OV	Vintage Brass	160,00


Type: wall **Emission:** Diffuse Light **Light source:** Bulb not included

Volt: 230 V

Materials Reflector: Glass **Base:** Polyamide

Net weight: 0,5 Kg **Gross weight:** 0,7 Kg **Package nr:** 1 **Package dimension:** 27x20x20 cm

TUBE Ø 14 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 100 W E27	1261/BI	White Opaque RAL 9003	95,00
	1261/BM	Bronze Textured	210,00
	1261/OV	Vintage Brass	225,00


Type: wall **Emission:** Direct Light, Indirect Light **Light source:** Bulb not included

Volt: 230 V

Materials Reflector: Aluminium **Base:** Polyamide

Net weight: 0,6 Kg **Gross weight:** 1 Kg **Package nr:** 1 **Package dimension:** 27x20x20 cm

TUBE/V glass Ø 14 cm Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 100 W E27	1261/V/BI	White Opaque RAL 9003	160,00
	1261/V/BM	Bronze Textured	170,00
	1261/V/OV	Vintage Brass	170,00

Type: wall **Emission:** Diffuse Light **Light source:** Bulb not included


Volt: 230 V

Materials Reflector: Glass **Base:** Polyamide

Net weight: 0,8 Kg **Gross weight:** 1 Kg **Package nr:** 1 **Package dimension:** 27x20x20 cm

Tx1 Marco Ghilarducci

TX1 Marco Ghilarducci



Light source	CCT	Code	Colour	€ excl. VAT.
27,5W 3534lm	3000K	799/DIM/L/1/GR	Grey Opaque RAL 9022	1.580,00
		799/DIM/L/1/BI	White Opaque	1.346,00


Type: table **Emission:** Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Dimmer on the cable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 030 **Reflector:** Aluminium **Base:** Brass **Elements:** Brass **Power cable:** 40+200cm

Net weight: 8,5 Kg **Gross weight:** 9,5 Kg **Package nr:** 1 **Package dimension:** 75x70x68 cm

TX1 Med Marco Ghilarducci



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	799/MED/DIM/L/1/GR	Grey Opaque RAL 9022	990,00
			799/MED/DIM/L/1/BI	White Opaque	850,00


Type: table **Emission:** Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic plug-in power supply Included External **Dimming:** Dimmer on the cable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 030 **Reflector:** Aluminium **Base:** Brass **Elements:** Brass **Power cable:** 40+200cm

Net weight: 3,3 Kg **Gross weight:** 5 Kg **Package nr:** 1 **Package dimension:** 47x47x47 cm

Vdl Richard Neutra



Light source	CCT	Code	Colour	€ excl. VAT.
17W 1870lm	3000K	2234/L/1	Grey Satin RAL 9007	1.030,00


Type: floor **Emission:** Indirect Light **Light source:** Integrated LED

Volt: 230 V **Dimming:** Dimmer on the cable

Materials | Structure: Stainless Steel **Reflector:** Stainless Steel **Base:** Iron **Elements:** Stainless Steel

Net weight: 4,3 Kg **Gross weight:** 2 - 6 Kg **Package nr:** 2 **Package dimension:** 30x10x30 - 50x200x50 cm

Vela 22 Orlandini Design




Light source	CCT	Code	Colour	€ excl. VAT.
17,5W 2200lm	2700K	21017/DIM/NE	Black Opaque RAL 9005	800,00

Type: pendant **Emission:** Direct Light, Diffuse Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included External

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Reflector:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm


Net weight: 2,45 Kg **Gross weight:** 2,4 - 1,5 Kg **Package nr:** 2 **Package dimension:** 23x40x40 - 8x140x8 cm



Light source	Code	Colour	€ excl. VAT.
4xmax 40 W E27	642/BI	White Polished RAL 9003	1.550,00
Type: table Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V Note: numbered edition			
Materials Structure: Aluminium Elements: Aluminium			
Net weight: 3 Kg Gross weight: 6 Kg Package nr: 1 Package dimension: 60x60x50 cm			



Light source	CCT	Code	Colour	€ excl. VAT.
1,5W 180lm	2700K	837/NE	Black Polished RAL 9005	300,00
Type: table Emission: Direct Light, Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic control board with rechargeable battery Excluded External Dimming: Touch on body Note: complete with rechargeable batteries with USB-C input. only available for EU markets				
Materials Diffuser: Methacrylate Elements: Aluminium				



Light source	CCT	Code	Colour	€ excl. VAT.
13W 1950lm	3000K	2302/NE	Black Opaque RAL 9005	950,00
Type: floor Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 24 V Driver: Electronic plug-in power supply Included External Dimming: Dimmer on the cable				
Materials Structure: Aluminium Base: Iron Power cable: 50+200cm				
Net weight: 6,5 Kg Gross weight: 2,7 - 7,2 Kg Package nr: 2 Package dimension: 17x202x17 - 59x32x59 cm				

Avolt x Martinelli Luce

MULTISOCKET WITH CABLE



Light source	Code	Colour	€ excl. VAT.
	40189/BI	White	69,00
	40189/GR	Grey GOTLAND GREY	69,00
	40189/AZ	Azure RAL 5014	69,00
	40189/NE	Black	69,00
Volt: 230 V			
Materials Power cable: 180cm			


MULTISOCKET



Light source	Code	Colour	€ excl. VAT.
	40190/BI	White	68,00
	40190/GR	Grey GOTLAND GREY	68,00
	40190/AZ	Azure RAL 5014	68,00
	40190/NE	Black	68,00
Volt: 230 V			


ARCHITECTURAL

CALABRONE Wall 40 cm Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
9W 1224lm	3000K	1433/NE	Black Opaque RAL 9005	360,00
Type: wall, ceiling Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate Base: Aluminium				
Net weight: 1,2 Kg Gross weight: 1,3 Kg Package nr: 1 Package dimension: 30x30x20 cm				

CALABRONE Wall 20 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
9W 1224lm	3000K	1433/J/NE	Black Opaque RAL 9005	310,00
Type: wall, ceiling Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate Base: Aluminium				
Net weight: 0,7 Kg Gross weight: 0,8 Kg Package nr: 1 Package dimension: 12,5x24x12,5 cm				

CALABRONE Suspension 4 spots Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
4x9W 4x 1224lm	3000K	2090/DIM/NE	Black Opaque RAL 9005	1.470,00
Type: pendant Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate Power cable: 400cm Suspension cable: 350cm				
Net weight: 3,5 Kg Gross weight: 4,6 Kg Package nr: 1 Package dimension: 17x17x180 cm				

Accessories

Giunto di connessione	30869/NE	80,00
-----------------------	----------	-------

CALABRONE Suspension 8 spots Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
8x9W 8x 1224lm	3000K	2090/G/DIM/NE	Black Opaque RAL 9005	2.625,00
Type: pendant Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate Power cable: 400cm Suspension cable: 350cm				
Net weight: 7 Kg Gross weight: 9,2 Kg Package nr: 1				

Accessories

Giunto di connessione	30869/NE	80,00
-----------------------	----------	-------


CALABRONE Suspension diffused light Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
19,5W 3210lm	3000K	2097/NE	Black Opaque RAL 9005	660,00
Type: pendant Emission: Diffuse Light Light source: Integrated LED				
Volt: 24 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate Power cable: 400cm Suspension cable: 350cm				
Net weight: 2,5 Kg Gross weight: 3,5 Kg Package nr: 1 Package dimension: 18x18x180 cm				

Accessories

Giunto di connessione	30869/NE	80,00
-----------------------	----------	-------



Light source	CCT	Code	Colour	€ excl. VAT.
3x9W 3x 1224lm	3000K	2293/3/NE	Black Opaque RAL 9005	1.260,00
Type: floor Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic plug-in power supply Included Internal Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate Base: Iron Power cable: 50+200cm				
Net weight: 9,5 Kg Gross weight: 7 - 6,4 Kg Package nr: 2 Package dimension: 10x30x30 - 230x18x18 cm				



terminal header

+

module

+

canopy

+

module

+

terminal header

joint

diffused light modules

modules with spots

joints

120°

90°

linear

canopies for free compositions with vertical cables

50W

75W

150W

240W

canopies for tris compositions

75W


150W

Modular system consisting of aluminium tubular modules in two lengths, joined together with special joints. Available in two versions: with diffused light, or with adjustable spots. The different joints, linear, 90° and the characteristic 120° joint allow the creation of free, linear and grid compositions. Power supply inside the ceiling canopy, or to be inserted in the false ceiling. The choice of canopy code in the different compositions is linked to the sum of the watts of the individual modules, diffuse and spot light.

CALABRONET Light modules




Module 70 cm




Light source	CCT	Code	Colour	€ excl. VAT.
6,9W 1138lm	3000K	40030/NE	Black Opaque RAL 9005	340,00
Emission: Diffuse Light Light source: Integrated LED				
Volt: 24 V Driver: Excluded External				
Structure: Aluminium Power cable: 400cm Suspension cable: 350cm				
Net weight: 0,9 Kg Package nr: 1				

Module 160 cm



Light source	CCT	Code	Colour	€ excl. VAT.
18,3W 3025lm	3000K	40031/NE	Black Opaque RAL 9005	450,00
Emission: Diffuse Light Light source: Integrated LED				
Volt: 24 V Driver: Excluded External				
Structure: Aluminium Power cable: 400cm Suspension cable: 350cm				
Net weight: 1,6 Kg Package nr: 1				

Module Spot | 70 cm




Light source	CCT	Code	Colour	€ excl. VAT.
2x9W2x 1224lm	3000K	40033/NE	Black Opaque RAL 9005	570,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 24 V Driver: Excluded External				
Structure: Aluminium Power cable: 400cm Suspension cable: 350cm				
Net weight: 1,25 Kg Package nr: 1				

CALABRONET Light modules




Module Spot | 160 cm




Light source	CCT	Code	Colour	€ excl. VAT.
4x9W4x 1224lm	3000K	40137/NE	Black Opaque RAL 9005	1.110,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 24 V Driver: Excluded External				
Structure: Aluminium Power cable: 400cm Suspension cable: 350cm				
Net weight: 2,5 Kg Package nr: 1				


CALABRONET Joints




	Code	Colour	€ excl. VAT.
Intermediate joint	40049/NE	Black Opaque	30,00
Structure: Nylon			
Net weight: 0,8 Kg Package nr: 1			




	Code	Colour	€ excl. VAT.
Terminal with closed head	40037/NE	Black Opaque	60,00
Structure: Aluminium			
Net weight: 0,12 Kg Package nr: 1			



	Code	Colour	€ excl. VAT.
Joint 90°	40052/NE	Black Opaque	30,00
Structure: Nylon			
Net weight: 0,8 Kg Package nr: 1			



	Code	Colour	€ excl. VAT.
Joint 120°	40032/NE	Black Opaque	40,00
Structure: Nylon			
Net weight: 0,18 Kg Package nr: 1			




	Code	Colour	€ excl. VAT.
Closed head	40034/NE	Black Opaque	10,00
Structure: Nylon			
Net weight: 0,01 Kg Package nr: 1			

CALABRONET Canopies with vertical cables




Canopy 50 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
50W	Non dimmable	40036/NE	Black Opaque RAL 9005	140,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 0,9 Kg Package nr: 1				

Canopy 75 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40114/NE	Black Opaque RAL 9005	175,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 1 Kg1,2 Kg Package nr: 1				

Canopy 150 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Non dimmable	40158/NE	Black Opaque RAL 9005	240,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 2 Kg Package nr: 1				

Canopy 240 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
240W	Non dimmable	40160/NE	Black Opaque RAL 9005	270,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 2 Kg Package nr: 1				

CALABRONET Canopies for Tris




Canopy 75 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40114.1/NE	Black Opaque RAL 9005	180,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 1 Kg				

Canopy 150 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Non dimmable	40158.1/NE	Black Opaque RAL 9005	250,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 1 Kg				

COLIBRÌ Wall | Spot Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
2,1W 300lm	3000K	1406/NE	Black Anodised	190,00

Type: wall **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Excluded External **Dimming:** Non dimmable


Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Base:** Aluminium

Net weight: 0,2 Kg **Gross weight:** 0,5 Kg **Package nr:** 1 **Package dimension:** 30x30x23 cm

Accessories

Electronic power supply 25 W	30811.1	Anthracite	35,00
------------------------------	---------	------------	-------

COLIBRÌ Wall | T Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
2x10W 2x 1300lm	3000K	1410/B/NE	Black Opaque RAL 9005	515,00
		1410/B/AU	Pearl Gold Opaque RAL 1036	515,00


Type: wall **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Base:** Aluminium

Net weight: 0,8 Kg **Gross weight:** 1,5 Kg **Package nr:** 1 **Package dimension:** 10x10x20 cm

COLIBRÌ Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
14,6W 2418lm	3000K	1421/NE	Black Opaque RAL 9005	680,00


Type: wall **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Silicone **Elements:** Aluminium

Net weight: 1,7 Kg **Gross weight:** 2,8 Kg **Package nr:** 1 **Package dimension:** 18x180x18 cm

COLIBRÌ Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
14,6W 2418lm	3000K	2087/NE	Black Opaque RAL 9005	590,00


Type: pendant **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 1,5 Kg **Gross weight:** 2,6 Kg **Package nr:** 1 **Package dimension:** 12x180x12 cm

COLIBRÌ suspension | 6 spot Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
6x2,1W 6x 300lm	3000K	2070/NE	Black Opaque RAL 9005	1.060,00

Type: pendant **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:** 350cm


Net weight: 1,5 Kg **Gross weight:** 1,7 Kg **Package nr:** 1 **Package dimension:** 15x140x12 cm



COLIBRÌ Light modules



Colibrì 1 module




Light source	CCT	Code	Colour	€ excl. VAT.
14,6W 2418lm	3000K	2080/1/NE	Black Opaque RAL 9005	450,00
		2080/1/BZ	Bronze Matt	450,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 24 V Driver: Excluded External Note: spherical magnet excluded				
Structure: Aluminium Diffuser: Methacrylate 040 Power cable: 400cm Suspension cable: 350cm				
Net weight: 1,7 Kg Gross weight: 4 Kg Package nr: 1 Package dimension: 12x12x150 cm				

Accessories

Spherical magnet	30836	Chrome	30,00
Radiant film	40072		30,00
Plug-in power supply	40167/NE	Black	90,00

Colibrì 2 modules



Light source	CCT	Code	Colour	€ excl. VAT.
2x14,6W2x 2418lm	3000K	2080/2/NE	Black Opaque RAL 9005	910,00
		2080/2/BZ	Bronze Matt	910,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 24 V Driver: Excluded External Note: 1 spherical magnet included				
Structure: Aluminium Diffuser: Methacrylate 040 Power cable: 400cm Suspension cable: 350cm				
Net weight: 3,1 Kg Package nr: 1				


Accessories

Spherical magnet	30836	Chrome	30,00
Radiant film	40072		30,00
Plug-in power supply	40167/NE	Black	90,00

COLIBRÌ Light modules



Colibrì 3 modules



Light source	CCT	Code	Colour	€ excl. VAT.
3x14,6W3x 2418lm	3000K	2080/3/NE	Black Opaque RAL 9005	1.420,00
		2080/3/BZ	Bronze Matt	1.420,00

Emission: Direct Light, Indirect Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External **Note:**2 spherical magnets included

Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 3,6 Kg **Gross weight:** 3,8 Kg **Package nr:** 1 **Package dimension** 13x150x13 cm


Accessories

Spherical magnet	30836	Chrome	30,00
Radiant film	40072		30,00
Plug-in power supply	40167/NE	Black	90,00

COLIBRÌ Canopies



Canopy 75 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40114/NE	Black Opaque RAL 9005	175,00
		40114/BZ	Bronze Opaque	215,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1 Kg1,2 Kg **Package nr:** 1


COLIBRÌ Wall Brackets



	Code	Colour	€ excl. VAT.
Wall bracket 4 cm	40123/NE	Black Opaque RAL 9005	15,00
	40123/BZ	Bronze Opaque	20,00

Structure: Iron


Net weight: 0,1 Kg **Package nr:** 1



	Code	Colour	€ excl. VAT.
Wall bracket 8 cm	40123.1/NE	Black Opaque RAL 9005	15,00
	40123.1/BZ	Bronze Opaque	20,00

Structure: Iron


Net weight: 0,2 Kg **Package nr:** 1



COLIBRÌ Light modules




Module 30 cm




Light source	CCT	Code	Colour	€ excl. VAT.
2,8W 470lm	3000K	40083/NE	Black Opaque RAL 9005	165,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 24 V Driver: Excluded External				
Structure: Aluminium Diffuser: Methacrylate 040				
Net weight: 0,3 Kg Gross weight: 0,4 Kg Package nr: 1				

Module 65 cm



Light source	CCT	Code	Colour	€ excl. VAT.
7,4W 1219lm	3000K	40082/NE	Black Opaque RAL 9005	230,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 24 V Driver: Excluded External				
Structure: Aluminium Diffuser: Methacrylate 040				
Net weight: 0,5 Kg Gross weight: 0,7 Kg Package nr: 1				

Module 130 cm




Light source	CCT	Code	Colour	€ excl. VAT.
14,6W 2418lm	3000K	40081/NE	Black Opaque RAL 9005	320,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 24 V Driver: Excluded External				
Structure: Aluminium Diffuser: Methacrylate 040				
Net weight: 1 Kg Gross weight: 1,1 Kg Package nr: 1				

COLIBRÌ Modules without light




Module 15 cm




Code	Colour	€ excl. VAT.
40115/NE	Black Opaque RAL 9005	35,00
Structure: Aluminium		
Net weight: 0,08 Kg Gross weight: 0,1 Kg Package nr: 1		

Module 30 cm




Code	Colour	€ excl. VAT.
40116/NE	Black Opaque RAL 9005	35,00
Structure: Aluminium		
Net weight: 0,15 Kg Gross weight: 0,2 Kg Package nr: 1		


COLIBRÌ Joints




Code	Colour	€ excl. VAT.
40101/NE	Black RAL 9005	32,00
Terminal joint without power cable		
Structure: Resin		
Net weight: 0,05 Kg Package nr: 1		




Code	Colour	€ excl. VAT.
40118/NE	Black RAL 9005	50,00
Terminal joint with electrical cable		
Structure: Resin		
Net weight: 0,1 Kg Gross weight: 0,2 Kg Package nr: 1		




Code	Colour	€ excl. VAT.
40084/NE	Black RAL 9005	22,00
90° joint without power cable		
Structure: Resin		
Net weight: 0,05 Kg Gross weight: 0,052 Kg Package nr: 1		



Code	Colour	€ excl. VAT.
40117/NE	Black RAL 9005	38,00
90° joint with electrical cable		
Structure: Resin		
Net weight: 0,1 Kg Gross weight: 0,15 Kg Package nr: 1		




Code	Colour	€ excl. VAT.
40130/NE	Black RAL 9005	20,00
Linear joint without electrical cable		
Structure: Resin		
Net weight: 0,1 Kg Package nr: 1		




Code	Colour	€ excl. VAT.
40129/NE	Black RAL 9005	38,00
Linear joint with electrical cable		
Structure: Resin		
Net weight: 0,1 Kg Package nr: 1		

COLIBRI Wall Brackets



	Code	Colour	€ excl. VAT.
Bracket 7 cm	40161/NE	Black Opaque RAL 9005	48,00
Structure: Aluminium			
Net weight: 0,1 Kg Package nr: 1			




	Code	Colour	€ excl. VAT.
Bracket 11 cm	40162/NE	Black Opaque RAL 9005	50,00
Structure: Aluminium			
Net weight: 0,5 Kg Package nr: 1			

COLIBRI Canopies




Canopy 75 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40163/NE	Black Opaque RAL 9005	68,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 1 Kg Gross weight: 2 Kg Package nr: 1				

Canopy 120 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
120W	Non dimmable	40085/NE	Black Opaque RAL 9005	110,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 1,5 Kg Gross weight: 1,7 Kg Package nr: 1				


Canopy 240 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
240W	Non dimmable	40102/NE	Black Opaque RAL 9005	150,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 2,5 Kg Package nr: 1				


Condor Emiliana Martinelli

CONDOR Ø 42 cm Emiliana Martinelli




Light source	CCT	Code	Colour	€ excl. VAT.
87,3W 12384lm	3000K	2085/J/DIM/L/1/AN	Anthracite Embossed RAL 7021	740,00
Type: pendant Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Push Dali2				
Materials Structure: Aluminium Diffuser: Polycarbonate Elements: Aluminium Power cable: 400cm Suspension cable: 350cm				
Net weight: 7 Kg Gross weight: 8 Kg Package nr: 1 Package dimension: 56x56x56 cm				

CONDOR Ø 50 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
135,7W 19264lm	3000K	2085/DIM/L/1/AN	Anthracite Embossed RAL 7021	820,00
Type: pendant Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included External Dimming: Push Dali2				
Materials Structure: Aluminium Diffuser: Polycarbonate Elements: Aluminium Power cable: 400cm Suspension cable: 350cm				
Net weight: 7 Kg Gross weight: 8 Kg Package nr: 1 Package dimension: 56x56x56 cm				


Duemilatre Emiliana Martinelli, Elio Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
58,2W 8256lm+ 33,9W 4816lm	3000K	2003/50/DIM/L/1/AN	Anthracite Embossed RAL 7021	on request
Type: pendant Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Push Dali2				
Materials Structure: Aluminium Diffuser: Glass Elements: Aluminium Power cable: 300cm Suspension cable: 200cm				
Net weight: 12 Kg				


Eye Emiliana Martinelli

EYE Emiliana Martinelli



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
16,5W 1950lm	35°	3000K	2876/1/L/1/35/BI	White Opaque RAL 9003	250,00
			2876/1/L/1/35/NE	Black Opaque RAL 9005	250,00
	24°		2876/1/L/1/24/BI	White Opaque RAL 9003	250,00
			2876/1/L/1/24/NE	Black Opaque RAL 9005	250,00


Type: ceiling **Emission:** Direct Light **Light source:** Integrated LED
Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable
Materials | Structure: Aluminium
Net weight: 1 Kg **Gross weight:** 1,7 Kg **Package nr:** 1 **Package dimension:** 18x16x18 cm



EYE Light modules



Module 1 connection



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
16,5W 1950lm	24°	3000K	40148/24/BI	White Opaque RAL 9003	270,00
			40148/24/NE	Black Opaque RAL 9005	270,00
16,5W 1950lm	35°	3000K	40148/35/BI	White Opaque RAL 9003	270,00
			40148/35/NE	Black Opaque RAL 9005	270,00


Emission: Direct Light **Light source:** Integrated LED

Volt:230 V **Driver:** Electronic power supply Included Internal **Dimmer:** Non dimmable

Structure: Aluminium

Net weight: 1,6 Kg **Package nr:** 1

Module 2 connections (180°)



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
16,5W 1950lm	24°	3000K	40149/24/BI	White Opaque RAL 9003	280,00
			40149/24/NE	Black Opaque RAL 9005	280,00
16,5W 1950lm	35°	3000K	40149/35/BI	White Opaque RAL 9003	280,00
			40149/35/NE	Black Opaque RAL 9005	280,00


Emission: Direct Light **Light source:** Integrated LED

Volt:230 V **Driver:** Electronic power supply Included Internal **Dimmer:** Non dimmable

Structure: Aluminium

Net weight: 1,6 Kg **Package nr:** 1

Module 3 connections



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
16,5W 1950lm	24°	3000K	40150/24/BI	White Opaque RAL 9003	290,00
			40150/24/NE	Black Opaque RAL 9005	290,00
16,5W 1950lm	35°	3000K	40150/35/BI	White Opaque RAL 9003	290,00
			40150/35/NE	Black Opaque RAL 9005	290,00

Emission: Direct Light **Light source:** Integrated LED

Volt:230 V **Driver:** Electronic power supply Included Internal **Dimmer:** Non dimmable


Structure: Aluminium

Net weight: 1,6 Kg **Package nr:** 1

EYE Light modules



Module 4 connections



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
16,5W 1950lm	24°	3000K	40151/24/BI	White Opaque RAL 9003	300,00
			40151/24/NE	Black Opaque RAL 9005	300,00
16,5W 1950lm	35°	3000K	40151/35/BI	White Opaque RAL 9003	300,00
			40151/35/NE	Black Opaque RAL 9005	300,00


Emission: Direct Light **Light source:** Integrated LED

Volt:230 V **Driver:** Electronic power supply Included Internal **Dimmer:** Non dimmable

Structure: Aluminium

Net weight: 1 Kg **Package nr:** 1

Module 2 connections (90°)



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
16,5W 1950lm	24°	3000K	40152/24/BI	White Opaque RAL 9003	280,00
			40152/24/NE	Black Opaque RAL 9005	280,00
16,5W 1950lm	35°	3000K	40152/35/BI	White Opaque RAL 9003	280,00
			40152/35/NE	Black Opaque RAL 9005	280,00


Emission: Direct Light **Light source:** Integrated LED

Volt:230 V **Driver:** Electronic power supply Included Internal **Dimmer:** Non dimmable

Structure: Aluminium

Net weight: 1,6 Kg **Package nr:** 1

Module 2 connections (120°)



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
16,5W 1950lm	24°	3000K	40153/24/BI	White Opaque RAL 9003	280,00
			40153/24/NE	Black Opaque RAL 9005	280,00
16,5W 1950lm	35°	3000K	40153/35/BI	White Opaque RAL 9003	280,00
			40153/35/NE	Black Opaque RAL 9005	280,00


Emission: Direct Light **Light source:** Integrated LED

Volt:230 V **Driver:** Electronic power supply Included Internal **Dimmer:** Non dimmable

Structure: Aluminium

Net weight: 1,6 Kg **Package nr:** 1

Module 3 connections (120°)



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
16,5W 1950lm	24°	3000K	40154/24/BI	White Opaque RAL 9003	290,00
			40154/24/NE	Black Opaque RAL 9005	290,00
16,5W 1950lm	35°	3000K	40154/35/BI	White Opaque RAL 9003	290,00
			40154/35/NE	Black Opaque RAL 9005	290,00


Emission: Direct Light **Light source:** Integrated LED

Volt:230 V **Driver:** Electronic power supply Included Internal **Dimmer:** Non dimmable

Structure: Aluminium

Net weight: 1,6 Kg **Package nr:** 1

EYE Joints




	Code	Colour	€ excl. VAT.
Joint 7 cm	40155/BI	White Opaque RAL 9003	24,00
	40155/NE	Black Opaque RAL 9005	24,00


Structure: Aluminium

Net weight: 0,07 Kg **Package nr:** 1

EYE Joints




	Code	Colour	€ excl. VAT.
Joint 30 cm	40156/BI	White Opaque RAL 9003	39,00
	40156/NE	Black Opaque RAL 9005	39,00
Structure: Aluminium			
Net weight: 0,3 Kg Package nr: 1			



	Code	Colour	€ excl. VAT.
Joint 75 cm	40157/BI	White Opaque RAL 9003	64,00
	40157/NE	Black Opaque RAL 9005	64,00
Structure: Aluminium			
Net weight: 0,77 Kg Package nr: 1			

Eye recessed Emilia Martinelli

EYE Emilia Martinelli



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
16,5W 1950lm	24°	3000K	2882/L/1/MS/BI	White Opaque RAL 9003	230,00
	35°		2882/L/1/R/BI		230,00

Type: recessed **Emission:** Direct Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Non dimmable

Materials | Structure: Aluminium


Net weight: 1,5 Kg **Gross weight:** 3 Kg **Package nr:** 1 **Package dimension:** 30x30x10 cm

Hush Massimo Farinatti

HUSH SUSPENSION Massimo Farinatti




HUSH Light modules



Light source	Code	Colour	€ excl. VAT.
47W 4704lm + 28W 2800lm	40074/GR	Grey Anodised	630,00
Emission: Direct Light, Indirect Light Light source: Integrated LED			
Volt: 24 V Driver: Electronic power supply Excluded External			
Structure: Aluminium Power cable: 400cm Suspension cable: 350cm			
Net weight: 2,5 Kg Package nr: 1			





HUSH Sound absorbing panels



	Code	Colour	€ excl. VAT.
	Sound absorbing panel	40112/BI	White RAL TIPO 9003 305,00
		40112/VE	Green PANTONE 14-0445 TPG 305,00
Structure: Fabric Net weight: 2,3 Kg Package nr: 1			
Accessories			
2 wall supports kit Hush	40134/GR		90,00

HUSH Joints



	Code	Colour	€ excl. VAT.
	Joint 90°	40077	Grey Matt 190,00
	Structure: Plastic Net weight: 1 Kg Package nr: 1		
	Linear joint	40078	Grey Matt 170,00
	Structure: Plastic Net weight: 1 Kg Package nr: 1		
	T joint	40079	Grey Matt 260,00
	Structure: Plastic Net weight: 1,5 Kg Package nr: 1		
	Cross joint	40080	Grey Matt 370,00
	Structure: Plastic Net weight: 2 Kg Package nr: 1		

HUSH Terminal Heads



	Code	Colour	€ excl. VAT.
Terminal head	40076	Grey Matt	20,00
Structure: Plastic Net weight: 0,1 Kg Package nr: 1			

HUSH Canopies




Canopy 75 W


Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40119	Grey	120,00
75W	Push Dali2 Triac 5 wires 0-10V 1-10V	40120	Grey	170,00
Volt: 230/24 V Driver: Electronic power supply Included Internal Structure: Aluminium Net weight: 1,5 Kg Package nr: 1				

Canopy 300 W

Watt	Dimmer	Code	Colour	€ excl. VAT.
300W	Non dimmable	40121	Grey	260,00
300W	Push Dali2 Triac 5 wires 0-10V 1-10V	40122	Grey	310,00
Volt: 230/24 V Driver: Electronic power supply Included Internal Structure: Aluminium Net weight: 2 Kg Package nr: 1				



HUSH Light modules without panels




Light source	Code	Colour	€ excl. VAT.
47W 4704lm + 28W 2800lm	40074.1/GR	Grey Anodised	540,00
Emission: Direct Light, Indirect Light Light source: Integrated LED			
Volt: 24 V Driver: Electronic power supply Excluded External			
Structure: Aluminium Power cable: 400cm Suspension cable: 350cm			
Net weight: 2 Kg Package nr: 1			

HUSH Joints without panels




Angle joint 90°




Light source	CCT	Code	Colour	€ excl. VAT.
12W 1186lm	3000K	40077.1	Grey Anodised	150,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Structure: Aluminium				
Net weight: 0,2 Kg Package nr: 1				

Linear joint




Light source	CCT	Code	Colour	€ excl. VAT.
12,4W 1231lm	3000K	40078.1	Grey Anodised	145,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Structure: Aluminium				
Net weight: 0,1 Kg Package nr: 1				

T joint



Light source	CCT	Code	Colour	€ excl. VAT.
17,4W 1727lm	3000K	40079.1	Grey Anodised	170,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Structure: Aluminium				
Net weight: 1 Kg Package nr: 1				

Cross joint



Light source	CCT	Code	Colour	€ excl. VAT.
23,7W 2343lm	3000K	40080.1	Grey Anodised	200,00
Emission: Direct Light, Indirect Light Light source: Integrated LED				
Structure: Aluminium				
Net weight: 1 Kg Package nr: 1				

HUSH Terminal heads without pannels




	Code	Colour	€ excl. VAT.
Terminal head	40076	Grey Matt	20,00
Structure: Plastic			
Net weight: 0,1 Kg Package nr: 1			

HUSH Canopies




Canopy 75 W






Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40119	Grey	120,00
75W	Push Dali2 Triac 5 wires 0-10V 1-10V	40120	Grey	170,00
Volt: 230/24 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 1,5 Kg Package nr: 1				

Canopy 300 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
300W	Non dimmable	40121	Grey	260,00
300W	Push Dali2 Triac 5 wires 0-10V 1-10V	40122	Grey	310,00
Volt: 230/24 V Driver: Electronic power supply Included Internal				
Structure: Aluminium Net weight: 2 Kg Package nr: 1				

HUSH WALL Massimo Farinatti




HUSH Wall light modules



Light source	Code	Colour	€ excl. VAT.
47W 4704lm + 28W 2800lm	40074.2/GR	Grey Anodised	580,00
Emission: Direct Light, Indirect Light Light source: Integrated LED			
Volt: 230 V Driver: Electronic power supply Excluded External			
Structure: Aluminium			
Net weight: 2 Kg Package nr: 1			

HUSH Wall sound absorbing panels



	Code	Colour	€ excl. VAT.
Sound absorbing panel	40112/BI	White RAL TIPO 9003	305,00
	40112/VE	Green PANTONE 14-0445 TPG	305,00
Structure: Fabric			
Net weight: 2,3 Kg Package nr: 1			


Accessories

2 wall supports kit Hush	40134/GR	90,00
--------------------------	----------	-------

HUSH Wall support components




Middle head




Code	Colour	€ excl. VAT.
40075	Grey Anodised	42,00
Structure: Aluminium Net weight: 0,2 Kg Package nr: 1		

Wall supports kit + Canopy




Dimmer	Code	Colour	€ excl. VAT.
Non dimmable	40132/GR		110,00
Structure: Aluminium Net weight: 0,2 Kg Package nr: 1			

HUSH WALL WITHOUT PANELS Massimo Farinatti



HUSH Wall light modules without panels




Light source	Code	Colour	€ excl. VAT.
47W 4704lm + 28W 2800lm	40074.3/GR	Grey Anodised	510,00
Emission: Direct Light, Indirect Light Light source: Integrated LED			
Volt: 230 V Driver: Electronic power supply Excluded External			
Structure: Aluminium			
Net weight: 2 Kg Package nr: 1			

HUSH Wall support components



Middle head




Code	Colour	€ excl. VAT.
40075	Grey Anodised	42,00
Structure: Aluminium Net weight: 0,2 Kg Package nr: 1		

Wall supports kit + Canopy



Dimmer	Code	Colour	€ excl. VAT.
Non dimmable	40132/GR		110,00
Structure: Aluminium Net weight: 0,2 Kg Package nr: 1			

HUSH Sound absorbing panels




	Code	Colour	€ excl. VAT.
Sound absorbing panel	40112/BI	White RAL TIPO 9003	305,00
	40112/VE	Green PANTONE 14-0445 TPG	305,00

Structure: Fabric

Net weight: 2,3 Kg Package nr: 1

Accessories

2 wall supports kit Hush	40134/GR	90,00
--------------------------	----------	-------




	Code	Colour	€ excl. VAT.
Single sound absorbing panel suspension	40112.1/BI	White RAL TIPO 9003	350,00
	40112.1/VE	Green PANTONE 14-0445 TPG	350,00

Structure: Fabric

Net weight: 2,5 Kg Package nr: 1

Lent Yonoh Studio Creative

LENT Yonoh Studio Creative



Light source	CCT	Code	Colour	€ excl. VAT.
24,2W 3440lm	3000K	21001/DIM/VE	Green	1.295,00
		21001/DIM/GI	Yellow	1.295,00
		21001/DIM/GR	Grey	1.295,00


Type: pendant Emission: Direct Light, Diffuse Light Light source: Integrated LED

Volt: 230 V Driver: Electronic power supply Included External Dimming: Push | Dali2

Materials Reflector: Fabric Elements: Aluminium Power cable: 400cm Suspension cable: 350cm

Net weight: 6,7 Kg Gross weight: 3,6 - 5 Kg Package nr: 2 Package dimension: 33x38x33 - 130x130x14 cm

LENT darklight Yonoh Studio Creative



Light source	CCT	Code	Colour	€ excl. VAT.
24,2W 3440lm	3000K	21001/DIM/DK/VE	Green	1.310,00
		21001/DIM/DK/GI	Yellow	1.310,00
		21001/DIM/DK/GR	Grey	1.310,00


Type: pendant Emission: Direct Light, Diffuse Light Light source: Integrated LED

Volt: 230 V Driver: Electronic power supply Included External Dimming: Push | Dali2

Materials Reflector: Fabric Elements: Aluminium Power cable: 400cm Suspension cable: 350cm

Net weight: 6,7 Kg Gross weight: 3,6 - 5 Kg Package nr: 2 Package dimension: 33x38x33 - 130x130x14 cm

ACOUSTIC REFLECTOR LENT Yonoh Studio Creative



Light source	Code	Colour	€ excl. VAT.
	40133/GI	Yellow	700,00
	40133/GR	Grey	700,00
	40133/VE	Green	700,00


Type: pendant

Materials Suspension cable:350cm

Net weight: 4 Kg **Gross weight:**5 Kg **Package nr:** 1 **Package dimension:** 130x130x16 cm

Loop Emiliana Martinelli

LOOP Ø 160 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
217,2W 19918lm	3000K	21003/160/DIM/BI	White Opaque RAL 9003	2.920,00
		21003/160/DIM/NE	Black Opaque RAL 9005	3.300,00
		21003/160/DIM/AU	Pearl Gold Opaque RAL 1036	3.450,00
		21003/160/DIM/CU	Copper Embossed	3.450,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Suspension cable:**350cm

Net weight: 15 Kg **Gross weight:**20 Kg **Package nr:** 1 **Package dimension:** 148x55x40 cm

LOOP Ø 200 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
271,2W 24868lm	3000K	21003/200/DIM/BI	White Opaque RAL 9003	3.150,00
		21003/200/DIM/NE	Black Opaque RAL 9005	3.560,00
		21003/200/DIM/AU	Pearl Gold Opaque RAL 1036	3.690,00
		21003/200/DIM/CU	Copper Embossed	3.690,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Suspension cable:**350cm

Net weight: 18 Kg **Gross weight:**21 Kg **Package nr:** 1 **Package dimension:** 64x186x36 cm

LOOP Ø 300 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
406,9W 37303lm	3000K	21003/300/DIM/BI	White Opaque RAL 9003	4.500,00
		21003/300/DIM/NE	Black Opaque RAL 9005	5.060,00
		21003/300/DIM/AU	Pearl Gold Opaque RAL 1036	5.300,00
		21003/300/DIM/CU	Copper Embossed	5.300,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:**350cm

Net weight: 28 Kg **Gross weight:**38 Kg **Package nr:** 1 **Package dimension:** 225x60x50 cm

LOOP Ø 400 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
543W 49777lm	3000K	21003/400/DIM/BI	White Opaque RAL 9003	on request
		21003/400/DIM/NE	Black Opaque RAL 9005	on request
		21003/400/DIM/AU	Pearl Gold Opaque RAL 1036	on request
		21003/400/DIM/CU	Copper Embossed	on request


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 35 Kg **Package nr:** 2

LOOP Ø 500 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
678,6W 62211lm	3000K	21003/500/DIM/BI	White Opaque RAL 9003	on request
		21003/500/DIM/NE	Black Opaque RAL 9005	on request
		21003/500/DIM/AU	Pearl Gold Opaque RAL 1036	on request
		21003/500/DIM/CU	Copper Embossed	on request


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 42 Kg **Package nr:** 2

LOOP 170x170 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
230,6W 21146lm	3000K	21006/170/DIM/BI	White Opaque RAL 9003	2.970,00
		21006/170/DIM/NE	Black Opaque RAL 9005	3.500,00
		21006/170/DIM/AU	Pearl Gold Opaque RAL 1036	3.670,00
		21006/170/DIM/CU	Copper Embossed	3.670,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 17 Kg **Gross weight:** 18 Kg **Package nr:** 1 **Package dimension:** 175x175x10 cm

LOOP 250x250 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
339,1W 31086lm	3000K	21006/250/DIM/BI	White Opaque RAL 9003	4.560,00
		21006/250/DIM/NE	Black Opaque RAL 9005	5.400,00
		21006/250/DIM/AU	Pearl Gold Opaque RAL 1036	5.690,00
		21006/250/DIM/CU	Copper Embossed	5.690,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 26,5 Kg **Package nr:** 1

LOOP rectangular Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
374,4W 34320lm	3000K	21010/DIM/BI	White Opaque RAL 9003	4.370,00
		21010/DIM/NE	Black Opaque RAL 9005	5.010,00
		21010/DIM/AU	Pearl Gold Opaque RAL 1036	5.150,00
		21010/DIM/CU	Copper Embossed	5.150,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 32 Kg **Package nr:** 1

SPOTLIGHT single Emiliana Martinelli



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
10W 1200lm	34°	3000K	40088/BI	White Opaque RAL 9003	330,00
			40088/NE	Black Opaque RAL 9005	330,00
			40088/AU	Pearl Gold Opaque RAL 1036	340,00
			40088/CU	Copper Embossed	340,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED


Dimming: Non dimmable

Materials | Structure: Aluminium

Net weight: 0,5 Kg **Package nr:** 1

Accessories				
Driver 75 W 230V	40096	Anthracite		90,00
Canopy 2x75 W - 230/24V	40097/BI	White		330,00
	40097/NE	Black		330,00
	40097/AU	Pearl Gold		340,00
	40097/CU	Copper		340,00
Anti-glare ring	40128/BI	White		20,00
	40128/NE	Black		20,00
	40128/AU	Pearl Gold		30,00
	40128/CU	Copper		30,00

3 SPOTLIGHT for Loop Ø160/200 Emiliana Martinelli



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
3x10W 3x 1200lm	34°	3000K	40091/BI	White Opaque RAL 9003	900,00
			40091/NE	Black Opaque RAL 9005	900,00
			40091/AU	Pearl Gold Opaque RAL 1036	910,00
			40091/CU	Copper Embossed	910,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED


Dimming: Non dimmable

Materials | Structure: Aluminium

Net weight: 1,8 Kg **Package nr:** 1

Accessories				
Driver 75 W 230V		40096	Anthracite	90,00
Canopy 2x75 W - 230/24V		40097/BI	White	330,00
		40097/NE	Black	330,00
		40097/AU	Pearl Gold	340,00
		40097/CU	Copper	340,00
Anti-glare ring		40128/BI	White	20,00
		40128/NE	Black	20,00
		40128/AU	Pearl Gold	30,00
		40128/CU	Copper	30,00

3 SPOTLIGHT for Loop Ø300 Emiliana Martinelli



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
3x10W 3x 1200lm	34°	3000K	40093/BI	White Opaque RAL 9003	900,00
			40093/NE	Black Opaque RAL 9005	900,00
			40093/AU	Pearl Gold Opaque RAL 1036	910,00
			40093/CU	Copper Embossed	910,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED

Driver: Excluded External **Dimming:** Non dimmable

Materials | Structure: Aluminium


Net weight: 1,8 Kg **Package nr:** 1

Accessories				
Driver 75 W 230V		40096	Anthracite	90,00
Canopy 2x75 W - 230/24V		40097/BI	White	330,00
		40097/NE	Black	330,00
		40097/AU	Pearl Gold	340,00
		40097/CU	Copper	340,00
Anti-glare ring		40128/BI	White	20,00
		40128/NE	Black	20,00
		40128/AU	Pearl Gold	30,00
		40128/CU	Copper	30,00

Luna

Emiliana Martinelli

LUNA Ø 50 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
21W 2650lm	3000K	2862/J/DIM/L/1/BI/AR	White/orange	670,00
		2862/J/DIM/L/1/BI/BI	White/white	650,00


Type: ceiling **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Methacrylate **Base:** Aluminium

Net weight: 5 Kg **Gross weight:** 6 Kg **Package nr:** 1 **Package dimension:** 60x20x60 cm

LUNA Ø 80 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
79W 9100lm	3000K	2862/M/DIM/L/1/BI/AR	White/orange	1.290,00
		2862/M/DIM/L/1/BI/BI	White/white	1.240,00

Type: ceiling **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V


Materials | Structure: Aluminium **Diffuser:** Methacrylate **Base:** Aluminium

Net weight: 9 Kg **Gross weight:** 11 Kg **Package nr:** 1 **Package dimension:** 89x14x89 cm

Lunaop

Emiliana Martinelli

LUNAOP ceiling Ø 50 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
45,2W 4144lm	3000K	2886/J/DIM/BI	White Opaque RAL 9003	610,00
		2886/J/DIM/NE	Black Opaque RAL 9005	610,00


Type: ceiling **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Aluminium

Net weight: 2 Kg **Gross weight:** 3 Kg **Package nr:** 1 **Package dimension:** 60x60x20 cm

LUNAOP ceiling Ø 80 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
72,2W 6626lm	3000K	2886/DIM/BI	White Opaque RAL 9003	790,00
		2886/DIM/NE	Black Opaque RAL 9005	790,00


Type: ceiling **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Aluminium

Net weight: 3 Kg **Gross weight:** 4,5 Kg **Package nr:** 1 **Package dimension:** 89x89x14 cm

LUNAOP ceiling Ø 120 cm Emiliana Martinelli





Light source	CCT	Code	Colour	€ excl. VAT.
108,5W 9952lm	3000K	2886/G/DIM/BI	White Opaque RAL 9003	1.510,00
		2886/G/DIM/NE	Black Opaque RAL 9005	1.510,00

Type: ceiling **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Push | Dali2 | Triac 5 wires | 0-10V | 1-10V

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Base:** Aluminium

Net weight: 4,5 Kg **Gross weight:** 6 Kg **Package nr:** 1 **Package dimension:** 130x130x18 cm




Modular pendant lamp. Light rings in three diameters (120, 80, 50) with power cables to be connected to the canopy to be fixed to the ceiling, both for the single version and for the compound version (2 to 6 Lunaop). The canopy, which includes the power supply, must be ordered together with the ring with the wattage corresponding to the lamps used. Dimmable and non-dimmable canopies are available.

LUNAOP Light modules




Lunaop Ø 50 cm



Light source	CCT	Code	Colour	€ excl. VAT.
45,2W 4144lm	2700K	40001/2700/BI	White Opaque RAL 9003	439,00
		40001/2700/NE	Black Opaque RAL 9005	439,00
		40001/2700/AU	Pearl Gold Opaque RAL 1036	460,00
		40001/2700/BM	Bronze Textured	590,00
		40001/2700/OV	Vintage Brass	590,00
45,2W 4144lm	3000K	40001/3000/BI	White Opaque RAL 9003	439,00
		40001/3000/NE	Black Opaque RAL 9005	439,00
		40001/3000/AU	Pearl Gold Opaque RAL 1036	460,00
		40001/3000/BM	Bronze Textured	590,00
		40001/3000/OV	Vintage Brass	590,00
45,2W 4239lm	4000K	40001/4000/BI	White Opaque RAL 9003	439,00
		40001/4000/NE	Black Opaque RAL 9005	439,00
		40001/4000/AU	Pearl Gold Opaque RAL 1036	460,00
		40001/4000/BM	Bronze Textured	590,00
		40001/4000/OV	Vintage Brass	590,00

Emission: Diffuse Light source: Integrated LED
Volt:24 V Driver: Excluded External
Structure: Aluminium Diffuser: Methacrylate 040 Power cable: 400cm Suspension cable: 400cm
Net weight: 1,3 Kg Gross weight: 2,7 Kg Package nr: 1 Package dimension 60x60x20 cm

Lunaop Ø 80 cm



Light source	CCT	Code	Colour	€ excl. VAT.
72,2W 6626lm	2700K	40002/2700/BI	White Opaque RAL 9003	660,00
		40002/2700/NE	Black Opaque RAL 9005	660,00
		40002/2700/AU	Pearl Gold Opaque RAL 1036	700,00
		40002/2700/BM	Bronze Textured	870,00
		40002/2700/OV	Vintage Brass	870,00
72,2W 6626lm	3000K	40002/3000/BI	White Opaque RAL 9003	660,00
		40002/3000/NE	Black Opaque RAL 9005	660,00
		40002/3000/AU	Pearl Gold Opaque RAL 1036	700,00
		40002/3000/BM	Bronze Textured	870,00
		40002/3000/OV	Vintage Brass	870,00
72,2W 6776lm	4000K	40002/4000/BI	White Opaque RAL 9003	660,00
		40002/4000/NE	Black Opaque RAL 9005	660,00
		40002/4000/AU	Pearl Gold Opaque RAL 1036	700,00
		40002/4000/BM	Bronze Textured	870,00
		40002/4000/OV	Vintage Brass	870,00


Emission: Diffuse Light **Light source:** Integrated LED

Volt: 24 V **Driver:** Excluded External

Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 400cm **Suspension cable:** 400cm

Net weight: 2,25 Kg **Gross weight:** 5,6 Kg **Package nr:** 1 **Package dimension** 89x89x14 cm

Lunaop Ø 120 cm



Light source	CCT	Code	Colour	€ excl. VAT.
108,5W 9952lm	2700K	40003/2700/BI	White Opaque RAL 9003	1.460,00
		40003/2700/NE	Black Opaque RAL 9005	1.460,00
		40003/2700/AU	Pearl Gold Opaque RAL 1036	1.540,00
		40003/2700/BM	Bronze Textured	1.720,00
		40003/2700/OV	Vintage Brass	1.720,00
108,5W 9952lm	3000K	40003/3000/BI	White Opaque RAL 9003	1.460,00
		40003/3000/NE	Black Opaque RAL 9005	1.460,00
		40003/3000/AU	Pearl Gold Opaque RAL 1036	1.540,00
		40003/3000/BM	Bronze Textured Opaque	1.720,00
		40003/3000/OV	Vintage Brass Opaque	1.720,00
108,5W 10179lm	4000K	40003/4000/BI	White Opaque RAL 9003	1.460,00
		40003/4000/NE	Black Opaque RAL 9005	1.460,00
		40003/4000/AU	Pearl Gold Opaque RAL 1036	1.540,00
		40003/4000/BM	Bronze Textured	1.720,00
		40003/4000/OV	Vintage Brass	1.720,00


Emission: Diffuse Light **Light source:** Integrated LED

Volt: 24 V **Driver:** Excluded External

Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 400cm **Suspension cable:** 400cm

Net weight: 4 Kg **Gross weight:** 10 Kg **Package nr:** 1 **Package dimension** 130x130x16 cm

Canopy 75 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40004/BI	White Opaque RAL 9003	200,00
		40004/NE	Black Opaque RAL 9005	200,00
		40004/AU	Pearl Gold Opaque RAL 1036	235,00
		40004/BM	Bronze Textured	300,00
		40004/OV	Vintage Brass	300,00
75W	Push Dali2 Triac 5 wires 0-10V 1-10V	40005/BI	White Opaque RAL 9003	290,00
		40005/NE	Black Opaque RAL 9005	290,00
		40005/AU	Pearl Gold Opaque RAL 1036	320,00
		40005/BM	Bronze Textured	360,00
		40005/OV	Vintage Brass	360,00
75W	Triac 3 wires	40013/BI	White Opaque RAL 9003	280,00
		40013/NE	Black Opaque RAL 9005	280,00
		40013/AU	Pearl Gold Opaque RAL 1036	320,00
		40013/BM	Bronze Textured	350,00
		40013/OV	Vintage Brass	350,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 0,75 Kg **Gross weight:** 0,9 Kg **Package nr:** 1 **Package dimension** 30x24x7 cm

Canopy 150 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Non dimmable	40007/BI	White Opaque RAL 9003	270,00
		40007/NE	Black Opaque RAL 9005	270,00
		40007/AU	Pearl Gold Opaque RAL 1036	310,00
		40007/BM	Bronze Textured	380,00
		40007/OV	Vintage Brass	380,00
150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40008/BI	White Opaque RAL 9003	360,00
		40008/NE	Black Opaque RAL 9005	360,00
		40008/AU	Pearl Gold Opaque RAL 1036	410,00
		40008/BM	Bronze Textured	450,00
		40008/OV	Vintage Brass	450,00
150W	Triac 3 wires	40182/BI	White Opaque RAL 9003	320,00
		40182/NE	Black Opaque RAL 9005	320,00
		40182/AU	Pearl Gold Opaque RAL 1036	360,00
		40182/BM	Bronze Textured	400,00
		40182/OV	Vintage Brass	400,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1,35 Kg **Gross weight:** 1,75 Kg **Package nr:** 1 **Package dimension** 35x35x10 cm

Canopy 2x150 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
2x150W	Non dimmable	40010/BI	White Opaque RAL 9003	510,00
		40010/NE	Black Opaque RAL 9005	510,00
		40010/AU	Pearl Gold Opaque RAL 1036	570,00
		40010/BM	Bronze Textured	610,00
		40010/OV	Vintage Brass	610,00
2x150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40011/BI	White Opaque RAL 9003	670,00
		40011/NE	Black Opaque RAL 9005	670,00
		40011/AU	Pearl Gold Opaque RAL 1036	725,00
		40011/BM	Bronze Textured	770,00
		40011/OV	Vintage Brass	770,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 2,65 Kg **Package nr:** 1


Accessories

Tuya WiFi, RF, BT device for dimming	40204.1	70,00
--------------------------------------	---------	-------

LUNAOP Canopies



Canopy 3x150 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
3x150W	Non dimmable	40014/BI	White Opaque RAL 9003	660,00
		40014/NE	Black Opaque RAL 9005	660,00
		40014/AU	Pearl Gold Opaque RAL 1036	720,00
		40014/BM	Bronze Textured	790,00
		40014/OV	Vintage Brass	790,00
3x150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40015/BI	White Opaque RAL 9003	870,00
		40015/NE	Black Opaque RAL 9005	870,00
		40015/AU	Pearl Gold Opaque RAL 1036	930,00
		40015/BM	Bronze Textured	990,00
		40015/OV	Vintage Brass	990,00


Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 2,7 Kg **Package nr:** 1

Accessories

Tuya WiFi, RF, BT device for dimming	40204.1	70,00
--------------------------------------	---------	-------

LUNAOP Power supply box remote





Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Push Dali2	40008.1/BI	White Opaque RAL 9003	400,00

Volt:230 V **Driver:** Electronic power supply Included Internal


Structure: Aluminium **Net weight:** 1 Kg **Gross weight:** 2,5 Kg **Package nr:** 1 **Package dimension** 30x30x10 cm

Lunaop Slim Emiliania Martinelli


LUNAOP SLIM Emiliania Martinelli




canopy 75W




Ø50




Ø80




Ø120




Ø50 - Ø80




canopy 150W




Ø50 - Ø120




Ø80 - Ø120



Ø50 - Ø80 - Ø120



canopy 2x150W




Ø50 - Ø80 - Ø120 - Ø80 - Ø50

Modular pendant lamp. Slim version of the Lunaop (ring thickness 3 cm). Light rings in three diameters (120, 80, 50 cm) with power supply cables to be connected to the canopy to be fixed to the ceiling, both for the single version and the compound version (2 to 6 Lunaops). The canopy, which includes the power supply, must be ordered together with the ring with the wattage corresponding to the lamps used. Dimmable and non-dimmable canopies.

LUNAOP SLIM Light modules



Module Ø 50 cm



Light source	CCT	Code	Colour	€ excl. VAT.
20,4W 3265lm	2700K	40001/SL/2700/BI	White Opaque RAL 9003	400,00
		40001/SL/2700/NE	Black Opaque RAL 9005	400,00
		40001/SL/2700/AU	Pearl Gold Opaque RAL 1036	480,00
		40001/SL/2700/BM	Bronze Textured	590,00
		40001/SL/2700/OV	Vintage Brass	590,00
20,4W 3359lm	3000K	40001/SL/3000/BI	White Opaque RAL 9003	400,00
		40001/SL/3000/NE	Black Opaque RAL 9005	400,00
		40001/SL/3000/AU	Pearl Gold Opaque RAL 1036	480,00
		40001/SL/3000/BM	Bronze Textured	590,00
		40001/SL/3000/OV	Vintage Brass	590,00
20,4W 3516lm	4000K	40001/SL/4000/BI	White Opaque RAL 9003	400,00
		40001/SL/4000/NE	Black Opaque RAL 9005	400,00
		40001/SL/4000/AU	Pearl Gold Opaque RAL 1036	480,00
		40001/SL/4000/BM	Bronze Textured	590,00
		40001/SL/4000/OV	Vintage Brass	590,00


Emission: Diffuse Light **Light source:** Integrated LED

Volt: 24 V **Driver:** Excluded External

Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 400cm **Suspension cable:** 400cm

Net weight: 0,7 Kg **Gross weight:** 2,1 Kg **Package nr:** 1 **Package dimension:** 60x60x20 cm

Module Ø 80 cm



Light source	CCT	Code	Colour	€ excl. VAT.
32,6W 5220lm	2700K	40002/SL/2700/BI	White Opaque RAL 9003	600,00
		40002/SL/2700/NE	Black Opaque RAL 9005	600,00
		40002/SL/2700/AU	Pearl Gold Opaque RAL 1036	725,00
		40002/SL/2700/BM	Bronze Textured	870,00
		40002/SL/2700/OV	Vintage Brass	870,00
32,6W 5371lm	3000K	40002/SL/3000/BI	White Opaque RAL 9003	600,00
		40002/SL/3000/NE	Black Opaque RAL 9005	600,00
		40002/SL/3000/AU	Pearl Gold Opaque RAL 1036	725,00
		40002/SL/3000/BM	Bronze Textured	870,00
		40002/SL/3000/OV	Vintage Brass	870,00
32,6W 5622lm	4000K	40002/SL/4000/BI	White Opaque RAL 9003	600,00
		40002/SL/4000/NE	Black Opaque RAL 9005	600,00
		40002/SL/4000/AU	Pearl Gold Opaque RAL 1036	725,00
		40002/SL/4000/BM	Bronze Textured	870,00
		40002/SL/4000/OV	Vintage Brass	870,00

Emission: Diffuse Light **Light source:** Integrated LED

Volt: 24 V **Driver:** Excluded External


Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 400cm **Suspension cable:** 400cm

Net weight: 1,1 Kg **Gross weight:** 4,5 Kg **Package nr:** 1 **Package dimension:** 89x89x14 cm

LUNAOP SLIM Light modules



Module Ø 120 cm



Light source	CCT	Code	Colour	€ excl. VAT.
49W 7841lm	2700K	40003/SL/2700/BI	White Opaque RAL 9003	1.240,00
		40003/SL/2700/NE	Black Opaque RAL 9005	1.240,00
		40003/SL/2700/AU	Pearl Gold Opaque RAL 1036	1.580,00
		40003/SL/2700/BM	Bronze Textured	1.760,00
		40003/SL/2700/OV	Vintage Brass	1.760,00
49W 8067lm	3000K	40003/SL/3000/BI	White Opaque RAL 9003	1.240,00
		40003/SL/3000/NE	Black Opaque RAL 9005	1.240,00
		40003/SL/3000/AU	Pearl Gold Opaque RAL 1036	1.580,00
		40003/SL/3000/BM	Bronze Textured	1.760,00
		40003/SL/3000/OV	Vintage Brass	1.760,00
49W 8444lm	4000K	40003/SL/4000/BI	White Opaque RAL 9003	1.240,00
		40003/SL/4000/NE	Black Opaque RAL 9005	1.240,00
		40003/SL/4000/AU	Pearl Gold Opaque RAL 1036	1.580,00
		40003/SL/4000/BM	Bronze Textured	1.760,00
		40003/SL/4000/OV	Vintage Brass	1.760,00

Emission: Diffuse Light **Light source:** Integrated LED

Volt: 24 V **Driver:** Excluded External


Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 400cm **Suspension cable:** 400cm

Net weight: 1,7 Kg **Gross weight:** 7,7 Kg **Package nr:** 1 **Package dimension:** 130x130x16 cm

LUNAOP SLIM Canopies



Canopy 75 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40004/BI	White Opaque RAL 9003	200,00
		40004/NE	Black Opaque RAL 9005	200,00
		40004/AU	Pearl Gold Opaque RAL 1036	235,00
		40004/BM	Bronze Textured	300,00
		40004/OV	Vintage Brass	300,00
75W	Push Dali2 Triac 5 wires 0-10V 1-10V	40005/BI	White Opaque RAL 9003	290,00
		40005/NE	Black Opaque RAL 9005	290,00
		40005/AU	Pearl Gold Opaque RAL 1036	320,00
		40005/BM	Bronze Textured	360,00
		40005/OV	Vintage Brass	360,00
75W	Triac 3 wires	40013/BI	White Opaque RAL 9003	280,00
		40013/NE	Black Opaque RAL 9005	280,00
		40013/AU	Pearl Gold Opaque RAL 1036	320,00
		40013/BM	Bronze Textured	350,00
		40013/OV	Vintage Brass	350,00


Volt: 230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 0,75 Kg **Gross weight:** 0,9 Kg **Package nr:** 1 **Package dimension:** 30x24x7 cm

LUNAOP SLIM Canopies



Canopy 150 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Non dimmable	40007/BI	White Opaque RAL 9003	270,00
		40007/NE	Black Opaque RAL 9005	270,00
		40007/AU	Pearl Gold Opaque RAL 1036	310,00
		40007/BM	Bronze Textured	380,00
		40007/OV	Vintage Brass	380,00
150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40008/BI	White Opaque RAL 9003	360,00
		40008/NE	Black Opaque RAL 9005	360,00
		40008/AU	Pearl Gold Opaque RAL 1036	410,00
		40008/BM	Bronze Textured	450,00
		40008/OV	Vintage Brass	450,00
150W	Triac 3 wires	40182/BI	White Opaque RAL 9003	320,00
		40182/NE	Black Opaque RAL 9005	320,00
		40182/AU	Pearl Gold Opaque RAL 1036	360,00
		40182/BM	Bronze Textured	400,00
		40182/OV	Vintage Brass	400,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1,35 Kg **Gross weight:** 1,75 Kg **Package nr:** 1 **Package dimension** 35x35x10 cm

Canopy 2x150 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
2x150W	Non dimmable	40010/BI	White Opaque RAL 9003	510,00
		40010/NE	Black Opaque RAL 9005	510,00
		40010/AU	Pearl Gold Opaque RAL 1036	570,00
		40010/BM	Bronze Textured	610,00
		40010/OV	Vintage Brass	610,00
2x150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40011/BI	White Opaque RAL 9003	670,00
		40011/NE	Black Opaque RAL 9005	670,00
		40011/AU	Pearl Gold Opaque RAL 1036	725,00
		40011/BM	Bronze Textured	770,00
		40011/OV	Vintage Brass	770,00


Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 2,65 Kg **Package nr:** 1

Accessories

Tuya WiFi, RF, BT device for dimming	40204.1	70,00
--------------------------------------	---------	-------

LUNAOP SLIM Power supply box remote




Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Push Dali2	40008.1/BI	White Opaque RAL 9003	400,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1 Kg **Gross weight:** 2,5 Kg **Package nr:** 1 **Package dimension** 30x30x10 cm




ELEMENTS




CLOSED COMPOSITIONS




RING Ø 70 cm:
4 modules 90° 40053/BI
1 canopy 40124/BI-40124/DIM/BI
4 intermediate joints 40026/BI
3 electrical connectors 40028/BI




RING Ø 95 cm:
3 modules 120° 40021/BI
1 canopy 40023/BI-40023/DIM/BI
3 intermediate joints 40026/BI
2 electrical connectors 40028/BI




RING 140x107 cm
2 modules 60° 40020/BI
2 modules 120° 40021/BI
1 canopy 40024.1/BI
4 intermediate joints 40026/BI
3 electrical connectors 40028/BI



SQUARE 161x161cm
4 modules 90° 40053/BI
4 linear modules 40022/BI
1 canopy 40024.1/BI-40025
8 intermediate joints 40026/BI
7 electrical connectors 40028/BI







RING Ø 180 cm:
6 modules 60° 40020/BI
1 canopy 40024/BI-40024/DIM/BI
6 intermediate joints 40026/BI
5 electrical connectors 40028/BI



RING Ø 352 cm:
12 modules 30° 40135/BI
1 canopy 40147/BI - 40147/DIM/BI
12 intermediate joints 40026/BI
10 electrical connectors 40028/BI


FREE LINEAR AND SINUOUS COMPOSITIONS



MAMBA Light modules



Module 30°



Light source	CCT	Code	Colour	€ excl. VAT.
25W 3058lm	2700K	40135/2700/BI	White Opaque	470,00
25W 3212lm	3000K	40135/BI	White Opaque	470,00
25W 3372lm	4000K	40135/4000/BI	White Opaque	470,00


Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External

Diffuser: Polyethylene **Elements:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 1,5 Kg **Package nr:** 1

Module 60°



Light source	CCT	Code	Colour	€ excl. VAT.
25W 3212lm	2700K	40020/2700/BI	White Opaque	455,00
25W 3212lm	3000K	40020/BI	White Opaque	455,00
25W 3286lm	4000K	40020/4000/BI	White Opaque	455,00


Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External

Diffuser: Polyethylene **Elements:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 1,5 Kg **Package nr:** 1

Module 90°



Light source	CCT	Code	Colour	€ excl. VAT.
12,5W 1529lm	2700K	40053/2700/BI	White Opaque	373,00
12,5W 1606lm	3000K	40053/BI	White Opaque	373,00
12,5W 1634lm	4000K	40053/4000/BI	White Opaque	373,00


Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External

Diffuser: Polyethylene **Elements:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 0,8 Kg **Package nr:** 1

Light module 120° Mamba



Light source	CCT	Code	Colour	€ excl. VAT.
25W 3300lm	2700K	40021/2700/BI	White Opaque	470,00
25W 3212lm	3000K	40021/BI	White Opaque	470,00
25W 3268lm	4000K	40021/4000/BI	White Opaque	470,00


Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External

Diffuser: Polyethylene **Elements:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 1,5 Kg **Package nr:** 1

Linear module



Light source	CCT	Code	Colour	€ excl. VAT.
25W 3058lm	2700K	40022/2700/BI	White Opaque	424,00
25W 3212lm	3000K	40022/BI	White Opaque	424,00
25W 3268lm	4000K	40022/4000/BI	White Opaque	424,00

Emission: Diffuse Light **Light source:** Integrated LED

Volt:24 V **Driver:** Excluded External


Diffuser: Polyethylene **Elements:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 1,5 Kg **Package nr:** 1

MAMBA Canopies for free compositions with vertical cables



Canopy | 75 W | max 3 light modules




Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40023.1/BI	White Opaque RAL 9003	190,00
75W	Push Dali2 Triac 5 wires 0-10V 1-10V	40023.1/DIM/BI	White Opaque RAL 9003	260,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1 Kg **Package nr:** 1

Canopy | 150 W | max 6 light modules



Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Non dimmable Optional Wi-Fi dimming	40024.1/BI	White Opaque RAL 9003	275,00
150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40024.1/DIM/BI	White Opaque RAL 9003	340,00


Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1,6 Kg **Package nr:** 1

Accessories

Tuya WiFi, RF, BT device for dimming	40204.1	70,00
--------------------------------------	---------	-------

Canopy | 2x150 W | max 12 moduli luminosi




Watt	Dimmer	Code	Colour	€ excl. VAT.
2x150W	Non dimmable	40147.1/BI	White Opaque RAL 9003	390,00
2x150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40147.1/DIM/BI	White Opaque RAL 9003	510,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1,6 Kg **Package nr:** 1

Canopy to be inserted in the false ceiling | 150 W | max 6 light modules



Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Non dimmable Optional Wi-Fi dimming	40025/BI	White Opaque RAL 9003	210,00
150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40025/DIM/BI	White Opaque RAL 9003	294,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1,3 Kg **Gross weight:** 1,6 Kg **Package nr:** 1


Accessories

Tuya WiFi, RF, BT device for dimming	40204.1	70,00
--------------------------------------	---------	-------

MAMBA Canopies for finished circular compositions



Canopy circular composition Ø 70 75 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
75W	Non dimmable	40124/BI	White Opaque RAL 9003	260,00
75W	Push Dali2 Triac 5 wires 0-10V 1-10V	40124/DIM/BI	White Opaque RAL 9003	330,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1 Kg **Package nr:** 1

Canopy circular composition Ø 95 150 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Non dimmable	40023/BI	White Opaque RAL 9003	250,00
150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40023/DIM/BI	White Opaque RAL 9003	300,00


Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1 Kg **Package nr:** 1

MAMBA Canopies for finished circular compositions



Canopy circular composition Ø 180 150 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
150W	Non dimmable Optional Wi-Fi dimming	40024/BI	White Opaque RAL 9003	315,00
150W	Push Dali2 Triac 5 wires 0-10V 1-10V	40024/DIM/BI	White Opaque RAL 9003	380,00


Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1,6 Kg **Gross weight:** 2 Kg **Package nr:** 1

Accessories

Tuya WiFi, RF, BT device for dimming	40204.1	70,00
--------------------------------------	---------	-------

Canopy circular composition Ø 350 300 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
300W	Non dimmable	40147/BI	White Opaque RAL 9003	525,00
300W	Push Dali2 Triac 5 wires 0-10V 1-10V	40147/DIM/BI	White Opaque RAL 9003	660,00

Volt:230 V **Driver:** Electronic power supply Included Internal

Structure: Aluminium **Net weight:** 1,6 Kg **Package nr:** 1


MAMBA Joints



	Code	Colour	€ excl. VAT.
Intermediate joint	40026/BI	White Opaque RAL 9003	63,00

Structure: Aluminium **Suspension cable:** 350cm


Net weight: 0,1 Kg **Gross weight:** 0,12 Kg **Package nr:** 1



	Code	Colour	€ excl. VAT.
Terminal joint	40027/BI	White Opaque RAL 9003	60,00

Structure: Aluminium **Suspension cable:** 350cm


Net weight: 0,1 Kg **Gross weight:** 0,12 Kg **Package nr:** 1 **Package dimension** 15x10x15 cm



	Code	Colour	€ excl. VAT.
Electrical connector	40028/BI	White Opaque RAL 9003	12,00

Structure: Aluminium


Net weight: 0,1 Kg **Gross weight:** 0,11 Kg **Package nr:** 1 **Package dimension** 15x10x15 cm



	Code	Colour	€ excl. VAT.
Intermediate ceiling joint	40047/BI	White Opaque RAL 9003	80,00

Structure: Aluminium

Net weight: 0,2 Kg **Gross weight:** 0,3 Kg **Package nr:** 1 **Package dimension** 15x10x15 cm




	Code	Colour	€ excl. VAT.
Terminal ceiling / wall joint	40048/BI	White Opaque RAL 9003	80,00

Structure: Aluminium

Net weight: 0,2 Kg **Gross weight:** 0,3 Kg **Package nr:** 1 **Package dimension** 15x10x15 cm

Pistillo Emiliana Martinelli

PISTILLO Emiliana Martinelli



Light source	Dimmer	CCT	Code	Colour	€ excl. VAT.
64,3W 4958lm	Non dimmable	3000K	2063/L/1	White Opaque	820,00
	Push Dali2		2063/DIM/L/1	White Opaque	890,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External

Materials Diffuser: Pmma - Polymethyl Methacrylate **Elements:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 3,6 Kg **Gross weight:** 4,7 Kg **Package nr:** 1 **Package dimension:** 18x203x18 cm

PISTILLO RGB Emiliana Martinelli



Light source	Dimmer	Code	Colour	€ excl. VAT.
107,2W 4824lm	Push Dali2	2063/L	White Opaque	on request

Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included External

Materials Diffuser: Pmma - Polymethyl Methacrylate **Elements:** Aluminium **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 5 Kg **Gross weight:** 5,4 Kg **Package nr:** 1 **Package dimension:** 30x30x200 cm

R11 Emiliana Martinelli, Elio Martinelli

R11 Wall Emiliana Martinelli, Elio Martinelli



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
35W 5040lm	26°	3000K	1407/P/XL/26D/BI	White Opaque RAL 9003	450,00
			1407/P/XL/26D/AN	Anthracite Embossed RAL 7021	450,00
	36°		1407/P/XL/36D/BI	White Opaque RAL 9003	450,00
			1407/P/XL/36D/AN	Anthracite Embossed RAL 7021	450,00


Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium

Net weight: 2,2 Kg **Gross weight:** 3 Kg **Package nr:** 1 **Package dimension:** 20x25x35 cm

R11 Cornice Emiliana Martinelli, Elio Martinelli



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
35W 5040lm	26°	3000K	1407/C/XL/26D/BI	White Opaque RAL 9003	450,00
			1407/C/XL/26D/AN	Anthracite Embossed RAL 7021	450,00
	36°		1407/C/XL/36D/BI	White Opaque RAL 9003	450,00
			1407/C/XL/36D/AN	Anthracite Embossed RAL 7021	450,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable


Materials | Structure: Aluminium

Net weight: 2 Kg **Gross weight:** 2,8 Kg **Package nr:** 1 **Package dimension:** 20x25x35 cm


Canopies multiproducts Studio Tecnico ML

LINEAR CANOPY Studio Tecnico ML

Linear canopy




suspension lamps



Colibri

Canopy
cod. 40221 (non dimm.)
cod. 40222 (dimm.)

Lamp
cod. 40223




max 5

Cabriolette

Canopy
cod. 40221 (non dimm.)
cod. 40222 (dimm.)

Lamp
cod. 40224




max 5

Kokouno

Canopy
cod. 40221 (non dimm.)
cod. 40222 (dimm.)

Lamp
cod. 40226 (H 80 cm)
cod. 40227 (H 50 cm)




max 5

Dia

Canopy
cod. 40221 (non dimm.)
cod. 40222 (dimm.)

Lamp
cod. 40225 (direct light)
cod. 40230 (dir./ind. light)




max 4

Kokouno J

Canopy
cod. 40221 (non dimm.)
cod. 40222 (dimm.)

Lamp
cod. 40228 (H 80 cm)
cod. 40229 (H 50 cm)




max 9

Infinita

Canopy
cod. 40221 (non dimm.)
cod. 40222 (dimm.)

Lamp
cod. 40199/35 (35 cm)
cod. 40199/70 (70 cm)
cod. 40199/120 (120 cm)
cod. 40199/150 (150 cm)




max 3

Ceiling rose for linear pendant lamp configurations. Compatible with Colibri, Kokouno, Cabriolette, Dia and Infinita pendant lamps.

CANOPIES MULTIPRODUCTS Canopies

Linear Canopy



Watt	Dimmer	Code	Colour	€ excl. VAT.
100W	Push Dali2 Triac 5 wires 1-10V 0-10V	40222/NE	Black Opaque	520,00
		40222/BI	White Opaque	520,00
		40222/GR	Grey Opaque	560,00
		40222/GT	Opaque	560,00
		40222/BZ	Bronze Opaque	560,00
	Non dimmable	40221/NE	Black Opaque	500,00
		40221/BI	White Opaque	500,00
		40221/GR	Grey Opaque	545,00
		40221/GT	Opaque	545,00
		40221/BZ	Bronze Opaque	545,00


Volt:230/24 V **Driver:** Electronic power supply Included Internal

Structure: Steel



CANOPIES MULTIPRODUCTS Lamp body

Colibri Suspension



Light source	CCT	Code	Colour	€ excl. VAT.
6,5W 630lm	2700K	40223/BI	White Polished RAL 9003	195,00
		40223/NE	Black Opaque RAL 9005	195,00
		40223/GI	Yellow Polished RAL 1012	249,00


Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm **Suspension cable:** 350cm

Net weight: 0,5 Kg **Gross weight:** **Package nr:** **Package dimension** 12x15x140 cm

Cabriolette Suspension



Light source	CCT	Code	Colour	€ excl. VAT.
7,5W 1110lm	2700K	40224/BI	White Polished RAL 9003	240,00
		40224/NE	Black Polished RAL 9005	240,00
		40224/GI	Yellow Polished RAL 1012	253,00
		40224/AZ	Azure Polished RAL 5014	253,00


Emission: Direct Light, Adjustable Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External

Structure: Aluminium **Diffuser:** Methacrylate 040

Net weight: 1,6 Kg **Gross weight:** 2,5 Kg **Package nr:** 1 **Package dimension** 20x32x20 cm

Kokouno Suspension H 50 cm



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	40227/BI	White Opaque RAL 9003	192,00
			40227/NE	Black Opaque RAL 9005	192,00
			40227/BZ	Bronze Matt	228,00
			40227/AU	Pearl Gold Opaque RAL 1036	228,00


Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External **Note:**available with other beam angles

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Gross weight:** 1,4 Kg **Package nr:** 1 **Package dimension** 16x64x16 cm

Kokouno Suspension H 80 cm



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	10°	3000K	40226/BI	White Opaque RAL 9003	206,00
			40226/NE	Black Opaque RAL 9005	206,00
			40226/BZ	Bronze Matt	231,00
			40226/AU	Pearl Gold Opaque RAL 1036	231,00


Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External **Note:**available with other beam angles

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Gross weight:** 1,5 Kg **Package nr:** 1 **Package dimension** 8,5x120x8,5 cm

Kokouno Suspension H 50 cm



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8W 840lm	10°	3000K	40229/BI	White Opaque RAL 9003	222,00
			40229/NE	Black Opaque RAL 9005	222,00
			40229/BZ	Bronze Matt	246,00
			40229/AU	Pearl Gold Opaque RAL 1036	246,00


Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External **Note:**available with other beam angles

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Package nr:** 1

Kokouno Suspension H 80 cm



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8W 840lm	10°	3000K	40228/BI	White Opaque RAL 9003	208,00
			40228/NE	Black Opaque RAL 9005	208,00
			40228/BZ	Bronze Matt	238,00
			40228/AU	Pearl Gold Opaque RAL 1036	238,00


Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External **Note:** available with other beam angles

Structure: Aluminium **Diffuser:** Polycarbonate **Power cable:** 400cm

Net weight: 1,3 Kg **Gross weight:** 1,5 Kg **Package nr:** 1

Dia Suspension - direct light



Light source	CCT	Code	Colour	€ excl. VAT.
9W 1224lm	2700K	40225/GR	Grey Matt	404,00
		40225/BZ	Bronze Matt	412,00


Emission: Direct Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External

Structure: Glass **Diffuser:** Glass

Net weight: 3,5 Kg **Gross weight:** 5 Kg **Package nr:** 1 **Package dimension** 65x65x30 cm

Dia Suspension - direct/indirect light



Light source	CCT	Code	Colour	€ excl. VAT.
2x9W2x 1224lm	2700K	40230/GR	Grey Matt	554,00
		40230/BZ	Bronze Matt	562,00


Emission: Direct Light, Indirect Light **Light source:** Integrated LED

Volt:24 V **Driver:** Electronic power supply Excluded External

Structure: Glass **Diffuser:** Glass **Elements:** Aluminium


Net weight: 3,5 Kg **Gross weight:** 5 Kg **Package nr:** 1 **Package dimension** 65x65x30 cm

Light module Infinita Length 150 cm




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
9W 970lm	35°	2700K	40199/150	Transparent Polished	510,00
Emission: Diffuse Light Light source: Integrated LED					
Volt: 24 V Driver: Excluded External					
Structure: Glass Power cable: 250cm					
Net weight: 1,6 Kg Package nr: 1					

Light module Infinita Length 120 cm




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
9W 970lm	35°	2700K	40199/120	Transparent Polished	490,00
Emission: Diffuse Light Light source: Integrated LED					
Volt: 24 V Driver: Excluded External					
Structure: Glass Power cable: 250cm					
Net weight: 1 Kg Package nr: 1					

Light module Infinita Length 70 cm




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
9W 970lm	35°	2700K	40199/70	Transparent Polished	425,00
Emission: Diffuse Light Light source: Integrated LED					
Volt: 24 V Driver: Excluded External					
Structure: Glass Power cable: 250cm					
Net weight: 0,9 Kg Package nr: 1					

Light module Infinita Length 35 cm




Light source	Beam	CCT	Code	Colour	€ excl. VAT.
9W 970lm	35°	2700K	40199/35	Transparent Polished	390,00
Emission: Diffuse Light Light source: Integrated LED					
Volt: 24 V Driver: Excluded External					
Structure: Glass Power cable: 250cm					
Net weight: 0,5 Kg Package nr: 1					



SHANGHAI Suspension joints




Terminal joint without power cable



Code	Colour	€ excl. VAT.
30642.1	White	80,00
30642.1/T	Transparent	60,00

Structure: Polycarbonate
Net weight: 0,4 Kg Gross weight: 0,55 Kg Package nr: 1 Package dimension 15x15x15 cm

Terminal joint with power cable




Light source	CCT	Code	Colour	€ excl. VAT.
25W G5 T5 3630lm	3000K	30642	White	90,00
		30642/T	Transparent	70,00

230 V Dimmer: Non dimmable
Structure: Polycarbonate
Net weight: 0,4 Kg Gross weight: 0,55 Kg Package nr: 1 Package dimension 15x15x15 cm

SHANGHAI Suspension joints



Intermediate joint without power cable




Code	Colour	€ excl. VAT.
30640.1	White	115,00
30640.1/T	Transparent	80,00

Structure: Polycarbonate

Net weight: 0,4 Kg **Gross weight:** 0,55 Kg **Package nr:** 1 **Package dimension** 15x15x15 cm

Intermediate joint Shanghai with power cable



Light source	CCT	Code	Colour	€ excl. VAT.
2x25W G5 T52x 3630lm	3000K	30640	White	135,00
		30640/T	Transparent	115,00

230 V **Dimmer:** Non dimmable


Structure: Polycarbonate

Net weight: 0,4 Kg **Gross weight:** 0,55 Kg **Package nr:** 1 **Package dimension** 15x15x15 cm

SHANGHAI Wall/Ceiling joints



Terminal joint Without power cable




Code	Colour	€ excl. VAT.
30728.1	White	95,00
30728.1/T	Transparent	70,00

Structure: Polycarbonate

Net weight: 0,2 Kg **Gross weight:** 0,55 Kg **Package nr:** 1 **Package dimension** 10x10x15 cm

Terminal joint With power cable




Light source	CCT	Code	Colour	€ excl. VAT.
25W G5 T5 3630lm	3000K	30728	White	95,00
		30728/T	Transparent	80,00

230 V **Dimmer:** Non dimmable

Structure: Polycarbonate

Net weight: 0,2 Kg **Gross weight:** 0,55 Kg **Package nr:** 1 **Package dimension** 10x10x15 cm

Intermediate joint Without power cable




Code	Colour	€ excl. VAT.
30729.1	White	95,00
30729.1/T	Transparent	70,00

Structure: Polycarbonate

Net weight: 0,2 Kg **Gross weight:** 0,55 Kg **Package nr:** 1 **Package dimension** 10x10x15 cm

Intermediate joint With power cable




Light source	CCT	Code	Colour	€ excl. VAT.
2x25W G5 T52x 3630lm	3000K	30729	White	125,00
		30729/T	Transparent	95,00

230 V **Dimmer:** Non dimmable

Structure: Polycarbonate


Net weight: 0,2 Kg **Gross weight:** 0,55 Kg **Package nr:** 1 **Package dimension** 10x10x15 cm

SHANGHAI Led tube



Light source	CCT	Code	Colour	€ excl. VAT.
25W G5 T5 3630lm	3000K	5289.2		60,00
Light source: Bulb not included				
230 V				

SHANGHAI Diffusers




	Code	Colour	€ excl. VAT.
Transparent polycarbonate tube	30647	Transparent	20,00
Diffuser: Polycarbonate			
Net weight: 0,25 Kg Package nr: 1 Package dimension 6x6x155 cm			

Accessories


Microperforated screen Shanghai	30650	Silver	60,00
Dichroic transparent film for LED tube - Shanghai	30775		30,00
White diffusive film for led tube - Shanghai	30902		10,00

SHANGHAI Linear composition Canopies




	Code	Colour	€ excl. VAT.
Canopy	30721/BI	White	20,00
Structure: Plastic			
Net weight: 0,2 Kg Gross weight: 0,3 Kg Package nr: 1			


SHANGHAI Canopies for chandelier



	Code	Colour	€ excl. VAT.
Canopy Composition 2 modules	40196/BI	White Polished	200,00
Structure: Aluminium			
Net weight: 0,75 Kg Package nr: 1			



	Code	Colour	€ excl. VAT.
Canopy Composition 3 modules	40197/BI	White Polished	230,00
Structure: Aluminium			
Net weight: 0,75 Kg Package nr: 1			




	Code	Colour	€ excl. VAT.
Canopy Composition 4 modules	40198/BI	White Polished	260,00
Structure: Aluminium			
Net weight: 0,75 Kg Package nr: 1			

Sistema Brick

Emiliana Martinelli

BRICK Wall

Emiliana Martinelli



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
23,6W 2585lm	26°	3000K	1396/S/L/1/Q1/BI	White Opaque RAL 9003	439,00
	36°		1396/S/L/1/R/BI		439,00

Type: spotlight, wall **Emission:** Direct Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Base:** Aluminium

Net weight: 1,3 Kg **Gross weight:** 1,6 Kg **Package nr:** 1 **Package dimension:** 21x14x40 cm

BRICK Floor

Emiliana Martinelli



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
2x23,6W 2x 2585lm	26°	3000K	2275/2/L/1/Q1/BI	White Opaque RAL 9003	990,00
			2275/2/L/1/Q1/NE	Black Opaque RAL 9005	990,00
	36°		2275/2/L/1/R/BI	White Opaque RAL 9003	990,00
			2275/2/L/1/R/NE	Black Opaque RAL 9005	990,00

Type: floor **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Base:** Iron


Net weight: 14 Kg **Gross weight:** 16 Kg **Package nr:** 2 **Package dimension:** 30x30x10 - 15x20x200 cm

Sistema Spottò

Emiliana Martinelli, Studio Foa

SPOTTÒ

Emiliana Martinelli, Studio Foa



Light source	CCT	Code	Colour	€ excl. VAT.
29W 3625lm	3000K	2277/L/1/NE	Black Opaque RAL 9005	1.450,00

Type: floor **Emission:** Direct Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Remote control

Materials | Structure: Aluminium **Elements:** Aluminium **Power cable:** 250cm

Net weight: 12,1 Kg **Gross weight:** 8 - 5,6 Kg **Package nr:** 2 **Package dimension:** 10x160x10 - 41x110x41 cm

SPOTTÒ RGB

Emiliana Martinelli, Studio Foa



Light source	Code	Colour	€ excl. VAT.
29W 2010lm	2277/L/NE	Black Opaque RAL 9005	1.480,00


Type: floor **Emission:** Direct Light

Driver: Electronic power supply Included Internal **Dimming:** Remote control

Materials Power cable: 250cm

Net weight: 12,1 Kg **Gross weight:** 8 - 0 Kg **Package nr:** 2 **Package dimension:** 10x160x10 - 41x110x41 cm

SISTEMA U suspension Studio Natural



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
13W 1950lm	20°	3000K	21013/20/NE	Black Opaque RAL 9005	240,00
			21013/20/BI	White Opaque RAL 9003	240,00
	38°		21013/38/NE	Black Opaque RAL 9005	240,00
			21013/38/BI	White Opaque RAL 9003	240,00

Type: pendant **Emission:** Direct Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Suspension cable:** 250cm

Net weight: 0,5 Kg **Gross weight:** 0,7 Kg **Package nr:** 1 **Package dimension:** 15x15x10 cm

Accessories				
Honey Comb Sistema U	40087/NE	Black		10,00

SISTEMA U wall Studio Natural



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
13W 1950lm	20°	3000K	1452/20/NE	Black Opaque RAL 9005	290,00
			1452/20/BI	White Opaque RAL 9003	290,00
	38°		1452/38/NE	Black Opaque RAL 9005	290,00
			1452/38/BI	White Opaque RAL 9003	290,00

Type: spotlight, ceiling **Emission:** Direct Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate

Net weight: 0,5 Kg **Gross weight:** 0,7 Kg **Package nr:** 1 **Package dimension:** 15x15x10 cm

Accessories				
Honey Comb Sistema U	40087/NE	Black		10,00

SISTEMA U wall | L 10 cm Studio Natural



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
13W 1950lm	20°	3000K	1452/J/20/NE	Black Opaque RAL 9005	200,00
			1452/J/20/BI	White Opaque RAL 9003	200,00
	38°		1452/J/38/NE	Black Opaque RAL 9005	200,00
			1452/J/38/BI	White Opaque RAL 9003	200,00

Type: spotlight, ceiling **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Excluded External **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate

Net weight: 0,5 Kg **Gross weight:** 0,7 Kg **Package nr:** 1 **Package dimension:** 15x15x10 cm

Accessories				
Honey Comb Sistema U	40087/NE	Black		10,00
Remote driver	40165			90,00


ELECTRIFIED TRACKS

Tracks

ELECTRIFIED TRACKS 48 V




TRACKS Tracks



	Code	Colour	€ excl. VAT.
Electrified track suspension/ceiling - 100 cm	519.1J	White Opaque	74,00
	519J	Black Opaque RAL 9005	74,00
Electrified track suspension/ceiling - 200 cm	520.1J	White Opaque	170,00
	520J	Black Opaque RAL 9005	170,00
Electrified track suspension/ceiling - 300 cm	521.1J	White Opaque	260,00
	521J	Black Opaque RAL 9005	260,00

Structure: Aluminium

Net weight: 0,8 Kg **Package nr:** 1




	Code	Colour	€ excl. VAT.
Electrified track built-in - 100 cm	591J/NE	Black Opaque RAL 9005	150,00
Electrified track built-in - 200 cm	592J/NE	Black Opaque RAL 9005	280,00
Electrified track built-in - 300 cm	593J/NE	Black Opaque RAL 9005	420,00

Structure: Aluminium


Net weight: 0,8 Kg **Package nr:** 1

TRACKS Joints




	Code	Colour	€ excl. VAT.
Terminal head	523.1J	White Opaque	10,00
	523J	Black Opaque	10,00

Net weight: 0,01 Kg **Package nr:** 1




	Code	Colour	€ excl. VAT.
Joint Linear	524.1J	White Opaque	21,00
	524J	Black Opaque	21,00

Net weight: 0,1 Kg **Package nr:** 1



	Code	Colour	€ excl. VAT.
Joint 90°	525.1J	White Opaque	74,00
	525J	Black Opaque	74,00

Net weight: 0,1 Kg **Package nr:** 1



	Code	Colour	€ excl. VAT.
Joint Flexible	544.1J	White Opaque	140,00
	544J	Black Opaque	140,00

Net weight: 0,1 Kg **Package nr:** 1

TRACKS Accessories




	Code	Colour	€ excl. VAT.
Bluetooth device	500X	Transparent	110,00

Note: dimming the track

Net weight: 0,5 Kg **Package nr:** 1

TRACKS Accessories



	Code	Colour	€ excl. VAT.
Driver 48 V	522J	Black Opaque	50,00
Net weight: 0,1 Kg Gross weight: 0,2 Kg Package nr: 1			

	Code	Colour	€ excl. VAT.
Hanging cable (1,5 m)	526J		20,00
Net weight: 0,05 Kg Package nr: 1			

	Code	Colour	€ excl. VAT.
Bluetooth device	545J	Black Opaque	570,00
	545.1J	White Opaque	570,00
Note: Independent dimming			
Net weight: 0,5 Kg Package nr: 1			


TRACKS Canopys



Remote driver 40 W - dimmable


Watt	Dimmer	Code	Colour	€ excl. VAT.
40W	Push Dali2	40165		90,00
Volt: 230 V Driver: Electronic power supply Included Internal				
Net weight: 1 Kg Gross weight: 1,1 Kg Package nr: 1 Package dimension 15x10x15 cm				

Remote driver 60 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
60W	Non dimmable	5142.3		40,00
Volt: 230/48 V Driver: Electronic power supply Included Internal				
Net weight: 0,6 Kg Package nr: 1				

Remote driver 100 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
100W	Non dimmable	5142.1		60,00
Volt: 230/48 V Driver: Electronic power supply Included Internal				
Net weight: 0,6 Kg Package nr: 1				

Remote driver 200 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
200W	Non dimmable	5142.2		80,00
Volt: 230/48 V Driver: Electronic power supply Included Internal				
Net weight: 1 Kg Package nr: 1				

Canopy 100 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
100W	Non dimmable	40086/BI	White Opaque RAL 9003	180,00
		40086/NE	Black Opaque RAL 9005	180,00
Volt: 230/48 V Driver: Electronic power supply Included Internal				
Net weight: 1,5 Kg Gross weight: 1,6 Kg Package nr: 1				

TRACKS Canopys



Canopy 200 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
200W	Non dimmable	40086.1/BI	White Opaque RAL 9003	230,00
		40086.1/NE	Black Opaque RAL 9005	230,00

Volt: 230/48 V **Driver:** Electronic power supply Included Internal

Net weight: 1,9 Kg **Package nr:** 1


Concealed driver 100 W



Watt	Dimmer	Code	Colour	€ excl. VAT.
100W	Dali2	534.1W	White	107,00
		534W	Black	107,00

Volt: 230 V /48 V

Concealed driver 250 W




Watt	Dimmer	Code	Colour	€ excl. VAT.
250W	Dali2	535W	Black	144,00

Volt: 230 V /48 V

ELECTRIFIED TRACKS 230 V Studio Tecnico ML




TRACKS Tracks



	Code	Colour	€ excl. VAT.
Tracks 100 cm	5955/BI	White Opaque	63,00
	5955/NE	Black Opaque RAL 9005	63,00

Structure: Aluminium


Net weight: 0,87 Kg **Package nr:** 1



	Code	Colour	€ excl. VAT.
Tracks 200 cm	5956/BI	White Opaque	130,00
	5956/NE	Black Opaque RAL 9005	130,00

Structure: Aluminium

Net weight: 1,75 Kg **Package nr:** 1







	Code	Colour	€ excl. VAT.
Tracks 300 cm	5957/BI	White Opaque	190,00
	5957/NE	Black Opaque RAL 9005	190,00

Structure: Aluminium

Net weight: 2,6 Kg **Package nr:** 1

TRACKS Joints



	Code	Colour	€ excl. VAT.
	Joint Intermediate linear	5960/BI	White Opaque 13,00
		5960/NE	Black Opaque 13,00
Structure: Aluminium Net weight: 0,2 Kg Package nr: 1			
	Joint Corner at L	5961/BI	White Opaque 42,00
		5961/NE	Black Opaque 42,00
Structure: Aluminium Net weight: 0,25 Kg Package nr: 1			
	Joint Corner at T	5962/BI	White Opaque 60,00
		5962/NE	Black Opaque 60,00
Structure: Aluminium Net weight: 0,25 Kg Package nr: 1			
	Joint Cross	5963/BI	White Opaque 80,00
		5963/NE	Black Opaque 80,00
Structure: Aluminium Net weight: 0,4 Kg Package nr: 1			

TRACKS Miscellaneous





8

Power supply DX	5958/BI	White Opaque	21,00
	5958/NE	Black Opaque	21,00
Structure: Aluminium			
Net weight: 0,15 Kg Package nr: 1			



8


Power supply SX	5959/BI	White Opaque	21,00
	5959/NE	Black Opaque	21,00
Structure: Aluminium			
Net weight: 0,15 Kg Package nr: 1			



Closed head	5964/BI	White Opaque	3,00
	5964/NE	Black Opaque	3,00
Structure: Aluminium			
Net weight: 0,05 Kg Package nr: 1			

	Code	Colour	€ excl. VAT.
Hanging cable with terminal canopy (3m)	5965/BI	White Opaque	10,00
	5965/NE	Black Opaque	10,00
Structure: Aluminium			
Net weight: 1 Kg Package nr: 1			

	Code	Colour	€ excl. VAT.
Ceiling connector	5967		10,00
Net weight: 0,1 Kg Package nr: 1			



Light source	CCT	Code	Colour	€ excl. VAT.
36W 5000lm	2700K	21019/BE/AR	Orange Polished RAL 2001	1.065,00
		21019/BE/AZ	Azure Polished RAL 5014	1.065,00
		21019/BE/BI	White Embossed RAL 9003	985,00
		21019/BE/NE	Black Embossed RAL 9005	985,00
	3000K	21019/BE/3000/AR	Orange Polished RAL 2001	1.065,00
		21019/BE/3000/AZ	Azure Polished RAL 5014	1.065,00
		21019/BE/3000/BI	White Embossed RAL 9003	985,00
		21019/BE/3000/NE	Black Embossed RAL 9005	985,00

Type: tracks, pendant **Emission:** Direct Light, Diffuse Light **Light source:** Integrated LED


Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Non dimmable | Optional WI-FI dimming

Note: Available for 230 V electrified tracks Ivela, Stucchi, Eutrac

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 200cm

Net weight: 3,5 Kg

Accessories			
Multisocket with cable	40189/BI	White	69,00
	40189/GR	Grey	69,00
	40189/AZ	Azure	69,00
	40189/NE	Black	69,00
Tuya WiFi, RF, BT device for dimming	40204.1		70,00
Button for Tuya	40209		30,00
Spacer for rail	40248/NE	Black	3,00
	40248/BI	White	3,00

AVRO Junior Studio Natural


Light source	CCT	Code	Colour	€ excl. VAT.
16W 2380lm	2700K	21019/J/BE/AR	Orange Polished RAL 2001	775,00
		21019/J/BE/AZ	Azure Polished RAL 5014	775,00
		21019/J/BE/BI	White Embossed RAL 9003	730,00
		21019/J/BE/NE	Black Embossed RAL 9005	730,00
	3000K	21019/J/BE/3000/AR	Orange Polished RAL 2001	775,00
		21019/J/BE/3000/AZ	Azure Polished RAL 5014	775,00
		21019/J/BE/3000/BI	White Embossed RAL 9003	730,00
		21019/J/BE/3000/NE	Black Embossed RAL 9005	730,00


Type: tracks, pendant **Emission:** Direct Light, Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Dimming:** Non dimmable | Optional WI-FI dimming

Note: Available for 230 V electrified tracks Ivela, Stucchi, Eutrac

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 200cm

Accessories			
Multisocket with cable	40189/BI	White	69,00
	40189/GR	Grey	69,00
	40189/AZ	Azure	69,00
	40189/NE	Black	69,00
Tuya WiFi, RF, BT device for dimming	40204.1		70,00
Button for Tuya	40209		30,00
Spacer for rail	40248/NE	Black	3,00
	40248/BI	White	3,00



Light source	Code	Colour	€ excl. VAT.
	21019/BE/SP/AR	Orange Polished RAL 2001	485,00
	21019/BE/SP/AZ	Azure Polished RAL 5014	485,00
	21019/BE/SP/BI	White Embossed RAL 9003	450,00
	21019/BE/SP/NE	Black Embossed RAL 9005	450,00


Type: tracks, pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included External **Note:** Available for 230 V electrified tracks Ivela, Stucchi, Eutrac

Materials | Structure: Aluminium **Diffuser:** Methacrylate 040 **Power cable:** 200cm

Accessories

Multisocket with cable	40189/BI	White	69,00
	40189/GR	Grey	69,00
	40189/AZ	Azure	69,00
	40189/NE	Black	69,00
Spacer for rail	40248/NE	Black	3,00
	40248/BI	White	3,00




Light source	Beam	Dimmer	CCT	Code	Colour	€ excl. VAT.
8,6W 1080lm	14°	Non dimmable	3000K	1449/14/BI	White Opaque RAL 9003	295,00
				1449/14/NE	Black Opaque RAL 9005	295,00
				1449/32/BI	White Opaque RAL 9003	295,00
				1449/32/NE	Black Opaque RAL 9005	295,00
	14°	Push Bluetooth		1449/14/DIM/BI	White Opaque RAL 9003	325,00
				1449/14/DIM/NE	Black Opaque RAL 9005	325,00
				1449/32/DIM/BI	White Opaque RAL 9003	300,00
				1449/32/DIM/NE	Black Opaque RAL 9005	300,00
	32°			1449/14/BI	White Opaque RAL 9003	295,00
				1449/14/NE	Black Opaque RAL 9005	295,00
				1449/32/BI	White Opaque RAL 9003	295,00
				1449/32/NE	Black Opaque RAL 9005	295,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED

Volt: 48 V **Note:** for 48 V electrified track

Materials | Structure: Aluminium **Diffuser:** Polycarbonate

Net weight: 0,4 Kg **Gross weight:** 0,5 Kg **Package nr:** 1 **Package dimension:** 13x13x24 cm



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
8W 840lm	10°	3000K	1450/24/NE	Black Opaque RAL 9005	250,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED


Volt: 48 V **Driver:** Electronic power supply Excluded External **Dimming:** Non dimmable **Note:** to electrified track - 48V

Materials | Structure: Aluminium

Net weight: 0,4 Kg **Package nr:** 1

Accessories

Electronic power supply 25 W	30811.1	Anthracite	35,00
------------------------------	---------	------------	-------



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
2x8W 2x 840lm	10°	3000K	1450/2/24/NE	Black Opaque RAL 9005	380,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED

Volt: 48 V **Driver:** Electronic power supply Excluded External **Dimming:** Non dimmable **Note:** to electrified track - 48V

Materials | Structure: Aluminium


Net weight: 0,8 Kg **Package nr:** 1

Accessories

Electronic power supply 25 W	30811.1	Anthracite	35,00
------------------------------	---------	------------	-------

Linear Module

Studio Tecnico ML



Light source	CCT	Code	Colour	€ excl. VAT.
6W 744lm	3000K	565.1J	White Opaque RAL 9003	260,00
		565J	Black Opaque RAL 9005	260,00


Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED

Volt: 48 V **Dimming:** Non dimmable **Note:** for 48 V electrified track

Net weight: 0,5 Kg **Package nr:** 1

Accessories

Lens hood 28,6cm	40168/GI	Yellow	20,00
	40168/NE	Black	20,00
Lens hood 113cm	40168.1/GI	Yellow	40,00
	40168.1/NE	Black	40,00
Lens hood 141cm	40168.2/GI	Yellow	60,00
	40168.2/NE	Black	60,00



Light source	CCT	Code	Colour	€ excl. VAT.
5,6W 579lm	3000K	566.1J	White Opaque RAL 9003	300,00
		566J	Black Opaque RAL 9005	300,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED

Volt: 48 V **Dimming:** Non dimmable **Note:** for 48 V electrified track


Net weight: 0,5 Kg **Package nr:** 1

Accessories

Lens hood 28,6cm	40168/GI	Yellow	20,00
	40168/NE	Black	20,00
Lens hood 113cm	40168.1/GI	Yellow	40,00
	40168.1/NE	Black	40,00
Lens hood 141cm	40168.2/GI	Yellow	60,00
	40168.2/NE	Black	60,00

Linear Module Studio Tecnico ML

LINEAR MODULE Opal diffuser 141 cm Studio Tecnico ML



Light source	CCT	Code	Colour	€ excl. VAT.
29,8W 3720lm	3000K	567.1J	White Opaque RAL 9003	500,00
		567J	Black Opaque RAL 9005	500,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED


Volt: 48 V **Dimming:** Non dimmable **Note:** for 48 V electrified track

Net weight: 0,5 Kg **Package nr:** 1

Accessories

Lens hood 28,6cm	40168/GI	Yellow	20,00
	40168/NE	Black	20,00
Lens hood 113cm	40168.1/GI	Yellow	40,00
	40168.1/NE	Black	40,00
Lens hood 141cm	40168.2/GI	Yellow	60,00
	40168.2/NE	Black	60,00

LINEAR MODULE UGR <19 diffuser 113 cm Studio Tecnico ML



Light source	CCT	Code	Colour	€ excl. VAT.
18,2W 2087lm	3000K	597.1J	White Opaque RAL 9003	620,00
		597J	Black Opaque RAL 9005	620,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED


Volt: 48 V **Dimming:** Non dimmable **Note:** for 48 V electrified track

Net weight: 0,5 Kg1

Accessories

Lens hood 28,6cm	40168/GI	Yellow	20,00
	40168/NE	Black	20,00
Lens hood 113cm	40168.1/GI	Yellow	40,00
	40168.1/NE	Black	40,00
Lens hood 141cm	40168.2/GI	Yellow	60,00
	40168.2/NE	Black	60,00

R19 Studio Tecnico ML



Light source	Beam	Dimmer	CCT	Code	Colour	€ excl. VAT.
20W 2430lm	16-60°	Non dimmable	3000K	2887/BI	White Opaque RAL 9003	220,00
				2887/NE	Black Opaque RAL 9005	220,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Note:** for 230 V electrified track


Materials | Structure: Aluminium


Net weight: 0,5 Kg **Gross weight:** 0,7 Kg **Package nr:** 1 **Package dimension:** 22x9x25 cm

R23 Studio Tecnico ML

R23 Studio Tecnico ML




	Light source	Beam	CCT	Code	Colour	€ excl. VAT.
	17W 2320lm	20 - 50°	3000K	2904/BI	White Opaque RAL 9003	220,00
				2904/NE	Black Opaque RAL 9005	220,00
	Type: spotlight Emission: Direct Light, Adjustable Light					
Note: for 48 V electrified track						
Net weight: 0,5 Kg Gross weight: 0,7 Kg Package nr: 1 Package dimension: 22x9x25 cm						



R23 Junior Studio Tecnico ML




	Light source	CCT	Code	Colour	€ excl. VAT.
	9W 900lm	3000K	2904/J/BI	White Opaque RAL 9003	190,00
			2904/J/NE	Black Opaque RAL 9005	190,00
	Type: spotlight Emission: Direct Light, Adjustable Light				
	Note: for 48 V electrified track				
Net weight: 0,5 Kg Gross weight: 0,7 Kg Package nr: 1 Package dimension: 22x9x25 cm					




S23 Studio Tecnico ML

S23 48 V Studio Tecnico ML





	Light source	CCT	Code	Colour	€ excl. VAT.
	12W 350lm	3000K	2905/BI	White Opaque RAL 9003	900,00
			2905/NE	Black Opaque RAL 9005	900,00
	Type: spotlight Emission: Direct Light				
Note: for 48 V electrified track					
Net weight: 0,5 Kg Gross weight: 0,7 Kg Package nr: 1 Package dimension: 22x9x25 cm					




S23 230 V Studio Tecnico ML



	Light source	CCT	Code	Colour	€ excl. VAT.
	12W 350lm	3000K	2905/230/BI	White Opaque RAL 9003	870,00
			2905/230/NE	Black Opaque RAL 9005	870,00
	Type: spotlight Emission: Direct Light				
	Note: for 230 V electrified track				
Net weight: 0,5 Kg Gross weight: 0,7 Kg Package nr: 1 Package dimension: 22x9x25 cm					





Light source	Beam	Dimmer	CCT	Code	Colour	€ excl. VAT.
13W 1950lm	20°	Non dimmable	3000K	1441/20/NE	Black Opaque RAL 9005	190,00
				1441/20/BI	White Opaque RAL 9003	190,00
		Dali2		1441/20/DIM/NE	Black Opaque RAL 9005	230,00
				1441/20/DIM/BI	White Opaque RAL 9003	230,00
	38°	Non dimmable		1441/38/NE	Black Opaque RAL 9005	190,00
				1441/38/BI	White Opaque RAL 9003	190,00
		Dali2		1441/38/DIM/NE	Black Opaque RAL 9005	230,00
				1441/38/DIM/BI	White Opaque RAL 9003	230,00

Type: spotlight **Emission:** Direct Light **Light source:** Integrated LED


Volt: 48 V **Driver:** Electronic power supply Excluded External **Note:** for 48 V electrified track

Materials | Structure: Aluminium **Diffuser:** Polycarbonate

Net weight: 0,5 Kg **Gross weight:** 0,7 Kg **Package nr:** 1 **Package dimension:** 15x15x10 cm

Accessories

Honey Comb Sistema U	40087/NE	Black	10,00
----------------------	----------	-------	-------



Light source	Beam	Dimmer	CCT	Code	Colour	€ excl. VAT.
13W 1950lm	20°	Non dimmable	3000K	21012/20/NE	Black Opaque RAL 9005	240,00
				21012/20/BI	White Opaque RAL 9003	240,00
		Dali2		21012/20/DIM/NE	Black Opaque RAL 9005	270,00
				21012/20/DIM/BI	White Opaque RAL 9003	270,00
	38°	Non dimmable		21012/38/NE	Black Opaque RAL 9005	240,00
				21012/38/BI	White Opaque RAL 9003	240,00
		Dali2		21012/38/DIM/NE	Black Opaque RAL 9005	270,00
				21012/38/DIM/BI	White Opaque RAL 9003	270,00

Type: spotlight, pendant **Emission:** Direct Light **Light source:** Integrated LED

Volt: 48 V **Driver:** Electronic power supply Excluded External **Note:** for 48 V electrified track


Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Suspension cable:** 250cm

Net weight: 0,5 Kg **Gross weight:** 0,7 Kg **Package nr:** 1 **Package dimension:** 15x15x10 cm

Accessories

Honey Comb Sistema U	40087/NE	Black	10,00
----------------------	----------	-------	-------

OUTDOOR




Light source	CCT	Code	Colour	€ excl. VAT.
12W 1696lm	2700K	2311/GR	Grey	860,00
Type: floor Emission: Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Non dimmable				
Materials Structure: Cement Diffuser: Polycarbonate				
Net weight: 18 Kg Gross weight: 21 Kg Package nr: 1 Package dimension: 47x47x47 cm				

Biconica Pol

Emiliana Martinelli

BICONICA POL Tunable white with remote control


Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
104W 5370lm	2700 - 6000K	2217/POL/P/BD/L/1	White Opaque	1.260,00
Type: floor Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Remote control				
Materials Structure: Polyethylene Base: Iron Power cable: 300cm				
Net weight: 12,4 Kg Gross weight: 17,5 Kg Package nr: 1 Package dimension: 50x200x50 cm				


BICONICA POL RGB

Emiliana Martinelli



Light source	Code	Colour	€ excl. VAT.
115,2W 5112lm	2217/POL/P/BD/L	White Opaque	1.260,00
Type: floor Emission: Diffuse Light Light source: Integrated LED			
Volt: 230 V Driver: Electronic power supply Included Internal Dimming: Remote control			
Materials Structure: Polyethylene Base: Iron Power cable: 300cm			
Net weight: 12,4 Kg Gross weight: 17,5 Kg Package nr: 1 Package dimension: 50x200x50 cm			


BOLETO 35 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
10W 1100lm	2700K	2308/J/230/CO	Corten Embossed	400,00
Type: floor Emission: Indirect Light Light source: Integrated LED				
Volt: 230 V Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate				
Net weight: 3,4 Kg Gross weight: 3,7 Kg Package nr: 1 Package dimension: 190x190x51 cm				

Accessories				
Peg (n° 1 peg)		40166		28,00


BOLETO 50 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
10W 1100lm	2700K	2308/230/CO	Corten Embossed	410,00
Type: floor Emission: Indirect Light Light source: Integrated LED				
Volt: 230 V Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate				
Net weight: 3,4 Kg Gross weight: 3,8 Kg Package nr: 1 Package dimension: 17x68x17 cm				

Accessories				
Peg (n° 1 peg)		40166		28,00


BOLETO 70 cm Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
10W 1100lm	2700K	2308/70/230/CO	Corten Embossed	430,00
Type: floor Emission: Indirect Light Light source: Integrated LED				
Volt: 230 V Dimming: Non dimmable				
Materials Structure: Aluminium Diffuser: Polycarbonate				
Net weight: 3,6 Kg Gross weight: 4 Kg Package nr: 1 Package dimension: 17x88x17 cm				

Accessories				
Peg (n° 1 peg)		40166		28,00


Bowl Serge & Robert Cornelissen



Light source	Code	Colour	€ excl. VAT.
max 60 W E27	812	White Opaque	226,00
			
Type: floor Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Diffuser: Polyethylene Elements: Pvc - Polyvinyl Chloride			
Net weight: 2,4 Kg Gross weight: 3,25 Kg Package nr: 1 Package dimension: 40x40x40 cm			


Accessories			
Peg (n° 1 peg)		40175	42,00

BRIM ground Andrea Steidl




Light source	CCT	Code	Colour	€ excl. VAT.
11W 1210lm	2700K	2322/RG	Rusty Opaque	580,00
Type: floor Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal				
Materials Structure: Aluminium Base: Aluminium				
Net weight: 18 Kg Gross weight: 21 Kg Package nr: 1 Package dimension: 47x47x47 cm				

BRIM ground - double emission Andrea Steidl




Light source	CCT	Code	Colour	€ excl. VAT.
11W 1210lm+ 11W 1210lm	2700K	2322.1/RG	Rusty Opaque	1.050,00
Type: floor Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal				
Materials Structure: Aluminium Base: Aluminium				

BRIM Wall Andrea Steidl



Light source	CCT	Code	Colour	€ excl. VAT.
11W 1210lm	2700K	1464/RG	Rusty Opaque	325,00
Type: wall Emission: Direct Light, Indirect Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal				
Materials Structure: Aluminium				
Net weight: 2 Kg Gross weight: 2,5 Kg Package nr: 1 Package dimension: 20x20x10 cm				

BRUCO 1 head Studio Natural



Light source	CCT	Code	Colour	€ excl. VAT.
8W 820lm	2700K	1440/AN	Anthracite Embossed RAL 7021	290,00
		1440/CO	Corten Embossed	290,00


Type: wall **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Base:** Aluminium

Net weight: 1,4 Kg **Gross weight:** 1,9 Kg **Package nr:** 1 **Package dimension:** 20x27x20 cm

BRUCO 2 heads Studio Natural



Light source	CCT	Code	Colour	€ excl. VAT.
2x8W 2x 820lm	2700K	1440/2/AN	Anthracite Embossed RAL 7021	450,00
		1440/2/CO	Corten Embossed	450,00


Type: wall **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate **Base:** Aluminium

Net weight: 2,2 Kg **Gross weight:** 2,5 Kg **Package nr:** 1 **Package dimension:** 15x23x15 cm

MODULE WALL step lights Studio Natural




Light source	CCT	Code	Colour	€ excl. VAT.
2,1W 207lm	2700K	1466/AN	Anthracite Embossed RAL 7021	170,00
		1466/CO	Corten Embossed	170,00

Type: wall **Emission:** Direct Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate

MODULE WALL step lights - double issue Studio Natural






Light source	CCT	Code	Colour	€ excl. VAT.
2,1W 207lm	2700K	1466/2/AN	Anthracite Embossed RAL 7021	170,00
		1466/2/CO	Corten Embossed	170,00

Type: wall **Emission:** Direct Light, Indirect Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials | Structure: Aluminium **Diffuser:** Polycarbonate




Bruco is a modular outdoor lighting system. It can be configured with 4 types of lamp bodies that can be positioned at different heights by choosing the desired size pole or fixed directly on the base. The classic lamp body (code 40059), for diffuse directed light, can be composed of 1 up to max 4 elements superimposed the minimum angle between two lamp bodies is 90°.

BRUCO Light module




Module




Light source	CCT	Code	Colour	€ excl. VAT.
8W 820lm	2700K	40059/AN	Anthracite Embossed RAL 7021	200,00
		40059/CO	Corten Embossed	200,00
Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Dimmer: Non dimmable				
Structure: Aluminium Diffuser: Polycarbonate				
Net weight: 1 Kg Gross weight: 2 Kg Package nr: 1 Package dimension 15x15x10 cm				

Module




Light source	CCT	Code	Colour	€ excl. VAT.
10W 1000lm	2700K	40212/AN	Anthracite Embossed RAL 7021	330,00
		40212/CO	Corten Embossed	330,00
Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimmer: Non dimmable				
Structure: Aluminium Diffuser: Polycarbonate				

Module step lights





Light source	CCT	Code	Colour	€ excl. VAT.
2,1W 207lm	2700K	40213/AN	Anthracite Embossed RAL 7021	170,00
		40213/CO	Corten Embossed	170,00
Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimmer: Non dimmable				
Structure: Aluminium Diffuser: Polycarbonate				

Module step lights double issue




Light source	CCT	Code	Colour	€ excl. VAT.
2,1W 207lm	2700K	40213.1/AN	Anthracite Embossed RAL 7021	170,00
		40213.1/CO	Corten Embossed	170,00
Emission: Direct Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic power supply Included Internal Dimmer: Non dimmable				
Structure: Aluminium Diffuser: Polycarbonate				

  Ø6,5		Code	Colour	€ excl. VAT.
	Top	40060/AN	Anthracite Embossed RAL 7021	22,00
		40060/CO	Corten Embossed	22,00
Structure: Aluminium				
Net weight: 0,1 Kg Gross weight: 0,15 Kg Package nr: 1				
  Ø13		Code	Colour	€ excl. VAT.
	Base	40061/AN	Anthracite Embossed RAL 7021	57,00
		40061/CO	Corten Embossed	57,00
Structure: Aluminium				
Net weight: 0,6 Kg Gross weight: 0,7 Kg Package nr: 1				
  Ø13		Code	Colour	€ excl. VAT.
	Base for steplight	40061.1/AN	Anthracite Embossed RAL 7021	55,00
		40061.1/CO	Corten Embossed	55,00
Structure: Aluminium				
Net weight: 0,6 Kg Gross weight: 0,7 Kg Package nr: 1				
  Ø6,5		Code	Colour	€ excl. VAT.
	Joint	40062/AN	Anthracite Embossed RAL 7021	23,00
		40062/CO	Corten Embossed	23,00
Structure: Aluminium				
Net weight: 0,1 Kg Gross weight: 0,15 Kg Package nr: 1				
 33 Ø6,5		Code	Colour	€ excl. VAT.
	Pole 33 cm	40063/AN	Anthracite Embossed RAL 7021	89,00
		40063/CO	Corten Embossed	89,00
Structure: Aluminium				
Net weight: 1 Kg Gross weight: 1,1 Kg Package nr: 1				
 47 Ø6,5		Code	Colour	€ excl. VAT.
	Pole 47 cm	40064/AN	Anthracite Embossed RAL 7021	95,00
		40064/CO	Corten Embossed	95,00
Structure: Aluminium				
Net weight: 1,3 Kg Gross weight: 1,4 Kg Package nr: 1				
 138,5 Ø6,5		Code	Colour	€ excl. VAT.
	Pole 138,5 cm	40181/AN	Anthracite Embossed RAL 7021	210,00
		40181/CO	Corten Embossed	210,00
Structure: Aluminium				
Net weight: 1,3 Kg				



Ciulifruli is a modular lamp that can be assembled in different combinations; it is possible to combine 5 colours of lamp holder with 5 different shapes of diffuser. Coloured lamp holder with orange cable and plug-in wired for outdoor use. Different diffuser shapes and sizes implies the choice of a suitable bulb.

CIULIFRULI Body lamp



Light source	Beam	Code	Colour	€ excl. VAT.
max 40 W E27 A60	270°	30858/BI	White Opaque	130,00
		30858/AZ	Light Blue Opaque	130,00
		30858/GI	Yellow Opaque	130,00
		30858/RO	Red Opaque	130,00
		30858/VE	Green Opaque	130,00

Light source: Bulb not included

230 V


Structure: Polyethylene **Power cable:** 500cm

Net weight: 0,7 Kg **Gross weight:** 0,8 Kg **Package nr:** 1 **Package dimension** 23x13,5x15,5 cm

Bulbs

6W E27 G45 440lm 2700K		5056	6,00
12W E27 A60 1100lm 2700K		5049	8,00
17W E27 T38 2200lm 2700K		567X	68,00


CIULIFRULI Diffusers



	Code	Colour	€ excl. VAT.
Diffuser 2 Ø 23 cm	30860/BI	White Opaque	90,00

Diffuser: Polyethylene **Note:** compatible with bulb code 5049 (E27 A60)


Net weight: 0,4 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 24x22x24 cm



	Code	Colour	€ excl. VAT.
Diffuser 3 Ø 15 cm	30861/BI	White Opaque	90,00

Diffuser: Polyethylene **Note:** compatible with bulb code 5049 (E27 A60)


Net weight: 0,5 Kg **Gross weight:** 0,7 Kg **Package nr:** 1 **Package dimension** 17x32x17 cm




	Code	Colour	€ excl. VAT.
Diffuser 4 Ø 29 cm	30862/BI	White Opaque	90,00

Diffuser: Polyethylene **Note:** compatible with bulb code 5056 (E27 G45)

Net weight: 0,6 Kg **Gross weight:** 0,8 Kg **Package nr:** 1 **Package dimension** 30x16x30 cm




	Code	Colour	€ excl. VAT.
Diffuser 1 Ø 16 cm	30859/BI	White Opaque	90,00
Diffuser: Polyethylene Note: compatible with bulb code 5049 (E27 A60)			
Net weight: 0,3 Kg Gross weight: 0,4 Kg Package nr: 1 Package dimension 17x19x17 cm			



	Code	Colour	€ excl. VAT.
Diffuser 5 Ø 50 cm	30903/BI	White Opaque	160,00
Diffuser: Polyethylene Note: compatible with bulb code 567X (E27 T38)			
Net weight: 2 Kg Gross weight: 3 Kg Package nr: 1 Package dimension 52x28x52 cm			

CYBORG OUTDOOR concrete Karim Rashid



Light source	CCT	Code	Colour	€ excl. VAT.
10W LED COB 1000lm	2700K	2306/GI	Yellow RAL 1023	700,00
		2306/GR	Grey RAL 7023	680,00

Type: floor **Emission:** Indirect Light **Light source:** Integrated LED

Volt: 230 V **Dimming:** Non dimmable


Materials | Structure: Cement **Diffuser:** Polycarbonate

Net weight: 13 Kg **Gross weight:** 23 Kg **Package nr:** 1 **Package dimension:** 80x85x60 cm

Accessories

Outdoor Cyborg pegs (n° 2 pegs)	40111	53,00
---------------------------------	-------	-------

CYBORG BIG OUTDOOR coloured Karim Rashid



Light source	Beam	CCT	Code	Colour	€ excl. VAT.
15W E27 PAR38 1250lm	115°	3000K	2315/VE	Military Green Opaque	785,00
			2315/RO	Red Opaque	785,00

Type: floor **Emission:** Indirect Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Polyethylene **Diffuser:** Polycarbonate

Net weight: 10 Kg **Gross weight:** 12 Kg **Package nr:** 1 **Package dimension:** 90x90x170 cm


Accessories

Outdoor Cyborg kit pegs (n° 3 pegs)	40205	65,00
-------------------------------------	-------	-------

Bulbs

20W Bulb - E27 PAR38 - Medium	510X	40,00
20W Bulb - E27 PAR38 - Wide	511X	32,00

CYBORG BIG OUTDOOR neutral Karim Rashid



Light source	CCT	Code	Colour	€ excl. VAT.
16W E27 1950lm	2700K	2315/N/BI	White Opaque	675,00

Type: floor **Emission:** Diffuse Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Polyethylene **Diffuser:** Methacrylate 040

Net weight: 10 Kg **Gross weight:** 15,2 Kg **Package nr:** 1 **Package dimension:** 63x164x73 cm


Accessories

Outdoor Cyborg kit pegs (n° 3 pegs)	40205	65,00
-------------------------------------	-------	-------

Bulbs

Light bulb 16W - E27 - 2700K	5085	17,00
------------------------------	------	-------

FROG Emiliana Martinelli



Light source	Beam	Code	Colour	€ excl. VAT.
	40°	2309/BL	Blue	430,00
		2309/GI	Yellow	430,00
		2309/AN	Anthracite	430,00
		2309/AR	Orange	430,00

Type: spotlight, floor **Emission:** Direct Light **Light source:** Bulb not included


Volt: 230 V

Materials | Structure: Polyethylene **Diffuser:** Polycarbonate **Base:** Aluminium **Elements:** Nylon

Net weight: 3,4 Kg **Gross weight:** 4,5 Kg **Package nr:** 1 **Package dimension:** 25x25x70 cm

Accessories			
Peg (n° 1 peg)	40166		28,00
Bulbs			
17W E27 40° 3000K	510X		40,00
17W E27 115° 3000K	511X		32,00

FROG Wall Emiliana Martinelli



Light source	Beam	Code	Colour	€ excl. VAT.
	40°	1453/BL	Blue	430,00
		1453/GI	Yellow	430,00
		1453/AN	Anthracite	430,00
		1453/AR	Orange	430,00

Type: spotlight, wall **Emission:** Direct Light **Light source:** Bulb not included


Volt: 230 V

Materials | Structure: Polyethylene **Diffuser:** Polycarbonate **Base:** Aluminium **Elements:** Nylon

Net weight: 4,7 Kg **Gross weight:** 5,4 Kg **Package nr:** 1 **Package dimension:** 70x25x25 cm

Bulbs			
17W E27 40° 3000K	510X		40,00
17W E27 115° 3000K	511X		32,00

MINIFROG Emiliana Martinelli



Light source	Beam	Code	Colour	€ excl. VAT.
	60°	2309/J/BL	Blue	200,00
		2309/J/GI	Yellow	200,00
		2309/J/AR	Orange	200,00


Type: spotlight, floor **Emission:** Direct Light **Light source:** Bulb not included

Volt: 230 V


Materials | Structure: Polyethylene **Diffuser:** Polycarbonate **Base:** Aluminium **Elements:** Nylon

Net weight: 0,5 Kg **Gross weight:** 1,5 Kg **Package nr:** 1 **Package dimension:** 15x15x20 cm


Accessories			
Peg (n° 1 peg)	40192		21,00
Bulbs			
8W GU10 660lm 60° 2700K	541Y		20,00
8W GU10 660lm 38° 2700K	542Y		10,00



Light source	CCT	Code	Colour	€ excl. VAT.
2,1W 222lm	2700K	822/BI	White Opaque	250,00
Type: floor Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Driver: Electronic control board with rechargeable battery Excluded External Dimming: Remote control Note: with rechargeable battery (charger and remote control included)				
Materials Diffuser: Polyethylene				
Net weight: 1,9 Kg Gross weight: 3,1 Kg Package nr: 1 Package dimension: 57x47x25 cm				



Light source	CCT	Code	Colour	€ excl. VAT.
10W LED COB 1000lm	2700K	2321/GR/MAR/BI	White Polished	745,00
Type: floor Emission: Diffuse Light Light source: Integrated LED				
Volt: 230 V Note: Cement structure with marble grit incorporated				
Materials Structure: Cement				
Net weight: 18 Kg Gross weight: 21 Kg Package dimension: 47x47x47 cm				



Light source	CCT	Code	Colour	€ excl. VAT.
2,1W 222lm	2700K	21004/DIM/CL/NE	Black Opaque RAL 9005	190,00
Type: table Emission: Diffuse Light Light source: Integrated LED				
Volt: 3,6 V Note: with rechargeable battery only available for EU markets				
Materials Structure: Resin Diffuser: Polyethylene				
Net weight: 0,5 Kg Gross weight: 0,7 Kg Package nr: 1 Package dimension: 18,5x18,5x18,5 cm				

Accessories				€ excl. VAT.
USB charger		40065		20,00

KIKI 3 elements Paola Navone


Light source	CCT	Code	Colour	€ excl. VAT.
3x5W G45 3x 440lm	2700K	21004/3/NE	Black Opaque RAL 9005	500,00



Type: pendant **Emission:** Diffuse Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Resin **Diffuser:** Polyethylene

Net weight: 2,1 Kg **Gross weight:** 2,7 Kg **Package nr:** 1 **Package dimension:** 29x43x24 cm

Accessories			
Kiki support hook (n° 5 hooks)	40054/NE		8,00
6m inox cable	40169.2		39,00

Bulbs			
5,3W Bulb - E27	5056		6,00

KIKI 5 elements Paola Navone


Light source	CCT	Code	Colour	€ excl. VAT.
5x5W G45 5x 440lm	2700K	21004/5/NE	Black Opaque RAL 9005	760,00



Type: pendant **Emission:** Diffuse Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Resin **Diffuser:** Polyethylene

Net weight: 3 Kg **Gross weight:** 3,7 Kg **Package nr:** 1 **Package dimension:** 29x43x24 cm

Accessories			
8m inox cable	40169.1		44,00
Kiki support hook (n° 5 hooks)	40054/NE		8,00

Bulbs			
5,3W Bulb - E27	5056		6,00

KIKI 10 elements Paola Navone


Light source	CCT	Code	Colour	€ excl. VAT.
10x5W G45 10x 440lm	2700K	21004/10/NE	Black Opaque RAL 9005	1.400,00



Type: pendant **Emission:** Diffuse Light **Light source:** Bulb not included


Volt: 230 V

Materials | Structure: Resin **Diffuser:** Polyethylene


Net weight: 5,8 Kg **Gross weight:** 6,6 Kg **Package nr:** 1 **Package dimension:** 29x71x24 cm

Accessories			
Kiki support hook (n° 5 hooks)	40054/NE		8,00
13m inox cable	40169		56,00

Bulbs			
5,3W Bulb - E27	5056		6,00



LADY GALALA Body lamp




Light source	Code	Colour	€ excl. VAT.
max 100 W E27	40171.1/AN	Anthracite RAL 7021	320,00
	40171.1/BI	White RAL 9003	320,00
Emission: Direct Light, Diffuse Light Light source: Bulb not included			
230 V			
Structure: Abs Power cable: 250cm			
Net weight: 1,5 Kg Gross weight: 2 Kg Package nr: 1 Package dimension 20x20x27 cm			

LADY GALALA Diffusers




Diffuser Ø 25 cm



Code	Colour	€ IVA esc.
40172.1/BI	White Bisatinate	75,00
40172.1/GI	Yellow Bisatinate	75,00
40172.1/BL	Blue Bisatinate	75,00
40172.1/AR	Orange Bisatinate	75,00

Material: Methacrylate **Net weight:** 0,3 Kg **Gross weight:** 0,6 Kg **Package nr:** 1 **Package dimension** 30x23x30 cm


Diffuser Ø 40 cm



Code	Colour	€ IVA esc.
40173.1/BI	White Bisatinate	95,00
40173.1/GI	Yellow Bisatinate	95,00
40173.1/BL	Blue Bisatinate	95,00
40173.1/AR	Orange Bisatinate	95,00

Material: Methacrylate **Net weight:** 0,4 Kg **Gross weight:** 1 Kg **Package nr:** 1 **Package dimension** 42x13x42 cm

Diffuser Ø 60 cm




Code	Colour	€ IVA esc.
40174.1/BI	White Bisatinate	145,00
40174.1/GI	Yellow Bisatinate	145,00
40174.1/BL	Blue Bisatinate	145,00
40174.1/AR	Orange Bisatinate	145,00

Material: Methacrylate **Net weight:** 1 Kg **Gross weight:** 2,2 Kg **Package nr:** 1 **Package dimension** 61x8x61 cm

Pistillo

Emiliana Martinelli

PISTILLO Suspension Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
61,4W 4736lm	3000K	2064/P/L/1	White Opaque	620,00


Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Electronic power supply Included Internal **Dimming:** Non dimmable

Materials Diffuser: Pmma - Polymethyl Methacrylate **Elements:** Pvc - Polyvinyl Chloride **Power cable:** 500cm

Net weight: 4 Kg **Gross weight:** 5,2 Kg **Package nr:** 1 **Package dimension:** 18x203x18 cm

PISTILLO Suspension XS Emiliana Martinelli



Light source	CCT	Code	Colour	€ excl. VAT.
12W E27 1350lm	2700K	2064/P/XS	White Opaque	280,00



Type: pendant **Emission:** Diffuse Light **Light source:** Integrated LED

Volt: 230 V **Driver:** Included Internal **Dimming:** Non dimmable

Materials Diffuser: Pmma - Polymethyl Methacrylate **Elements:** Pvc - Polyvinyl Chloride **Power cable:** 500cm

Net weight: 1,8 Kg **Gross weight:** 2,4 Kg **Package nr:** 1 **Package dimension:** 18x70x18 cm


Accessories

Screen to be applied	30812/NE	60,00
----------------------	----------	-------

Sistema Polo

Elio Martinelli

SISTEMA POLO Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 20 W E27	1884/AN	Anthracite RAL 7021	550,00
	1884/CO	Corten	550,00




Type: pendant **Emission:** Diffuse Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Aluminium **Diffuser:** Glass **Elements:** Aluminium **Power cable:** 350cm

Net weight: 2,6 Kg **Gross weight:** 3,5 Kg **Package nr:** 1 **Package dimension:** 25x53x25 cm

SISTEMA POLO Large reflector Elio Martinelli



Light source	Code	Colour	€ excl. VAT.
max 20 W E27	1884/S/AN	Anthracite RAL 7021	660,00
	1884/S/CO	Corten	660,00




Type: pendant **Emission:** Diffuse Light **Light source:** Bulb not included

Volt: 230 V

Materials | Structure: Aluminium **Diffuser:** Glass **Reflector:** Aluminium **Elements:** Aluminium **Power cable:** 350cm

Net weight: 5 Kg **Gross weight:** 3,5 - 2,3 Kg **Package nr:** 2 **Package dimension:** 27x53x27 - 53x10x53 cm


TRILLY Ø 45 cm Emiliana Martinelli



Light source	Code	Colour	€ excl. VAT.
max 75 W E27	2073	White Opaque	320,00
Type: pendant, floor Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Diffuser: Polyethylene Elements: Polyethylene Power cable: 500cm			
Net weight: 3 Kg Gross weight: 4,65 Kg Package nr: 1 Package dimension: 47x47x53 cm			

Accessories			
Hook for wall attachment Trilly	30837		23,00



TRILLY Ø 27 cm Emiliana Martinelli



Light source	Code	Colour	€ excl. VAT.
max 60 W E27	2073/J	White Opaque	245,00
Type: pendant, floor Emission: Diffuse Light Light source: Bulb not included			
Volt: 230 V			
Materials Diffuser: Polyethylene Elements: Polyethylene Power cable: 500cm			
Net weight: 1,75 Kg Gross weight: 2,25 Kg Package nr: 1 Package dimension: 29x40x29 cm			

Accessories			
Hook for wall attachment Trilly	30837		23,00

FURNITURE



Code	Colour	€ excl. VAT.
BOX/37/BI	White Opaque RAL 9003	150,00
BOX/37/NE	Black Opaque RAL 9005	150,00
BOX/37/GR	Grey Opaque RAL 9006	150,00

Note: Open unit box to be assembled. package minimum of 2 boxes (10 panels 37x37)


Materials | Structure: Iron

Net weight: 4 Kg **Package nr:** 1

Accessories

Wheels n° 4 wheels to be fixed on the bottom of the box	30080	40,00
---	-------	-------

BOX S Elio Martinelli



Code	Colour	€ excl. VAT.
BOX/37/S/BI	White Opaque RAL 9003	220,00
BOX/37/S/NE	Black Opaque RAL 9005	220,00
BOX/37/S/GR	Grey Opaque RAL 9006	220,00

Note: Closed, with hinged door and lock. Already assembled hinged and lockable.


Materials | Structure: Iron

Net weight: 5,8 Kg **Gross weight:** 6 Kg **Package nr:** 1

Accessories

Wheels n° 4 wheels to be fixed on the bottom of the box	30080	40,00
---	-------	-------

Metafora Lella & Massimo Vignelli



Code	Colour	€ excl. VAT.
1979.1	Transparent	5.250,00

Note: Pyramid in Carrara white marble, Cube in Black Marquinia, Cylinder in Travertine, Sphere in Emperador Dark, Plane in glass

Materials | Structure: Glass **Elements:** Marble

Net weight: 124,5 Kg **Gross weight:** 130 Kg **Package nr:** 5









The technical informations (W and lumen) for each device are exclusively referred to the light source and not to the effective value of the device.

/ **DIM** - dimmable
/ **E** - emergency

Due to constant changes in LED technology, please check our website for current product specifications.

COLOUR FINISHES LEGEND

AD	anodized
BI	white
NE	black
GR	grey
AN	anthracite
AU	golden
RO	red
BL	blue
AZ	light blue
AR	orange
GI	yellow
CH	golden sand
VE	green
MA	dark brown
CO	corten
BG	beige
TR	transparent
CS	cardboard
AL	aluminium
LU	polished
CU	copper
CP	pearl copper
TI	titane
OT	brass
OV	vintage brass
BZ	bronze
BM	rough bronze
FC	fuchsia
GT	titane grey
OP	matt

marble

MAR/MR	black marquinia
MAR/CA	white carrara
MAR/AR	white arabesque

Terms of sale

This price list cancels all the previous ones.
The prices are in EUR without VAT.
The prices are only recommended.

Delivery

Goods delivered free Lucca. In any case the goods will travel at customer's own risk.
The delivery terms, unless previously agreed in writing, are not binding.

Packaging

Packing costs in cardboard boxes are included in the price.

Orders

Despatches are not carried out for goods to the value of less than € 500,00.
Cancellations of already sent and confirmed orders are not accepted except for written arrangements between the parties. In any case cancellations or changes of orders concerning special executions are not accepted. Martinelli Luce reserves the right to cancel or to partially execute the order as well as to make structural changes, changes to drawings and to materials without notice.

Complaints and returns

Martinelli Luce is not responsible for possible breaks or losses during the transportation of its supplies.
Any possible complaint will have to be submitted within eight days from the receipt of the goods by registered letter or by fax or by e-mail. Return of materials is not accepted unless authorized in writing beforehand; they have to be delivered free port and goods in perfect conditions, not being used and into their original packages will be confirmed only, with a 20% reduction on the net value as a payback for the repacking up and transportation costs. Unusable products will be put at the Customer's disposal again or scrapped after 30 days with no credit.

Payment

Payment must be settled at supplier's place of residence. The terms of payment set out on the invoice are binding. In case of delay of payment interests should be paid on the arrears equal to the official discount rate in force at the moment of non-payment plus 5 points, as well as any expenses incurred in recovering the debt.

Reserve of property

The manufacturer is the sole owner of the goods till they have been fully paid.

Further clauses

The prices indicated do not include bulbs. All models are in compliance with legal standards and regulations. Any controversy arising comes under the jurisdiction of the Court of Justice of Lucca.

We do not take the responsibility for damages resulting from the improper use of the devices.

Images and representations of the products in the price list, catalogue and the web site can differ from the real goods in particular, but not only, concerning the cables, electrical cables, colors, prices, dimensions, descriptions, details and timer. dettagli e timer.

MARKS OF APPROVAL



IMQ-IQNET - Quality, environment and work safety.
These are the areas covered by the Integrated Management System (IMS) we have adopted, a combination of ISO certifications to improve company performance in these areas.
Since 2008 we are certified UNI EN ISO 9001:2015 (Quality System Management) for the Design and Production of lighting equipment.
Since 2022 we are certified UNI EN ISO 14001:2004 (Environmental Management System) to limit the environmental impact related to the design and production of lighting equipment.
Since 2024 we are certified UNI/PdR 125:2022 Measures to ensure gender equality in the workplace



CE - Declares that the manufacturer produces light fittings which comply with the requirements of the EN 60598/1.

WARRANTY

Martinelli Luce S.p.A warrants its products to be free from faults and defects in material and workmanship for a period of 24 months from the date of purchase of the products (as certified by the sales invoice).
By warranty we mean – following the irrevocable discretion of Martinelli Luce S.p.A – the total or partial replacement of component parts aimed at restoring functionality, limited to structural faults. He warranty does not cover any defects or damages due to use that does not comply with installation instructions and damages arising from the use of products with a level of protection not suitable for environments where contaminating agents may be present. The warranty is void if the products have been tampered with or repaired by people not from Martinelli Luce S.p.A. or by personnel not expressly authorized by us in writing. The warranty is void also in all other cases where, by way of example but not limited to, disputes regarding payments exist, or the information necessary to determine the cause of the failures is not provided, where there is a lack of periodical maintenance and in the event of installation of spare parts on products that are not spare parts purchased at Martinelli Luce S.p.A.

Excluded from the warranty are damages caused by atmospheric events or by electrical charges and surges, and in any case if the product is placed in environments that do not comply with current laws in force. The warranty concerns only the value of the product and not transport costs, costs for dismantling, re-assembly and appraisal. In the event of defects ascertained and promptly reported (within 8 days), Martinelli Luce S.p.A. is to be held responsible for replacing, repairing or refunding – at its discretion – the defective products that must be re-shipped in their original packaging, with the exclusion of any different and further responsibility for damages that may arise with the customer or with third parties following the use of the products manufactured by the company. Excluded from the warranty are lightbulbs, replaceable materials and materials subject to normal wear (batteries, accumulators etc.).

WARRANTY (extension to 5 years)

Martinelli Luce provides a 5-year guarantee for its professional customers, only on request, reserved only for Architectural products. Please contact the sales consultant in your area or the company directly for more details.

CLASSI DI ISOLAMENTO



Class 1: appliance fitted with basic insulation throughout and with accessible live parts conneted to a supplementary safety circuit (ground).



Class 2: appliance fitted with double insulation or reinforced insulation without ground connection.



Class 3: appliance deisgned for safety extra low voltage (S.E.L.V.) operation in which not higher voltages are produced.

The upper part of the appliance may come into contact with normally-inflammable surfaces. If this symbol is not shown, the upper part of appliance must be installed not less than 25 mm from any normally inflammable material.

IP PROTECTION



International Protection, ref. IEC 529 degree of protection against penetration of solids > 12 mm



International Protection, ref. IEC 529 degree of protection against penetration of solids > 1 mm.



International Protection, ref. IEC 529. Protection against splashing water.



International Protection, ref. IEC 529. Protection against waves.

martinelli luce spa

reserves the right make changes on devices without advance notice illustrated in this pricelist.

Martinelli Luce Spa

Via Teresa Bandettini
55100 Lucca (Lu) - Italia
Tel.+39/0583.418315
info@martinelliluce.it

Official Showroom

Via S. Lucia, 9
55100 Lucca (Lu) - Italia
Tel.+39 0583 496254
showroom@martinelliluce.it

Showroom Milano

Via Borgogna, 4
20122 Milano MI - Italia
Tel.+39 02 3594 5668
showroom-milano@martinelliluce.it

martinelli luce

