

new perspectives on scandinavian design



Muuto is rooted in the Scandinavian design tradition characterized by enduring aesthetics, functionality, craftsmanship and an honest expression. By expanding this heritage with forward-looking materials, techniques and bold creative thinking, our ambition is to deliver new perspectives on Scandinavian design. In fact our name, Muuto, comes from muutos, meaning new perspective in Finnish. We handpick leading contemporary designers who are strong interpreters of our philosophy and combine their talents with the passionate Muuto creative team. You will know our design because it has muutos: objects made sublime through new perspectives, enjoyed across the world, representing the best of Scandinavian design today.


new perspectives on scandinavian design


Spanning the whole spectrum of lighting—table, floor, portable and wall lamps as well as pendants—our collection is designed with forward-thinking functionality at its core. This allows you to adapt each design to the unique atmosphere of a space, adding a contemporary yet enduring sentiment that remains a strong presence even when not in use. These are our new perspectives on modern lighting.

content


overview
inspiration
general information

3
6
54




**Top Pendant Lamp Series**

Ø 38 / 36 / 28 / 21 cm

16**Strand Pendant Lamp Series**


Closed: Ø 80 / 60 / 45 cm

Open: Ø 60 / 40 / 28 cm

18**Rime Lamp Series**

Pendants: Ø 45 / 37 / 25 / 12 cm

Wall: L 23 cm

20**Ambit Lamp Series**

Pendants: Ø 55 / 40 / 25 / 16,5 cm

Rail: L 126 cm


Wall: L 40,7 cm

24**Linear Lamp Series**

Pendants: L 87,2 / 169,2 cm


Table: H 36,5 cm

28




Fluid Pendant Lamp Series
Ø 42 / 23 cm

30




Beam Table Lamp
H 26,2 cm

39




Under The Bell Pendant Lamp Series
Ø 82 / 55 cm

32




Piton Portable Lamp
H 32,1 cm

40




Unfold Pendant Lamp
Ø 32,5 cm

34




Focus Table Lamp
H 29 cm

42




E27 Pendant Lamp
Ø 12,5 cm

36




Control Table Lamp
H 21,5 cm

43




Grain Pendant Lamp
Ø 21 cm

38




Post Lamp Series
 Floor: H 136, 2 cm
 Wall: Ø 9,5 cm

44




Leaf Lamp Series
 Floor: H 119 cm
 Table: H 41,5 cm

50



Tip Lamp Series
 Floor: H 110,8 cm
 Table: H 40 cm
 Wall: Ø9,5 cm

46



Pull Floor Lamp
 H 150 cm

52

Strand Pendant Lamp
by Benjamin Hubert

6





Tip Floor Lamp
by Jens Fager

“The Strand Pendant Lamp is designed in a unique cocoon material that filters light through for a comfortable glow, paired with its elegant shapes.”

—Benjamin Hubert



Post Floor & Wall Lamp
by Earnest Studio



Ambit Pendant Lamp
by TAF Studio



10

“Top Pendant Lamp is our interpretation of the archetypical cone-shaped pendant, with a universal and simple design. The lamp’s distinctive top encases its most innovative part—the energy-efficient LED light source.”

—Big-Game



Top Pendant Lamp
by Big-Game



Beam Table Lamp
by Tom Chung

“The idea for Beam was to give as many possibilities to control the light as possible, while offering a poetic and interactive experience of light.”

—Tom Chung



Rime Pendant Lamp
by TAF Studio



Unfold Pendant Lamp
by Form Us With Love

Tip Table Lamp
by Jens Fager

14








E27 Pendant Lamp
by Mattias Ståhlbom



top pendant lamp

by Big-Game

With its universal and simple design, Top Pendant is a contemporary reinterpretation of the archetypical cone-shaped pendant. Its top is a striking feature designed to neatly fit its compact LED light source. Manufactured in spun steel with a graphic rolled hem.



Dark Green

Deep Red

Grey

Sand

Material

Spun steel shade with a high gloss wet paint finish. PVC cord. Socket in nylon.

Light Source

Ø38 - GX53, 9W SBLED. Included Light Source: GX53, 9W SBLED, 500 lm, 2.700K, CRI >90, dimmable.

Ø36 - GX53, 6W SBLED. Included Light Source: GX53, 6W SBLED, 350 lm, 2.700K, CRI >90, dimmable.

Ø28 - GX53, 9W SBLED. Included Light Source: GX53, 9W SBLED, 500 lm, 2.700K, CRI >90, dimmable.

Ø21 - GX53, 6W SBLED. Included Light Source: GX53, 6W SBLED, 350 lm, 2.700K, CRI >90, dimmable.

Versions

EU, UK, AUD/NZL




With its cocoon material filtering light through for a warm, comfortable glow, the Strand Pendant Lamp hovers almost cloud-like in space, bringing comfort, harmony and a refined sensitivity to any room.




strand pendant lamp

by Benjamin Hubert




H 60,8 cm / 23.9"

Closed Ø 80 cm / 31.5"




H 54,8 cm / 21.6"

Closed Ø 60 cm / 23.6"



H 36,4 cm / 14.3"

Closed Ø 45 cm / 17.7"



H 40,3 cm / 15.9"

Open Ø 60 cm / 23.6"



H 50,2 cm / 19.8"

Open Ø 40 cm / 15.7"



H 37,4 cm / 14.7"

Open Ø 28 cm / 11"



Material

Cocoon layer with an inner steel structure, a PVC cord and PVC covered steel wire. Cocoon resin is a cocoon composite material that is sprayed onto a steel frame through a 3-step process of fiber web, cocoon plastic and protective top coating.

Light Source

Ø80 - EU/US: E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED. Light Source not included. Recommended light source: Type G125, Ø125 x 175 mm, E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED.

Ø60 - EU/US: E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED. Light Source not included. Recommended light source: Type G125, Ø125 x 175 mm, E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED.

Ø45 - EU/US: E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED. Light Source not included. Recommended light source: Type G80, Ø80 x 115 mm, E27/E26, max. 60W Incandescent, 30W SBCFL or 25W SBLED.

Ø40 - EU/US: E27/E26, max. 40W Incandescent, 13W SBCFL or 13W SBLED. Light Source not included. Recommended light source: Type G80, Ø80 x 115 mm, E27/E26, max. 40W Incandescent, 13W SBCFL or 13W SBLED.

Ø28 - EU/US: E27/E26, max. 40W Incandescent, 13W SBCFL or 13W SBLED. Light Source not included. Recommended light source: Type G80, Ø80 x 115 mm, E27/E26, max. 40W Incandescent, 13W SBCFL or 13W SBLED.

Versions


EU, UK, US, AUD/NZL, EURASIA, CHN

The Rime Pendant Lamp brings an elegant, new perspective to the glass pendant through the use of mouth-blown semi-transparent glass.




rime pendant lamp

by TAF Studio




Ø 45 cm / 17.7"

H 55.5 cm / 21.9"



Ø 37 cm / 14.6"

H 45.5 cm / 17.9"



Ø 25 cm / 9.8"

H 30 cm / 11.8"



Ø 12 cm / 4.7"

H 15 cm / 5.9"



Black

White

Orange

Grey

Material

Mouth-blown glass shade that has been sandblasted. Aluminum, powder coated top-piece and pendant tube. PVC cord.

Light Source

Ø45 - EU/US: E27/E26, max. 60W Incandescent or 18W SBLED. Light source not included. Recommended light source: Type A67, Ø77 x 145 mm, E27/E26, max. 60W Incandescent or 18W SBLED.

Ø37 - EU/US: E27/E26, max. 60W Incandescent or 18W SBLED. Light source not included. Recommended light source: Type A60, Ø60 x 110 mm, E27/E26, max. 60W Incandescent or 18W SBLED.

Ø25 - EU/US: E14/E12, max. 40W Incandescent or 10W SBLED. Light source not included. Recommended light source: Type P45, Ø45 x 80 mm, E14/E12, max. 40W Incandescent or 10W SBLED.

Ø12 - EU: G9, max 25W Incandescent. Included light source: G9, 3W LED, 200 lm, 2.700K, 20.000h, CRI >90, dimmable.

Versions


EU, UK, US (except Ø12), AUD/NZL, CHN

Please note that the availability of this product or specific variants of it may vary across regions.

rime wall lamp

by TAF Studio

The Rime Wall Lamp is inspired by the shape of acorns for its subtle lines while hinting towards the shaded expression of ice and rime for the glass of the design, allowing for light to shine slightly through with a refined touch.




Black

White

Orange

Grey



Material

Shade in mouthblown, sandblasted glass. Arm in pressure die-casted and powder-coated aluminum. Wall bracket in chrome-plated steel. Cord in PVC.

Light Source

EU: G9, 6W LED. Included light source: 3W frosted LED, 190 lm, 2700K, CRI 90, dimmable

Versions

Variants: EU, UK

Please note that the availability of this product or specific variants of it may vary across regions.








Embodying the values of Scandinavian design, the Ambit Pendant Lamp is as timeless as it is contemporary, gently enhancing the atmosphere of any room.



ambit pendant lamp

by TAF Studio



Material

Handspun and handpainted aluminum shade, PVC cord.

Light Source

$\text{Ø}55$ - EU/US: E27/E26, max. 60W Incandescent, 13W SBCFL or 11W SBLED. Light source not included. Recommended light source: Type A60, $\text{Ø}60 \times 110$ mm, E27/E26, max. 60W Incandescent, 13W SBCFL or 11W SBLED.

$\text{Ø}40$ - EU/US: E27/E26, max. 60W Incandescent, 13W SBCFL or 11W SBLED. Light source not included. Recommended light source: Type A60, $\text{Ø}60 \times 110$ mm, E27/E26, max. 60W Incandescent, 13W SBCFL or 11W SBLED.

$\text{Ø}25$ - EU/US: E14/E12, max. 60W Incandescent, 13W SBCFL or 11W SBLED. Light source not included. Recommended light source: Type G45 or P45, $\text{Ø}45 \times 85$ mm, E14/E12, max. 60W Incandescent, 13W SBCFL or 11W SBLED.

$\text{Ø}16.5$ - EU/US: GX53, max. 12W SBLED. Light source included for EU version only: GX53, 5.5W LED, 330 lm, 2.700K, 30.000h, CRI >90, dimmable. Light source not included for US version. Recommended light source: GX53, $\text{Ø}75 \times 30$ mm, max. 12W SBLED.

Versions

EU, UK, US, AUD/NZL (except $\text{Ø}16.5$), CHN

Please note that the availability of this product or specific variants of it may vary across regions.

ambit rail lamp

by TAF Studio

The Ambit Rail Lamp is characterized by its simple lines and elegant shapes, bringing a refined light to any space.




Black

White

Grey

Taupe

Dusty Green



126 cm / 49.5"

Material

Rail made from cast and extruded aluminum. Shades in spun aluminum with a PVC cord and steel wires.

Light Source

EU/US: 3 x E14/E12, max. 60W Incandescent, 13W SBCFL or 11W SBLED.
Light source not included. Recommended light source: Type G45 or P45, Ø45 x 85 mm, 3 x E14/E12, max. 60W Incandescent, 13W SBCFL or 11W SBLED.


Versions

EU, UK, US, AUD/NZL, CHN

ambit wall lamp

by TAF Studio

The Ambit Wall Lamp is designed with a quiet, modern expression and subtle details. Through its rotating arm and head, the lamp brings functional, yet refined light to any room.




Black

White

Grey

Taupe



Material

Lampshade, arm fixture and wall mount piece are made from aluminum. Cord is made from PVC.

Light Source

EU/US: GX53, max. 12W SBLED. Light source included for EU version: GX53, 5,5W LED, 330 lm, 2.700K, 30.000h, CRI >90, dimmable. Light source not included for US version. Recommended light source: Ø75 x 30 mm, GX53, max. 12W SBLED.

Versions

EU, UK, US Versions: EU, UK, US

linear pendant lamp


by Thomas Bentzen

Designed to create intimate atmospheres within large spaces, the Linear Pendant Lamp provides dimmable overhead lighting while its elegant profile completes the setting.




Black

Grey



L 169,2 cm / 66.6"



L 87,2 cm / 34.3"

Material

Lamphead in pressure-die casted and extruded, powder coated aluminum.
Diffuser in polycarbonate. PVC cord.

Light Source

L169,2 cm - EU/US: Light source included: Integrated non-replaceable LED, 37,7W, 1880 lm, 3000K, 48.000h, CRI 90, dimmable.

L87,2 cm - EU/US: Light source included: Integrated non-replaceable LED, 20,3W, 1060 lm, 3.000K, 48.000h, CRI 90, dimmable.

Versions

EU, UK, AUD/NZL

linear table lamp


by Thomas Bentzen

The Linear Table Lamp and its familiar form alludes to the archetypal library lamp, featuring a dimmable LED and a USB-C plug for charging electronic devices.



Black

Grey



H 36,5 cm / 14.4"

W 23,2 cm / 9.1"

Material

Lamphead in pressure-die casted, powder coated aluminum. Stem in powder coated steel. Polycarbonate diffuser and PVC cord.

Light Source

EU/US: Light source included: Integrated non-replaceable LED, 6,25W, 242 lm, 3.000K, 48.000h, CRI 90, dimmable. Built-in 18W USB-C charger.

Versions



EU, UK, US



fluid pendant lamp

by Claesson Koivisto Rune

Inspired by a resting drop of water, the Fluid Pendant Lamp shows how soft light can diffuse throughout a space to create a cosy atmosphere.



Material

The lampshade is made from mouth blown, white silk mat opal glass. PVC cord.

Light Source

Ø42 – EU/US: E27/E26, max. 60W Incandescent, 13W SBCFL or 18W SBLED. Light source not included. Recommended light source: Type A, Ø70 x 115 mm, E27/E26, max. 60W Incandescent, 13W SBCFL or 18W SBLED.

Ø23 – EU & US: G9, max. 40W Incandescent. Light source included: G9, 3W LED, 260 lm, 3.000K, 20.000h, CRI >90, dimmable.

Versions

EU, UK, US, AUD/NZL, CHN

under the bell pendant lamp

by Iskos-Berlin


Under The Bell Pendant Lamp has a distinctly tactile and modern expression, designed in a material that uses up to 41% fibers from recycled plastic bottles.



Black


Grey

White Melange



Ø 82 cm / 32.25"

H 46 cm / 18"



Ø 55 cm / 21.6"

H 31 cm / 12.2"

Material

Shade is made in up to 41% fibers from recycled plastic bottles. PVC cord. A large sheet of PET material is heated in a mould and pressed into its shape.

Light Source

Ø82 & Ø55 - EU/US: E27, max. 30W SBCFL or 18W SBLED / E26, max. 60W Incandescent or 30W SBCFL. Light source not included. Recommended light source: Type G125, Ø125 x 175 mm, E27, max. 30W SBCFL or 18W SBLED / E26, max. 60W Incandescent or 30W SBCFL.

Versions

EU, UK, US, AUD/NZL, EURASIA, CHN




The soft, silicone rubber shade of Unfold makes for a unique and playful take on the timeless industrial lamp. With its modern expression and soft materiality in a wide variety of colors, the Unfold Pendant Lamp adds a vibrant touch to any room.



unfold pendant lamp

by Form Us With Love



Black

White

Dark Grey

Light Grey

Green




Olive

Dusty Red

Orange

Terracotta


Beige-Rose



Clay Brown

Mustard

Yellow



Ø 32,5 cm / 12.75"

H 29,5 cm / 11.5"

Material

Shade is made in silicone rubber and cord is made in PVC. The diffuser is made in a clear frosted opal acrylic material.

Light Source

EU/US: E27 max. 60W Incandescent, 20W SBCFL or 18W SBLED / E26, max. 100W incandescent, 20W SBCFL or 20W SBLED. Recommended light source: Type A60, Ø60 x 110 mm, E27 max. 60W Incandescent, 20W SBCFL or 18W SBLED / E26, max. 100W incandescent, 20W SBCFL or 20W SBLED.

Versions


EU, UK, US, AUD/NZL, EURASIA, CHN



e27 pendant lamp

by Mattias Ståhlbom

With its naked LED bulb and playfully modern silicone rubber material, the E27 Pendant Lamp is a simple yet characterful addition to any space.



Ø 12,5 cm / 5"

Material

Silicone rubber, socket inside in plastic and PVC cord.

Light Source

EU/US: E27/E26, max. 40W Incandescent or 6W SBLed. Light source included: Type G125, 2W LED, 180 lm, 2.500K, 20.000h, CRI >90, dimmable.

Versions

EU, UK, US, AUD/NZL, EURASIA, CHN

grain pendant lamp

by Jens Fager

The Grain Pendant Lamp is made from a bamboo fiber composite, lending the design an elegant, matte surface.




Black

Dusty Green


Grey

Nature

Blue-Grey



Dark Green



Ø 21 cm / 8.25"

Material

Lampshade is made in mixture of bamboo fibers and polypropylene. PVC cord.

Light Source

EU/US: G9, max. 5W SBLED. Light source included: 3W LED, 260 lm, 3.000K, 20.000h, CRI >90, dimmable.

Versions


EU, UK, US, AUD/NZL, CHN

Please note that the availability of this product or specific variants of it may vary across regions.

beam table lamp

by Tom Chung

Beam is a versatile table lamp with a contemporary expression. Intuitively user-friendly, a turn of its playful dial makes light beam from both of its ends.




Aluminum

Black

Umber

Green



H 26,2 cm / 10.3"

18,7 cm / 7.4"

Material

Body in anodized aluminum. Cord in PVC.

Light Source

EU/US: Light source included: Integrated non-replaceable LEDs, 10.5W, 425 lm, 2.700 K, 35.000h, CRI >90, dimmable.

Versions

EU, UK, US, EURASIA

piton portable lamp

by Tom Chung

Piton is an untraditional take on the battery-powered portable lamp, playfully referencing the archetypal flashlight.




40



Black



Aluminum



H 21,8 cm / 8,6"

W 32,1 cm / 12,6"

D 13,2 cm / 5,2"

Material

Body made from anodized extruded aluminum. Lampshade made in injection molded plastic with an integrated and replaceable LED light bulb. Comes with a woven fabric USB-C cable for charging.

Light Source

Light source included: Integrated, dimmable, replaceable 3.2W LED module, 210 lm, 2.700K, 75.000h, CRI >90, dimmable. Battery: Type Li-ion 18650, 3.7V DC, 5200 mAh, 6 operating hours in total maximum brightness.

Versions

EU, UK, AUD/NZL




focus table lamp

by Andreas Bergsaker

With a protruding base that is perfect for storing small items, the Focus Table Lamp seamlessly fits on a windowsill or shelf in need for a bit of light.



42



Material
Turned ash wood, PVC cord

Light Source
GU10, max. 3W Incandescent. Light source included: GU10 LED, 2W, 150-300 lm, 2.500K, CRI >80, dimmable.

Versions
EU, UK

control table lamp

by TAF Studio

A unique and playful lamp with references to hi-fi and industrial design, the Control Table Lamp has a friendly dimmer that hints towards volume controls.




Black

White

Grey

Red



H 21,5 cm / 8.4"

W 21 cm / 8.3"
D 14 cm / 5.5"

Material

Casted aluminum, PVC cord

Light Source

EU/US: E27/E26, max. 40W Incandescent or 6W SBLED. Light source included: G125 LED, 2W, 180 lm, 2.500K, 30.000h, CRI >90, dimmable.

Versions


EU, UK, US, AUD/NZL

post floor lamp

by Earnest Studio

The Post Floor Lamp is an innovative modular lighting design with an archetypal appearance, graphic lines and forward-thinking functionalities.

44



9,5 cm / 3.7"

Material

Base in powder coated steel. Lighting unit in powder coated magnesium with silicone cord and acrylic opal diffuser. Cable drops in powder coated plastic with magnet. Power hub in powder coated plastic with PVC cord.

Light Source

Integrated LED, max. 13W (two units incl. Power Hub). Light source included: Integrated LED, 13W, 660 lm (330 lm/unit), 2.700 K, 54.000h, CRI 90, dimmable.


Versions

EU, UK, US, EURASIA, AUD/NZL

post wall lamp

by Earnest Studio

Exploring the utmost flexibility of a magnetic joint, the Post Wall Lamp can be positioned, dimmed and turned according to one's exact needs.



H 5,4 cm / 2.1"

9,5 cm / 3.7"

Material

Lighting unit in powder coated magnesium with silicone cord and acrylic opal diffuser. Wall mounting bracket in powder coated steel. Wall cable drops in powder coated steel with magnet and repositionable adhesive tape. Power hub in powder coated plastic with PVC cord.

Light Source

Integrated LED, max. 6,7W (single unit incl. Power Hub). Light source included: Integrated LED, 6,7W, 330 lm, 2.700 K, 54.000h, CRI 90, dimmable.

Versions

EU, UK, US, EURASIA, AUD/NZL

tip floor lamp

by Jens Fager

The Tip Floor Lamp features a dimmable light source for both ambient and direct lighting. Designed with a height that allows the user to dim and turn the lampshade and arm whilst seated.

46




Black



White



Grey



H 110,8 cm / 43,6"

D 32 cm / 12,6"

Stand Ø 20 cm / 7,9"

Material

Powder coated aluminum. PVC cord.

Light Source

Integrated LED, max. 10,9W. Light source included: Integrated non-replaceable LED, 10,9W, 330 lm, 2.700K, 35.000h, CRI 90, dimmable.

Versions

EU, UK



tip table lamp

by Jens Fager

Offering direct as well as ambient light, the Tip Table Lamp's adjustable head and arm feature an opal diffuser and dimmer function that effortlessly alters the volume of light.

48




Black

White

Grey

Copper Brown



D 29,5 cm / 11.5"
Stand Ø 16 cm / 6.25"

Material

Powder coated aluminum. PVC cord.

Light Source

Integrated LED, max. 8W. Light source included: Integrated non-replaceable LED, 8W, 220 lm, 3.000K, 35.000h, CRI 90, dimmable.

Versions

EU, UK, US, AUD/NZL

Please note that the availability of this product or specific variants of it may vary across regions.

tip wall lamp

by Jens Fager

The Tip Wall Lamp features an adjustable head with opal diffuser and dimmer function, allowing one to adjust the light to fit any atmosphere, function or room.



Black

White

Grey

Copper Brown



H 9,5 cm / 3.7"

D 16 cm / 6.3"
Lamp head Ø 9,5 cm / 3.7"

Material

Powder coated aluminum. PVC cord. Backplate in injection-molded plastic. Wall bracket in chrome steel.

Light Source

Integrated LED, max. 8W. Light source included: Integrated non-replaceable LED, 8W, 220 lm, 2.700K, 35.000h, CRI 90, dimmable.

Versions

EU, UK, US, AUD/NZL


Please note that the availability of this product or specific variants of it may vary across regions.

leaf floor lamp

by Broberg & Ridderstråle

With its elegant body and the organic shape of its head, the Leaf Floor Lamp brings a gentle and dimmable light to any space.

50




Black

White

Grey

Copper Brown

Dark Green



Lampshade 15,5 x 18,5 cm / 6" x 7.25"
Stand 22 cm / 8.75"

Material

Pressure die-casted aluminum, PVC cord.

Light Source

Integrated LED, max. 8W. Light source included: Integrated non-replaceable LED, 8W, 370 lm, 3.000K, 54.000h, CRI >90, dimmable.

Versions


EU, UK, US, AUD/NZL

Please note that the availability of this product or specific variants of it may vary across regions.

leaf table lamp

by Broberg & Ridderstråle

Inspired by the leaves of a tree and featuring a dimmable LED light, the Leaf Table Lamp is an easy match with a desk, bedside or any table space.



Black

White

Grey

Copper Brown

Dark Green



H 41,5 cm / 16.25"

Lampshade 15,5 x 18,5 cm / 6" x 7.25"
Stand 18 cm / 7"

Material

Pressure die-casted aluminum, PVC cord.

Light Source

Integrated LED, max. 8W. Light source included: Integrated non-replaceable LED, 8W, 370 lm, 3.000K, 54.000h, CRI >90, dimmable.

Versions

EU, UK, US, AUD/NZL

Please note that the availability of this product or specific variants of it may vary across regions.

pull floor lamp

by Whatswhat


Fusing the ideas of Scandinavian design with a playful approach, the Pull Floor Lamp combines the warmth of oak with an adjustable shade for a cosy light.



Oak/White



Grey/White



H 150 cm / 59"

Shade Ø 27 cm x H 24 cm /
Ø 10.5" x H 9.5"
Base Ø 31,5 cm / 12.5"

Material

Oiled Oak wood or Grey Lacquered Oak wood with steel insert, textile covered plastic shade and textile cord.

Light Source

EU/US: E27/E26, max. 60W Incandescent. Light source not included.
Recommended light source: Type A60, Ø65 x 97 mm, E27/E26, max. 60W Incandescent.

Versions

EU, UK, US, AUD/NZL





Artworks by

Adomo Design
 Amalie Jakobsen
 Anders Von Greffelstejn
 Anne Brandhøj
 Anne Havskov
 Anne Nowak
 Bornholms Kildevand
 Format Artspace
 Handmade by Marle
 Jehrbo Works
 Jeba Arkitekter
 Jonas Sangberg
 Kaja Skytte
 Kristel Laurits
 Lene Winther
 Linda Weimann
 Malene Bach
 Maria Lenskjold
 Matilde Duus
 Meyer Lavigne
 Nanna Gabriella
 Skitse
 Stine Leth
 Stine Regild
 Shop Dora
 Tina Hvid
 Trine Bork

Availability

Please note that all variants are subject to stock availability and certification across regions. Please check availability with your local retailer.

Prices

Check our website muuto.com for the most recent and valid prices in your location.

Downloads

Find more product information, product fact sheets, assembly instructions, lifestyle images, packshots and much more on our download site.

download.muuto.com

Join Us

Sign up to our newsletter or follow us on social media to stay in the loop on new product releases, case stories and events.

muuto.com/newsletter
[instagram.com/muutodesign](https://www.instagram.com/muutodesign)
[pinterest.com/muuto](https://www.pinterest.com/muuto)
[facebook.com/muuto](https://www.facebook.com/muuto)
twitter.com/muutodesign
[linkedin.com/company/muuto](https://www.linkedin.com/company/muuto)

Muuto Head Office
 Østergade 36-38
 DK-1100 Copenhagen,
 Denmark

For more information
 visit muuto.com

This catalog is printed on eco-friendly,
high-quality paper in Denmark by
Narayana Press.



