



2026

euro price list  
edition 01

**TERZANI**

**TERZANI**

euro price list 2026

Alle Preise zzgl. ges. MwSt.


edition 01





## When art meets light

Terzani redefines light as an artistic expression, transforming it into a visual language where research and craftsmanship merge. Each creation is conceived as a suspended luminous sculpture, shaping light and redefining spaces with captivating plays of reflections and shadows. Far from the conventional idea of lighting, Terzani explores new visual dimensions, experimenting with materials, techniques, and innovative concepts. The result is a collection of unique installations that go beyond simple functionality, becoming true works of art in motion, sculpted by light itself.





# Bespoke

Work with the Terzani design team to transform your vision into reality, whether it involves straightforward modifications or intricate design enhancements.



## The art of creation



**Index**

PreciousDesign

- 010 Abacus
- 024 Angel Falls
- 030 Argent
- 046 Argent, mon bijou
- 062 Atlantis
- 070 Calle
- 078 Core
- 084 Doodle
- 094 Dragon
- 098 Epoque
- 102 Etoile
- 106 Frame
- 110 Gaia
- 116 Genesis
- 120 Harpe
- 134 I Lucci Argentati
- 142 Iceberg
- 144 Manta
- 152 Mizu
- 170 Moiré
- 172 Oscar
- 174 Soscik
- 180 Stanley
- 182 Stream
- 188 Volver

# Abacus | Design Draw



## Materials

Brass and white glass

## Finishes

Diffuser



brass | white glass

Canopy



white




painted brass




brass


## Legend




## Pendants



## Multi light pendant



## Wall sconce




## Abacus small pendant light

Body | 5 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	3,6W 540 lm 3000K	see power supply options	OV01SE8BF15KK	CE ENEC CB <b>635</b>

On site minimum adjustable overall height 45 cm


0,4 | 1,2 50x31x21 cm

## Abacus medium pendant light

Body | 10 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	7,2W 1080 lm 3000K	see power supply options	OV01SE8BF1AKK	CE ENEC CB <b>1.070</b>

On site minimum adjustable overall height 80 cm



0,6 | 1,6 83x25x26 cm

# Abacus large pendant light

Body | 15 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	10,8W 1620 lm 3000K	see power supply options	OV01SE8BF1FKK	CE ENEC CB <b>1.620</b>

On site minimum adjustable overall height 120 cm

0,9 | 2,1 117x29x16 cm

## Power supply options


### INTEGRATED LED 3000K

Dimming		Code	Price €
0-10V PWM	max 26 spheres	R1240000	<b>45 (net)</b>
	max 60 spheres	R1260000	<b>55 (net)</b>
100kΩ 0/1-10V PUSH - DALI	max 26 spheres	KITELETDALISPH26	<b>145 (net)</b>
	max 60 spheres	KITELETDALISPH60	<b>160 (net)</b>

## Abacus small pendant light

Body | 5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass   white glass	 white	champagne fabric	integrated led	3,6W 540 lm 3000K	0-10V PWM	0V01SE8BFP15	CE ENEC CB <b>910</b>
			integrated led	3,6W 540 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SE8BFP15D	CE ENEC CB <b>1.040</b>
 brass   white glass	 painted brass	champagne fabric	integrated led	3,6W 540 lm 3000K	0-10V PWM	0V01SM3BFP15	CE ENEC CB <b>1.040</b>
			integrated led	3,6W 540 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SM3BFP15D	CE ENEC CB <b>1.180</b>


On site minimum adjustable overall height 45 cm

 1,6 |  2,4  50x31x21 cm

## Abacus medium pendant light

Body | 10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass   white glass	 white	champagne fabric	integrated led	7,2W 1080 lm 3000K	0-10V PWM	0V01SE8BFP1A	CE ENEC CB <b>1.350</b>
			integrated led	7,2W 1080 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SE8BFP1AD	CE ENEC CB <b>1.490</b>
 brass   white glass	 painted brass	champagne fabric	integrated led	7,2W 1080 lm 3000K	0-10V PWM	0V01SM3BFP1A	CE ENEC CB <b>1.490</b>
			integrated led	7,2W 1080 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SM3BFP1AD	CE ENEC CB <b>1.620</b>


On site minimum adjustable overall height 80 cm

 1,7 |  2,8  83x25x26 cm

## Abacus large pendant light

Body | 15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	10,8W 1620 lm 3000K	0-10V PWM	0V01SE8BFP1F	CE ENEC CB <b>1.900</b>
			integrated led	10,8W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SE8BFP1FD	CE ENEC CB <b>2.040</b>
brass   white glass	painted brass	champagne fabric	integrated led	10,8W 1620 lm 3000K	0-10V PWM	0V01SM3BFP1F	CE ENEC CB <b>2.040</b>
			integrated led	10,8W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SM3BFP1FD	CE ENEC CB <b>2.160</b>


On site minimum adjustable overall height 120 cm



## Abacus 3 small round multi light pendant

Body | 3x5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	3 × 3,6W 1620 lm 3000K	0-10V PWM	0V03SE8BFP1F	CE ENEC CB <b>2.160</b>
			integrated led	3 × 3,6W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SE8BFP1FD	CE ENEC CB <b>2.300</b>
brass   white glass	painted brass	champagne fabric	integrated led	3 × 3,6W 1620 lm 3000K	0-10V PWM	0V03SM3BFP1F	CE ENEC CB <b>2.300</b>
			integrated led	3 × 3,6W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SM3BFP1FD	CE ENEC CB <b>2.450</b>


On site minimum adjustable overall height 60 cm



## Abacus 3 medium round multi light pendant

Body | 3x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	3 × 7,2W 3240 lm 3000K	0-10V PWM	0V03SE8BFP1V	CE ENEC CB <b>3.500</b>
			integrated led	3 × 7,2W 3240 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SE8BFP1VD	CE ENEC CB <b>3.620</b>
brass   white glass	painted brass	champagne fabric	integrated led	3 × 7,2W 3240 lm 3000K	0-10V PWM	0V03SM3BFP1V	CE ENEC CB <b>3.620</b>
			integrated led	3 × 7,2W 3240 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SM3BFP1VD	CE ENEC CB <b>3.770</b>


On site minimum adjustable overall height 110 cm



## Abacus 3 large round multi light pendant

Body | 3x15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	3 × 10,8W 4860 lm 3000K	0-10V PWM	0V03SE8BFP2B	CE ENEC CB <b>5.110</b>
			integrated led	3 × 10,8W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SE8BFP2BD	CE ENEC CB <b>5.250</b>
brass   white glass	painted brass	champagne fabric	integrated led	3 × 10,8W 4860 lm 3000K	0-10V PWM	0V03SM3BFP2B	CE ENEC CB <b>5.250</b>
			integrated led	3 × 10,8W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SM3BFP2BD	CE ENEC CB <b>5.400</b>


On site minimum adjustable overall height 150 cm



## Abacus 7 small round multi light pendant

Body | 7x5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	7 × 3,6W 3780 lm 3000K	0-10V PWM	0V07SE8BFP21	CE ENEC CB 4.710
			integrated led	7 × 3,6W 3780 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SE8BFP21D	CE ENEC CB 4.850
brass   white glass	painted brass	champagne fabric	integrated led	7 × 3,6W 3780 lm 3000K	0-10V PWM	0V07SM3BFP21	CE ENEC CB 4.850
			integrated led	7 × 3,6W 3780 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SM3BFP21D	CE ENEC CB 4.960


On site minimum adjustable overall height 70 cm

4 | 9,6 83x80x44 cm

## Abacus 7 medium round multi light pendant

Body | 7x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	7 × 7,2W 7560 lm 3000K	0-10V PWM	0V07SE8BFP32	CE ENEC CB 7.800
			integrated led	7 × 7,2W 7560 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SE8BFP32D	CE ENEC CB 7.950
brass   white glass	painted brass	champagne fabric	integrated led	7 × 7,2W 7560 lm 3000K	0-10V PWM	0V07SM3BFP32	CE ENEC CB 7.950
			integrated led	7 × 7,2W 7560 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SM3BFP32D	CE ENEC CB 8.100


On site minimum adjustable overall height 130 cm

6 | 13 191x46x46 cm

## Abacus 7 large round multi light pendant

Body | 7×15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	7 × 10,8W 11340 lm 3000K	0-10V PWM	0V07SE8BFP43	CE ENEC CB 11.600
			integrated led	7 × 10,8W 11340 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SE8BFP43D	CE ENEC CB 11.700
brass   white glass	painted brass	champagne fabric	integrated led	7 × 10,8W 11340 lm 3000K	0-10V PWM	0V07SM3BFP43	CE ENEC CB 11.700
			integrated led	7 × 10,8W 11340 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SM3BFP43D	CE ENEC CB 11.850


On site minimum adjustable overall height 160 cm

9,6 | 14,6 191×46×46 cm

## Abacus small linear multi light pendant

Body | 3×5 - 3×10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	0-10V PWM	0V06SE8BFR2B	CE ENEC CB 5.050
			integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V06SE8BFR2BD	CE ENEC CB 5.200
brass   white glass	painted brass	champagne fabric	integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	0-10V PWM	0V06SP4BFR2B	CE ENEC CB 5.250
			integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V06SP4BFR2BD	CE ENEC CB 5.400



On site minimum adjustable overall height 110 cm

7 | 1x 7  
1x 5 1x 90×45×30 cm  
1x 83×25×26 cm

## Abacus medium linear multi light pendant

Body | 6x5 - 6x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	0V12SE8BFR3M	CE ENEC CB 10.050
			integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V12SE8BFR3MD	CE ENEC CB 10.350
brass   white glass	painted brass	champagne fabric	integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	0V12SP4BFR3M	CE ENEC CB 10.250
			integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V12SP4BFR3MD	CE ENEC CB 10.550



On site minimum adjustable overall height 110 cm

13 | 1x 10  
1x 10,6 1x 107x80x24 cm  
1x 177x29x16 cm

## Abacus large linear multi light pendant

Body | 7x5 - 8x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
brass   white glass	white	champagne fabric	integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	0V15SE8BFR4D	CE ENEC CB 12.150
			integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V15SE8BFR4DD	CE ENEC CB 12.450
brass   white glass	painted brass	champagne fabric	integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	0V15SP4BFR4D	CE ENEC CB 12.450
			integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V15SP4BFR4DD	CE ENEC CB 12.650


On site minimum adjustable overall height 110 cm

32 | 1x 13  
1x 23 1x 115x95x75 cm  
1x 191x46x46 cm

# Abacus wall sconce

Body | 5 spheres

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass   white glass	 brass	-	integrated led	3,6W 540 lm 3000K	0/1-10V PUSH	OV01AM3BF15	CE ENEC <b>1.020</b>

 1,6 |  1,8  60x20x21 cm



# Abacus | Bespoke







Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type *	Finish	
<b>Canopy</b>	 _____ cm <input type="checkbox"/>	 _____ cm <input type="checkbox"/>	<input type="checkbox"/> with quick system <input type="checkbox"/> without quick system	<input type="checkbox"/> white <input type="checkbox"/> satin brass <input type="checkbox"/> painted brass <input type="checkbox"/> brass <input type="checkbox"/> other _____
	 _____ cm <input type="checkbox"/>			
	Based on your request, we will provide a solution that best meets your needs		 Disc <input type="checkbox"/>	

	Pendant height	Pendant Finish
<b>Height</b>	min _____ cm max _____ cm	<input type="checkbox"/> brass   white glass <input type="checkbox"/> other _____

	Type of pendants and the number									
<b>Diffuser</b>	Standard pendants <table style="margin-left: 20px;"> <tr> <td style="text-align: center;">5 spheres</td> <td style="text-align: center;">10 spheres</td> <td style="text-align: center;">15 spheres</td> </tr> <tr> <td style="text-align: center;">  </td> <td style="text-align: center;">  </td> <td style="text-align: center;">  </td> </tr> <tr> <td style="text-align: center;">Qty _____</td> <td style="text-align: center;">Qty _____</td> <td style="text-align: center;">Qty _____</td> </tr> </table>	5 spheres	10 spheres	15 spheres				Qty _____	Qty _____	Qty _____
	5 spheres	10 spheres	15 spheres							
										
Qty _____	Qty _____	Qty _____								

	Voltage	Type	Dimming
<b>Light Source</b>	<input type="checkbox"/> 120V <input type="checkbox"/> 230V	<input type="checkbox"/> integrated led 3000K	<input type="checkbox"/> PWM <input type="checkbox"/> 1-10V <input type="checkbox"/> PUSH <input type="checkbox"/> 0-10V <input type="checkbox"/> DALI <input type="checkbox"/> other _____

**Additional information**

\*For information about canopy types see page 194

# Angel Falls | Design Nigel Coates



## Material

Clear crystal

## Finishes

Diffuser

Canopy



clear crystal




white




brushed nickel

## Legend








## Pendant

---



## Multi pendants

---




## Bespoke

---

Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

## Angel Falls single pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	-	air craft nylon cable	-	-	-	0Q10EZ8A9O	CE ENEC <b>250</b>


On site minimum adjustable overall height 30 cm

 0,2 |  0,7  32x24x17 cm

## Angel Falls 7 pendants

Body | 7 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 brushed nickel	air craft nylon cable	GU10 dimmable led	5W	all systems	0Q07SH4A9F	CE ENEC <b>2.800</b>



GU10 light bulbs are not included  
On site minimum adjustable overall height 125 cm

 4,1 |  1x 4  
 1x 3  1x 50x50x25 cm  
 1x 50x50x25 cm

## Angel Falls 12 pendants

Body | 12 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 brushed nickel	air craft nylon cable	GU10 dimmable led	3 × 5W	all systems	0Q12SH4A9F	CE ENEC <b>4.790</b>



GU10 light bulbs are not included  
On site minimum adjustable overall height 110 cm

 9 |  1×9  
 1×6  1× 67×67×23 cm  
 1× 67×67×30 cm

## Angel Falls 18 pendants

Body | 18 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 brushed nickel	air craft nylon cable	GU10 dimmable led	3 × 5W	all systems	0Q11SH4A9F	CE ENEC <b>6.000</b>


GU10 light bulbs are not included  
On site minimum adjustable overall height 160 cm

 10 |  1×9  
 1×8  1× 67×67×30 cm  
 1× 67×67×30 cm

## Angel Falls 24 pendants

Body | 24 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	brushed nickel	air craft nylon cable	GU10 dimmable led	3 × 5W	all systems	0Q10SH4A9F	CE ENEC <b>7.600</b>


GU10 light bulbs are not included  
On site minimum adjustable overall height 150 cm

14 | 1 × 10  
 1 × 14,4 1 × 67×67×23 cm  
 1 × 77×77×30 cm

## Angel Falls 36 pendants

Body | 36 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	air craft nylon cable	GU10 dimmable led	9 × 4W	all systems	0Q13SE8A9F	CE ENEC <b>11.800</b>

GU10 light bulbs are not included  
On site minimum adjustable overall height 100 cm

25 | 1 × 19  
 1 × 16 1 × 130×21×85 cm  
 1 × 83×80×44 cm





## Material

Stainless steel

## Finishes

Diffuser

Canopy



stainless steel



white



gold




sunset rose





champagne




## Legend






## Pendants




## Multi light pendant




## Chandelier




## Wall sconce



## Ceiling light



## Table lamp





# Argent pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SE7C8FKK	CE ENEC <b>945</b>
			G4 dimmable led	3 × 2W	see power supply options	0N90SE7C8FLKK	CE ENEC CB <b>945</b>
gold	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SP7C8FKK	CE ENEC <b>1.540</b>
			G4 dimmable led	3 × 2W	see power supply options	0N90SP7C8FLKK	CE ENEC CB <b>1.540</b>
sunset rose	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SA8C8FKK	CE ENEC <b>1.540</b>
			G4 dimmable led	3 × 2W	see power supply options	0N90SA8C8FLKK	CE ENEC CB <b>1.540</b>
champagne	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SQ1C8FKK	CE ENEC <b>1.540</b>
			G4 dimmable led	3 × 2W	see power supply options	0N90SQ1C8FLKK	CE ENEC CB <b>1.540</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 60 cm

1,8 | 3,2 41x41x41 cm

## Power supply options

### G4 HALOGEN


Dimming		Code	Price €
IGBT	max 1 pendant	R1030000	<b>35 (net)</b>
DALI	max 1 pendant	KITELETDALIHALO70	<b>175 (net)</b>

### G4 LED


Dimming		Code	Price €
IGBT	max 7 pendants	R1030000	<b>35 (net)</b>
100kΩ 0/1-10V	max 8 pendants	KITELETDALILED60	<b>150 (net)</b>
PUSH - DALI	max 14 pendants	KITELETDALILED100	<b>175 (net)</b>

# Argent pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SE7C8F	CE ENEC <b>1.020</b>
			G4 led	3 × 2W	no	0N90SE7C8FL	CE ENEC CB <b>1.020</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SE7C8FD*	CE ENEC <b>1.170</b>
gold	white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SP7C8F	CE ENEC <b>1.640</b>
			G4 led	3 × 2W	no	0N90SP7C8FL	CE ENEC CB <b>1.640</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SP7C8FD*	CE ENEC <b>1.770</b>
sunset rose	white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SA8C8F	CE ENEC <b>1.640</b>
			G4 led	3 × 2W	no	0N90SA8C8FL	CE ENEC CB <b>1.640</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SA8C8FD*	CE ENEC <b>1.770</b>
champagne	white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SQ1C8F	CE ENEC <b>1.640</b>
			G4 led	3 × 2W	no	0N90SQ1C8FL	CE ENEC CB <b>1.640</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SQ1C8FD*	CE ENEC <b>1.770</b>



G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 60 cm

2,4 Kg \* 3 | 
 3,8 Kg \* 5,8 | 
 41x41x41 cm \* 51x51x51 cm

# Argent 4 round multi light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	IGBT	0N91SE7C8F	CE ENEC <b>4.940</b>
			G4 dimmable led	12 × 2W	1-10V PWM	0N91SE7C8FL	CE ENEC CB <b>4.940</b>
			G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	DALI	0N91SE7C8FD	CE ENEC <b>5.350</b>
			G4 dimmable led	12 × 2W	100kΩ 0/1-10V PUSH - DALI	0N91SE7C8FLD	CE ENEC <b>5.050</b>
gold	white	clear	G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	IGBT	0N91SP7C8F	CE ENEC <b>7.550</b>
			G4 dimmable led	12 × 2W	1-10V PWM	0N90SP7C8FL	CE ENEC CB <b>7.550</b>
			G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	DALI	0N91SP7C8FD	CE ENEC <b>7.950</b>
			G4 dimmable led	12 × 2W	100kΩ 0/1-10V PUSH - DALI	0N91SP7C8FLD	CE ENEC <b>7.650</b>
sunset rose	white	clear	G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	IGBT	0N91SA8C8F	CE ENEC <b>7.550</b>
			G4 dimmable led	12 × 2W	1-10V PWM	0N91SA8C8FL	CE ENEC CB <b>7.550</b>
			G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	DALI	0N91SA8C8FD	CE ENEC <b>7.950</b>
			G4 dimmable led	12 × 2W	100kΩ 0/1-10V PUSH - DALI	0N91SA8C8FLD	CE ENEC <b>7.650</b>
champagne	white	clear	G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	IGBT	0N91SQ1C8F	CE ENEC <b>7.550</b>
			G4 dimmable led	12 × 2W	1-10V PWM	0N91SQ1C8FL	CE ENEC CB <b>7.550</b>
			G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	DALI	0N91SQ1C8FD	CE ENEC <b>7.950</b>
			G4 dimmable led	12 × 2W	100kΩ 0/1-10V PUSH - DALI	0N91SQ1C8FLD	CE ENEC <b>7.650</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 90 cm



18,5




28



84×84×72 cm

# Argent 4 linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	IGBT	ON92SE7C8F	CE ENEC <b>4.940</b>
			G4 dimmable led	12 × 2W	1-10V PWM	ON92SE7C8FL	CE ENEC <b>CB 4.940</b>
			G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	DALI	ON92SE7C8FD	CE ENEC <b>5.350</b>
			G4 dimmable led	12 × 2W	100kΩ 0/1-10V PUSH - DALI	ON92SE7C8FLD	CE ENEC <b>5.050</b>
gold	white	clear	G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	IGBT	ON92SP7C8F	CE ENEC <b>7.550</b>
			G4 dimmable led	12 × 2W	1-10V PWM	ON92SP7C8FL	CE ENEC <b>CB 7.550</b>
			G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	DALI	ON92SP7C8FD	CE ENEC <b>7.950</b>
sunset rose	white	clear	G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	IGBT	ON92SA8C8F	CE ENEC <b>7.550</b>
			G4 dimmable led	12 × 2W	1-10V PWM	ON92SA8C8FL	CE ENEC <b>CB 7.550</b>
			G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	DALI	ON92SA8C8FD	CE ENEC <b>7.950</b>
			G4 dimmable led	12 × 2W	100kΩ 0/1-10V PUSH - DALI	ON92SA8C8FLD	CE ENEC <b>7.650</b>
champagne	white	clear	G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	IGBT	ON92SQ1C8F	CE ENEC <b>7.550</b>
			G4 dimmable led	12 × 2W	1-10V PWM	ON92SQ1C8FL	CE ENEC <b>CB 7.550</b>
			G4 dimmable led or G4 halogen	12 × 2W or 12 × 20W	DALI	ON92SQ1C8FD	CE ENEC <b>7.950</b>
			G4 dimmable led	12 × 2W	100kΩ 0/1-10V PUSH - DALI	ON92SQ1C8FLD	CE ENEC <b>7.650</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 60 cm

quick ship | 14,8 | 1x 8 4x 3,2 | 1x 117x29x16 cm 4x 41x41x41 cm

# Argent 6 linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	G4 dimmable led or G4 halogen	18 × 2W or 18 × 20W	IGBT	0N89SE7C8F	CE ENEC <b>7.400</b>
			G4 dimmable led	18 × 2W	1-10V PWM	0N89SE7C8FL	CE ENEC CB <b>7.400</b>
			G4 dimmable led or G4 halogen	18 × 2W or 18 × 20W	DALI	0N89SE7C8FD	CE ENEC <b>7.800</b>
			G4 dimmable led	18 × 2W	100kΩ 0/1-10V PUSH - DALI	0N89SE7C8FLD	CE ENEC <b>7.550</b>
gold	white	clear	G4 dimmable led or G4 halogen	18 × 2W or 18 × 20W	IGBT	0N89SP7C8F	CE ENEC <b>11.350</b>
			G4 dimmable led	18 × 2W	1-10V PWM	0N89SP7C8FL	CE ENEC CB <b>11.350</b>
			G4 dimmable led or G4 halogen	18 × 2W or 18 × 20W	DALI	0N89SP7C8FD	CE ENEC <b>11.700</b>
			G4 dimmable led	18 × 2W	100kΩ 0/1-10V PUSH - DALI	0N89SP7C8FLD	CE ENEC <b>11.500</b>
sunset rose	white	clear	G4 dimmable led or G4 halogen	18 × 2W or 18 × 20W	IGBT	0N89SA8C8F	CE ENEC <b>11.350</b>
			G4 dimmable led	18 × 2W	1-10V PWM	0N89SA8C8FL	CE ENEC CB <b>11.350</b>
			G4 dimmable led or G4 halogen	18 × 2W or 18 × 20W	DALI	0N89SA8C8FD	CE ENEC <b>11.700</b>
			G4 dimmable led	18 × 2W	100kΩ 0/1-10V PUSH - DALI	0N89SA8C8FLD	CE ENEC <b>11.500</b>
champagne	white	clear	G4 dimmable led or G4 halogen	18 × 2W or 18 × 20W	IGBT	0N89SQ1C8F	CE ENEC <b>11.350</b>
			G4 dimmable led	18 × 2W	1-10V PWM	0N89SQ1C8FL	CE ENEC CB <b>11.350</b>
			G4 dimmable led or G4 halogen	18 × 2W or 18 × 20W	DALI	0N89SQ1C8FD	CE ENEC <b>11.700</b>
			G4 dimmable led	18 × 2W	100kΩ 0/1-10V PUSH - DALI	0N89SQ1C8FLD	CE ENEC <b>11.500</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 60 cm


22 | 
 1x 12  
 6x 3,2 | 
 1x 175x29x16 cm  
 6x 41x41x41 cm

# Argent small chandelier

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SE7C8F	CE ENEC <b>4.940</b>
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SE7C8FW	CE ENEC <b>4.940</b>
gold	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SP7C8F	CE ENEC <b>7.550</b>
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SP7C8FW	CE ENEC <b>7.550</b>
sunset rose	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SA8C8F	CE ENEC <b>7.550</b>
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SA8C8FW	CE ENEC <b>7.550</b>
champagne	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SQ1C8F	CE ENEC <b>7.550</b>
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SQ1C8FW	CE ENEC <b>7.550</b>

On site minimum adjustable overall height 80 cm



11




26




83×78×95 cm

# Argent medium chandelier

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SE7C8F	CE ENEC <b>8.400</b>
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SE7C8FW	CE ENEC <b>8.400</b>
gold	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SP7C8F	CE ENEC <b>12.650</b>
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SP7C8FW	CE ENEC <b>12.650</b>
sunset rose	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SA8C8F	CE ENEC <b>12.650</b>
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SA8C8FW	CE ENEC <b>12.650</b>
champagne	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SQ1C8F	CE ENEC <b>12.650</b>
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SQ1C8FW	CE ENEC <b>12.650</b>

On site minimum adjustable overall height 110 cm


20

66


82x86x146 cm

# Argent large chandelier

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SE7C8F	CE ENEC <b>12.650</b>
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SE7C8FW	CE ENEC <b>12.650</b>
gold	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SP7C8F	CE ENEC <b>18.950</b>
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SP7C8FW	CE ENEC <b>18.950</b>
sunset rose	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SA8C8F	CE ENEC <b>18.950</b>
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SA8C8FW	CE ENEC <b>18.950</b>
champagne	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SQ1C8F	CE ENEC <b>18.950</b>
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SQ1C8FW	CE ENEC <b>18.950</b>

On site minimum adjustable overall height 175 cm


36

108


85x85x195 cm

# Argent wall sconce


Body



Canopy



Canopy for DALI



Finish	Source	Max power	Dimming	Code	CE ENEC	Price €
stainless steel   nickel	G4 halogen	3 × 20W	IGBT TRIAC	0N97AE7C8F	CE ENEC	1.020
	G4 led	3 × 2W	no	0N97AE7C8FL	CE ENEC CB	1.020
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AE7C8FD	CE ENEC	1.170
gold	G4 halogen	3 × 20W	IGBT TRIAC	0N97AP7C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N97AP7C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AP7C8FD	CE ENEC	1.770
sunset rose	G4 halogen	3 × 20W	IGBT TRIAC	0N97AA8C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N97AA8C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AA8C8FD	CE ENEC	1.770
champagne	G4 halogen	3 × 20W	IGBT TRIAC	0N97AQ1C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N97AQ1C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AQ1C8FD	CE ENEC	1.770

G4 led and G4 halogen light bulbs are not included




1,5 | 
 3,2 
 41×41×41 cm

# Argent ceiling light

Body

Canopy

Canopy for DALI



Finish	Source	Max power	Dimming	Code	CE ENEC CB	Price €
 stainless steel   nickel	G4 halogen	3 × 20W	IGBT TRIAC	0N99LE7C8F	CE ENEC	1.020
	G4 led	3 × 2W	no	0N99LE7C8FL	CE ENEC CB	1.020
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LE7C8FD	CE ENEC	1.170
 gold	G4 halogen	3 × 20W	IGBT TRIAC	0N99LP7C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N99LP7C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LP7C8FD	CE ENEC	1.770
 sunset rose	G4 halogen	3 × 20W	IGBT TRIAC	0N99LA8C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N99LA8C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LA8C8FD	CE ENEC	1.770
 champagne	G4 halogen	3 × 20W	IGBT TRIAC	0N99LQ1C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N99LQ1C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LQ1C8FD	CE ENEC	1.770


G4 led and G4 halogen light bulbs are not included

 2,1

 3,8

 59×59×28,5 cm

## Argent table lamp



Finish	Cord	Source	Max power	Dimming	Code	CE ENEC	Price €
 stainless steel   nickel	clear	G4 led	3 × 2W	no	0N98BE7C8F	CE ENEC	<b>1.130</b>
 gold	clear	G4 led	3 × 2W	no	0N98BP7C8F	CE ENEC	<b>1.730</b>
 sunset rose	clear	G4 led	3 × 2W	no	0N98BA8C8F	CE ENEC	<b>1.730</b>
 champagne	clear	G4 led	3 × 2W	no	0N98BQ1C8F	CE ENEC	<b>1.730</b>


G4 led light bulbs are not included

 2,2 |  5,4  51x51x51 cm






# Argent | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type *	Finish
<b>Canopy</b>	 _____ cm <input type="checkbox"/>	 Standard <input type="checkbox"/> with quick system <input type="checkbox"/> without quick system	<input type="checkbox"/> white  <input type="checkbox"/> other _____
	 _____ cm <input type="checkbox"/>	 Flush <input type="checkbox"/> available only with quick	
	 _____ cm <input type="checkbox"/>	 Radial system <input type="checkbox"/>	
	 _____ cm <input type="checkbox"/>	 Disc <input type="checkbox"/>	
Based on your request, we will provide a solution that best meets your needs			

	Pendant height	Hanging on	Finish
<b>Height</b>		<b>Cables</b> <input type="checkbox"/>	<input type="checkbox"/> stainless steel  <input type="checkbox"/> gold  <input type="checkbox"/> sunset rose  <input type="checkbox"/> champagne  <input type="checkbox"/> other
	<b>Number of pendants</b> _____ min _____ cm _____ max _____ cm	<b>Rods (for Yachts)</b> <input type="checkbox"/>	
		<b>Diffuser</b>	

	Voltage	Type	Dimming
<b>Light Source</b>	<input type="checkbox"/> 120V <input type="checkbox"/> 230V	<input type="checkbox"/> halogen <input type="checkbox"/> led	<input type="checkbox"/> IGBT <input type="checkbox"/> 1-10V <input type="checkbox"/> PWM <input type="checkbox"/> TRIAC <input type="checkbox"/> PUSH <input type="checkbox"/> DALI <input type="checkbox"/> other _____

**Additional information**

\*For information about canopy types see page 194

# Argent, mon bijou | Design Dodo Arslan



## Material

Stainless steel and brass

## Finishes

Diffuser

Canopy



stainless steel



white



gold




sunset rose




champagne


## Legend




## Pendants




## Multi light pendant



## Portable table lamp



## Wall sconce





# Argent, mon bijou pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB OS01SE8H9FKK	<b>495</b>
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB OS01SE8H9FWKK	<b>495</b>
gold	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB OS01SE8P7FKK	<b>880</b>
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB OS01SE8P7FWKK	<b>880</b>
sunset rose	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB OS01SE8A8FKK	<b>880</b>
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB OS01SE8A8FWKK	<b>880</b>
champagne	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB OS01SE8Q1FKK	<b>880</b>
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB OS01SE8Q1FWKK	<b>880</b>

On site minimum adjustable overall height 25 cm

0,5 | 
 1 | 
 25x25x22 cm

## Power supply options



### INTEGRATED LED 3000K

Dimming		Code	Price €
IGBT / TRIAC	max 6 pendants	R1630000	<b>30 (net)</b>
1-10V / PUSH	min 2 max 8 pendants	R1110000	<b>55 (net)</b>
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	<b>95 (net)</b>

# Argent, mon bijou pendant light

Body

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 stainless steel	 white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS01SE8H9FT	<b>545</b>
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS01SE8H9FTW	<b>545</b>
 gold	 white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS01SE8P7FT	<b>940</b>
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS01SE8P7FTW	<b>940</b>
 sunset rose	 white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS01SE8A8FT	<b>940</b>
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS01SE8A8FTW	<b>940</b>
 champagne	 white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS01SE8Q1FT	<b>940</b>
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS01SE8Q1FTW	<b>940</b>

On site minimum adjustable overall height 30 cm


 0,7 | 
  1,2 | 
  25x25x22 cm

# Argent, mon bijou 3 round light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	3 x 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS03SE8H9FT	<b>1.600</b>
				3 x 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS03SE8H9FTW	<b>1.600</b>
gold	white	clear	integrated led	3 x 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS03SE8P7FT	<b>2.750</b>
				3 x 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS03SE8P7FTW	<b>2.750</b>
sunset rose	white	clear	integrated led	3 x 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS03SE8A8FT	<b>2.750</b>
				3 x 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS03SE8A8FTW	<b>2.750</b>
champagne	white	clear	integrated led	3 x 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS03SE8Q1FT	<b>2.750</b>
				3 x 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS03SE8Q1FTW	<b>2.750</b>


On site minimum adjustable overall height 95 cm

3,5

4

50x50x25 cm

# Argent, mon bijou 5 round light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS05SE8H9FT	<b>2.700</b>
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS05SE8H9FTW	<b>2.700</b>
gold	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS05SE8P7FT	<b>4.650</b>
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS05SE8P7FTW	<b>4.650</b>
sunset rose	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS05SE8A8FT	<b>4.650</b>
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS05SE8A8FTW	<b>4.650</b>
champagne	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS05SE8Q1FT	<b>4.650</b>
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS05SE8Q1FTW	<b>4.650</b>

On site minimum adjustable overall height 145 cm


4,5 | 
 5 | 
 51x51x51 cm

# Argent, mon bijou 7 round light pendant

Body



Canopy



Canopy	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS07SE8H9FT	<b>3.800</b>
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS07SE8H9FTW	<b>3.800</b>
gold	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS07SE8P7FT	<b>6.550</b>
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS07SE8P7FTW	<b>6.550</b>
sunset rose	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS07SE8A8FT	<b>6.550</b>
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS07SE8A8FTW	<b>6.550</b>
champagne	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS07SE8Q1FT	<b>6.550</b>
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS07SE8Q1FTW	<b>6.550</b>

On site minimum adjustable overall height 180 cm

5,5


6

67x67x30 cm

# Argent, mon bijou 15 round light pendant

Body

Canopy



Canopy	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	15 x 1,5W 2610 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS15SE8H9FT	<b>8.450</b>
				15 x 1,5W 2460 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS15SE8H9FTW	<b>8.450</b>
gold	white	clear	integrated led	15 x 1,5W 2610 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS15SE8P7FT	<b>14.450</b>
				15 x 1,5W 2460 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS15SE8P7FTW	<b>14.450</b>
sunset rose	white	clear	integrated led	15 x 1,5W 2610 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS15SE8A8FT	<b>14.450</b>
				15 x 1,5W 2460 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS15SE8A8FTW	<b>14.450</b>
champagne	white	clear	integrated led	15 x 1,5W 2610 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS15SE8Q1FT	<b>14.450</b>
				15 x 1,5W 2460 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS15SE8Q1FTW	<b>14.450</b>


On site minimum adjustable overall height 190 cm

18 | 22 | 90x90x35 cm

# Argent, mon bijou 3 linear light pendant

Body

Canopy



Canopy	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS03SE8H9FR	<b>1.600</b>
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS03SE8H9FRW	<b>1.600</b>
gold	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS03SE8P7FR	<b>2.750</b>
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS03SE8P7FRW	<b>2.750</b>
sunset rose	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS03SE8A8FR	<b>2.750</b>
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS03SE8A8FRW	<b>2.750</b>
champagne	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS03SE8Q1FR	<b>2.750</b>
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS03SE8Q1FRW	<b>2.750</b>


On site minimum adjustable overall height 60 cm



# Argent, mon bijou 4 linear light pendant


Body

Canopy




Canopy	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	4 × 1,5W 696 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS04SE8H9FR	<b>2.160</b>
				4 × 1,5W 656 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS04SE8H9FRW	<b>2.160</b>
gold	white	clear	integrated led	4 × 1,5W 696 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	<b>3.700</b>
				4 × 1,5W 656 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS04SE8P7FRW	<b>3.700</b>
sunset rose	white	clear	integrated led	4 × 1,5W 696 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS04SE8A8FR	<b>3.700</b>
				4 × 1,5W 656 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS04SE8A8FRW	<b>3.700</b>
champagne	white	clear	integrated led	4 × 1,5W 696 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS04SE8Q1FR	<b>3.700</b>
				4 × 1,5W 656 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS04SE8Q1FRW	<b>3.700</b>

On site minimum adjustable overall height 60 cm




# Argent, mon bijou 5 linear light pendant


Body



Canopy



Example - bespoke option



Canopy	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS05SE8H9FR	<b>2.700</b>
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS05SE8H9FRW	<b>2.700</b>
gold	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS05SE8P7FR	<b>4.650</b>
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS05SE8P7FRW	<b>4.650</b>
sunset rose	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS05SE8A8FR	<b>4.650</b>
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS05SE8A8FRW	<b>4.650</b>
champagne	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS05SE8Q1FR	<b>4.650</b>
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS05SE8Q1FRW	<b>4.650</b>



On site minimum adjustable overall height 60 cm



# Argent, mon bijou 6 linear light pendant

Body

Canopy




Canopy	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	6 × 1,5W 1044 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS06SE8H9FR	<b>3.260</b>
				6 × 1,5W 984 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS06SE8H9FRW	<b>3.260</b>
gold	white	clear	integrated led	6 × 1,5W 1044 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS06SE8P7FR	<b>5.600</b>
				6 × 1,5W 984 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS06SE8P7FRW	<b>5.600</b>
sunset rose	white	clear	integrated led	6 × 1,5W 1044 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS06SE8A8FR	<b>5.600</b>
				6 × 1,5W 984 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS06SE8A8FRW	<b>5.600</b>
champagne	white	clear	integrated led	6 × 1,5W 1044 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS06SE8Q1FR	<b>5.600</b>
				6 × 1,5W 984 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS06SE8Q1FRW	<b>5.600</b>

On site minimum adjustable overall height 60 cm




# Argent, mon bijou 7 linear light pendant


Body



Canopy



Example - bespoke option




Canopy	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS07SE8H9FR	<b>3.800</b>
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS07SE8H9FRW	<b>3.800</b>
gold	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS07SE8P7FR	<b>6.550</b>
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS07SE8P7FRW	<b>6.550</b>
sunset rose	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS07SE8A8FR	<b>6.550</b>
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS07SE8A8FRW	<b>6.550</b>
champagne	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS07SE8Q1FR	<b>6.550</b>
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS07SE8Q1FRW	<b>6.550</b>

On site minimum adjustable overall height 60 cm

10 | 
 13 | 
 117×29×16 cm

# Argent, mon bijou 11 linear light pendant




Canopy	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	11 × 1,5W 1914 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS11SE8H9FR	<b>6.150</b>
				11 × 1,5W 1804 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS11SE8H9FRW	<b>6.150</b>
gold	white	clear	integrated led	11 × 1,5W 1914 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS11SE8P7FR	<b>10.500</b>
				11 × 1,5W 1804 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS11SE8P7FRW	<b>10.500</b>
sunset rose	white	clear	integrated led	11 × 1,5W 1914 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS11SE8A8FR	<b>10.500</b>
				11 × 1,5W 1804 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS11SE8A8FRW	<b>10.500</b>
champagne	white	clear	integrated led	11 × 1,5W 1914 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS11SE8Q1FR	<b>10.500</b>
				11 × 1,5W 1804 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS11SE8Q1FRW	<b>10.500</b>

On site minimum adjustable overall height 60 cm

12 | 
 15 | 
 177x29x16 cm

# Argent, mon bijou 12 multi linear light pendant




Canopy	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	integrated led	12 x 1,5W 2088 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS12SE8H9FR	<b>6.700</b>
				12 x 1,5W 1968 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS12SE8H9FRW	<b>6.700</b>
gold	white	clear	integrated led	12 x 1,5W 2088 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS12SE8P7FR	<b>11.500</b>
				12 x 1,5W 1968 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS12SE8P7FRW	<b>11.500</b>
sunset rose	white	clear	integrated led	12 x 1,5W 2088 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS12SE8A8FR	<b>11.500</b>
				12 x 1,5W 1968 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS12SE8A8FRW	<b>11.500</b>
champagne	white	clear	integrated led	12 x 1,5W 2088 lm 3000K - 500mA	IGBT TRIAC	CE ENEC OS12SE8Q1FR	<b>11.500</b>
				12 x 1,5W 1968 lm 2700K - 500mA	IGBT TRIAC	CE ENEC OS12SE8Q1FRW	<b>11.500</b>

On site minimum adjustable overall height 60 cm


15 | 
 20 | 
 177x29x16 cm

## Argent, mon bijou portable table lamp



Finish	Source	Max power	Dimming	Autonomy	Code	Price €
stainless steel   nickel	integrated led	1,4W 210 lm 3000K	integrated 4 steps dimmer	min 5.5h max 36h	0N88BE7C8H	<b>360</b>
gold					0N88BP7C8H	<b>540</b>
sunset rose					0N88BA8C8H	<b>540</b>
champagne					0N88BQ1C8H	<b>540</b>



USB-A to USB-C 1m cable and battery included.  
Gift box included.



## Argent, mon bijou wall sconce

Body

Canopy




Diffuser	Source	Max power	Dimming	Code	Price €
stainless steel   nickel	integrated led	2,1W 237 lm 3000K -700mA	0/1-10V PUSH	0S01AE7H9F	<b>600</b>
gold				0S01AL6P7F	<b>990</b>
sunset rose				0S01AN4A8F	<b>990</b>
champagne				0S01AL6Q1F	<b>990</b>






# Argent, mon bijou | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

Canopy	Size	Type *	Finish
	 _____ cm <input type="checkbox"/>	 Magnetic <input type="checkbox"/>  Flush <input type="checkbox"/>  Radial system <input type="checkbox"/>  Cover disc <input type="checkbox"/>	<input type="checkbox"/> white <input type="checkbox"/> other _____
	 _____ cm <input type="checkbox"/>		
	 _____ cm <input type="checkbox"/>		
	 _____ cm <input type="checkbox"/>		
	Based on your request, we will provide a solution that best meets your needs		

Height	Pendant height	Hanging on	Diffuser	Finish
		<b>Cables</b> <input type="checkbox"/>  <b>Rods (for Yachts)</b> <input type="checkbox"/>		<input type="checkbox"/> stainless steel <input type="checkbox"/> gold <input type="checkbox"/> sunset rose <input type="checkbox"/> champagne
	<b>Number of pendants</b> _____	min _____ cm max _____ cm		

Light Source	Voltage	Type	Dimming
	120V <input type="checkbox"/> 230V <input type="checkbox"/>	<input type="checkbox"/> integrated led 3000K <input type="checkbox"/> integrated led 2700K	<input type="checkbox"/> IGBT <input type="checkbox"/> 1-10V <input type="checkbox"/> PWM <input type="checkbox"/> TRIAC <input type="checkbox"/> PUSH <input type="checkbox"/> DALI <input type="checkbox"/> other _____

**Additional information**


\*For information about canopy types see page 194



## Materials

Brass chains and metal structure plated

## Legend



## Finishes


### Diffuser

-  nickel plated
-  black nickel plated
-  brushed bronze
-  gold plated
-  champagne plated
-  brushed champagne plated


### Canopy

-  nickel plated
-  black nickel plated
-  brushed bronze
-  gold plated
-  champagne plated
-  brushed champagne plated

## Chandelier



## Wall sconce





## Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

## Atlantis small three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SE7C8F	CE ENEC <b>17.250</b>
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SE9C8F	CE ENEC <b>19.000</b>
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SF7C8F	CE ENEC <b>20.700</b>
gold plated	gold plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SL6C8F	CE ENEC <b>21.400</b>
champagne plated	champagne plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SN1C8F	CE ENEC <b>21.400</b>
brushed champagne plated	brushed champagne plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SN7C8F	CE ENEC <b>23.600</b>



E14 led light bulbs are not included  
On site minimum adjustable overall height 155 cm



## Atlantis medium three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SE7C8F	CE ENEC <b>19.300</b>
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SE9C8F	CE ENEC <b>21.400</b>
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SF7C8F	CE ENEC <b>22.800</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold plated	 gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SL6C8F	CE ENEC <b>24.200</b>
 champagne plated	 champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SN1C8F	CE ENEC <b>24.200</b>
 brushed champagne plated	 brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SN7C8F	CE ENEC <b>26.300</b>



E14 led light bulbs are not included  
On site minimum adjustable overall height 170 cm

 28 |  58  85×70×129 cm

## Atlantis large three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SE7C8F	CE ENEC <b>29.000</b>
 black nickel plated	 black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SE9C8F	CE ENEC <b>32.000</b>
 brushed bronze	 brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SF7C8F	CE ENEC <b>34.500</b>
 gold plated	 gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SL6C8F	CE ENEC <b>35.000</b>
 champagne plated	 champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SN1C8F	CE ENEC <b>35.000</b>
 brushed champagne plated	 brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SN7C8F	CE ENEC <b>38.500</b>



E14 led light bulbs are not included  
On site minimum adjustable overall height 230 cm

 37 |  91  115×85×150 cm

## Atlantis small linear chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SE7C8F	CE ENEC <b>20.000</b>
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SE9C8F	CE ENEC <b>22.000</b>
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SF7C8F	CE ENEC <b>24.200</b>
gold plated	gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SL6C8F	CE ENEC <b>24.800</b>
champagne plated	champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SN1C8F	CE ENEC <b>24.800</b>
brushed champagne plated	brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SN7C8F	CE ENEC <b>27.000</b>



E14 led light bulbs are not included  
On site minimum adjustable overall height 90 cm



## Atlantis medium linear chandelier

Body


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SE7C8F	CE ENEC <b>28.500</b>
black nickel plated	black nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SE9C8F	CE ENEC <b>31.000</b>
brushed bronze	brushed bronze	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SF7C8F	CE ENEC <b>33.500</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold plated	 gold plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SL6C8F	CE ENEC <b>35.000</b>
 champagne plated	 champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SN1C8F	CE ENEC <b>35.000</b>
 brushed champagne plated	 brushed champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SN7C8F	CE ENEC <b>38.500</b>


E14 led light bulbs are not included  
On site minimum adjustable overall height 105 cm



## Atlantis large linear chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SE7C8F	CE ENEC <b>36.500</b>
 black nickel plated	 black nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SE9C8F	CE ENEC <b>40.000</b>
 brushed bronze	 brushed bronze	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SF7C8F	CE ENEC <b>43.000</b>
 gold plated	 gold plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SL6C8F	CE ENEC <b>44.000</b>
 champagne plated	 champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SN1C8F	CE ENEC <b>44.000</b>
 brushed champagne plated	 brushed champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SN7C8F	CE ENEC <b>48.500</b>


E14 led light bulbs are not included  
On site minimum adjustable overall height 130 cm



## Atlantis two tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SE7C8F	CE ENEC <b>27.800</b>
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SE9C8F	CE ENEC <b>30.500</b>
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SF7C8F	CE ENEC <b>33.000</b>
gold plated	gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SL6C8F	CE ENEC <b>34.500</b>
champagne plated	champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SN1C8F	CE ENEC <b>34.500</b>
brushed champagne plated	brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SN7C8F	CE ENEC <b>38.000</b>

E14 led light bulbs are not included  
On site minimum adjustable overall height 125 cm



45



92




135×100×114 cm

## Atlantis small wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AE7C8F	CE ENEC <b>2.050</b>
black nickel plated	black nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AE9C8F	CE ENEC <b>2.260</b>
brushed bronze	brushed bronze	-	E14 dimmable led	2 × 6W	all systems	OJ04AF7C8F	CE ENEC <b>2.790</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold plated	 gold plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AL6C8F	CE ENEC <b>2.330</b>
 champagne plated	 champagne plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AN1C8F	CE ENEC <b>2.330</b>
 brushed champagne plated	 brushed champagne plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AN7C8F	CE ENEC <b>2.550</b>


E14 led light bulbs are not included

 2,5 |  4  45x30x30 cm

## Atlantis large wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AE7C8F	CE ENEC <b>4.200</b>
 black nickel plated	 black nickel plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AE9C8F	CE ENEC <b>4.850</b>
 brushed bronze	 brushed bronze	-	E14 dimmable led	4 × 6W	all systems	OJ03AF7C8F	CE ENEC <b>5.450</b>
 gold plated	 gold plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AL6C8F	CE ENEC <b>5.150</b>
 champagne plated	 champagne plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AN1C8F	CE ENEC <b>5.150</b>
 brushed champagne plated	 brushed champagne plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AN7C8F	CE ENEC <b>5.650</b>

E14 led light bulbs are not included

 6 |  9  59x59x28,5 cm



## Material

Clear crystal

## Finishes

Diffuser

Canopy




clear crystal





white

## Legend







## Pendants

---




## Multi light pendant

---




# Calle pendant light

Body



Disc



DRIVER NOT INCLUDED

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear	G4 dimmable led or G4 halogen	2W or 20W	see power supply options	OT01SE8A9FKK	CE ENEC <b>815</b>
			G4 dimmable led	2W	see power supply options	OT01SE8A9FLKK	CE ENEC CB <b>815</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 130 cm

1,5 | 3 83x25x26 cm

## Power supply options

### G4 HALOGEN


Dimming		Code	Price €
IGBT	max 2 pendants	R1030000	<b>35 (net)</b>
DALI	max 2 pendants	KITELETDALIHALO70	<b>175 (net)</b>

### G4 LED


Dimming		Code	Price €
IGBT	min 2 max 21 pendants	R1030000	<b>35 (net)</b>
100kΩ 0/1-10V	max 25 pendants	KITELETDALILED60	<b>150 (net)</b>
PUSH - DALI	max 43 pendants	KITELETDALILED100	<b>175 (net)</b>

## Calle pendant light


Body



Canopy




Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	20W	IGBT TRIAC	OT01SE8A9F	CE ENEC <b>865</b>
clear crystal	white	clear	G4 led	2W	no	OT01SE8A9FL	CE ENEC CB <b>865</b>
			G4 dimmable led or G4 halogen	3W or 20W	DALI	OT01SE8A9FD	CE ENEC <b>995</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 135 cm




## Calle 3 round multi light pendant

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	IGBT	OT03SE8A9F	CE ENEC <b>2.900</b>
clear crystal	white	clear	G4 led	3 × 2W	no	OT03SE8A9FL	CE ENEC CB <b>3.220</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	OT03SE8A9FD	CE ENEC <b>3.180</b>

Quick system included (for further information see page 194)  
G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 110 cm




## Calle 3 linear multi light pendant

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	IGBT	OT03SE8A9FR	CE ENEC <b>2.900</b>
clear crystal	white	clear	G4 led	3 × 2W	no	OT03SE8A9FRL	CE ENEC CB <b>3.220</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	OT03SE8A9FRD	CE ENEC <b>3.180</b>

Quick system included (for further information see page 194)  
G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 110 cm




## Calle 5 round multi light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 20W	IGBT	OT05SE8A9F	CE ENEC <b>4.790</b>
clear crystal	white	clear	G4 dimmable led	5 × 2W	1-10V PWM	OT05SE8A9FL	CE ENEC CB <b>4.790</b>
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 20W	DALI	OT05SE8A9FD	CE ENEC <b>5.200</b>



Quick system included (for further information see page 194)  
G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 135 cm



# Calle 5 linear multi light pendant

Body

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmable led or G4 halogen	5 x 2W or 5 x 20W	IGBT	OT05SE8A9FR	CE ENEC <b>4.790</b>
clear crystal	white	clear	G4 dimmable led	5 x 2W	1-10V PWM	OT05SE8A9FRL	CE ENEC CB <b>4.790</b>
			G4 dimmable led or G4 halogen	5 x 2W or 5 x 20W	DALI	OT05SE8A9FRD	CE ENEC <b>5.200</b>

Quick system included (for further information see page 194)  
 G4 led and G4 halogen light bulbs are not included  
 On site minimum adjustable overall height 110 cm



12,5 | 1x 6 / 1x 12 | 1x 117x29x16 cm / 1x 77x77x30 cm

# Calle | Bespoke


Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type*	Finish
<b>Canopy</b>	 _____ cm <input type="checkbox"/>	 Standard <input type="checkbox"/> available only with quick	<input type="checkbox"/> white <input type="checkbox"/> other _____
	 _____ cm <input type="checkbox"/>		
	 _____ cm <input type="checkbox"/>	 Flush <input type="checkbox"/> available only with quick	
	 _____ cm <input type="checkbox"/>	 Disc <input type="checkbox"/>	

Based on your request, we will provide a solution that best meets your needs

	Pendant height
<b>Height</b>	 min _____ cm max _____ cm

	Finish	Number of pendants
<b>Diffuser</b>	<input type="checkbox"/> clear crystal <input type="checkbox"/> other _____	

	Voltage	Type	Dimming
<b>Light Source</b>	<input type="checkbox"/> 120V <input type="checkbox"/> 230V	<input type="checkbox"/> halogen <input type="checkbox"/> led	<input type="checkbox"/> IGBT <input type="checkbox"/> 1-10V <input type="checkbox"/> TRIAC <input type="checkbox"/> PWM <input type="checkbox"/> DALI <input type="checkbox"/> Other _____

**Additional information**


\*For information about canopy types see page 194



**Materials**

Brass and glass

**Legend**



**Finishes**

Diffuser



nickel plated |  
clear glass



black nickel plated |  
clear glass



gold plated |  
clear glass

Canopy



white



nickel plated






black nickel  
plated



gold plated

## Pendant

---




## Bespoke

---


Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

## Core pendant light

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated   clear glass	white	clear	integrated led	2,1W 194 lm 3000K	no	OP22SE7A9F	CE ENEC <b>925</b>
			integrated led	2,1W 172 lm 2700K	no	OP22SE7A9FW	CE ENEC <b>925</b>
black nickel plated   clear glass	white	clear	integrated led	2,1W 194 lm 3000K	no	OP22SE9A9F	CE ENEC <b>960</b>
			integrated led	2,1W 172 lm 2700K	no	OP22SE9A9FW	CE ENEC <b>960</b>
gold plated   clear glass	white	clear	integrated led	2,1W 194 lm 3000K	no	OP22SL6A9F	CE ENEC <b>995</b>
			integrated led	2,1W 172 lm 2700K	no	OP22SL6A9FW	CE ENEC <b>995</b>

On site minimum adjustable overall height 50 cm




## Core dome pendant light

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated   clear glass	nickel plated	clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	OP21SE7A9F	CE ENEC <b>6.900</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	OP21SE7A9FW	CE ENEC <b>6.900</b>
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	OP21SE7A9FD	CE ENEC <b>7.200</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated   clear glass	 nickel plated	clear cord + steel cable	Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SE7A9FWD	CE ENEC <b>7.200</b>
			Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P21SE9A9F	CE ENEC <b>7.400</b>
 black nickel plated   clear glass	 black nickel plated	clear cord + steel cable	Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P21SE9A9FW	CE ENEC <b>7.400</b>
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P21SE9A9FD	CE ENEC <b>7.650</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SE9A9FWD	CE ENEC <b>7.650</b>
 gold plated   clear glass	 gold plated	clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P21SL6A9F	CE ENEC <b>8.200</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P21SL6A9FW	CE ENEC <b>8.200</b>
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P21SL6A9FD	CE ENEC <b>8.450</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SL6A9FWD	CE ENEC <b>8.450</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SL6A9FWD	CE ENEC <b>8.450</b>



On site minimum adjustable overall height 65 cm



## Core sphere pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated   clear glass	 nickel plated	clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P20SE7A9F	CE ENEC <b>10.150</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P20SE7A9FW	CE ENEC <b>10.150</b>
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P20SE7A9FD	CE ENEC <b>10.450</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P20SE7A9FWD	CE ENEC <b>10.450</b>
 black nickel plated   clear glass	 black nickel plated	clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P20SE9A9F	CE ENEC <b>11.250</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 black nickel plated   clear glass	 black nickel plated	clear cord + steel cable	Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P20SE9A9FW	CE ENEC <b>11.250</b>
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P20SE9A9FD	CE ENEC <b>11.500</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P20SE9A9FWD	CE ENEC <b>11.500</b>
 gold plated   clear glass	 gold plated	clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P20SL6A9F	CE ENEC <b>12.650</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P20SL6A9FW	CE ENEC <b>12.650</b>
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P20SL6A9FD	CE ENEC <b>12.900</b>
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P20SL6A9FWD	CE ENEC <b>12.900</b>

On site minimum adjustable overall height 90 cm



16,5



26



83x78x95 cm



# Doodle | Design Simone Micheli



## Material

Brass

## Finishes


Diffuser

-  nickel plated
-  black nickel plated
-  gold plated
-  copper plated (may age naturally)

Canopy


-  white
-  nickel plated
-  black nickel plated
-  gold plated
-  copper plated (may age naturally)

## Legend




## Pendant

---




## Chandelier

---




## Floor lamp

---




## Table lamp

---



## Wall sconce

---




## Bespoke

---


Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

# Doodle pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code		Price €
nickel plated	white	clear cord + steel cable	G4 led	2W	no	0J80SE7C8FL	CE ENEC CB	<b>565</b>
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SE7C8FD	CE ENEC	<b>710</b>
black nickel plated	white	clear cord + steel cable	G4 led	2W	no	0J80SE9C8FL	CE ENEC CB	<b>600</b>
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SE9C8FD	CE ENEC	<b>735</b>
gold plated	white	clear cord + steel cable	G4 led	2W	no	0J80SL6C8FL	CE ENEC CB	<b>625</b>
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SL6C8FD	CE ENEC	<b>765</b>
copper plated (may age naturally)	white	clear cord + steel cable	G4 led	2W	no	0J80SL5C8FL	CE ENEC CB	<b>625</b>
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SL5C8FD	CE ENEC	<b>765</b>

G4 led light bulbs are not included  
On site minimum adjustable overall height 45 cm



1,4




2,4




36x31x30 cm

# Doodle chandelier

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmable led	5 × 2W	IGBT	0J93SE7C8F	CE ENEC <b>1.970</b>
nickel plated	white	clear cord + steel cable	G4 dimmable led	5 × 2W	1-10V PWM	0J93SE7C8FL	CE ENEC CB <b>1.970</b>
			G4 dimmable led	5 × 2W	DALI	0J93SE7C8FD	CE ENEC <b>2.120</b>
black nickel plated	white	clear cord + steel cable	G4 dimmable led	5 × 2W	IGBT	0J93SE9C8F	CE ENEC <b>2.180</b>
			G4 dimmable led	5 × 2W	1-10V PWM	0J93SE9C8FL	CE ENEC CB <b>2.180</b>
			G4 dimmable led	5 × 2W	DALI	0J93SE9C8FD	CE ENEC <b>2.320</b>
gold plated	white	clear cord + steel cable	G4 dimmable led	5 × 2W	IGBT	0J93SL6C8F	CE ENEC <b>2.600</b>
			G4 dimmable led	5 × 2W	1-10V PWM	0J93SL6C8FL	CE ENEC CB <b>2.600</b>
			G4 dimmable led	5 × 2W	DALI	0J93SL6C8FD	CE ENEC <b>2.750</b>

G4 led light bulbs are not included  
On site minimum adjustable overall height 60 cm




# Doodle vertical chandelier


Body



Canopy



Canopy for DALI | CB version



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated  white		clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SE7C8F	CE ENEC <b>2.960</b>
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SE7C8FL	CE ENEC <b>CB 2.960</b>
			G4 dimmable led	6 × 2W	DALI	0J87SE7C8FD	CE ENEC <b>3.240</b>
 black nickel plated  white		clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SE9C8F	CE ENEC <b>3.100</b>
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SE9C8FL	CE ENEC <b>CB 3.100</b>
			G4 dimmable led	6 × 2W	DALI	0J87SE9C8FD	CE ENEC <b>3.380</b>
 gold plated  white		clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SL6C8F	CE ENEC <b>3.240</b>
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SL6C8FL	CE ENEC <b>CB 3.240</b>
			G4 dimmable led	6 × 2W	DALI	0J87SL6C8FD	CE ENEC <b>3.520</b>
 copper plated (may age naturally)  white		clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SL5C8F	CE ENEC <b>3.240</b>
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SL5C8FL	CE ENEC <b>CB 3.240</b>
			G4 dimmable led	6 × 2W	DALI	0J87SL5C8FD	CE ENEC <b>3.520</b>

G4 led light bulbs are not included  
On site minimum adjustable overall height 150 cm



7,5




10




162×35×35 cm

# Doodle linear chandelier


Body



Canopy




Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmable led	6 × 2W	IGBT	0J81SE7C8F	CE ENEC <b>2.960</b>
nickel plated	nickel plated	clear cord + steel cable	G4 dimmable led	6 × 2W	1-10V PWM	0J81SE7C8FL	CE ENEC CB <b>2.960</b>
			G4 dimmable led	6 × 2W	DALI	0J81SE7C8FD	CE ENEC <b>3.240</b>
black nickel plated	black nickel plated	clear cord + steel cable	G4 dimmable led	6 × 2W	1-10V PWM	0J81SE9C8FL	CE ENEC CB <b>3.100</b>
			G4 dimmable led	6 × 2W	DALI	0J81SE9C8FD	CE ENEC <b>3.380</b>
gold plated	gold plated	clear cord + steel cable	G4 dimmable led	6 × 2W	1-10V PWM	0J81SL6C8FL	CE ENEC CB <b>3.240</b>
			G4 dimmable led	6 × 2W	DALI	0J81SL6C8FD	CE ENEC <b>3.520</b>
copper plated (may age naturally)	copper plated (may age naturally)	clear cord + steel cable	G4 dimmable led	6 × 2W	1-10V PWM	0J81SL5C8FL	CE ENEC CB <b>3.240</b>
			G4 dimmable led	6 × 2W	DALI	0J81SL5C8FD	CE ENEC <b>3.520</b>

G4 led light bulbs are not included  
On site minimum adjustable overall height 50 cm



# Doodle floor lamp

Body



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear	G4 led	6 × 1,2W	no	0J86PE7C8F	€€ ENEC <b>3.310</b>
 black nickel plated	 black nickel plated	clear	G4 led	6 × 1,2W	no	0J86PE9C8F	€€ ENEC <b>3.450</b>
 gold plated	 gold plated	clear	G4 led	6 × 1,2W	no	0J86PL6C8F	€€ ENEC <b>3.800</b>
 copper (may age naturally)	 copper (may age naturally)	clear	G4 led	6 × 1,2W	no	0J86PL5C8F	€€ ENEC <b>3.800</b>

G4 led light bulbs are not included



16




21



191x46x46 cm

# Doodle table lamp

Body



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	-	clear	G4 led	2W	no	0J84BE7C8F	CE ENEC <b>565</b>
 black nickel plated	-	clear	G4 led	2W	no	0J84BE9C8F	CE ENEC <b>600</b>
 gold plated	-	clear	G4 led	2W	no	0J84BL6C8F	CE ENEC <b>625</b>
 copper (may age naturally)	-	clear	G4 led	2W	no	0J84BL5C8F	CE ENEC <b>625</b>


G4 led light bulbs are not included

 1,2 |  2


 36x31x30 cm

# Doodle wall sconce


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear	G4 led	2W	no	0J82AE7C8FL	CE ENEC CB <b>565</b>
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AE7C8FD*	CE ENEC <b>710</b>
black nickel plated	black nickel plated	clear	G4 led	2W	no	0J82AE9C8FL	CE ENEC CB <b>600</b>
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AE9C8FD*	CE ENEC <b>740</b>
gold plated	gold plated	clear	G4 led	2W	no	0J82AL6C8FL	CE ENEC CB <b>625</b>
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AL6C8FD*	CE ENEC <b>765</b>
copper (may age naturally)	copper (may age naturally)	clear	G4 led	2W	no	0J82AL5C8FL	CE ENEC CB <b>625</b>
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AL5C8FD*	CE ENEC <b>765</b>

G4 led light bulbs are not included

1,8  
\* 2,2

2,4  
\* 3

36x31x30 cm  
\* 36x31x30 cm



# Dragon | Design Dodo Arslan



## Material

Brass

## Finish

Body

Ceiling attachment




polished brass




white

## Legend




# Suspended sculpture




## Dragon round suspended sculpture | 4S

Body




Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E04SE8N50	€ 6.200

The sculpture does not have integrated lighting  
On site minimum adjustable overall height 50 cm



## Dragon linear suspended sculpture | 10S

Body




Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E02SE8N50	€ 15.500

The sculpture does not have integrated lighting  
On site minimum adjustable overall height 55 cm



## Dragon round suspended sculpture | 11M

Body




Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E03SE8N50	€ 37.000

The sculpture does not have integrated lighting  
On site minimum adjustable overall height 115 cm

 34 |  174  57x147x143 cm

## Dragon linear suspended sculpture | 23M

Body




Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E05SE8N50	€ 75.000

The sculpture does not have integrated lighting  
On site minimum adjustable overall height 130 cm

 69 |  210  205x160x166 cm

# Dragon | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

**Body**


**Type modules and the number**

small



Qty \_\_\_\_\_


medium



Qty \_\_\_\_\_

**Size**


round



H max \_\_\_\_\_ cm

Ø max \_\_\_\_\_ cm

linear




H max \_\_\_\_\_ cm

D max \_\_\_\_\_ cm

L max \_\_\_\_\_ cm

**Height**

**Suspended sculpture**



**Finish ceiling attachment**

white

black

other \_\_\_\_\_

**Additional information**



## Materials

Brass chains and metal structure plated

## Finishes

Diffuser

Canopy



nickel plated



white



black nickel plated




brushed bronze




gold plated

## Legend



## Chandelier

---



## Bespoke



---

Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

# Epoque vertical chandelier

Body

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	white	clear cord + steel cable	integrated led	12 × 2,1W 2844 lm 3000K	0/1-10V PUSH DALI	0G91SE7C8F	CE ENEC <b>19.500</b>
				12 × 2,1W 2676 lm 2700K	0/1-10V PUSH DALI	0G91SE7C8FW	CE ENEC <b>19.500</b>
black nickel plated	white	clear cord + steel cable	integrated led	12 × 2,1W 2844 lm 3000K	0/1-10V PUSH DALI	0G91SE9C8F	CE ENEC <b>21.500</b>
				12 × 2,1W 2676 lm 2700K	0/1-10V PUSH DALI	0G91SE9C8FW	CE ENEC <b>21.500</b>
brushed bronze	white	clear cord + steel cable	integrated led	12 × 2,1W 2844 lm 3000K	0/1-10V PUSH DALI	0G91SF7C8F	CE ENEC <b>23.000</b>
				12 × 2,1W 2676 lm 2700K	0/1-10V PUSH DALI	0G91SF7C8FW	CE ENEC <b>23.000</b>
gold plated	white	clear cord + steel cable	integrated led	12 × 2,1W 2844 lm 3000K	0/1-10V PUSH DALI	0G91SL6C8F	CE ENEC <b>24.000</b>
				12 × 2,1W 2676 lm 2700K	0/1-10V PUSH DALI	0G91SL6C8FW	CE ENEC <b>24.000</b>

On site minimum adjustable overall height 215 cm


14,5 | 
 55 | 
 196x50x71 cm

# Epoque chandelier


Body



Top view



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code		Price €
nickel plated	white	clear cord + steel rope	integrated led	20 × 2,1W 4740 lm 3000K	PUSH DALI	OG90SE7C8F	CE ENEC	<b>26.000</b>
				20 × 2,1W 4460 lm 2700K	PUSH DALI	OG90SE7C8FW	CE ENEC	<b>26.000</b>
black nickel plated	white	clear cord + steel rope	integrated led	20 × 2,1W 4740 lm 3000K	PUSH DALI	OG90SE9C8F	CE ENEC	<b>35.000</b>
				20 × 2,1W 4460 lm 2700K	PUSH DALI	OG90SE9C8FW	CE ENEC	<b>35.000</b>
brushed bronze	white	clear cord + steel rope	integrated led	20 × 2,1W 4740 lm 3000K	PUSH DALI	OG90SF7C8F	CE ENEC	<b>37.000</b>
				20 × 2,1W 4460 lm 2700K	PUSH DALI	OG90SF7C8FW	CE ENEC	<b>37.000</b>
gold plated	white	clear cord + steel rope	integrated led	20 × 2,1W 4740 lm 3000K	PUSH DALI	OG90SL6C8F	CE ENEC	<b>39.000</b>
				20 × 2,1W 4460 lm 2700K	PUSH DALI	OG90SL6C8FW	CE ENEC	<b>39.000</b>

Not adjustable on site



# Etoile | Design Christian Lava



## Material

Metal

## Finishes

Diffuser



nickel plated

Canopy




nickel plated




white

## Legend




## Pendant

---




## Chandelier

---



## Wall sconce

---




## Bespoke

---


Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

## Etoile pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	20W	IGBT TRIAC	OP05SE7C8F	CE ENE <b>560</b>
nickel plated	white	clear	G4 led	2W	no	OP05SE7C8FL	CE ENE CB <b>560</b>
			G4 dimmable led or G4 halogen	3W or 10W	DALI	OP05SE7C8FD*	CE ENE <b>670</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 40 cm


1 \* 2 | 2 \* 2,8 30x30x30 cm

## Etoile linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	8 × 20W	IGBT TRIAC	OP04SE7C8F	CE ENE <b>2.500</b>
nickel plated	nickel plated	clear	G4 led	8 × 2W	no	OP04SE7C8FL	CE ENE CB <b>2.500</b>
			G4 dimmable led	8 × 2W	DALI	OP04SE7C8FLD	CE ENE <b>2.500</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 40 cm


9 | 12 162x35x35 cm

## Etoile chandelier

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	8 × 10W 8 × 20W	IGBT TRIAC	OP01SE7C8F	CE ENEC <b>3.900</b>
nickel plated	nickel plated	clear cord + steel cable	G4 dimmmable led	16 × 1,2W	1-10V PWM	OP01SE7C8FL	CE ENEC CB <b>3.900</b>
			G4 dimmmable led	16 × 1,2W	100kΩ 0/1-10V PUSH - DALI	OP01SE7C8FLD	CE ENEC <b>3.900</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 40 cm




## Etoile wall sconce

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	G4 dimmmable led or G4 halogen	6 × 2W or 6 × 10W	IGBT	OP03AE7C8F	CE ENEC <b>995</b>
			G4 led	6 × 2W	no	OP03AE7C8FL	CE ENEC CB <b>995</b>

G4 led and G4 halogen light bulbs are not included





## Material

Clear glass

## Finishes


Diffuser

-  white | clear glass
-  silver plated | clear glass
-  gold plated | clear glass

Canopy




-  white
-  silver plated
-  gold plated

## Legend




## Pendants

---



## Wall sconce

---



## Bespoke



---

Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

## Frame small cylinder pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white   clear glass	white	clear	E14 led	4W	all systems	0Q01SE8A9F	CE ENEC <b>570</b>
silver plated   clear glass	silver plated	clear	E14 led	4W	all systems	0Q01SG7A9F	CE ENEC <b>725</b>
gold plated   clear glass	gold plated	clear	E14 led	4W	all systems	0Q01SL6A9F	CE ENEC <b>725</b>



E14 led light bulbs are not included  
On site minimum adjustable overall height 95 cm

1,2 | 2,5 65x27x24 cm

## Frame large cylinder pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white   clear glass	white	clear	E14 led	4W	all systems	0Q02SE8A9F	CE ENEC <b>675</b>
silver plated   clear glass	silver plated	clear	E14 led	4W	all systems	0Q02SG7A9F	CE ENEC <b>990</b>
gold plated   clear glass	gold plated	clear	E14 led	4W	all systems	0Q02SL6A9F	CE ENEC <b>990</b>


E14 led light bulbs are not included  
On site minimum adjustable overall height 95 cm

1,8 | 3 65x27x24 cm

## Frame cone pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white   clear glass	white	clear	E14 led	4W	all systems	0Q03SE8A9F	CE EBC <b>940</b>
silver plated   clear glass	silver plated	clear	E14 led	4W	all systems	0Q03SG7A9F	CE EBC <b>1.160</b>
gold plated   clear glass	gold plated	clear	E14 led	4W	all systems	0Q03SL6A9F	CE EBC <b>1.160</b>


E14 led light bulbs are not included  
On site minimum adjustable overall height 95 cm

1,4 | 3,6 77x35x26 cm

## Frame wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white   clear glass	white	-	G9 led	3,5W	all systems	0Q04AE8A9F	CE EBC <b>605</b>
silver plated   clear glass	silver plated	-	G9 led	3,5W	all systems	0Q04AG7A9F	CE EBC <b>795</b>
gold plated   clear glass	gold plated	-	G9 led	3,5W	all systems	0Q04AL6A9F	CE EBC <b>795</b>

E14 led light bulbs are not included

1,2 | 2,5 49x41x19 cm



**Materials**

Brass

**Finishes**

Diffuser

Canopy



nickel plated



white




gold plated




matte walnut

**Legend**



## Chandelier

---




## Bespoke

---


Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

# Gaia linear chandelier

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated  white		clear cord + steel cable	integrated led	12 × 1,5W 2088 lm 3000K	1-10V PUSH	0G41SE7C8F	CE ENEC <b>3.800</b>
			integrated led	12 × 1,5W 1968 lm 2700K	1-10V PUSH	0G41SE7C8FW	CE ENEC <b>3.800</b>
			integrated led	12 × 1,5W 2088 lm 3000K	DALI	0G41SE7C8FD	CE ENEC <b>3.940</b>
			integrated led	12 × 1,5W 1968 lm 2700K	DALI	0G41SE7C8FWD	CE ENEC <b>3.940</b>
 gold plated  white		clear cord + steel cable	integrated led	12 × 1,5W 2088 lm 3000K	1-10V PUSH	0G41SL6C8F	CE ENEC <b>4.760</b>
			integrated led	12 × 1,5W 1968 lm 2700K	1-10V PUSH	0G41SL6C8FW	CE ENEC <b>4.760</b>
			integrated led	12 × 1,5W 2088 lm 3000K	DALI	0G41SL6C8FD	CE ENEC <b>4.850</b>
			integrated led	12 × 1,5W 1968 lm 2700K	DALI	0G41SL6C8FWD	CE ENEC <b>4.850</b>
 matte walnut  white		clear cord + steel cable	integrated led	12 × 1,5W 2088 lm 3000K	1-10V PUSH	0G41SP2C8F	CE ENEC <b>4.900</b>
			integrated led	12 × 1,5W 1968 lm 2700K	1-10V PUSH	0G41SP2C8FW	CE ENEC <b>4.900</b>
			integrated led	12 × 1,5W 2088 lm 3000K	DALI	0G41SP2C8FD	CE ENEC <b>4.980</b>
			integrated led	12 × 1,5W 1968 lm 2700K	DALI	0G41SP2C8FWD	CE ENEC <b>4.980</b>

On site minimum adjustable overall height 50 cm  
Please note that due to natural wood properties, the shade of each chandelier in matte wood may be slightly different




# Gaia double linear chandelier


Body



Top view



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	white	clear cord + steel cable	integrated led	24 × 1,5W 4176 lm 3000K	0/1-10V PUSH DALI	OG40SE7C8F	CE ENEC <b>7.550</b>
			integrated led	24 × 1,5W 3936 lm 2700K	0/1-10V PUSH DALI	OG40SE7C8FW	CE ENEC <b>7.550</b>
gold plated	white	clear cord + steel cable	integrated led	24 × 1,5W 4176 lm 3000K	0/1-10V PUSH DALI	OG40SL6C8F	CE ENEC <b>9.400</b>
			integrated led	24 × 1,5W 3936 lm 2700K	0/1-10V PUSH DALI	OG40SL6C8FW	CE ENEC <b>9.400</b>
matte walnut	white	clear cord + steel cable	integrated led	24 × 1,5W 4176 lm 3000K	0/1-10V PUSH DALI	OG40SP2C8F	CE ENEC <b>9.600</b>
			integrated led	24 × 1,5W 3936 lm 2700K	0/1-10V PUSH DALI	OG40SP2C8FW	CE ENEC <b>9.600</b>

On site minimum adjustable overall height 50 cm  
Please note that due to natural wood properties, the shade of each chandelier in matte wood may be slightly different

7,6 | 11 107x23x26 cm



# Gaia | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

<b>Canopy</b>	<b>Size</b>	<b>Finish</b>
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">               _____ cm <input type="checkbox"/> </div> <div style="text-align: center;">               _____ cm <input type="checkbox"/> </div> </div> <div style="text-align: center;">               _____ cm <input type="checkbox"/> </div> <p>Based on your request, we will provide a solution that best meets your needs</p>	<input type="checkbox"/> white <input type="checkbox"/> black <input type="checkbox"/> other _____

<b>Height</b>	<b>Chandelier height</b>	
	 <p>H max _____</p> <p>L max _____ cm</p> <p>H max _____ cm</p>	 <p>H max _____</p> <p>L max _____ cm</p> <p>H max _____ cm</p>

<b>Diffuser</b>	<b>Finish</b>
	<input type="checkbox"/> black <input type="checkbox"/> white <input type="checkbox"/> other    _____

<b>Light Source</b>	<b>Voltage</b>	<b>Type</b>	<b>Dimming</b>
	<input type="checkbox"/> 120V <input type="checkbox"/> 230V	<input type="checkbox"/> 3000K <input type="checkbox"/> 2700K	<input type="checkbox"/> IGBT <input type="checkbox"/> 1-10V <input type="checkbox"/> TRIAC <input type="checkbox"/> PUSH <input type="checkbox"/> DALI <input type="checkbox"/> other _____

**Additional information**




## Material

Stainless steel or brass

## Finish


Body



Ceiling attachment





## Legend





## Suspended linear sculpture

---




## Suspended vertical sculpture

---




## Genesis linear suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B55SE7H90	€€	<b>6.850</b>
 brass	 gold plated	air craft nylon cable	0B55SL6N50	€€	<b>8.200</b>

On site adjustable overall height from 100 to 140 cm  
On site adjustable overall length from 130 to 170 cm



## Genesis double linear suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B56SE7H90	€€	<b>13.700</b>
 brass	 gold plated	air craft nylon cable	0B56SL6N50	€€	<b>16.500</b>

On site adjustable overall height from 100 to 140 cm  
On site adjustable overall length from 240 to 300 cm



## Genesis small vertical suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B61SE7H90	€€	<b>750</b>
 brass	 gold plated	air craft nylon cable	0B61SL6N50	€€	<b>890</b>

On site adjustable overall height 70 cm



## Genesis vertical suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B60SE7H90	€€	<b>6.850</b>
 brass	 gold plated	air craft nylon cable	0B60SL6N50	€€	<b>8.200</b>

On site adjustable sculpture height from 140 to 180 cm  
On site adjustable overall height from 240 to 300 cm



# Harpe | Design Christian Lava



## Material

Metal

## Finishes

Diffuser

Canopy



matte pearl



white




matte black nickel









matte red gold









## Legend



## Pendants




## Multi light pendant




# Harpe pendant light

Body



Disc



DRIVER NOT INCLUDED

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
● matte pearl	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W011SE8B5FKK	<b>495</b>
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W011SE8B5FWKK	<b>495</b>
● matte black nickel	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W011SE8B6FKK	<b>495</b>
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W011SE8B6FWKK	<b>495</b>
● matte red gold	● white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W011SE8B8FKK	<b>495</b>
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W011SE8B8FWKK	<b>495</b>

On site minimum adjustable over all height 35 cm



0,4



0,7



32x24x17 cm


## Power supply options

### INTEGRATED LED 3000K


Dimming		Code	Price €
IGBT / TRIAC	max 4 pendants	R1630000	<b>30 (net)</b>
1-10V / PUSH	min 2 max 8 pendants	R1110000	<b>55 (net)</b>
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	<b>95 (net)</b>

## Harpe pendant light

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €	
● matte pearl	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE	0W011SE8B5FT	545
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE	0W011SE8B5FTW	545
● matte black nickel	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE	0W011SE8B6FT	545
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE	0W011SE8B6FTW	545
● matte red gold	● white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE	0W011SE8B8FT	545
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE	0W011SE8B8FTW	545

On site minimum adjustable over all height 40 cm




## Harpe pendant light

Body



Disc



DRIVER NOT INCLUDED

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €	
● matte pearl	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB	0W012SE8B5FKK	715
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB	0W012SE8B5FWKK	715
● matte black nickel	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB	0W012SE8B6FKK	715

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 matte black nickel	 white	grey fabric	integrated led	2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W012SE8B6FWKK	<b>715</b>
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W012SE8B8FKK	<b>715</b>
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W012SE8B8FWKK	<b>715</b>

On site minimum adjustable over all height 55 cm

 1,4 |  1,8  60x30x16 cm


## Power supply options

### INTEGRATED LED 3000K


Dimming	Code	Price €
IGBT / TRIAC	R1630000	<b>30 (net)</b>
1-10V / PUSH	R1110000	<b>55 (net)</b>
0/1-10V / PUSH / DALI	R1070000	<b>95 (net)</b>

## Harpe pendant light

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE 0W012SE8B5FT	<b>765</b>
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE 0W012SE8B5FTW	<b>765</b>
 matte black nickel	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE 0W012SE8B6FT	<b>765</b>
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE 0W012SE8B6FTW	<b>765</b>
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE 0W012SE8B8FT	<b>765</b>
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE 0W012SE8B8FTW	<b>765</b>

On site minimum adjustable over all height 60 cm


 1,5 |  2  60x30x16 cm

# Harpe pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
● matte pearl	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W013SE8B5FKK	<b>935</b>
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W013SE8B5FWKK	<b>935</b>
● matte black nickel	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W013SE8B6FKK	<b>935</b>
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W013SE8B6FWKK	<b>935</b>
● matte red gold	● white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W013SE8B8FKK	<b>935</b>
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W013SE8B8FWKK	<b>935</b>

On site minimum adjustable over all height 75 cm

2,2 | 
 2,7 | 
 77x35x27 cm

## Power supply options



### INTEGRATED LED 3000K

Dimming		Code	Price €
IGBT / TRIAC	max 4 pendants	R1630000	<b>30 (net)</b>
1-10V / PUSH	min 2 max 8 pendants	R1110000	<b>55 (net)</b>
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	<b>95 (net)</b>

## Harpe pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
● matte pearl	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	☒ 0W013SE8B5FT	<b>985</b>
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	☒ 0W013SE8B5FTW	<b>985</b>
● matte black nickel	● white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	☒ 0W013SE8B6FT	<b>985</b>
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	☒ 0W013SE8B6FTW	<b>985</b>
● matte red gold	● white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	☒ 0W013SE8B8FT	<b>985</b>
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	☒ 0W013SE8B8FTW	<b>985</b>



On site minimum adjustable over all height 80 cm

kg 2,3 | kg 2,8 | 77x35x27 cm

## Harpe 2 round light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
● matte pearl	● white	grey fabric	integrated led	2 x 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	☒ 0W024SE8B5FT	<b>1.300</b>
				2 x 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	☒ 0W024SE8B5FTW	<b>1.300</b>
● matte black nickel	● white	grey fabric	integrated led	2 x 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	☒ 0W024SE8B6FT	<b>1.300</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte black nickel	 white	grey fabric	integrated led	2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE 0W024SE8B6FTW	<b>1.300</b>
 matte red gold	 white	champagne fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE 0W024SE8B8FT	<b>1.300</b>
				2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE 0W024SE8B8FTW	<b>1.300</b>


On site minimum adjustable over all height 95 cm

 3,8 |  4,5  65x27x25 cm

## Harpe 2 round light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE 0W025SE8B5FT	<b>1.860</b>
				2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE 0W025SE8B5FTW	<b>1.860</b>
 matte black nickel	 white	grey fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE 0W025SE8B6FT	<b>1.860</b>
				2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE 0W025SE8B6FTW	<b>1.860</b>
 matte red gold	 white	champagne fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE 0W025SE8B8FT	<b>1.860</b>
				2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE 0W025SE8B8FTW	<b>1.860</b>



On site minimum adjustable over all height 115 cm

 5,6 |  6,3  77x35x27 cm

## Harpe 3 round light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
● matte pearl	● white	grey fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	☑ 0W034SE8B5FT	<b>1.860</b>
				3 × 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	☑ 0W034SE8B5FTW	<b>1.860</b>
● matte black nickel	● white	grey fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	☑ 0W034SE8B6FT	<b>1.860</b>
				3 × 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	☑ 0W034SE8B6FTW	<b>1.860</b>
● matte red gold	● white	champagne fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	☑ 0W034SE8B8FT	<b>1.860</b>
				3 × 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	☑ 0W034SE8B8FTW	<b>1.860</b>



On site minimum adjustable over all height 110 cm

⚖ 4,2 | ⚖ 4,7 | 📦 77x35x27 cm

## Harpe 3 round light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
● matte pearl	● white	grey fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	☑ 0W037SE8B5FT	<b>2.200</b>
				3 × 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	☑ 0W037SE8B5FTW	<b>2.200</b>
● matte black nickel	● white	grey fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	☑ 0W037SE8B6FT	<b>2.200</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte black nickel	 white	grey fabric	integrated led	3 × 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	CE 0W037SE8B6FTW	<b>2.200</b>
 matte red gold	 white	champagne fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	CE 0W037SE8B8FT	<b>2.200</b>
				3 × 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	CE 0W037SE8B8FTW	<b>2.200</b>


On site minimum adjustable over all height 130 cm

 6 |  6,5  77x35x27 cm

## Harpe 5 round light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	5 × 2,1W 1185 lm 3000K - 700mA	IGBT TRIAC	CE 0W057SE8B5FT	<b>3.900</b>
				5 × 2,1W 1115 lm 2700K - 700mA	IGBT TRIAC	CE 0W057SE8B5FTW	<b>3.900</b>
 matte black nickel	 white	grey fabric	integrated led	5 × 2,1W 1185 lm 3000K - 700mA	IGBT TRIAC	CE 0W057SE8B6FT	<b>3.900</b>
				5 × 2,1W 1115 lm 2700K - 700mA	IGBT TRIAC	CE 0W057SE8B6FTW	<b>3.900</b>
 matte red gold	 white	champagne fabric	integrated led	5 × 2,1W 1185 lm 3000K - 700mA	IGBT TRIAC	CE 0W057SE8B8FT	<b>3.900</b>
				5 × 2,1W 1115 lm 2700K - 700mA	IGBT TRIAC	CE 0W057SE8B8FTW	<b>3.900</b>


On site minimum adjustable over all height 130 cm

 9 |  12  77x77x30 cm

## Harpe 8 round light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
● matte pearl	● white	grey fabric	integrated led	8 × 2,1W 1896 lm 3000K - 700mA	IGBT TRIAC	☒ 0W087SE8B5FT	<b>7.400</b>
				8 × 2,1W 1784 lm 2700K - 700mA	IGBT TRIAC	☒ 0W087SE8B5FTW	<b>7.400</b>
● matte black nickel	● white	grey fabric	integrated led	8 × 2,1W 1896 lm 3000K - 700mA	IGBT TRIAC	☒ 0W087SE8B6FT	<b>7.400</b>
				8 × 2,1W 1784 lm 2700K - 700mA	IGBT TRIAC	☒ 0W087SE8B6FTW	<b>7.400</b>
● matte red gold	● white	champagne fabric	integrated led	8 × 2,1W 1896 lm 3000K - 700mA	IGBT TRIAC	☒ 0W087SE8B8FT	<b>7.400</b>
				8 × 2,1W 1784 lm 2700K - 700mA	IGBT TRIAC	☒ 0W087SE8B8FTW	<b>7.400</b>


On site minimum adjustable over all height 110 cm

⚖ 15 | ⚖ 18 | 📦 77x77x30 cm

## Harpe 7 multi linear light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
● matte pearl	● white	grey fabric	integrated led	7 × 2,1W 1659 lm 3000K - 700mA	IGBT TRIAC	☒ 0W077SE8B5FR	<b>6.500</b>
				7 × 2,1W 1561 lm 2700K - 700mA	IGBT TRIAC	☒ 0W077SE8B5FRW	<b>6.500</b>
● matte black nickel	● white	grey fabric	integrated led	7 × 2,1W 1659 lm 3000K - 700mA	IGBT TRIAC	☒ 0W077SE8B6FR	<b>6.500</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
matte black nickel	white	grey fabric	integrated led	7 × 2,1W 1561 lm 2700K - 700mA	IGBT TRIAC	0W077SE8B6FRW	6.500
matte red gold	white	champagne fabric	integrated led	7 × 2,1W 1659 lm 3000K - 700mA	IGBT TRIAC	0W077SE8B8FR	6.500
				7 × 2,1W 1561 lm 2700K - 700mA	IGBT TRIAC	0W077SE8B8FRW	6.500


On site minimum adjustable over all height 130 cm

16 kg | 19 kg | 117x29x16 cm

## Harpe 10 multi linear light pendant

Body

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
matte pearl	white	grey fabric	integrated led	10 × 2,1W 2370 lm 3000K - 700mA	IGBT TRIAC	0W107SE8B5FR	9.200
				10 × 2,1W 2230 lm 2700K - 700mA	IGBT TRIAC	0W107SE8B5FRW	9.200
matte black nickel	white	grey fabric	integrated led	10 × 2,1W 2370 lm 3000K - 700mA	IGBT TRIAC	0W107SE8B6FR	9.200
				10 × 2,1W 2230 lm 2700K - 700mA	IGBT TRIAC	0W107SE8B6FRW	9.200
matte red gold	white	champagne fabric	integrated led	10 × 2,1W 2370 lm 3000K - 700mA	IGBT TRIAC	0W107SE8B8FR	9.200
				10 × 2,1W 2230 lm 2700K - 700mA	IGBT TRIAC	0W107SE8B8FRW	9.200

On site minimum adjustable over all height 120 cm




21 kg | 25 kg | 177x29x16 cm

# Harpe | Bespoke

Please furnish the details for your design request by utilizing the request form





For further information, please feel free to contact our customer service

	Size	Type *	Finish
<b>Canopy</b>	 _____ cm <input type="checkbox"/>	 <input type="checkbox"/> Standard	<input type="checkbox"/> white <input type="checkbox"/> other _____
	 _____ cm <input type="checkbox"/>		
	 _____ cm <input type="checkbox"/>	 <input type="checkbox"/> Flush	
	 _____ cm <input type="checkbox"/>	 <input type="checkbox"/> Radial system	
		 <input type="checkbox"/> Disc	

Based on your request, we will provide a solution that best meets your needs

Height	Pendant height
	min _____ cm
	max _____ cm

Diffuser	Type of pendants
 29	<input type="checkbox"/> matte pearl Qty _____
	<input type="checkbox"/> matte black nickel Qty _____
	<input type="checkbox"/> matte red gold Qty _____
	<input type="checkbox"/> other Qty _____
 48	<input type="checkbox"/> matte pearl Qty _____
	<input type="checkbox"/> matte black nickel Qty _____
	<input type="checkbox"/> matte red gold Qty _____
	<input type="checkbox"/> other Qty _____
 69	<input type="checkbox"/> matte pearl Qty _____
	<input type="checkbox"/> matte black nickel Qty _____
	<input type="checkbox"/> matte red gold Qty _____
	<input type="checkbox"/> other Qty _____

Light Source	Voltage	Type	Dimming
	<input type="checkbox"/> 120V <input type="checkbox"/> 230V	<input type="checkbox"/> integrated led 3000K <input type="checkbox"/> integrated led 2700K <input type="checkbox"/> other _____	<input type="checkbox"/> IGBT / TRIAC <input type="checkbox"/> other _____

**Additional information**

\*For information about canopy types see page 194

# I Lucci Argentati | Design Dodo Arslan



## Material

Metal

## Finishes


Diffuser

-  white polished
-  brushed nickel plated
-  brushed gold plated


Canopy

-  white polished
-  brushed nickel plated
-  brushed gold plated


## Legend



## Chandelier



## Wall sconce




## Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

# I Lucci Argentati small linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white polished	white polished	clear cord + steel cable	integrated led	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ON82SM2C8FL	CE ENEC CB <b>4.650</b>
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ON82SM2C8FLW	CE ENEC CB <b>4.650</b>
			integrated led	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ON82SM2C8FLD	CE ENEC CB <b>4.790</b>
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ON82SM2C8FLWD	CE ENEC CB <b>4.790</b>
brushed nickel plated	brushed nickel plated	clear cord + steel cable	integrated led	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ON82SH4C8FL	CE ENEC CB <b>5.050</b>
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ON82SH4C8FLW	CE ENEC CB <b>5.050</b>
			integrated led	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ON82SH4C8FLD	CE ENEC CB <b>5.200</b>
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ON82SH4C8FLWD	CE ENEC CB <b>5.200</b>
brushed gold plated	brushed gold plated	clear cord + steel cable	integrated led	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ON82SL9C8FL	CE ENEC CB <b>6.600</b>
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ON82SL9C8FLW	CE ENEC CB <b>6.600</b>
			integrated led	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ON82SL9C8FLD	CE ENEC CB <b>6.750</b>
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ON82SL9C8FLWD	CE ENEC CB <b>6.750</b>

On site minimum adjustable over all height 50 cm



4,2




14,5




155×46×22 cm

# I Lucci Argentati medium linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white polished	white polished	clear cord + steel cable	integrated led	8 × 4,5W 5294 lm CRI 90 3000K	0-10V PWM	ON83SM2C8FL	CE ENEC CB <b>5.800</b>
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	0-10V PWM	ON83SM2C8FLW	CE ENEC CB <b>5.800</b>
			integrated led	8 × 4,5W 5294 lm CRI 90 3000K	PUSH DALI	ON83SM2C8FLD	CE ENEC CB <b>5.900</b>
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	PUSH DALI	ON83SM2C8FLWD	CE ENEC CB <b>5.900</b>
brushed nickel plated	brushed nickel plated	clear cord + steel cable	integrated led	8 × 4,5W 5294 lm CRI 90 3000K	0-10V PWM	ON83SH4C8FL	CE ENEC CB <b>5.950</b>
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	0-10V PWM	ON83SH4C8FLW	CE ENEC CB <b>5.950</b>
			integrated led	8 × 4,5W 5294 lm CRI 90 3000K	PUSH DALI	ON83SH4C8FLD	CE ENEC CB <b>6.100</b>
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	PUSH DALI	ON83SH4C8FLWD	CE ENEC CB <b>6.100</b>
brushed gold plated	brushed gold plated	clear cord + steel cable	integrated led	8 × 4,5W 5294 lm CRI 90 3000K	0-10V PWM	ON83SL9C8FL	CE ENEC CB <b>7.750</b>
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	0-10V PWM	ON83SL9C8FLW	CE ENEC CB <b>7.750</b>
			integrated led	8 × 4,5W 5294 lm CRI 90 3000K	PUSH DALI	ON83SL9C8FLD	CE ENEC CB <b>7.900</b>
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	PUSH DALI	ON83SL9C8FLWD	CE ENEC CB <b>7.900</b>


On site minimum adjustable overall height 50 cm

7,2 | 19


205×40×40 cm

# I Lucci Argentati large linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white polished	white polished	clear cord + steel cable	integrated led	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N81SM2C8FL	CE ENEC CB <b>6.995</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N81SM2C8FLW	CE ENEC CB <b>6.995</b>
			integrated led	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N81SM2C8FLD	CE ENEC CB <b>7.150</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N81SM2C8FLWD	CE ENEC CB <b>7.150</b>
brushed nickel plated	brushed nickel plated	clear cord + steel cable	integrated led	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N81SH4C8FL	CE ENEC CB <b>7.600</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N81SH4C8FLW	CE ENEC CB <b>7.600</b>
			integrated led	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N81SH4C8FLD	CE ENEC CB <b>7.700</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N81SH4C8FLWD	CE ENEC CB <b>7.700</b>
brushed gold plated	brushed gold plated	clear cord + steel cable	integrated led	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N81SL9C8FL	CE ENEC CB <b>9.850</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N81SL9C8FLW	CE ENEC CB <b>9.850</b>
			integrated led	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N81SL9C8FLD	CE ENEC CB <b>10.000</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N81SL9C8FLWD	CE ENEC CB <b>10.000</b>

On site minimum adjustable overall height 55 cm




# I Lucci Argentati xlarge linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white polished	white polished	clear cord + steel cable	integrated led	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ON80SM2C8FL	CE ENEC CB <b>9.700</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ON80SM2C8FLW	CE ENEC CB <b>9.700</b>
			integrated led	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ON80SM2C8FLD	CE ENEC CB <b>9.850</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ON80SM2C8FLWD	CE ENEC CB <b>9.850</b>
brushed nickel plated	brushed nickel plated	clear cord + steel cable	integrated led	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ON80SH4C8FL	CE ENEC CB <b>10.300</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ON80SH4C8FLW	CE ENEC CB <b>10.300</b>
			integrated led	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ON80SH4C8FLD	CE ENEC CB <b>10.450</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ON80SH4C8FLWD	CE ENEC CB <b>10.450</b>
brushed gold plated	brushed gold plated	clear cord + steel cable	integrated led	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ON80SL9C8FL	CE ENEC CB <b>12.650</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ON80SL9C8FLW	CE ENEC CB <b>12.650</b>
			integrated led	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ON80SL9C8FLD	CE ENEC CB <b>12.750</b>
			integrated led	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ON80SL9C8FLWD	CE ENEC CB <b>12.750</b>

On site minimum adjustable overall height 60 cm






# I Lucci Argentati wall sconce

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white polished  white polished	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ON85AM2C8FLB	CE ENEC <b>1.410</b>
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ON85AM2C8FLBW	CE ENEC <b>1.410</b>
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ON85AM2C8FLBD	CE ENEC <b>CB 1.550</b>
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ON85AM2C8FLBWD	CE ENEC <b>CB 1.550</b>
 brushed nickel plated  brushed nickel plated	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ON85AH4C8FLB	CE ENEC <b>1.700</b>
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ON85AH4C8FLBW	CE ENEC <b>1.700</b>
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ON85AH4C8FLBD	CE ENEC <b>CB 1.840</b>
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ON85AH4C8FLBWD	CE ENEC <b>CB 1.840</b>
 brushed gold plated  brushed gold plated	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ON85AL9C8FLB	CE ENEC <b>2.190</b>
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ON85AL9C8FLBW	CE ENEC <b>2.190</b>
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ON85AL9C8FLBD	CE ENEC <b>CB 2.340</b>
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ON85AL9C8FLBWD	CE ENEC <b>CB 2.340</b>







## Materials

Metal and PMMA

## Finishes

Diffuser

Canopy




matte white |  
clear diffuser




matte white

## Legend




# Iceberg chandelier

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte white   clear diffuser	 matte white	clear cord + steel cable	E14 + E27 dimmable led	6 × 6W + 8W	all systems	OP60SE8A9F	CE ENEC <b>18.650</b>

E14 led and E27 led light bulbs are not included  
On site minimum adjustable overall height 150 cm

 41

 4 × 10  
 1 × 13

 4 × 77 × 35 × 26,5 cm  
 1 × 76 × 76 × 60 cm

## Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

# Manta | Design Dodo Arslan & Nicolas Terzani



## Material

Clear crystal

## Finishes

Diffuser available in

Canopy available in




clear crystal




white

## Legend




## Pendants

---



## 3 Light pendant

---




## Bespoke

---


Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

# Manta pendant light

Body



Disc



DRIVER NOT INCLUDED

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	see power supply options	OK011E8A9FKK	CE ENEC CB <b>805</b>
			integrated led	1,5W 115 lm 2700K	see power supply options	OK011E8A9FWKK	CE ENEC CB <b>805</b>

Not suitable for sloped ceilings  
On site minimum adjustable overall height 180 cm  
Up to minimum 30 cm on request

2,2 | 2,8 32x24x17 cm


## Power supply options

### INTEGRATED LED 2700K or 3000K


Dimming		Code	Price €
not	max 3 pendants	R1040000	<b>35 (net)</b>
1-10V / PUSH	min 2 max 8 pendants	R1110000	<b>55 (net)</b>
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	<b>95 (net)</b>
IGBT / TRIAC	max 6 pendants	R1630000	<b>30 (net)</b>

# Manta pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	no	OK011E8A9F	CE ENEC CB <b>840</b>
			integrated led	1,5W 115 lm 2700K	no	OK011E8A9FW	CE ENEC CB <b>840</b>


Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	PUSH DALI	0K011E8A9FD	CE ENEC CB <b>1.130</b>
			integrated led	1,5W 115 lm 2700K	PUSH DALI	0K011E8A9FWD	CE ENEC CB <b>1.130</b>

Not suitable for sloped ceilings  
On site minimum adjustable overall height 180 cm  
Up to minimum 30 cm on request

 2,2 |  2,8  32x24x17 cm

## Manta pendant light

Body Disc DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	see power supply options	0K012E8A9FKK	CE ENEC CB <b>1.020</b>
			integrated led	1,5W 115 lm 2700K	see power supply options	0K012E8A9FWKK	CE ENEC CB <b>1.020</b>

Not suitable for sloped ceilings  
On site minimum adjustable overall height 180 cm  
Up to minimum 30 cm on request

 4,2 |  5,2  41x41x21 cm


## Power supply options

### INTEGRATED LED 2700K or 3000K


Dimming		Code	Price €
not	max 3 pendants	R1040000	<b>35 (net)</b>
1-10V / PUSH	min 2 max 8 pendants	R1110000	<b>55 (net)</b>
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	<b>95 (net)</b>
IGBT / TRIAC	max 6 pendants	R1630000	<b>30 (net)</b>

## Manta pendant light


Body



Canopy




Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white		clear cord + steel cable	integrated led	1,5W 135 lm 3000K	no	OK012E8A9F	CE ENEC CB <b>1.080</b>
			integrated led	1,5W 115 lm 2700K	no	OK012E8A9FW	CE ENEC CB <b>1.080</b>
			integrated led	1,5W 135 lm 3000K	PUSH DALI	OK012E8A9FD*	CE ENEC CB <b>1.350</b>
			integrated led	1,5W 115 lm 2700K	PUSH DALI	OK012E8A9FWD*	CE ENEC CB <b>1.350</b>

Not suitable for sloped ceilings  
On site minimum adjustable overall height 180 cm  
Up to minimum 30 cm on request




## Manta 3 light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white		clear cord + steel cable	integrated led	3 × 1,5W 405 lm 3000K	1-10V PUSH	OK031E8A9F	CE ENEC CB <b>2.520</b>
			integrated led	3 × 1,5W 345 lm 2700K	1-10V PUSH	OK031E8A9FW	CE ENEC CB <b>2.520</b>
			integrated led	3 × 1,5W 405 lm 3000K	DALI	OK031E8A9FD	CE ENEC CB <b>2.670</b>
			integrated led	3 × 1,5W 345 lm 2700K	DALI	OK031E8A9FWD	CE ENEC CB <b>2.670</b>


Not suitable for sloped ceilings  
On site minimum adjustable overall height 170 cm  
Up to minimum 70 cm on request







# Manta | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type*	Finish
<b>Canopy</b>	 _____ cm <input type="checkbox"/>	 Standard <input type="checkbox"/> available only with quick	<input type="checkbox"/> white <input type="checkbox"/> other _____
	 _____ cm <input type="checkbox"/>		
	 _____ cm <input type="checkbox"/>	 Flush <input type="checkbox"/> available only with quick	
	 _____ cm <input type="checkbox"/>	 Disc <input type="checkbox"/>	
Based on your request, we will provide a solution that best meets your needs			

Height	Pendant height
	min _____ cm
	max _____ cm

Diffuser	Type of pendants
	 Qty _____
	 Qty _____

Light Source	Voltage	Type	Dimming
<input type="checkbox"/> 120V <input type="checkbox"/> 230V		<input type="checkbox"/> integrated led 3000K <input type="checkbox"/> integrated led 2700K <input type="checkbox"/> other _____	<input type="checkbox"/> PUSH <input type="checkbox"/> 0/1-10V <input type="checkbox"/> DALI <input type="checkbox"/> 1-10V <input type="checkbox"/> other _____

**Additional information**

\*For information about canopy types see page 194



**Materials**

Clear Crystal  
Metal

**Finishes**

Diffuser

Canopy



clear crystal



white



champagne crystal



cognac crystal




silver dust  
crystal



gold crystal



**Legend**










**IP Protection**

IP65  on request

## Pendants




## Multi light pendant




# Mizu pendant light

Body



Disc



DRIVER NOT INCLUDED

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8A9FKK	CE ENEC <b>430</b>
			G4 led	2W	see power supply options	0R01SE8A9FLKK	CE ENEC <b>CB 430</b>
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8A9FEKK	CE ENEC <b>CB 460</b>
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8A9FEWKK	CE ENEC <b>CB 460</b>
champagne crystal	white	clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8H1FKK	CE ENEC <b>440</b>
			G4 led	2W	see power supply options	0R01SE8H1FLKK	CE ENEC <b>CB 440</b>
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8H1FEKK	CE ENEC <b>CB 485</b>
cognac crystal	white	clear	integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8H1FEWKK	CE ENEC <b>CB 485</b>
			G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8H4FKK	CE ENEC <b>440</b>
			G4 led	2W	see power supply options	0R01SE8H4FLKK	CE ENEC <b>CB 440</b>
silver dust crystal	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8H4FEKK	CE ENEC <b>CB 485</b>
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8H4FEWKK	CE ENEC <b>CB 485</b>
			G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8F4FKK	CE ENEC <b>510</b>
gold crystal	white	clear	G4 led	2W	see power supply options	0R01SE8F4FLKK	CE ENEC <b>CB 510</b>
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8F4FEKK	CE ENEC <b>CB 570</b>
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8F4FEWKK	CE ENEC <b>CB 570</b>
gold crystal	white	clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8A4FKK	CE ENEC <b>615</b>

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 gold crystal	 white	clear	G4 led	2W	see power supply options	OR01SE8A4FLKK	CE ENEC CB <b>615</b>
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	OR01SE8A4FEKK	CE ENEC CB <b>650</b>
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	OR01SE8A4FEWKK	CE ENEC CB <b>650</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 20 cm

 2 | 
  2,5 | 
  16x16x22 cm

## Power supply options

### G4 HALOGEN

Dimming		Code	Price €
IGBT	max 5 pendants	R1030000	<b>35 (net)</b>
DALI	max 5 pendants	KITELETDALIHALO70	<b>175 (net)</b>

### G4 LED


Dimming		Code	Price €
IGBT	min 2 max 21 pendants	R1030000	<b>35 (net)</b>
100kΩ 0/1-10V PUSH - DALI	max 25 pendants	KITELETDALILED60	<b>150 (net)</b>
	max 43 pendants	KITELETDALILED100	<b>175 (net)</b>

### INTEGRATED LED 2700K or 3000K


Dimming		Code	Price €
1-10V / PUSH	min 2 max 8 pendants	R1110000	<b>55 (net)</b>
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	<b>95 (net)</b>

# Mizu pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear	G4 halogen	10W	IGBT TRIAC	OR01SE8A9F	CE ENEC <b>485</b>
			G4 dimmable led or G4 halogen	3W or 10W	DALI	OR01SE8A9FD*	CE ENEC <b>620</b>
			integrated led	1,5W 174 lm 3000K	no	OR01SE8A9FE	CE ENEC <b>520</b>
			integrated led	1,5W 164 lm 2700K	no	OR01SE8A9FEW	CE ENEC <b>520</b>
champagne crystal	white	clear	G4 halogen	10W	IGBT TRIAC	OR01SE8H1F	CE ENEC <b>505</b>
			G4 dimmable led or G4 halogen	3W or 10W	DALI	OR01SE8H1FD*	CE ENEC <b>635</b>
			integrated led	1,5W 174 lm 3000K	no	OR01SE8H1FE	CE ENEC <b>530</b>
			integrated led	1,5W 164 lm 2700K	no	OR01SE8H1FEW	CE ENEC <b>530</b>
cognac crystal	white	clear	G4 halogen	10W	IGBT TRIAC	OR01SE8H4F	CE ENEC <b>505</b>
			G4 dimmable led or G4 halogen	3W or 10W	DALI	OR01SE8H4FD*	CE ENEC <b>635</b>
			integrated led	1,5W 174 lm 3000K	no	OR01SE8H4FE	CE ENEC <b>530</b>
			integrated led	1,5W 164 lm 2700K	no	OR01SE8H4FEW	CE ENEC <b>530</b>
silver dust crystal	white	clear	G4 halogen	10W	IGBT TRIAC	OR01SE8F4F	CE ENEC <b>550</b>
			G4 dimmable led or G4 halogen	3W or 10W	DALI	OR01SE8F4FD*	CE ENEC <b>695</b>
			integrated led	1,5W 174 lm 3000K	no	OR01SE8F4FE	CE ENEC <b>585</b>
			integrated led	1,5W 164 lm 2700K	no	OR01SE8F4FEW	CE ENEC <b>585</b>
gold crystal	white	clear	G4 halogen	10W	IGBT TRIAC	OR01SE8A4F	CE ENEC <b>550</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8A4FD*	CE ENEC <b>695</b>
			integrated led	1,5W 174 lm 3000K	no	0R01SE8A4FE	CE ENEC <b>585</b>
			integrated led	1,5W 164 lm 2700K	no	0R01SE8A4FEW	CE ENEC <b>585</b>


G4 led and G4 halogen light bulbs are not included  
 On site minimum adjustable overall height 30 cm  
 On request it is available the **CB** version no dimmable

 2 \* 2,8 |  2,5 \* 3,4  16x16x22 cm \* 30x30x30 cm

## Mizu 3 light pendant

Body | 3 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	0R03SE8A9F	CE ENEC <b>1.480</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	0R03SE8A9FD	CE ENEC <b>1.700</b>
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	0R03SE8A9FE	CE ENEC <b>1.600</b>
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	0R03SE8A9FEW	CE ENEC <b>1.600</b>
			integrated led	3 × 1,5W 522 lm 3000K	DALI	0R03SE8A9FED	CE ENEC <b>1.800</b>
			integrated led	3 × 1,5W 492 lm 2700K	DALI	0R03SE8A9FEWD	CE ENEC <b>1.800</b>
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	0R03SE8H1F	CE ENEC <b>1.520</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	0R03SE8H1FD	CE ENEC <b>1.730</b>
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	0R03SE8H1FE	CE ENEC <b>1.640</b>
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	0R03SE8H1FEW	CE ENEC <b>1.640</b>
			integrated led	3 × 1,5W 522 lm 3000K	DALI	0R03SE8H1FED	CE ENEC <b>1.840</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 champagne crystal		clear	integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8H1FEWD	CE ENEC <b>1.840</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	OR03SE8H4F	CE ENEC <b>1.520</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	OR03SE8H4FD	CE ENEC <b>1.730</b>
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	OR03SE8H4FE	CE ENEC <b>1.640</b>
 cognac crystal		clear	integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	OR03SE8H4FEW	CE ENEC <b>1.640</b>
			integrated led	3 × 1,5W 522 lm 3000K	DALI	OR03SE8H4FED	CE ENEC <b>1.840</b>
			integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8H4FEWD	CE ENEC <b>1.840</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	OR03SE8F4F	CE ENEC <b>1.700</b>
 silver dust crystal		clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	OR03SE8F4FD	CE ENEC <b>1.950</b>
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	OR03SE8F4FE	CE ENEC <b>1.820</b>
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	OR03SE8F4FEW	CE ENEC <b>1.820</b>
			integrated led	3 × 1,5W 522 lm 3000K	DALI	OR03SE8F4FED	CE ENEC <b>2.050</b>
 gold crystal		clear	integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8F4FEWD	CE ENEC <b>2.050</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	OR03SE8A4F	CE ENEC <b>1.950</b>
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	OR03SE8A4FD	CE ENEC <b>2.150</b>
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	OR03SE8A4FE	CE ENEC <b>2.050</b>
 gold crystal		clear	integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	OR03SE8A4FEW	CE ENEC <b>2.050</b>
			integrated led	3 × 1,5W 522 lm 3000K	DALI	OR03SE8A4FED	CE ENEC <b>2.270</b>
			integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8A4FEWD	CE ENEC <b>2.270</b>



G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 50 cm  
On request it is available the **CB** version dimmable 1-10V/PWM



# Mizu 5 light pendant

Body | 5 crystals


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	OR05SE8A9F	CE ENEC <b>2.470</b>
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	OR05SE8A9FD	CE ENEC <b>2.750</b>
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	OR05SE8A9FE	CE ENEC <b>2.850</b>
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	OR05SE8A9FEW	CE ENEC <b>2.850</b>
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	OR05SE8H1F	CE ENEC <b>2.530</b>
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	OR05SE8H1FD	CE ENEC <b>2.820</b>
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	OR05SE8H1FE	CE ENEC <b>2.930</b>
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	OR05SE8H1FEW	CE ENEC <b>2.930</b>
 cognac crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	OR05SE8H4F	CE ENEC <b>2.530</b>
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	OR05SE8H4FD	CE ENEC <b>2.820</b>
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	OR05SE8H4FE	CE ENEC <b>2.930</b>
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	OR05SE8H4FEW	CE ENEC <b>2.930</b>
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	OR05SE8F4F	CE ENEC <b>2.820</b>
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	OR05SE8F4FD	CE ENEC <b>3.100</b>
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	OR05SE8F4FE	CE ENEC <b>3.200</b>
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	OR05SE8F4FEW	CE ENEC <b>3.200</b>
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	OR05SE8A4F	CE ENEC <b>3.300</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	OR05SE8A4FD	CE ENEC <b>3.580</b>
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	OR05SE8A4FE	CE ENEC <b>3.680</b>
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	OR05SE8A4FEW	CE ENEC <b>3.680</b>



G4 led and G4 halogen light bulbs are not included  
 On site minimum adjustable overall height 80 cm  
 On request it is available the **CB** version dimmable 1-10V/PWM



## Mizu 7 light pendant

Body | 7 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	OR07SE8A9F	CE ENEC <b>3.450</b>
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	OR07SE8A9FD	CE ENEC <b>3.740</b>
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	OR07SE8A9FE	CE ENEC <b>3.920</b>
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	OR07SE8A9FEW	CE ENEC <b>3.920</b>
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	OR07SE8H1F	CE ENEC <b>3.550</b>
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	OR07SE8H1FD	CE ENEC <b>3.820</b>
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	OR07SE8H1FE	CE ENEC <b>4.000</b>
 cognac crystal	 white	clear	integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	OR07SE8H1FEW	CE ENEC <b>4.000</b>
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	OR07SE8H4F	CE ENEC <b>3.550</b>
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	OR07SE8H4FD	CE ENEC <b>3.820</b>
 cognac crystal	 white	clear	integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	OR07SE8H4FE	CE ENEC <b>4.000</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 cognac crystal		clear	integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	0R07SE8H4FEW	CE ENEC <b>4.000</b>
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	0R07SE8F4F	CE ENEC <b>3.940</b>
 silver dust crystal		clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	0R07SE8F4FD	CE ENEC <b>4.230</b>
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	0R07SE8F4FE	CE ENEC <b>4.400</b>
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	0R07SE8F4FEW	CE ENEC <b>4.400</b>
 gold crystal		clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	0R07SE8A4F	CE ENEC <b>4.580</b>
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	0R07SE8A4FD	CE ENEC <b>4.850</b>
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	0R07SE8A4FE	CE ENEC <b>5.050</b>
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	0R07SE8A4FEW	CE ENEC <b>5.050</b>

G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 80 cm  
On request it is available the **CB** version dimmable 1-10V/PWM



15



19




50x35x38 cm

## Mizu 15 rectangular multi light pendant

Body | 15 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	0R15SE8A9FR	CE ENEC <b>8.650</b>
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	0R15SE8A9FRD	CE ENEC <b>9.100</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	0R15SE8A9FRE	CE ENEC <b>9.200</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	0R15SE8A9FREW	CE ENEC <b>9.200</b>
 champagne crystal		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	0R15SE8H1FR	CE ENEC <b>8.850</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8H1FRD	CE ENEC <b>9.300</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H1FRE	CE ENEC <b>9.400</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H1FREW	CE ENEC <b>9.400</b>
 cognac crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8H4FR	CE ENEC <b>8.850</b>
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8H4FRD	CE ENEC <b>9.300</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H4FRE	CE ENEC <b>9.400</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H4FREW	CE ENEC <b>9.400</b>
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8F4FR	CE ENEC <b>9.800</b>
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8F4FRD	CE ENEC <b>10.200</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8F4FRE	CE ENEC <b>10.300</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8F4FREW	CE ENEC <b>10.300</b>
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8A4FR	CE ENEC <b>11.250</b>
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8A4FRD	CE ENEC <b>11.650</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8A4FRE	CE ENEC <b>11.750</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8A4FREW	CE ENEC <b>11.750</b>


G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 50 cm  
On request it is available the **CB** version dimmable 1-10V/PWM



# Mizu 15 round multi light pendant

Body | 15 crystals


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8A9FT	CE ENEC <b>8.650</b>
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8A9FTD	CE ENEC <b>9.100</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8A9FTE	CE ENEC <b>9.200</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8A9FTEW	CE ENEC <b>9.200</b>
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8H1FT	CE ENEC <b>8.850</b>
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8H1FTD	CE ENEC <b>9.300</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H1FTE	CE ENEC <b>9.400</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H1FTEW	CE ENEC <b>9.400</b>
 cognac crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8H4FT	CE ENEC <b>8.850</b>
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8H4FTD	CE ENEC <b>9.300</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H4FTE	CE ENEC <b>9.400</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H4FTEW	CE ENEC <b>9.400</b>
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8F4FT	CE ENEC <b>9.800</b>
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8F4FTD	CE ENEC <b>10.200</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8F4FTE	CE ENEC <b>10.300</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8F4FTEW	CE ENEC <b>10.300</b>
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8A4FT	CE ENEC <b>11.250</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8A4FTD	CE ENEC <b>11.650</b>
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8A4FTE	CE ENEC <b>11.750</b>
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8A4FTEW	CE ENEC <b>11.750</b>


G4 led and G4 halogen light bulbs are not included  
 On site minimum adjustable overall height 70 cm  
 On request it is available the **CB** version dimmable 1-10V/PWM



## Mizu 26 square multi light pendant

Body | 26 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	OR26SE8A9FQ	CE ENEC <b>14.650</b>
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	OR26SE8A9FQD	CE ENEC <b>15.150</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	OR26SE8A9FQE	CE ENEC <b>15.550</b>
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	OR26SE8A9FQEW	CE ENEC <b>15.550</b>
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	OR26SE8H1FQ	CE ENEC <b>15.000</b>
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	OR26SE8H1FQD	CE ENEC <b>15.550</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	OR26SE8H1FQE	CE ENEC <b>15.900</b>
		clear	integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	OR26SE8H1FQEW	CE ENEC <b>15.900</b>
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	OR26SE8H4FQ	CE ENEC <b>15.000</b>
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	OR26SE8H4FQD	CE ENEC <b>15.550</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	OR26SE8H4FQE	CE ENEC <b>15.900</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 cognac crystal		clear	integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8H4FQEW	CE ENEC <b>15.900</b>
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8F4FQ	CE ENEC <b>16.550</b>
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8F4FQD	CE ENEC <b>17.150</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8F4FQE	CE ENEC <b>17.500</b>
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8F4FQEW	CE ENEC <b>17.500</b>
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A4FQD	CE ENEC <b>19.300</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A4FQE	CE ENEC <b>19.700</b>
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A4FQEW	CE ENEC <b>19.700</b>
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A4FQ	CE ENEC <b>18.750</b>


G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 50 cm  
On request it is available the **CB** version dimmable 1-10V/PWM



## Mizu 26 round multi light pendant

Body | 26 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A9FT	CE ENEC <b>14.650</b>
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A9FTD	CE ENEC <b>15.150</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A9FTE	CE ENEC <b>15.550</b>
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A9FTEW	CE ENEC <b>15.550</b>
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8H1 FT	CE ENEC <b>15.000</b>

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	OR26SE8H1FTD	CE ENEC <b>15.550</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	OR26SE8H1FTE	CE ENEC <b>15.900</b>
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	OR26SE8H1FTEW	CE ENEC <b>15.900</b>
 cognac crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	OR26SE8H4FT	CE ENEC <b>15.000</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	OR26SE8H4FTE	CE ENEC <b>15.900</b>
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	OR26SE8H4FTEW	CE ENEC <b>15.900</b>
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	OR26SE8F4FT	CE ENEC <b>16.550</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	OR26SE8F4FTE	CE ENEC <b>17.500</b>
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	OR26SE8F4FTEW	CE ENEC <b>17.500</b>
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	OR26SE8A4FT	CE ENEC <b>18.750</b>
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	OR26SE8A4FTE	CE ENEC <b>19.700</b>
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	OR26SE8A4FTEW	CE ENEC <b>19.700</b>


G4 led and G4 halogen light bulbs are not included  
On site minimum adjustable overall height 105 cm






# Mizu | Bespoke


Please furnish the details for your design request by utilizing the request form



Various customizations are available on request.

For further information, please feel free to contact our customer service or download the price calculator from our reserved area:  
<https://www.terzani.com/en/reserved-area>

	Size	Type *	Finish
<b>Canopy</b>	 cm <input type="checkbox"/>	 cm <input type="checkbox"/>	<input type="checkbox"/> white <input type="checkbox"/> other _____
	 cm <input type="checkbox"/>		
	Based on your request, we will provide a solution that best meets your needs		 Magnetic
			 Flush <input type="checkbox"/> available only with quick
			 Radial system
			 Cover disc

	Pendant height
<b>Height</b>	 min _____ cm max _____ cm

	Finish	Number of pendants
<b>Diffuser</b>	<input type="checkbox"/> clear <input type="checkbox"/> champagne <input type="checkbox"/> cognac <input type="checkbox"/> silver dust <input type="checkbox"/> gold	

	Voltage	Type	Dimming
<b>Light Source</b>	<input type="checkbox"/> 120V <input type="checkbox"/> 230V	bulb <input type="checkbox"/> halogen <input type="checkbox"/> led integrated led <input type="checkbox"/> 3000K <input type="checkbox"/> 3000K IP65 <input type="checkbox"/> 2700K <input type="checkbox"/> 2700K IP65	<input type="checkbox"/> IGBT <input type="checkbox"/> 1-10V <input type="checkbox"/> TRIAC <input type="checkbox"/> PUSH <input type="checkbox"/> DALI <input type="checkbox"/> other _____

**Additional information**

\*For information about canopy types see page 194

# Moiré | Design Christian Lava



## Material

Metal

## Finishes


Diffuser

-  nickel plated
-  gold plated

Canopy


-  nickel plated
-  gold plated

## Legend




# Moiré pendant light

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + steel cable	integrated led	15W 1952 lm 3000K	1-10V PUSH	0M10SE7C8F	CE ENEC <b>6.900</b>
			integrated led	15W 1952 lm 3000K	DALI	0M10SE7C8FD	CE ENEC <b>7.200</b>
 gold plated	 gold plated	clear cord + steel cable	integrated led	15W 1952 lm 3000K	1-10V PUSH	0M10SL6C8F	CE ENEC <b>8.200</b>
			integrated led	15W 1952 lm 3000K	DALI	0M10SL6C8FD	CE ENEC <b>8.500</b>

On site minimum adjustable overall height 90 cm



10,5




25



83x78x95 cm

## Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request



## Materials

Brass and glass

## Legend



## Finishes

Structure

Diffuser



nickel plated



satin white



satin brass



black



white




gold plated



rose gold plated

# Oscar table lamp

Body



Diffuser	Structure	Cord	Source	Max power	Dimming	Code	Price €
satin white	 nickel plated	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BE7F5F	CE EAC 515
	 satin brass	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BN9F5F	CE EAC 515
	 black	black fabric	E14 dimmable led	7W	integrated dimmer	0C02BG2F5F	CE EAC 515
	 white	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BM2F5F	CE EAC 515
	 gold plated	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BL6F5F	CE EAC 580
	 rose gold plated	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BN4F5F	CE EAC 580

E14 led light bulbs are not included

 1,2

 2,8

 41x41x41 cm



**Materials**

Brass chains and metal structure plated

**Finishes**

Diffuser

Canopy



nickel plated |  
brushed nickel plated



nickel plated



brushed bronze



brushed bronze



gold plated |  
brushed gold plated



gold plated




champagne plated |  
brushed champagne  
plated




champagne  
plated

**Legend**




## Chandelier

---



## Ceiling lamp

---



## Bespoke



---

Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

## Soscik small chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated   brushed nickel plated	 nickel plated	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SH4C8F	CE ENEC <b>12.350</b>
 brushed bronze	 brushed bronze	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SF7C8F	CE ENEC <b>14.950</b>
 gold plated   brushed gold plated	 gold plated	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SL8C8F	CE ENEC <b>15.450</b>
 champagne plated   brushed champagne	 champagne plated	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SN1C8F	CE ENEC <b>15.450</b>



G9 led light bulbs are not included  
On site minimum adjustable overall height 115 cm



## Soscik medium chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated   brushed nickel plated	 nickel plated	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SH4C8F	CE ENEC <b>25.500</b>
 brushed bronze	 brushed bronze	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SF7C8F	CE ENEC <b>29.400</b>
 gold plated   brushed gold plated	 gold plated	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SL8C8F	CE ENEC <b>31.500</b>
 champagne plated   brushed champagne	 champagne plated	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SN1C8F	CE ENEC <b>31.500</b>


G9 led light bulbs are not included  
Not adjustable on site



## Soscik large chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated   brushed nickel plated	nickel plated	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SH4C8F	CE ENEC <b>43.500</b>
brushed bronze	brushed bronze	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SF7C8F	CE ENEC <b>50.500</b>
gold plated   brushed gold plated	gold plated	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SL8C8F	CE ENEC <b>53.500</b>
champagne plated   brushed champagne	champagne plated	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SN1C8F	CE ENEC <b>53.500</b>


G9 led light bulbs are not included  
Not adjustable on site

133 | 387 185×185×224 cm

## Soscik small ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated   brushed nickel plated	nickel plated	-	G9 dimmable led	8 × 3,5W	all systems	OG60LH4C8F	CE ENEC <b>5.200</b>
brushed bronze	brushed bronze	-	G9 dimmable led	8 × 3,5W	all systems	OG60LF7C8F	CE ENEC <b>6.550</b>
gold plated   brushed gold plated	gold plated	-	G9 dimmable led	8 × 3,5W	all systems	OG60LL8C8F	CE ENEC <b>6.850</b>
champagne plated   brushed champagne	champagne plated	-	G9 dimmable led	8 × 3,5W	all systems	OG60LN1C8F	CE ENEC <b>6.850</b>


G9 led light bulbs are not included

11,5 | 16 77×77×30 cm

## Soscik medium ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated   brushed nickel plated	nickel plated	-	G9 dimmable led	10 × 3,5W	all systems	OG61LH4C8F	CE ENEC <b>13.900</b>
brushed bronze	brushed bronze	-	G9 dimmable led	10 × 3,5W	all systems	OG61LF7C8F	CE ENEC <b>17.150</b>
gold plated   brushed gold plated	gold plated	-	G9 dimmable led	10 × 3,5W	all systems	OG61LL8C8F	CE ENEC <b>17.850</b>
champagne plated   brushed champagne	champagne plated	-	G9 dimmable led	10 × 3,5W	all systems	OG61LN1C8F	CE ENEC <b>17.850</b>


G9 led light bulbs are not included

36 | 75 | 115×115×66 cm

## Soscik large ceiling light

Body

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated   brushed nickel plated	nickel plated	-	G9 dimmable led	12 × 3,5W	all systems	OG62LH4C8F	CE ENEC <b>23.400</b>
brushed bronze	brushed bronze	-	G9 dimmable led	12 × 3,5W	all systems	OG62LF7C8F	CE ENEC <b>27.700</b>
gold plated   brushed gold plated	gold plated	-	G9 dimmable led	12 × 3,5W	all systems	OG62LL8C8F	CE ENEC <b>28.800</b>
champagne plated   brushed champagne	champagne plated	-	G9 dimmable led	12 × 3,5W	all systems	OG62LN1C8F	CE ENEC <b>28.800</b>

G9 led light bulbs are not included

65 | 122 | 160×160×79 cm





**Material**


Stainless steel

**Finish**



brushed stainless steel



**Legend**



# Stanley floor lamp

Body

Top view



Structure	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brushed stainless steel	-	black	integrated leds	top: 21W edges: 3 × 39W total: 138W 15750 lm   3000K CRI>80	Casambi Xpress wireless switch	0C06PH2C8F	€ 5.600

Casambi technology | Xpress-LR remote control  
 Each light source can be dimmed independently or in programmable groups  
 Light sources are replaceable

 50 | 
  66 | 
  212×64×62 cm

# Stream | Design Christian Lava



## Materials

Brass chains and metal structure plated

## Finishes


Diffuser

-  nickel plated
-  black nickel plated
-  gold plated

Canopy


-  nickel plated
-  black nickel plated
-  gold plated

## Legend




## Chandelier

---




## Ceiling lamp

---




## Wall sconce

---



## Floor lamp

---



## Bespoke



---

Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

## Stream mini chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	G9 + GU10 dimmable led	4 × 3,5W + 5W	all systems	0J54SE7C8F	CE ENEC <b>3.660</b>
black nickel plated	black nickel plated	clear cord + chain	G9 + GU10 dimmable led	4 × 3,5W + 5W	all systems	0J54SE9C8F	CE ENEC <b>3.990</b>
gold plated	gold plated	clear cord + chain	G9 + GU10 dimmable led	4 × 3,5W + 5W	all systems	0J54SL6C8F	CE ENEC <b>4.500</b>



G9 led and GU10 led light bulbs are not included  
On site minimum adjustable overall height 80 cm

5,5 | 6,5 46×39×32 cm

## Stream small chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	18 × 4W + 5W	all systems	0J51SE7C8F	CE ENEC <b>27.200</b>
black nickel plated	black nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	18 × 4W + 5W	all systems	0J51SE9C8F	CE ENEC <b>30.500</b>
gold plated	gold plated	clear cord + steel rope	E14 + GU10 dimmable led	18 × 4W + 5W	all systems	0J51SL6C8F	CE ENEC <b>34.500</b>



E14 led and GU10 led light bulbs are not included  
Not adjustable on site

40 | 93 115×115×124 cm

## Stream large chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	20 × 4W + 5W	all systems	0J50SE7C8F	CE ENEC <b>34.000</b>
black nickel plated	black nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	20 × 4W + 5W	all systems	0J50SE9C8F	CE ENEC <b>37.500</b>
gold plated	gold plated	clear cord + steel rope	E14 + GU10 dimmable led	20 × 4W + 5W	all systems	0J50SL6C8F	CE ENEC <b>40.500</b>



E14 led and GU10 led light bulbs are not included  
Not adjustable on site

63 | 140 | 135x135x144 cm

## Stream linear chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	G9 + GU10 dimmable led	12 × 3,5W + 3 × 5W	all systems	0J52SE7C8F	CE ENEC <b>22.100</b>
black nickel plated	black nickel plated	clear cord + chain	G9 + GU10 dimmable led	12 × 3,5W + 3 × 5W	all systems	0J52SE9C8F	CE ENEC <b>24.200</b>
gold plated	gold plated	clear cord + chain	G9 + GU10 dimmable led	12 × 3,5W + 3 × 5W	all systems	0J52SL6C8F	CE ENEC <b>27.100</b>


G9 led and GU10 led light bulbs are not included  
On site minimum adjustable overall height 100 cm

48 | 86 | 170x55x99 cm

## Stream ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	G9 + GU10 dimmable led	8 × 3,5W + 5W	all systems	OJ70LE7C8F	CE ENEC <b>12.350</b>
black nickel plated	black nickel plated	-	G9 + GU10 dimmable led	8 × 3,5W + 5W	all systems	OJ70LE9C8F	CE ENEC <b>13.650</b>
gold plated	gold plated	-	G9 + GU10 dimmable led	8 × 3,5W + 5W	all systems	OJ70LL6C8F	CE ENEC <b>14.950</b>

G9 led and GU10 led light bulbs are not included  
Not adjustable on site



17



30




83×78×95 cm

## Stream wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ60AE7C8F	CE ENEC <b>1.400</b>
black nickel plated	black nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ60AE9C8F	CE ENEC <b>1.550</b>
gold plated	gold plated	-	E14 dimmable led	2 × 6W	all systems	OJ60AL6C8F	CE ENEC <b>1.760</b>

E14 led light bulbs are not included



2



2,8




30×30×30 cm

# Stream floor lamp

Body


Base



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	black	E14 dimmable led	6 × 6W	all systems	OJ65PE7C8F	CE ENEC <b>5.600</b>
 black nickel plated	 black nickel plated	black	E14 dimmable led	6 × 6W	all systems	OJ65PE9C8F	CE ENEC <b>6.100</b>
 gold plated	 gold plated	black	E14 dimmable led	6 × 6W	all systems	OJ65PL6C8F	CE ENEC <b>6.950</b>

E14 led light bulbs are not included

 16,5 |  23,5  191×46×46 cm



**Materials**

Brass chains and metal structure plated

**Finishes**

Diffuser

Canopy



nickel plated



nickel plated



black nickel plated



black nickel plated



brushed bronze



brushed bronze




gold plated




gold plated

**Legend**



## Chandelier

---




## Bespoke

---


Bespoke options available on request | for further information, please feel free to contact our customer service  
A 110V version is available upon request

# Volver small linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	OL63SE7C8F	CE ENEC CB 10.600
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	OL63SE7C8FW	CE ENEC CB 10.600
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	OL63SE7C8FD	CE ENEC CB 10.700
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	OL63SE7C8FWD	CE ENEC CB 10.700
black nickel plated	black nickel plated	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	OL63SE9C8F	CE ENEC CB 11.700
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	OL63SE9C8FW	CE ENEC CB 11.700
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	OL63SE9C8FD	CE ENEC CB 11.800
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	OL63SE9C8FWD	CE ENEC CB 11.800
brushed bronze	brushed bronze	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	OL63SF7C8F	CE ENEC CB 12.600
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	OL63SF7C8FW	CE ENEC CB 12.600
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	OL63SF7C8FD	CE ENEC CB 12.800
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	OL63SF7C8FWD	CE ENEC CB 12.800
gold plated	gold plated	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	OL63SL6C8F	CE ENEC CB 13.100
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	OL63SL6C8FW	CE ENEC CB 13.100
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	OL63SL6C8FD	CE ENEC CB 13.300
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	OL63SL6C8FWD	CE ENEC CB 13.300


On site minimum adjustable overall height 95 cm

# Volver medium linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SE7C8F	CE ENEC CB <b>21.400</b>
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SE7C8FW	CE ENEC CB <b>21.400</b>
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SE7C8FD	CE ENEC CB <b>21.500</b>
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SE7C8FWD	CE ENEC CB <b>21.500</b>
black nickel plated	black nickel plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SE9C8F	CE ENEC CB <b>24.200</b>
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SE9C8FW	CE ENEC CB <b>24.200</b>
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SE9C8FD	CE ENEC CB <b>24.400</b>
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SE9C8FWD	CE ENEC CB <b>24.400</b>
brushed bronze	brushed bronze	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SF7C8F	CE ENEC CB <b>26.300</b>
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SF7C8FW	CE ENEC CB <b>26.300</b>
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SF7C8FD	CE ENEC CB <b>26.400</b>
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SF7C8FWD	CE ENEC CB <b>26.400</b>
gold plated	gold plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SL6C8F	CE ENEC CB <b>26.800</b>
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SL6C8FW	CE ENEC CB <b>26.800</b>
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SL6C8FD	CE ENEC CB <b>26.900</b>
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SL6C8FWD	CE ENEC CB <b>26.900</b>

On site minimum adjustable overall height 95 cm



36,5




72




148×55×99 cm

# Volver large linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SE7C8F	CE ENEC CB <b>29.000</b>
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SE7C8FW	CE ENEC CB <b>29.000</b>
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SE7C8FD	CE ENEC CB <b>29.500</b>
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SE7C8FWD	CE ENEC CB <b>29.500</b>
black nickel plated	black nickel plated	clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SE9C8F	CE ENEC CB <b>33.000</b>
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SE9C8FW	CE ENEC CB <b>33.000</b>
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SE9C8FD	CE ENEC CB <b>33.000</b>
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SE9C8FWD	CE ENEC CB <b>33.000</b>
brushed bronze	brushed bronze	clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SF7C8F	CE ENEC CB <b>36.000</b>
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SF7C8FW	CE ENEC CB <b>36.000</b>
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SF7C8FD	CE ENEC CB <b>36.000</b>
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SF7C8FWD	CE ENEC CB <b>36.000</b>
gold plated	gold plated	clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SL6C8F	CE ENEC CB <b>37.500</b>
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SL6C8FW	CE ENEC CB <b>37.500</b>
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SL6C8FD	CE ENEC CB <b>37.500</b>
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SL6C8FWD	CE ENEC CB <b>37.500</b>


On site minimum adjustable overall height 95 cm

# Volver round chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SE7C8F	CE ENEC CB 25.500
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SE7C8FW	CE ENEC CB 25.500
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SE7C8FD	CE ENEC CB 25.700
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SE7C8FWD	CE ENEC CB 25.700
black nickel plated	black nickel plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SE9C8F	CE ENEC CB 28.000
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SE9C8FW	CE ENEC CB 28.000
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SE9C8FD	CE ENEC CB 28.500
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SE9C8FWD	CE ENEC CB 28.500
brushed bronze	brushed bronze	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SF7C8F	CE ENEC CB 29.900
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SF7C8FW	CE ENEC CB 29.900
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SF7C8FD	CE ENEC CB 30.000
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SF7C8FWD	CE ENEC CB 30.000
gold plated	gold plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SL6C8F	CE ENEC CB 31.000
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SL6C8FW	CE ENEC CB 31.000
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SL6C8FD	CE ENEC CB 31.500
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SL6C8FWD	CE ENEC CB 31.500

On site minimum adjustable overall height 95 cm




# Canopy types |


Mechanical







Without quick system




With quick system







Flush




Radial




Radial



Disc




Disc




# Canopy types |

Magnetic



Covered disc



# Glasses&Components





# Glasses and Components

Item	Description	Code	€	Item	Description	Code	€
<b>Abacus</b>	white glass	W389V6CV	<b>35</b>	<b>Manta</b>	Clear Ø20	W379V6G0	<b>465</b>
<b>Angel Falls</b>	Clear	W349V6G0	<b>255</b>		Clear Ø26	W380V6G0	<b>695</b>
<b>Argent Mon Bijou</b>	kit led 3000K   susp.	KITLED1.530	<b>100</b>	<b>Mizu</b>	Clear	W341V000	<b>285</b>
	kit led 2700K   susp.	KITLED1.527	<b>100</b>		Champagne	W341V8N0	<b>305</b>
	kit led 3000K   wall sc. nickel	KITLEDMBE730	<b>130</b>		Cognac	W395V6J0	<b>305</b>
	kit led 3000K   wall sc. gold	KITLEDMBP730	<b>130</b>		Silver dust	W366V8M0	<b>365</b>
	kit led 3000K   wall sc. rose gold	KITLEDMBN430	<b>130</b>		Gold	W351V8L0	<b>520</b>
	kit led 3000K   wall sc. champagne	KITLEDMBQ130	<b>130</b>	<b>Oscar</b>	Satin white	W390V6CA	<b>275</b>
<b>Calle</b>	Clear	W356V6G0	<b>685</b>	<b>Pug</b>	Clear	W391V000	<b>130</b>
<b>Frame</b>	Clear Ø7   wall sc.	W406V000	<b>235</b>		Satin white	W392V6CA	<b>205</b>
	Clear Ø7   susp.	W344V000	<b>270</b>				
	Clear Ø10   susp.	W343V000	<b>395</b>				
	Clear cone   susp.	W352V000	<b>460</b>				
<b>Glamour</b>	Glass	W325V6A0	<b>160</b>				
<b>Harpe</b>	kit led 3000K   susp.	KITLEDHAR30	<b>110</b>				
<b>Iceberg</b>	"A" module	X287P000	<b>90</b>				
	"B" module	X288P000	<b>90</b>				
	"C" module	X292P000	<b>90</b>				
	"F" module	X290P000	<b>90</b>				
	"E" module	X289P000	<b>90</b>				
	"G" module	X291P000	<b>90</b>				

# Condizioni Generali di vendita e consegna

---

## Validità

Il presente listino annulla e sostituisce il precedente. La Terzani Srl si riserva il diritto di apportare modifiche al listino in qualunque momento e senza preavviso e declina ogni responsabilità per eventuali inesattezze in esso contenute derivanti da errori di stampa o trascrizione.

## Prezzi

Tutti i prezzi indicati su questo listino sono espressi in euro e sono al pubblico I.V.A. esclusa. Sui prezzi netti (net) presenti nel listino non sono applicabili sconti commerciali. Le offerte emesse da Terzani srl hanno una validità di 30 giorni. Decorso detto termine la Terzani srl si riserva il diritto di apportare eventuali modifiche ai prezzi senza preavviso.

## Modifiche e annullamento ordini

La modifica o la cancellazione dell'ordine dopo la data di conferma non è valida se non previa accettazione scritta da parte di Terzani. Non è comunque in ogni caso ammesso l'annullamento di ordini per prodotti su misura.

## Consegna

I termini eventualmente fissati per la consegna della merce sono puramente indicativi.

La loro mancata osservanza non darà luogo a penalità di sorta né potrà originare richieste di risarcimento danni.

## Garanzia & Responsabilità

La garanzia ha la durata di 2 anni a decorrere dalla data di fatturazione della merce. Durante il periodo di validità, la garanzia dà diritto alla riparazione o sostituzione della merce o parte di essa. La presente garanzia non si applica ai danni derivanti da incidenti, alterazioni, manomissioni, uso improprio, negligenza o abuso. Terzani Srl non fornisce garanzie in caso di utilizzo errato o inappropriato, installazione/disinstallazione errata, uso improprio e manutenzione errata, pertanto nessuna responsabilità può essere attribuita alla società e nessuna richiesta di risarcimento sarà accettata.

## Limitazione di Responsabilità

TERZANI SRL NON E' RESPONSABILE PER DANNI INDIRETTI, SPECIALI, ACCIDENTALI O CONSEQUENZIALI DI QUALSIASI NATURA.

Inoltre, Terzani Srl non è responsabile per quanto segue:

- Eventuali costi relativi all'installazione, reinstallazione, rimozione o riparazione
- Danni causati da installazione o assemblaggio improprio da parte dell'acquirente o di terzi
- Danni causati dall'esposizione alle intemperie o da un ambiente improprio
- Danni causati da soluzioni o metodi di pulizia impropri
- Qualsiasi cambiamento nell'aspetto o patina causato dall'usura naturale

## Spese di Trasporto

Per le spedizioni in Italia di importo

superiori o uguali a € 750 il trasporto è franco destino

inferiore a € 750 sarà addebitato in fattura un contributo di € 35.

## Rotture Trasporto

Terzani srl non è responsabile per danni alle merci che si verificano durante il trasporto o lo stoccaggio. Al momento della consegna il destinatario deve accertarsi che i colli siano integri; in caso di colli sconzionati, manomessi, mancanti o quanto altro possa far intuire un danno o una rottura, la merce deve essere accettata annotando sul documento di trasporto: "Riserva di controllo del contenuto". Specificando la motivazione per cui è posta la riserva al fine di presentare eventuale reclamo per iscritto alla Terzani srl entro 8 giorni lavorativi dalla data dell'accettazione con riserva della merce.

## Contestazioni

Eventuali contestazioni sulla qualità e quantità della merce ricevuta dovranno essere notificate dall'acquirente alla Terzani Srl esclusivamente in forma scritta o per e-mail entro 8 giorni dall'avenuta consegna. Non si accettano contestazioni per prodotti già installati o manomessi.

## Resi

Non sarà accettata la restituzione dei prodotti senza il consenso scritto e le istruzioni di spedizione di Terzani Srl. Qualsiasi operazione di reso si intende "Franco nostro stabilimento". La merce deve essere perfettamente imballata, possibilmente nell'imballo originale. La Terzani Srl non sarà responsabile per danni o rotture avvenuti durante il trasporto per merce non adeguatamente imballata. La restituzione della merce installata non sarà accettata. La restituzione di beni non difettosi, una volta approvata, sarà soggetta ad un costo pari al 30% del prezzo di acquisto sostenuto dal cliente.

## Caratteristiche del prodotto | Prodotti e Modifiche

Tutti i prodotti sono fatti a mano e sono tutti oggetti unici. I vetri soffiati e o rifiniti a mano possono presentare bolle d'aria, strisce leggere o scoloriture. Questi aspetti sono tipici dell'alta qualità dei prodotti in vetro soffiato e rifinito a mano e non possono essere considerati difetti di lavorazione e non possono essere oggetto di reclamo.

In aree con condizioni ambientali particolarmente aggressive (come umidità, salsedine o inquinamento), alcuni materiali e finiture possono deteriorarsi più rapidamente, anche se conformi ai nostri standard di qualità. Una corretta cura e manutenzione dell'ambiente è quindi essenziale per garantirne il corretto funzionamento e la durata nel tempo del prodotto.

Per motivi di produzione e/o miglioramento, Terzani Srl si riserva il diritto di modificare, in qualsiasi momento e senza preavviso, le specifiche tecniche e/o progettuali di qualsiasi prodotto illustrato nel catalogo. Questo non potrà essere oggetto di rivalsa su prodotti già forniti.

## Unità di misura

Tutte le misure nel listino prezzi sono in centimetri.

OAH (overall height) – Soltanto un elettricista certificato può aggiustare/accorciare l'altezza totale del/dei pendente/i.

Il voltaggio di tutti i prodotti presenti in questo listino è 220-240V. Il voltaggio 110V è disponibile su richiesta.

## Lampadine

Le lampadine non sono incluse ad eccezione dei led integrati.

## Foro Competente

Per qualsiasi contestazione si considera competente soltanto l'Autorità Giudiziaria di Firenze.

# General terms and conditions of sales and delivery

---

## Validity

This price list cancels out the previous one and replaces it. Terzani Srl reserves the right to make changes to the price list at any time and without prior notice, and assumes no liability for inaccuracies contained therein due to printing or transcription errors.

## Prices

All prices indicated on this price list are expressed in euros and exclude VAT for the general public. No commercial discounts can be applied to the net prices on the price list. The quotes issued by Terzani srl are valid for 30 days. After the term mentioned above, Terzani srl reserves the right to make any changes to the prices without prior notice.

## Changes and cancellation of orders

Changes in or cancellation of orders after the confirmation date are not valid unless prior written acceptance has been provided by Terzani. In any case, orders for customized products cannot be cancelled.

## Delivery

Any terms established for the delivery of the goods are purely indicative.  
Failure to meet these terms will not result in penalties of any kind or lead to claims for damages.

## Warranty & Liability

Terzani SRL warrants that the goods will be free from material defects, are made with workmanlike quality, and will conform, within normal commercial tolerances, to the applicable specifications for a period of 2 years from the date the goods are invoiced, subject to the notice and exclusions below. The sole remedy for breach of this limited warranty will be Terzani SRL repairing, replacing, or providing replacement parts, at Terzani SRL's discretion. Purchaser shall notify Terzani SRL of any such defect or nonconformity immediately after delivery or discovery, if not readily apparent on delivery. This limited warranty does not extend to any goods purchaser improperly uses, installs, or uninstalls, or otherwise modifies, alters, tampers with, abuses, neglects, improperly maintains, or otherwise misuses according to the applicable documentation or specifications, or to any goods purchaser has had repaired or altered by a person other than Terzani SRL.

## Limitation on Liability

TERZANI SRL HEREBY EXPRESSLY EXCLUDES ANY LIABILITY FOR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY NATURE UNDER THE TERMS OF THIS WARRANTY.

Additionally, Terzani Srl is not responsible for the following:

- Any costs related to installation, re-installation, removal, or repair
- Damage caused by improper installation or assembly by the purchaser or a third party
- Damage caused by exposure to weather or improper environment
- Damage caused by improper cleaning solutions or methods

Any change in appearance or patina caused by natural wear

## Shipping charges

For shipments in Austria, Belgium, France, Germany, Greece, Luxemburg, Netherland, Poland, Spain amounting to More than € 750, transport is DAP  
less than € 750, there will be a charge € 50 added to the invoice.

## Breakages during Transport

Terzani srl is not liable for damage to goods that occurs during transport or storage. At the time of delivery, the recipient must ascertain that the packages are intact; in the case of packages that, on arrival, are in bad condition, tampered with, missing, or anything else that might suggest damage or breakage, the goods must be accepted, and on the transport document, in writing, there must be the words: "Riserva di controllo del contenuto (With reservations - subject to inspection)", specifying the reason for the reservations, for the purposes of lodging a complaint in writing to Terzani srl within 8 working days from the date that the goods are accepted with reservations.

## Complaints

In regard to any complaints over the quality and quantity of the goods received, the purchaser must notify Terzani Srl exclusively in writing or by e-mail within 8 days of delivery. Complaints about products already installed or tampered with will not be accepted.

## Returns

Products may not be returned without written consent and shipping instructions from Terzani Srl. Any return operation is understood as "free from our factory". The goods must be packed perfectly, preferably in the original packaging. Terzani Srl will not be liable for damages or breakages that take place during the transport of goods that are not properly packed. The return of already installed goods will not be accepted. The return of non-defective goods, once approved, will be subject to a cost equal to 30% of the purchase price paid by the customer.

## Product features | Products and modifications

All the products are made by hand and unique. Blown glass and/or hand-finished glass may have air bubbles, light stripes or discolouration. These are typical features in high-quality blown glass and hand-finished glass products and cannot be considered manufacturing defects and nor may be subject to complaints. In areas with particularly aggressive environmental conditions (such as humidity, salinity, or pollution), some materials and finishes may deteriorate more quickly, even if they comply with our quality standards. Proper care and a controlled environment are essential to ensure both proper functioning and long-term durability. Terzani SRL reserves the right to modify the technical and/or design specifications of any product illustrated in the catalogue at any time and without notice for product production reasons and/or product improvement. Any such modifications shall not be grounds for returning a product once such product is delivered.

## Units of measurement

All measurements in the price list are in centimeters.  
OAH (overall height) - The total height of the pendant (s) may only be adjusted/shortened by a certified electrician.  
The voltage of all products listed in this catalog is 220-240V. The 110V voltage is available upon request.

## Light bulbs

Light bulbs, except for the integrated leds, are not included.

## Place of jurisdiction

The judicial authorities in Florence shall have exclusive jurisdiction in any dispute.

# TERZANI

All products in the Terzani collections are inspired by a return to noble artisan traditions. Every object is carefully created using craft techniques and for this reason certain details may vary from product to product. These variations are not imperfections but characteristic peculiarities of the production process. Terzani reserves the right to modify its products in order to improve its features. Product reproduction on paper may result in a misrepresentation of some colors. For updated technical data please refer to our current price list or our website. For informations about Patent & Design Registration please visit: [www.terzani.com/patents](http://www.terzani.com/patents)

## Headquarter & Showroom Terzani srl

Via Castelpulci Int.9  
50018 Scandicci Firenze Italy  
Office +39 055 722021  
[info@terzani.com](mailto:info@terzani.com)

Creative Direction Terzani  
Art Direction Camilla Cordella  
Photos Leonardo Beglieri  
Digital imaging Fulvio Gallotti  
Printed on eco-friendly paper  
Eu (Italy) 2026  
© terzani 2026

[terzani.com](http://terzani.com)





**TERZANI**

[terzani.com](http://terzani.com)