

euro price list
edition 02

202

5

TERZANI

TERZANI

euro price list
2025
edition 02





PreciousDesign

Terzani's Precious Design Concept is luxury evolved. Each piece in this new lighting collection breaks the staid boundaries of traditional luxury, and incorporates stunningly modern design, cutting-edge technology, artisan craftsmanship and precious materials. The result are sculptures of light whose illumination transforms spaces through dynamic lighting and shadow effects. They create a new visual language of what luxury is, one that reflects both today's aesthetics, architecture and design traditions yet also pushes towards the future.





Bespoke

Work with the Terzani design team to transform your vision into reality, whether it involves straightforward modifications or intricate design enhancements.




Arts&Crafts



Index

PreciousDesign

- 010 Abacus
- 024 Angel Falls
- 030 Argent
- 046 Argent, mon bijou
- 056 Atlantis
- 064 Calle
- 072 Core
- 078 Doodle
- 088 Dragon
- 092 Epoque
- 096 Etoile
- 100 Frame
- 104 Gaia
- 110 Genesis
- 114 Harpe
- 124 I Lucci Argentati
- 132 Iceberg
- 134 Manta
- 142 Mizu
- 160 Moiré
- 162 Oscar
- 164 Soscik
- 170 Stanley
- 172 Stream
- 178 Volver



Materials

Brass and white glass

Finishes

Diffuser



brass | white glass

Canopy



white



satin brass




painted brass




brass


Legend




Pendants



Multi light pendant



Wall sconce




Abacus small pendant light

Body | 5 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
brass white glass	white	champagne fabric	integrated led	3,6W 540 lm 3000K	see power supply options	0V01SE8BF15KK	CE ENEC CB 605

On site minimum adjustable overall height 45 cm


0,4 | 1,2 50x31x21 cm

Abacus medium pendant light

Body | 10 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
brass white glass	white	champagne fabric	integrated led	7,2W 1080 lm 3000K	see power supply options	0V01SE8BF1AKK	CE ENEC CB 1.020

On site minimum adjustable overall height 80 cm


0,6 | 1,6 83x25x26 cm

Abacus large pendant light

Body | 15 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
brass white glass	white	champagne fabric	integrated led	10,8W 1620 lm 3000K	see power supply options	OV01SE8BF1FKK	1.540

On site minimum adjustable overall height 120 cm

0,9 | 2,1

117×29×16 cm

Power supply options


INTEGRATED LED 3000K

Dimming		Code	Price €
0-10V PWM	max 26 spheres	R1240000	42 (net)
	max 60 spheres	R1260000	50 (net)
100kΩ 0/1-10V PUSH - DALI	max 26 spheres	KITELETDALISPH26	136 (net)
	max 60 spheres	KITELETDALISPH60	152 (net)

Abacus small pendant light

Body | 5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	3,6W 540 lm 3000K	0-10V PWM	0V01SE8BFP15	CE ENEC CB 865
			integrated led	3,6W 540 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SE8BFP15D	CE ENEC CB 995
		champagne fabric	integrated led	3,6W 540 lm 3000K	0-10V PWM	0V01SM3BFP15	CE ENEC CB 995
			integrated led	3,6W 540 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SM3BFP15D	CE ENEC CB 1120


On site minimum adjustable overall height 45 cm

 1,6 |  2,4  50×31×21 cm

Abacus medium pendant light

Body | 10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	7,2W 1080 lm 3000K	0-10V PWM	0V01SE8BFP1A	CE ENEC CB 1.290
			integrated led	7,2W 1080 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SE8BFP1AD	CE ENEC CB 1.420
		champagne fabric	integrated led	7,2W 1080 lm 3000K	0-10V PWM	0V01SM3BFP1A	CE ENEC CB 1.420
			integrated led	7,2W 1080 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SM3BFP1AD	CE ENEC CB 1.540


On site minimum adjustable overall height 80 cm

 1,7 |  2,8  83×25×26 cm

Abacus large pendant light

Body | 15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	10,8W 1620 lm 3000K	0-10V PWM	0V01SE8BFP1F	CE ENEC CB 1.810
			integrated led	10,8W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SE8BFP1FD	CE ENEC CB 1.940
 brass white glass	 satin brass	champagne fabric	integrated led	10,8W 1620 lm 3000K	0-10V PWM	0V01SM3BFP1F	CE ENEC CB 1.940
			integrated led	10,8W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SM3BFP1FD	CE ENEC CB 2.060

On site minimum adjustable overall height 120 cm



2



5




155x46x22 cm

Abacus 3 small round multi light pendant

Body | 3x5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	3 × 3,6W 1620 lm 3000K	0-10V PWM	0V03SE8BFP1F	CE ENEC CB 2.060
			integrated led	3 × 3,6W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SE8BFP1FD	CE ENEC CB 2.190
 brass white glass	 satin brass	champagne fabric	integrated led	3 × 3,6W 1620 lm 3000K	0-10V PWM	0V03SM3BFP1F	CE ENEC CB 2.190
			integrated led	3 × 3,6W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SM3BFP1FD	CE ENEC CB 2.330

On site minimum adjustable overall height 60 cm



2,5



3,4




77x35x26 cm

Abacus 3 medium round multi light pendant


Body | 3x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	3 × 7,2W 3240 lm 3000K	0-10V PWM	0V03SE8BFP1V	CE ENEC CB 3.330
			integrated led	3 × 7,2W 3240 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SE8BFP1VD	CE ENEC CB 3.450
		champagne fabric	integrated led	3 × 7,2W 3240 lm 3000K	0-10V PWM	0V03SM3BFP1V	CE ENEC CB 3.450
			integrated led	3 × 7,2W 3240 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SM3BFP1VD	CE ENEC CB 3.590


On site minimum adjustable overall height 110 cm



Abacus 3 large round multi light pendant


Body | 3x15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	3 × 10,8W 4860 lm 3000K	0-10V PWM	0V03SE8BFP2B	CE ENEC CB 4.870
			integrated led	3 × 10,8W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SE8BFP2BD	CE ENEC CB 5.000
		champagne fabric	integrated led	3 × 10,8W 4860 lm 3000K	0-10V PWM	0V03SM3BFP2B	CE ENEC CB 5.000
			integrated led	3 × 10,8W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SM3BFP2BD	CE ENEC CB 5.120


On site minimum adjustable overall height 150 cm



Abacus 7 small round multi light pendant

Body | 7x5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	7 x 3,6W 3780 lm 3000K	0-10V PWM	0V07SE8BFP21	CE ENEC CB 4.490
			integrated led	7 x 3,6W 3780 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SE8BFP21D	CE ENEC CB 4.620
 brass white glass	 satin brass	champagne fabric	integrated led	7 x 3,6W 3780 lm 3000K	0-10V PWM	0V07SM3BFP21	CE ENEC CB 4.620
			integrated led	7 x 3,6W 3780 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SM3BFP21D	CE ENEC CB 4.720


On site minimum adjustable overall height 70 cm

 4 |  9,6  83x80x44 cm

Abacus 7 medium round multi light pendant

Body | 7x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	7 x 7,2W 7560 lm 3000K	0-10V PWM	0V07SE8BFP32	CE ENEC CB 7.450
			integrated led	7 x 7,2W 7560 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SE8BFP32D	CE ENEC CB 7.590
 brass white glass	 satin brass	champagne fabric	integrated led	7 x 7,2W 7560 lm 3000K	0-10V PWM	0V07SM3BFP32	CE ENEC CB 7.590
			integrated led	7 x 7,2W 7560 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SM3BFP32D	CE ENEC CB 7.710


On site minimum adjustable overall height 130 cm

 6 |  13  191x46x46 cm

Abacus 7 large round multi light pendant

Body | 7×15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	7 × 10,8W 11340 lm 3000K	0-10V PWM	0V07SE8BFP43	CE ENEC CB 11.050
			integrated led	7 × 10,8W 11340 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SE8BFP43D	CE ENEC CB 11.150
		champagne fabric	integrated led	7 × 10,8W 11340 lm 3000K	0-10V PWM	0V07SM3BFP43	CE ENEC CB 11.150
			integrated led	7 × 10,8W 11340 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SM3BFP43D	CE ENEC CB 11.300


On site minimum adjustable overall height 160 cm

 9,6 |  14,6  191×46×46 cm

Abacus small linear multi light pendant

Body | 3×5 - 3×10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	0-10V PWM	0V06SE8BFR2B	CE ENEC CB 4.820
			integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V06SE8BFR2BD	CE ENEC CB 4.950
		champagne fabric	integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	0-10V PWM	0V06SP4BFR2B	CE ENEC CB 5.010
			integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V06SP4BFR2BD	CE ENEC CB 5.150



On site minimum adjustable overall height 110 cm

 7 |  1× 7
1× 5  1× 90×45×30 cm
1× 83×25×26 cm

Abacus medium linear multi light pendant

Body | 6x5 - 6x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	0V12SE8BFR3M	CE ENEC CB 9.580
			integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V12SE8BFR3MD	CE ENEC CB 9.840
		champagne fabric	integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	0V12SP4BFR3M	CE ENEC CB 9.770
			integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V12SP4BFR3MD	CE ENEC CB 10.050



On site minimum adjustable overall height 110 cm

 13 |  1x 10
1x 10,6  1x 107x80x24 cm
1x 177x29x16 cm

Abacus large linear multi light pendant

Body | 7x5 - 8x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	0V15SE8BFR4D	CE ENEC CB 11.550
			integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V15SE8BFR4DD	CE ENEC CB 11.850
		champagne fabric	integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	0V15SP4BFR4D	CE ENEC CB 11.850
			integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V15SP4BFR4DD	CE ENEC CB 12.050


On site minimum adjustable overall height 110 cm

 32 |  1x 13
1x 23  1x 115x95x75 cm
1x 191x46x46 cm

Abacus wall sconce

Body | 5 spheres

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass  brass		-	integrated led	3,6W 540 lm 3000K	0/1-10V PUSH	OV01AM3BF15	CE ENEC 970
			integrated led	3,6W 540 lm 3000K	no	OV01AM3BF15L	CE ENEC CB 970

 1,6
 |
  1,8
  60x20x21 cm




Abacus | Bespoke



Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type *	Finish
Canopy	 _____ cm ☐	 _____ cm ☐	☐ white ☐ satin brass ☐ painted brass ☐ brass ☐ other _____
	 _____ cm ☐		
Based on your request, we will provide a solution that best meets your needs			

	Pendant height	Pendant Finish
Height	min _____ cm	☐ brass white glass ☐ other _____
	max _____ cm	

	Type of pendants and the number
Diffuser	5 spheres 
	10 spheres 
	15 spheres 
	Qty _____

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	☐ integrated led 3000K	☐ PWM ☐ 1-10V ☐ PUSH ☐ 0-10V ☐ DALI ☐ other _____

Additional information

Angel Falls | Design Nigel Coates



Material

Clear crystal



Finishes

Diffuser



clear crystal

Canopy




white




brushed nickel






Legend



Pendant




Multi pendants



Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Angel Falls single pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	-	air craft nylon cable	-	-	-	0Q10EZ8A9O	CE ENEC 240


On site minimum adjustable overall height 30 cm

0,2 | 0,7 32x24x17 cm

Angel Falls 7 pendants

Body | 7 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	brushed nickel	air craft nylon cable	GU10 dimmable led	5W	all systems	0Q07SH4A9F	CE ENEC 2.670



GU10 light bulbs are not included
On site minimum adjustable overall height 125 cm

4,1 | 1x 4
1x 3 1x 50x50x25 cm
1x 50x50x25 cm

Angel Falls 12 pendants

Body | 12 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 brushed nickel	air craft nylon cable	GU10 dimmable led	3 × 5W	all systems	0Q12SH4A9F	CE ENEC 4.560



GU10 light bulbs are not included
On site minimum adjustable overall height 110 cm

 9 |  1× 9
1× 6  1× 67×67×23 cm
1× 67×67×30 cm

Angel Falls 18 pendants

Body | 18 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 brushed nickel	air craft nylon cable	GU10 dimmable led	3 × 5W	all systems	0Q11SH4A9F	CE ENEC 5.720


GU10 light bulbs are not included
On site minimum adjustable overall height 160 cm

 10 |  1× 9
1× 8  1× 67×67×30 cm
1× 67×67×30 cm

Angel Falls 24 pendants

Body | 24 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	brushed nickel	air craft nylon cable	GU10 dimmable led	3 × 5W	all systems	0Q10SH4A9F	CE ENEC 7.240


GU10 light bulbs are not included
On site minimum adjustable overall height 150 cm

14 | 1 × 10
 1 × 14,4 1 × 67×67×23 cm
 1 × 77×77×30 cm

Angel Falls 36 pendants

Body | 36 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	air craft nylon cable	GU10 dimmable led	9 × 4W	all systems	0Q13SE8A9F	CE ENEC 11.250

GU10 light bulbs are not included
On site minimum adjustable overall height 100 cm

25 | 1 × 19
 1 × 16 1 × 130×21×85 cm
 1 × 83×80×44 cm





Material

Stainless steel

Finishes


Diffuser

Canopy


- stainless steel
- gold
- sunset rose
- champagne

- white


Legend




Pendants




Multi light pendant



Chandelier



Wall sconce



Ceiling light





Table lamp




Argent pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SE7C8FKK	CE ENEC 900
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SE7C8FLKK	CE ENEC CB 900
gold	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SP7C8FKK	CE ENEC 1.470
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SP7C8FLKK	CE ENEC CB 1.470
sunset rose	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SA8C8FKK	CE ENEC 1.470
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SA8C8FLKK	CE ENEC CB 1.470
champagne	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SQ1C8FKK	CE ENEC 1.470
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SQ1C8FLKK	CE ENEC CB 1.470

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 60 cm

1,8 | 3,2 41×41×41 cm

Power supply options

G4 HALOGEN


Dimming		Code	Price €
IGBT	max 1 pendant	R1030000	32 (net)
DALI	max 1 pendant	KITELETDALIHALO70	168 (net)

G4 LED


Dimming		Code	Price €
IGBT	max 7 pendants	R1030000	32 (net)
100kΩ	max 8 pendants	KITELETDALILED60	142 (net)
0/1-10V PUSH - DALI	max 14 pendants	KITELETDALILED100	168 (net)

Argent pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 stainless steel	 white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SE7C8F	CE ENEC CB 970
			G4 led	3 × 2W	no	0N90SE7C8FL	CE ENEC CB 970
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SE7C8FD	CE ENEC 1.110
 gold	 white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SP7C8F	CE ENEC 1.560
			G4 led	3 × 2W	no	0N90SP7C8FL	CE ENEC CB 1.560
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SP7C8FD	CE ENEC 1.690
 sunset rose	 white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SA8C8F	CE ENEC 1.560
			G4 led	3 × 2W	no	0N90SA8C8FL	CE ENEC CB 1.560
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SA8C8FD	CE ENEC 1.690
 champagne	 white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SQ1C8F	CE ENEC 1.560
			G4 led	3 × 2W	no	0N90SQ1C8FL	CE ENEC CB 1.560
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SQ1C8FD	CE ENEC 1.690


G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 60 cm

 2,4 |  3,8  41×41×41 cm

Argent 4 round multi light pendant

Body

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 stainless steel	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N91SE7C8F	CE ENEC 4.700
			G4 dimmable led	12 x 2W	1-10V PWM	0N91SE7C8FL	CE ENEC CB 4.700
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N91SE7C8FD	CE ENEC 5.100
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N91SE7C8FLD	CE ENEC 4.820
 gold	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N91SP7C8F	CE ENEC 7.180
			G4 dimmable led	12 x 2W	1-10V PWM	0N90SP7C8FL	CE ENEC CB 7.180
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N91SP7C8FD	CE ENEC 7.580
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N91SP7C8FLD	CE ENEC 7.290
 sunset rose	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N91SA8C8F	CE ENEC 7.180
			G4 dimmable led	12 x 2W	1-10V PWM	0N91SA8C8FL	CE ENEC CB 7.180
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N91SA8C8FD	CE ENEC 7.580
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N91SA8C8FLD	CE ENEC 7.290
 champagne	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N91SQ1C8F	CE ENEC 7.180
			G4 dimmable led	12 x 2W	1-10V PWM	0N91SQ1C8FL	CE ENEC CB 7.180
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N91SQ1C8FD	CE ENEC 7.580
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N91SQ1C8FLD	CE ENEC 7.290

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 90 cm

 18,5 |  32  115x95x75 cm

Argent 4 linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 stainless steel	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	 0N92SE7C8F	CE ENEC 4.700
			G4 dimmable led	12 x 2W	1-10V PWM	0N92SE7C8FL	CE ENEC CB 4.700
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N92SE7C8FD	CE ENEC 5.100
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N92SE7C8FLD	CE ENEC 4.820
 gold	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N92SP7C8F	CE ENEC 7.180
			G4 dimmable led	12 x 2W	1-10V PWM	0N92SP7C8FL	CE ENEC CB 7.180
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N92SP7C8FD	CE ENEC 7.580
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N92SP7C8FLD	CE ENEC 7.290
 sunset rose	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N92SA8C8F	CE ENEC 7.180
			G4 dimmable led	12 x 2W	1-10V PWM	0N92SA8C8FL	CE ENEC CB 7.180
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N92SA8C8FD	CE ENEC 7.580
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N92SA8C8FLD	CE ENEC 7.290
 champagne	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N92SQ1C8F	CE ENEC 7.180
			G4 dimmable led	12 x 2W	1-10V PWM	0N92SQ1C8FL	CE ENEC CB 7.180
 champagne	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N92SQ1C8FD	CE ENEC 7.580
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N92SQ1C8FLD	CE ENEC 7.290

Quick system included (for further information see page 184)
G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 60 cm


 quick ship |  14,8 |  1x 8 4x 3,2  1x 117x29x16 cm 4x 41x41x41 cm

Argent 6 linear multi light pendant


Body



Canopy



Example - bespoke option




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 stainless steel	 white	clear	G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	IGBT	0N89SE7C8F	CE ENEC 7.040
			G4 dimmable led	18 x 2W	1-10V PWM	0N89SE7C8FL	CE ENEC CB 7.040
			G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	DALI	0N89SE7C8FD	CE ENEC 7.450
			G4 dimmable led	18 x 2W	100kΩ 0/1-10V PUSH - DALI	0N89SE7C8FLD	CE ENEC 7.180
 gold	 white	clear	G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	IGBT	0N89SP7C8F	CE ENEC 10.800
			G4 dimmable led	18 x 2W	1-10V PWM	0N89SP7C8FL	CE ENEC CB 10.800
			G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	DALI	0N89SP7C8FD	CE ENEC 11.150
			G4 dimmable led	18 x 2W	100kΩ 0/1-10V PUSH - DALI	0N89SP7C8FLD	CE ENEC 10.950
 sunset rose	 white	clear	G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	IGBT	0N89SA8C8F	CE ENEC 10.800
			G4 dimmable led	18 x 2W	1-10V PWM	0N89SA8C8FL	CE ENEC CB 10.800
			G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	DALI	0N89SA8C8FD	CE ENEC 11.150
			G4 dimmable led	18 x 2W	100kΩ 0/1-10V PUSH - DALI	0N89SA8C8FLD	CE ENEC 10.950
 champagne	 white	clear	G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	IGBT	0N89SQ1C8F	CE ENEC 10.800
			G4 dimmable led	18 x 2W	1-10V PWM	0N89SQ1C8FL	CE ENEC CB 10.800
			G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	DALI	0N89SQ1C8FD	CE ENEC 11.150
			G4 dimmable led	18 x 2W	100kΩ 0/1-10V PUSH - DALI	0N89SQ1C8FLD	CE ENEC 10.950


Quick system included (for further information see page 184)
G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 60 cm



22




1x 12
6x 3,2



1x 177x29x16 cm
6x 41x41x41 cm

Argent small chandelier




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SE7C8F	CE ENEC 4.700
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SE7C8FW	CE ENEC 4.700
gold	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SP7C8F	CE ENEC 7.180
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SP7C8FW	CE ENEC 7.180
sunset rose	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SA8C8F	CE ENEC 7.180
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SA8C8FW	CE ENEC 7.180
champagne	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SQ1C8F	CE ENEC 7.180
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SQ1C8FW	CE ENEC 7.180

On site minimum adjustable overall height 80 cm


11 | 26 83x78x95 cm

Argent medium chandelier

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SE7C8F	CE ENEC 7.980
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SE7C8FW	CE ENEC 7.980
gold	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SP7C8F	CE ENEC 12.050
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SP7C8FW	CE ENEC 12.050
sunset rose	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SA8C8F	CE ENEC 12.050
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SA8C8FW	CE ENEC 12.050
champagne	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SQ1C8F	CE ENEC 12.050
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SQ1C8FW	CE ENEC 12.050

On site minimum adjustable overall height 110 cm




Argent large chandelier

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SE7C8F	CE ENEC 12.050
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SE7C8FW	CE ENEC 12.050
gold	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SP7C8F	CE ENEC 18.050
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SP7C8FW	CE ENEC 18.050
sunset rose	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SA8C8F	CE ENEC 18.050
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SA8C8FW	CE ENEC 18.050
champagne	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SQ1C8F	CE ENEC 18.050
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SQ1C8FW	CE ENEC 18.050

On site minimum adjustable overall height 175 cm


36 | 108 85x85x195 cm

Argent wall sconce


Body



Canopy




Canopy for DALI



Finish	Source	Max power	Dimming	Code		Price €
	G4 halogen	3 × 20W	IGBT TRIAC	0N97AE7C8F	CE ENEC CB	970
	G4 led	3 × 2W	no	0N97AE7C8FL	CE ENEC CB	970
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AE7C8FD	CE ENEC	1.110
	G4 halogen	3 × 20W	IGBT TRIAC	0N97AP7C8F	CE ENEC	1.560
	G4 led	3 × 2W	no	0N97AP7C8FL	CE ENEC CB	1.560
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AP7C8FD	CE ENEC	1.690
	G4 halogen	3 × 20W	IGBT TRIAC	0N97AA8C8F	CE ENEC	1.560
	G4 led	3 × 2W	no	0N97AA8C8FL	CE ENEC CB	1.560
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AA8C8FD	CE ENEC	1.690
	G4 halogen	3 × 20W	IGBT TRIAC	0N97AQ1C8F	CE ENEC	1.560
	G4 led	3 × 2W	no	0N97AQ1C8FL	CE ENEC CB	1.560
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AQ1C8FD	CE ENEC	1.690

G4 led and G4 halogen light bulbs are not included






Argent ceiling light

Body

Canopy

Canopy for DALI




Finish	Source	Max power	Dimming	Code		Price €
	G4 halogen	3 × 20W	IGBT TRIAC	0N99LE7C8F	CE ENEC	970
	G4 led	3 × 2W	no	0N99LE7C8FL	CE ENEC CB	970
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LE7C8FD	CE ENEC	1.110
	G4 halogen	3 × 20W	IGBT TRIAC	0N99LP7C8F	CE ENEC	1.560
	G4 led	3 × 2W	no	0N99LP7C8FL	CE ENEC CB	1.560
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LP7C8FD	CE ENEC	1.690
	G4 halogen	3 × 20W	IGBT TRIAC	0N99LA8C8F	CE ENEC	1.560
	G4 led	3 × 2W	no	0N99LA8C8FL	CE ENEC CB	1.560
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LA8C8FD	CE ENEC	1.690
	G4 halogen	3 × 20W	IGBT TRIAC	0N99LQ1C8F	CE ENEC	1.560
	G4 led	3 × 2W	no	0N99LQ1C8FL	CE ENEC CB	1.560
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LQ1C8FD	CE ENEC	1.690

G4 led and G4 halogen light bulbs are not included

 2,1 |  3,8  59×59×28,5 cm

Argent table lamp



Finish	Cord	Source	Max power	Dimming	Code		Price €
 stainless steel nickel	clear	G4 led	3 × 2W	no	0N98BE7C8F	CE ENEC	1.080
 gold	clear	G4 led	3 × 2W	no	0N98BP7C8F	CE ENEC	1.650
 sunset rose	clear	G4 led	3 × 2W	no	0N98BA8C8F	CE ENEC	1.650
 champagne	clear	G4 led	3 × 2W	no	0N98BQ1C8F	CE ENEC	1.650


G4 led light bulbs are not included

 2,2 |  5,4  51×51×51 cm






Argent | Bespoke


Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type *	Finish
Canopy	 cm ☐	 Standard ☐ with quick system ☐ without quick system	☐ white ☐ stainless steel
	 cm ☐	 Flush ☐ available only with quick	☐ gold plated
	 cm ☐	 Radial system ☐	☐ rose gold plated ☐ champagne plated
	 cm ☐	 Disc ☐	☐ other

Based on your request, we will provide a solution that best meets your needs

	Pendant height	Hanging on	PVD Finish	Finish
Height		Cables ☐	recommended for YACHTS HOTELS RESTAURANTS ☐ stainless steel ☐ gold ☐ sunset rose ☐ champagne ☐ other	☐ stainless steel ☐ gold
	Number of pendants min _____ cm max _____ cm	Rods (for Yachts) ☐		☐ sunset rose ☐ champagne ☐ other

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	☐ halogen ☐ led	☐ IGBT ☐ 1-10V ☐ PWM ☐ TRIAC ☐ PUSH ☐ DALI ☐ other

Additional information



Material

Stainless steel and brass

Finishes

Diffuser

Canopy



stainless steel



white



gold




rose gold




champagne


Legend




Pendants




Multi light pendant



Portable table lamp



Wall sconce




Argent mon bijou pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB	OS01SE8H9FKK	470
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB	OS01SE8H9FWKK	470
gold	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB	OS01SE8P7FKK	840
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB	OS01SE8P7FWKK	840
rose gold	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB	OS01SE8N4FKK	840
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB	OS01SE8N4FWKK	840
champagne	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB	OS01SE8Q1FKK	840
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB	OS01SE8Q1FWKK	840

On site minimum adjustable overall height 25 cm

0,5 | 1 21x21x21 cm


Power supply options

INTEGRATED LED 3000K

Dimming		Code	Price €
IGBT / TRIAC	max 6 pendants	R1630000	27 (net)
1-10V / PUSH	min 2 max 12 pendants	R1110000	50 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	92 (net)

Argent mon bijou pendant light

Body Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8H9FT	520
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8H9FTW	520
gold	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8P7FT	895
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8P7FTW	895
rose gold	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8N4FT	895
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8N4FTW	895
champagne	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8Q1FT	895
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8Q1FTW	895

On site minimum adjustable overall height 30 cm

0,7 | 1,2 25x25x22 cm

Argent mon bijou 3 light pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8H9FT	1.530
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8H9FTW	1.530
gold	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8P7FT	2.620
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8P7FTW	2.620
rose gold	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8N4FT	2.620
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8N4FTW	2.620
champagne	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8Q1FT	2.620
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8Q1FTW	2.620

On site minimum adjustable overall height 95 cm

3,5


|

4

|

50x50x25 cm

Argent mon bijou 5 light pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8H9FT	2.580
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8H9FTW	2.580
gold	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8P7FT	4.430
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8P7FTW	4.430
rose gold	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8N4FT	4.430
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8N4FTW	4.430
champagne	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8Q1FT	4.430
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8Q1FTW	4.430

On site minimum adjustable overall height 145 cm

4,5


|

5

|

51x51x51 cm

Argent mon bijou 7 light pendant




Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8H9FT	3.630
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8H9FTW	3.630
gold	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8P7FT	6.240
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8P7FTW	6.240
rose gold	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8N4FT	6.240
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8N4FTW	6.240
champagne	white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8Q1FT	6.240
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8Q1FTW	6.240

On site minimum adjustable overall height 180 cm

5,5 | 6 67x67x30 cm

Argent mon bijou portable table lamp



Finish	Source	Max power	Dimming	Autonomy	Code	Price €
 stainless steel nickel	integrated led	1,4W 210 lm 3000K	integrated 4 steps dimmer	min 5.5h max 36h	0N88BE7C8H	345
 gold					0N88BP7C8H	515
 rose gold					0N88BN4C8H	515
 champagne					0N88BQ1C8H	515

USB-A to USB-C 1m cable and battery included.
Gift box included.



quick ship

CE ENEC



1




1,5



36x31x30 cm

Argent mon bijou wall sconce



Diffuser	Source	Max power	Dimming		Code	Price €
 stainless steel nickel	integrated led	2,1W 237 lm 3000K -700mA	0/1-10V PUSH	CE ENEC	0S01AE7H9F	570
 gold					0S01AL6P7F	945
 rose gold					0S01AN4N4F	945
 champagne					0S01AL6Q1F	945



0,5




1





25x25x22 cm



Argent, mon bijou | Bespoke

Please furnish the details for your design request by utilizing the request form




For further information, please feel free to contact our customer service

	Size	Type *	Finish
Canopy	 _____ cm ☐	 Standard ☐	☐ white ☐ stainless steel ☐ gold plated ☐ rose gold plated ☐ champagne plated ☐ other _____
	 _____ cm ☐	 Flush ☐	
	 _____ cm ☐	 Radial system ☐	
	 _____ cm ☐	 Disc ☐	
Based on your request, we will provide a solution that best meets your needs			

	Pendant height	Hanging on	PVD Finish
Height		Cables ☐	Solution for YACHTS HOTELS RESTAURANTS ☐ stainless steel ☐ gold ☐ rose gold ☐ champagne
		Rods (for Yachts) ☐	
	Number of pendants _____	min _____ cm max _____ cm	

	Voltage	Type	Dimming
Light Source	120V ☐ 230V ☐	☐ integrated led 3000K ☐ Other _____	☐ IGBT ☐ 1-10V ☐ PWM ☐ TRIAC ☐ PUSH ☐ DALI ☐ other _____


Additional information



Materials

Brass chains and metal structure plated

Legend



Finishes

Diffuser



nickel plated



black nickel plated



brushed bronze



gold plated



champagne plated



brushed champagne plated

Canopy



nickel plated



black nickel plated



brushed bronze



gold plated




champagne plated




brushed champagne plated

Chandelier



Wall sconce





Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Atlantis small three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SE7C8F	CE ENEC 16.450
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SE9C8F	CE ENEC 18.150
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SF7C8F	CE ENEC 19.700
gold plated	gold plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SL6C8F	CE ENEC 20.400
champagne plated	champagne plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SN1C8F	CE ENEC 20.400
brushed champagne plated	brushed champagne plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SN7C8F	CE ENEC 22.450



E14 led light bulbs are not included
On site minimum adjustable overall height 155 cm

18 | 54 75×75×114 cm

Atlantis medium three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SE7C8F	CE ENEC 18.400
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SE9C8F	CE ENEC 20.400
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SF7C8F	CE ENEC 21.750

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold plated	 gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SL6C8F	CE ENEC 23.050
 champagne plated	 champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SN1C8F	CE ENEC 23.050
 brushed champagne plated	 brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SN7C8F	CE ENEC 25.050


E14 led light bulbs are not included
On site minimum adjustable overall height 170 cm

 28 |  58  85×70×129 cm

Atlantis large three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SE7C8F	CE ENEC 27.750
 black nickel plated	 black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SE9C8F	CE ENEC 30.300
 brushed bronze	 brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SF7C8F	CE ENEC 32.900
 gold plated	 gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SL6C8F	CE ENEC 33.550
 champagne plated	 champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SN1C8F	CE ENEC 33.550
 brushed champagne plated	 brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SN7C8F	CE ENEC 36.900



E14 led light bulbs are not included
On site minimum adjustable overall height 230 cm

 37 |  91  115×85×150 cm

Atlantis small linear chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SE7C8F	CE ENEC 19.100
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SE9C8F	CE ENEC 21.000
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SF7C8F	CE ENEC 23.050
gold plated	gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SL6C8F	CE ENEC 23.650
champagne plated	champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SN1C8F	CE ENEC 23.650
brushed champagne plated	brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SN7C8F	CE ENEC 25.800

E14 led light bulbs are not included
On site minimum adjustable overall height 90 cm

34



70

170x55x99 cm

Atlantis medium linear chandelier

Body


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SE7C8F	CE ENEC 27.000
black nickel plated	black nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SE9C8F	CE ENEC 29.550
brushed bronze	brushed bronze	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SF7C8F	CE ENEC 32.000

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold plated	 gold plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SL6C8F	CE ENEC 33.450
 champagne plated	 champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SN1C8F	CE ENEC 33.450
 brushed champagne plated	 brushed champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SN7C8F	CE ENEC 36.750


E14 led light bulbs are not included
On site minimum adjustable overall height 105 cm



Atlantis large linear chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SE7C8F	CE ENEC 34.750
 black nickel plated	 black nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SE9C8F	CE ENEC 38.100
 brushed bronze	 brushed bronze	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SF7C8F	CE ENEC 41.150
 gold plated	 gold plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SL6C8F	CE ENEC 41.900
 champagne plated	 champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SN1C8F	CE ENEC 41.900
 brushed champagne plated	 brushed champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SN7C8F	CE ENEC 46.050



E14 led light bulbs are not included
On site minimum adjustable overall height 130 cm



Atlantis two tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SE7C8F	CE ENEC 26.450
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SE9C8F	CE ENEC 29.050
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SF7C8F	CE ENEC 31.650
gold plated	gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SL6C8F	CE ENEC 32.900
champagne plated	champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SN1C8F	CE ENEC 32.900
brushed champagne plated	brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SN7C8F	CE ENEC 36.200

E14 led light bulbs are not included
On site minimum adjustable overall height 125 cm



45



92





135×100×114 cm

Atlantis small wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AE7C8F	CE ENEC 1.950
black nickel plated	black nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AE9C8F	CE ENEC 2.150
brushed bronze	brushed bronze	-	E14 dimmable led	2 × 6W	all systems	OJ04AF7C8F	CE ENEC 2.660

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold plated	 gold plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AL6C8F	CE ENEC 2.220
 champagne plated	 champagne plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AN1C8F	CE ENEC 2.220
 brushed champagne plated	 brushed champagne plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AN7C8F	CE ENEC 2.430


E14 led light bulbs are not included



Atlantis large wall sconce


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AE7C8F	CE ENEC 4.010
 black nickel plated	 black nickel plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AE9C8F	CE ENEC 4.620
 brushed bronze	 brushed bronze	-	E14 dimmable led	4 × 6W	all systems	OJ03AF7C8F	CE ENEC 5.200
 gold plated	 gold plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AL6C8F	CE ENEC 4.900
 champagne plated	 champagne plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AN1C8F	CE ENEC 4.900
 brushed champagne plated	 brushed champagne plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AN7C8F	CE ENEC 5.380

E14 led light bulbs are not included





Material

Clear crystal

Finishes

Diffuser

Canopy




clear crystal




white


Legend



Pendants



Multi light pendant





Calle pendant light

Body


Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear	G4 dimmable led or G4 halogen	2W or 20W	see power supply options	OT01SE8A9FKK	CE ENEC 775
			G4 dimmable led	2W	see power supply options	OT01SE8A9FLKK	CE ENEC CB 775

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 130 cm



Power supply options

G4 HALOGEN


Dimming		Code	Price €
IGBT	max 2 pendants	R1030000	32 (net)
DALI	max 2 pendants	KITELETDALIHALO70	168 (net)

G4 LED


Dimming		Code	Price €
IGBT	min 2 max 21 pendants	R1030000	32 (net)
100kΩ 0/1-10V	max 25 pendants	KITELETDALILED60	142 (net)
PUSH - DALI	max 43 pendants	KITELETDALILED100	168 (net)

Calle pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	20W	IGBT TRIAC	OT01SE8A9F	CE ENEC 825
clear crystal	white	clear	G4 led	2W	no	OT01SE8A9FL	CE ENEC CB 825
			G4 dimmable led or G4 halogen	3W or 20W	DALI	OT01SE8A9FD	CE ENEC 965

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 135 cm


1,5

3


83×25×26 cm

Calle 3 round multi light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	IGBT	OT03SE8A9F	CE ENEC 2.760
clear crystal	white	clear	G4 led	3 × 2W	no	OT03SE8A9FL	CE ENEC CB 3.070
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	OT03SE8A9FD	CE ENEC 3.030

Quick system included (for further information see page 184)
G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 110 cm


6

10


77×77×30 cm

Calle 3 linear multi light pendant

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmmable led or G4 halogen	3 × 2W or 3 × 20W	IGBT	OT03SE8A9FR	CE ENEC 2.760
clear crystal	white	clear	G4 led	3 × 2W	no	OT03SE8A9FRL	CE ENEC CB 3.070
			G4 dimmmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	OT03SE8A9FRD	CE ENEC 3.030

Quick system included (for further information see page 184)


G4 led and G4 halogen light bulbs are not included

On site minimum adjustable overall height 110 cm




Calle 5 round multi light pendant

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmmable led or G4 halogen	5 × 2W or 5 × 20W	IGBT	OT05SE8A9F	CE ENEC 4.560
clear crystal	white	clear	G4 dimmmable led	5 × 2W	1-10V PWM	OT05SE8A9FL	CE ENEC CB 4.560
			G4 dimmmable led or G4 halogen	5 × 2W or 5 × 20W	DALI	OT05SE8A9FD	CE ENEC 4.960

Quick system included (for further information see page 184)


G4 led and G4 halogen light bulbs are not included

On site minimum adjustable overall height 135 cm




Calle 5 linear multi light pendant

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white		clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 20W	IGBT	OT05SE8A9FR	CE ENEC 4.560
			G4 dimmable led	5 × 2W	1-10V PWM	OT05SE8A9FRL	CE ENEC CB 4.560
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 20W	DALI	OT05SE8A9FRD	CE ENEC 4.960

Quick system included (for further information see page 184)
G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 110 cm



 12,5 |  1x 6
1x 12  1x 117x29x16 cm
1x 77x77x30 cm

Calle | Bespoke


Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type*	Finish
Canopy	 _____ cm ☐	 Standard ☐ available only with quick	☐ white ☐ other _____
	 _____ cm ☐	 Flush ☐ available only with quick	
	 _____ cm ☐	 Disc ☐	
	 _____ cm ☐		


Based on your request, we will provide a solution that best meets your needs

	Pendant height
Height	 min _____ cm max _____ cm

	Finish	Number of pendants
Diffuser	☐ clear crystal ☐ other _____	

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	☐ halogen ☐ led	☐ IGBT ☐ 1-10V ☐ TRIAC ☐ PWM ☐ DALI ☐ Other _____

Additional information



Materials

Brass and glass

Finishes

Diffuser



nickel plated |
clear glass



black nickel plated |
clear glass



gold plated |
clear glass

Canopy



nickel plated




black nickel
plated






gold plated

Legend



Pendant




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Core pendant light

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated clear glass	 nickel plated	clear	integrated led	2,1W 194 lm 3000K	no	0P22SE7A9F	CE ENEC 880
			integrated led	2,1W 172 lm 2700K	no	0P22SE7A9FW	CE ENEC 880
 black nickel plated clear glass	 black nickel plated	clear	integrated led	2,1W 194 lm 3000K	no	0P22SE9A9F	CE ENEC 915
			integrated led	2,1W 172 lm 2700K	no	0P22SE9A9FW	CE ENEC 915
 gold plated clear glass	 gold plated	clear	integrated led	2,1W 194 lm 3000K	no	0P22SL6A9F	CE ENEC 965
			integrated led	2,1W 172 lm 2700K	no	0P22SL6A9FW	CE ENEC 965

On site minimum adjustable overall height 50 cm




Core dome pendant light

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated clear glass	 nickel plated	clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P21SE7A9F	CE ENEC 6.570
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P21SE7A9FW	CE ENEC 6.570
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P21SE7A9FD	CE ENEC 6.840

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated clear glass  nickel plated		clear cord + steel cable	Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SE7A9FWD	CE ENEC 6.840
			Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P21SE9A9F	CE ENEC 7.040
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P21SE9A9FW	CE ENEC 7.040
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P21SE9A9FD	CE ENEC 7.300
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SE9A9FWD	CE ENEC 7.300
 black nickel plated clear glass  black nickel plated		clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P21SL6A9F	CE ENEC 7.790
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P21SL6A9FW	CE ENEC 7.790
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P21SL6A9FD	CE ENEC 8.050
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SL6A9FWD	CE ENEC 8.050
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SL6A9FWD	CE ENEC 8.050



On site minimum adjustable overall height 65 cm



Core sphere pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated clear glass  nickel plated		clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P20SE7A9F	CE ENEC 9.650
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P20SE7A9FW	CE ENEC 9.650
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P20SE7A9FD	CE ENEC 9.930
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P20SE7A9FWD	CE ENEC 9.930
 black nickel plated clear glass  black nickel plated		clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P20SE9A9F	CE ENEC 10.700

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 black nickel plated clear glass  black nickel plated		clear cord + steel cable	Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P20SE9A9FW	CE ENEC 10.700
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P20SE9A9FD	CE ENEC 10.950
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P20SE9A9FWD	CE ENEC 10.950
 gold plated clear glass  gold plated		clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P20SL6A9F	CE ENEC 12.050
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P20SL6A9FW	CE ENEC 12.050
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P20SL6A9FD	CE ENEC 12.300
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P20SL6A9FWD	CE ENEC 12.300

On site minimum adjustable overall height 90 cm



16,5



26



83x78x95 cm



Doodle |

Design Simone Micheli



Material

Brass

Finishes

Diffuser

Canopy



nickel plated



white



black nickel plated



nickel plated



gold plated



black nickel plated



copper plated
(may age naturally)




gold plated




copper plated
(may age naturally)


Legend



Pendant



Chandelier



Floor lamp






Table lamp



Wall sconce




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Doodle pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code		Price €
nickel plated	white	clear cord + steel cable	G4 led	2W	no	0J80SE7C8FL	CE ENEC CB	540
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SE7C8FD	CE ENEC	675
black nickel plated	white	clear cord + steel cable	G4 led	2W	no	0J80SE9C8FL	CE ENEC CB	570
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SE9C8FD	CE ENEC	700
gold plated	white	clear cord + steel cable	G4 led	2W	no	0J80SL6C8FL	CE ENEC CB	595
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SL6C8FD	CE ENEC	730
copper plated (may age naturally)	white	clear cord + steel cable	G4 led	2W	no	0J80SL5C8FL	CE ENEC CB	595
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SL5C8FD	CE ENEC	730

G4 led light bulbs are not included
On site minimum adjustable overall height 45 cm


1,4 | 2,4 36x31x30 cm

Doodle chandelier

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	white	clear cord + steel cable	G4 dimmable led	5 × 2W	IGBT	0J93SE7C8F	CE ENEC 1.880
			G4 dimmable led	5 × 2W	1-10V PWM	0J93SE7C8FL	CE ENEC CB 1.880
			G4 dimmable led	5 × 2W	DALI	0J93SE7C8FD	CE ENEC 2.020
black nickel plated	white	clear cord + steel cable	G4 dimmable led	5 × 2W	IGBT	0J93SE9C8F	CE ENEC 2.080
			G4 dimmable led	5 × 2W	1-10V PWM	0J93SE9C8FL	CE ENEC CB 2.080
			G4 dimmable led	5 × 2W	DALI	0J93SE9C8FD	CE ENEC 2.210
gold plated	white	clear cord + steel cable	G4 dimmable led	5 × 2W	IGBT	0J93SL6C8F	CE ENEC 2.480
			G4 dimmable led	5 × 2W	1-10V PWM	0J93SL6C8FL	CE ENEC CB 2.480
			G4 dimmable led	5 × 2W	DALI	0J93SL6C8FD	CE ENEC 2.620

G4 led light bulbs are not included
On site minimum adjustable overall height 60 cm


5 | 10 60x60x60 cm

Doodle vertical chandelier


Body



Canopy



Canopy for DALI | CB version



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 white	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SE7C8F	CE ENEC 2.820
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SE7C8FL	CE ENEC CB 2.820
			G4 dimmable led	6 × 2W	DALI	0J87SE7C8FD	CE ENEC 3.090
 black nickel plated	 white	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SE9C8F	CE ENEC 2.950
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SE9C8FL	CE ENEC CB 2.950
			G4 dimmable led	6 × 2W	DALI	0J87SE9C8FD	CE ENEC 3.220
 gold plated	 white	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SL6C8F	CE ENEC 3.090
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SL6C8FL	CE ENEC CB 3.090
			G4 dimmable led	6 × 2W	DALI	0J87SL6C8FD	CE ENEC 3.350
 copper plated (may age naturally)	 white	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SL5C8F	CE ENEC 3.090
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SL5C8FL	CE ENEC CB 3.090
			G4 dimmable led	6 × 2W	DALI	0J87SL5C8FD	CE ENEC 3.350

G4 led light bulbs are not included
On site minimum adjustable overall height 150 cm


 7,5

 10


 162×35×35 cm

Doodle linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmable led	6 × 2W	IGBT	0J81SE7C8F	CE ENEC 2.820
nickel plated	nickel plated	clear cord + steel cable	G4 dimmable led	6 × 2W	1-10V PWM	0J81SE7C8FL	CE ENEC CB 2.820
			G4 dimmable led	6 × 2W	DALI	0J81SE7C8FD	CE ENEC 3.090
black nickel plated	black nickel plated	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J81SE9C8F	CE ENEC 2.950
			G4 dimmable led	6 × 2W	1-10V PWM	0J81SE9C8FL	CE ENEC CB 2.950
			G4 dimmable led	6 × 2W	DALI	0J81SE9C8FD	CE ENEC 3.220
gold plated	gold plated	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J81SL6C8F	CE ENEC 3.090
			G4 dimmable led	6 × 2W	1-10V PWM	0J81SL6C8FL	CE ENEC CB 3.090
			G4 dimmable led	6 × 2W	DALI	0J81SL6C8FD	CE ENEC 3.350
copper plated (may age naturally)	copper plated (may age naturally)	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J81SL5C8F	CE ENEC 3.090
			G4 dimmable led	6 × 2W	1-10V PWM	0J81SL5C8FL	CE ENEC CB 3.090
			G4 dimmable led	6 × 2W	DALI	0J81SL5C8FD	CE ENEC 3.350

G4 led light bulbs are not included
On site minimum adjustable overall height 50 cm


7,5

10

162×35×35 cm

Doodle floor lamp

Body



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear	G4 led	6 × 1,2W	no	0J86PE7C8F	CE ENEC 3.150
 black nickel plated	 black nickel plated	clear	G4 led	6 × 1,2W	no	0J86PE9C8F	CE ENEC 3.290
 gold plated	 gold plated	clear	G4 led	6 × 1,2W	no	0J86PL6C8F	CE ENEC 3.620
 copper (may age naturally)	 copper (may age naturally)	clear	G4 led	6 × 1,2W	no	0J86PL5C8F	CE ENEC 3.620

G4 led light bulbs are not included



16




21



191×46×46 cm

Doodle table lamp

Body



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	-	clear	G4 led	2W	no	0J84BE7C8F	CE ENEC 540
 black nickel plated	-	clear	G4 led	2W	no	0J84BE9C8F	CE ENEC 570
 gold plated	-	clear	G4 led	2W	no	0J84BL6C8F	CE ENEC 595
 copper (may age naturally)	-	clear	G4 led	2W	no	0J84BL5C8F	CE ENEC 595

G4 led light bulbs are not included

 1,2

 2




 36x31x30 cm

Doodle wall sconce

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear	G4 led	2W	no	0J82AE7C8FL	CB 540
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AE7C8FD*	705
black nickel plated	black nickel plated	clear	G4 led	2W	no	0J82AE9C8FL	CB 570
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AE9C8FD*	705
gold plated	gold plated	clear	G4 led	2W	no	0J82AL6C8FL	CB 595
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AL6C8FD*	730
copper (may age naturally)	copper (may age naturally)	clear	G4 led	2W	no	0J82AL5C8FL	CB 595
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AL5C8FD*	730

G4 led light bulbs are not included

1,8
* 2,2

2,4
* 3

36x31x30 cm
* 36x31x30 cm





Material

Brass

Finish

Body




polished brass

Ceiling attachment




white

Legend




Suspended sculpture



Dragon round suspended sculpture | 4S

Body




Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E04SE8N5O	€€ 5.800

The sculpture does not have integrated lighting
On site minimum adjustable overall height 50 cm

 2,6 |  18  83x78x95 cm

Dragon linear suspended sculpture | 10S

Body




Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E02SE8N5O	€€ 14.500

The sculpture does not have integrated lighting
On site minimum adjustable overall height 55 cm

 6,4 |  58  90x70x65 cm

Dragon round suspended sculpture | 11M

Body




Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E03SE8N5O	€€ 35.000

The sculpture does not have integrated lighting
On site minimum adjustable overall height 115 cm

 34 |  174  57×147×143 cm

Dragon linear suspended sculpture | 23M


Body



Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E05SE8N5O	€€ 73.200

The sculpture does not have integrated lighting
On site minimum adjustable overall height 130 cm

 69 |  210  140×200×150 cm



Materials

Brass chains and metal structure plated

Finishes

Diffuser

Canopy



nickel plated



white



black nickel
plated




brushed bronze




gold plated

Legend



Chandelier





Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Epoque vertical chandelier

Body

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code		Price €
nickel plated	white	clear cord + steel cable	integrated led	12 x 2,1W 2328 lm 3000K	0/1-10V PUSH DALI	0G91SE7C8F	CE ENEC	18.400
				12 x 2,1W 2064 lm 2700K	0/1-10V PUSH DALI	0G91SE7C8FW	CE ENEC	18.400
black nickel plated	white	clear cord + steel cable	integrated led	12 x 2,1W 2328 lm 3000K	0/1-10V PUSH DALI	0G91SE9C8F	CE ENEC	20.500
				12 x 2,1W 2064 lm 2700K	0/1-10V PUSH DALI	0G91SE9C8FW	CE ENEC	20.500
brushed bronze	white	clear cord + steel cable	integrated led	12 x 2,1W 2328 lm 3000K	0/1-10V PUSH DALI	0G91SF7C8F	CE ENEC	21.900
				12 x 2,1W 2064 lm 2700K	0/1-10V PUSH DALI	0G91SF7C8FW	CE ENEC	21.900
gold plated	white	clear cord + steel cable	integrated led	12 x 2,1W 2328 lm 3000K	0/1-10V PUSH DALI	0G91SL6C8F	CE ENEC	23.050
				12 x 2,1W 2064 lm 2700K	0/1-10V PUSH DALI	0G91SL6C8FW	CE ENEC	23.050

On site minimum adjustable overall height 215 cm


14,5 | 55 196x50x71 cm

Epoque chandelier


Body



Top view



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code		Price €
 nickel plated	 white	clear cord + steel ropea	integrated led	20 × 2,1W 3880 lm 3000K	PUSH DALI	0G90SE7C8F	CE ENEC	24.900
				20 × 2,1W 3440 lm 2700K	PUSH DALI	0G90SE7C8FW	CE ENEC	24.900
 black nickel plated	 white	clear cord + steel ropea	integrated led	20 × 2,1W 3880 lm 3000K	PUSH DALI	0G90SE9C8F	CE ENEC	33.100
				20 × 2,1W 3440 lm 2700K	PUSH DALI	0G90SE9C8FW	CE ENEC	33.100
 brushed bronze	 white	clear cord + steel ropea	integrated led	20 × 2,1W 3880 lm 3000K	PUSH DALI	0G90SF7C8F	CE ENEC	35.250
				20 × 2,1W 3440 lm 2700K	PUSH DALI	0G90SF7C8FW	CE ENEC	35.250
 gold plated	 white	clear cord + steel ropea	integrated led	20 × 2,1W 3880 lm 3000K	PUSH DALI	0G90SL6C8F	CE ENEC	37.250
				20 × 2,1W 3440 lm 2700K	PUSH DALI	0G90SL6C8FW	CE ENEC	37.250

Not adjustable on site



36



96



155×95×139 cm

Etoile | Design Christian Lava



Material

Metal

Finishes

Diffuser



nickel plated

Canopy




nickel plated




white


Legend




Pendant



Chandelier



Wall sconce




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Etoile pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated  white	clear	clear	G4 halogen	20W	IGBT TRIAC	0P05SE7C8F	CE ENEC 535
			G4 led	2W	no	0P05SE7C8FL	CE ENEC CB 535
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0P05SE7C8FD*	CE ENEC 670

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 40 cm


 1 * 2 |
  2 * 2,8
  30x30x30 cm

Etoile linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated  nickel plated	clear	clear	G4 halogen	8 × 20W	IGBT TRIAC	0P04SE7C8F	CE ENEC 2.500
			G4 led	8 × 2W	no	0P04SE7C8FL	CE ENEC CB 2.500
			G4 dimmable led	8 × 2W	DALI	0P04SE7C8FLD	CE ENEC 2.500

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 40 cm


 9 |
  12
  162x35x35 cm

Etoile chandelier

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	8 × 10W 8 × 20W	IGBT TRIAC	0P01SE7C8F	CE ENEC 3.900
 nickel plated	 nickel plated	clear cord + steel cable	G4 dimmable led	16 × 1,2W	1-10V PWM	0P01SE7C8FL	CE ENEC CB 3.900
			G4 dimmable led	16 × 1,2W	100kΩ 0/1-10V PUSH - DALI	0P01SE7C8FLD	CE ENEC 3.900

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 40 cm




Etoile wall sconce

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	-	G4 dimmable led or G4 halogen	6 × 2W or 6 × 10W	IGBT	0P03AE7C8F	CE ENEC 1.000
			G4 led	6 × 2W	no	0P03AE7C8FL	CE ENEC CB 1.000

G4 led and G4 halogen light bulbs are not included





Material

Clear glass

Finishes


Diffuser

-  white | clear glass
-  silver plated | clear glass
-  gold plated | clear glass


Canopy

-  white
-  silver plated
-  gold plated


Legend



Pendants



Wall sconce





Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Frame small cylinder pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white clear glass	white	clear	E14 led	4W	all systems	0Q01SE8A9F	CE ENEC 545
silver plated clear glass	silver plated	clear	E14 led	4W	all systems	0Q01SG7A9F	CE ENEC 690
gold plated clear glass	gold plated	clear	E14 led	4W	all systems	0Q01SL6A9F	CE ENEC 690

E14 led light bulbs are not included
On site minimum adjustable overall height 95 cm



1,2



2,5





65×27×24 cm

Frame large cylinder pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white clear glass	white	clear	E14 led	4W	all systems	0Q02SE8A9F	CE ENEC 645
silver plated clear glass	silver plated	clear	E14 led	4W	all systems	0Q02SG7A9F	CE ENEC 945
gold plated clear glass	gold plated	clear	E14 led	4W	all systems	0Q02SL6A9F	CE ENEC 945

E14 led light bulbs are not included
On site minimum adjustable overall height 95 cm



1,8



3





65×27×24 cm

Frame cone pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white clear glass	 white	clear	E14 led	4W	all systems	0Q03SE8A9F	CE ENEC 895
 silver plated clear glass	 silver plated	clear	E14 led	4W	all systems	0Q03SG7A9F	CE ENEC 1.100
 gold plated clear glass	 gold plated	clear	E14 led	4W	all systems	0Q03SL6A9F	CE ENEC 1.100

E14 led light bulbs are not included
On site minimum adjustable overall height 95 cm



1,4



3,6





77×35×26 cm

Frame wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white clear glass	 white	-	G9 led	3,5W	all systems	0Q04AE8A9F	CE ENEC 575
 silver plated clear glass	 silver plated	-	G9 led	3,5W	all systems	0Q04AG7A9F	CE ENEC 755
 gold plated clear glass	 gold plated	-	G9 led	3,5W	all systems	0Q04AL6A9F	CE ENEC 755

E14 led light bulbs are not included



1,2



2,5



49×41×19 cm



Materials

Brass

Finishes

Diffuser

Canopy



nickel plated



white




gold plated




matte walnut

Legend



Chandelier




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Gaia linear chandelier

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated  white	clear cord + steel cable		integrated led	12 × 1,5W 2088 lm 3000K	1-10V PUSH	0G41SE7C8F	CE ENEC 3.620
			integrated led	12 × 1,5W 1968 lm 2700K	1-10V PUSH	0G41SE7C8FW	CE ENEC 3.620
			integrated led	12 × 1,5W 2088 lm 3000K	DALI	0G41SE7C8FD	CE ENEC 3.750
			integrated led	12 × 1,5W 1968 lm 2700K	DALI	0G41SE7C8FWD	CE ENEC 3.750
 gold plated  white	clear cord + steel cable		integrated led	12 × 1,5W 2088 lm 3000K	1-10V PUSH	0G41SL6C8F	CE ENEC 4.530
			integrated led	12 × 1,5W 1968 lm 2700K	1-10V PUSH	0G41SL6C8FW	CE ENEC 4.530
			integrated led	12 × 1,5W 2088 lm 3000K	DALI	0G41SL6C8FD	CE ENEC 4.670
			integrated led	12 × 1,5W 1968 lm 2700K	DALI	0G41SL6C8FWD	CE ENEC 4.670
 matte walnut  white	clear cord + steel cable		integrated led	12 × 1,5W 2088 lm 3000K	1-10V PUSH	0G41SL6C8F	CE ENEC 4.620
			integrated led	12 × 1,5W 1968 lm 2700K	1-10V PUSH	0G41SL6C8FW	CE ENEC 4.620
			integrated led	12 × 1,5W 2088 lm 3000K	DALI	0G41SP2C8FD	CE ENEC 4.760
			integrated led	12 × 1,5W 1968 lm 2700K	DALI	0G41SP2C8FWD	CE ENEC 4.760

On site minimum adjustable overall height 50 cm
Please note that due to natural wood properties, the shade of each chandelier in matte wood may be slightly different




Gaia double linear chandelier


Body



Top view



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	white	clear cord + steel cable	integrated led	24 × 1,5W 4176 lm 3000K	0/1-10V PUSH DALI	0G40SE7C8F	CE ENEC 7.180
			integrated led	24 × 1,5W 3936 lm 2700K	0/1-10V PUSH DALI	0G40SE7C8FW	CE ENEC 7.180
gold plated	white	clear cord + steel cable	integrated led	24 × 1,5W 4176 lm 3000K	0/1-10V PUSH DALI	0G40SL6C8F	CE ENEC 8.930
			integrated led	24 × 1,5W 3936 lm 2700K	0/1-10V PUSH DALI	0G40SL6C8FW	CE ENEC 8.930
matte walnut	white	clear cord + steel cable	integrated led	24 × 1,5W 4176 lm 3000K	0/1-10V PUSH DALI	0G40SP2C8F	CE ENEC 9.120
			integrated led	24 × 1,5W 3936 lm 2700K	0/1-10V PUSH DALI	0G40SP2C8FW	CE ENEC 9.120

On site minimum adjustable overall height 50 cm
Please note that due to natural wood properties, the shade of each chandelier in matte wood may be slightly different

7,6 | 9,8 107×23×26 cm



Gaia | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Finish
Canopy	 _____ cm ☐	☐ white ☐ black ☐ other _____
	 _____ cm ☐	
	 _____ cm ☐	
Based on your request, we will provide a solution that best meets your needs		

	Chandelier height
Height	 _____ cm _____ cm
	 _____ cm _____ cm

	Finish
Diffuser	☐ black ☐ white ☐ other _____

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	☐ 3000K ☐ 2700K	☐ IGBT ☐ 1-10V ☐ TRIAC ☐ PUSH ☐ DALI ☐ other _____

Additional information



Material

Stainless steel or brass

Finish

Body



stainless steel



brass

Ceiling attachment




nickel plated




gold plated

Legend




Suspended sculpture




Genesis linear suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B55SE7H90	€€	6.500
 brass	 gold plated	air craft nylon cable	0B55SL6N50	€€	7.800

On site adjustable overall height from 100 to 140 cm
On site adjustable overall length from 130 to 170 cm



Genesis double linear suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B56SE7H90	€€	13.000
 brass	 gold plated	air craft nylon cable	0B56SL6N50	€€	15.600

On site adjustable overall height from 100 to 140 cm
On site adjustable overall length from 240 to 300 cm



Genesis vertical suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B60SE7H9O	€€	6.500
 brass	 gold plated	air craft nylon cable	0B60SL6N5O	€€	7.800

On site adjustable sculpture height from 140 to 180 cm
On site adjustable overall height from 240 to 300 cm

 1,5 |  2,8

 77×35×26,5 cm



Material

Metal

Finishes

Diffuser

Canopy



matte pearl



white




matte black nickel




matte red gold


Legend



Pendants



Multi light pendant





Harpe pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE 0W011SE8B5FKK	470
 matte black nickel	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE 0W011SE8B6FKK	470
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE 0W011SE8B8FKK	470

On site minimum adjustable over all height 35 cm

 0,4 |  0,7  32x24x17 cm

Power supply options



INTEGRATED LED 3000K

Dimming	Code	Price €
IGBT / TRIAC	R1630000	27 (net)
1-10V / PUSH	R1110000	50 (net)
0/1-10V / PUSH / DALI	R1070000	92 (net)

Harpe pendant light

Body


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE 0W011SE8B5FT	520
 matte black nickel	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE 0W011SE8B6FT	520


Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE 0W011SE8B8FT	520

On site minimum adjustable over all height 40 cm




Harpe pendant light

Body Disc DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE 0W012SE8B5FKK	680
 matte black nickel	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE 0W012SE8B6FKK	680
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE 0W012SE8B8FKK	680

On site minimum adjustable over all height 55 cm




Power supply options

INTEGRATED LED 3000K


Dimming	Code	Price €
IGBT / TRIAC	R1630000	27 (net)
1-10V / PUSH	R1110000	50 (net)
0/1-10V / PUSH / DALI	R1070000	92 (net)

Harpe pendant light

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	€€	0W012SE8B5FT	730
 matte black nickel	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	€€	0W012SE8B6FT	730
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	€€	0W012SE8B8FT	730

On site minimum adjustable over all height 60 cm


 1,5 |  2  60x30x16 cm

Harpe pendant light

Body



Disc



DRIVER NOT INCLUDED

Diffuser	Disc	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	€€	0W013SE8B5FKK	890
 matte black nickel	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	€€	0W013SE8B6FKK	890
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	€€	0W013SE8B8FKK	890

On site minimum adjustable over all height 75 cm

 2,2 |  2,7  77x35x27 cm

Power supply options



INTEGRATED LED 3000K

Dimming		Code	Price €
IGBT / TRIAC	max 4 pendants	R1630000	26 (net)
1-10V / PUSH	min 2 max 8 pendants	R1110000	48 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	88 (net)

Harpe pendant light


Body

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	€€	0W013SE8B5FT	940
 matte black nickel	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	€€	0W013SE8B6FT	940
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	€€	0W013SE8B8FT	940

On site minimum adjustable over all height 80 cm




Harpe 2 light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W024SE8B5FT	1.250
 matte black nickel	 white	grey fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W024SE8B6FT	1.250
 matte red gold	 white	champagne fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W024SE8B8FT	1.250

On site minimum adjustable over all height 95 cm



3,8




4,5




65×27×25 cm

Harpe 2 light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W025SE8B5FT	1.770
 matte black nickel	 white	grey fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W025SE8B6FT	1.770
 matte red gold	 white	champagne fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W025SE8B8FT	1.770

On site minimum adjustable over all height 115 cm



5,6



6,3





77×35×27 cm

Harpe 3 light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W034SE8B5FT	1.770
 matte black nickel	 white	grey fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W034SE8B6FT	1.770
 matte red gold	 white	champagne fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W034SE8B8FT	1.770

On site minimum adjustable over all height 110 cm

 4,2



 4,7

 77×35×27 cm

Harpe 3 light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W037SE8B5FT	2.100
 matte black nickel	 white	grey fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W037SE8B6FT	2.100
 matte red gold	 white	champagne fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W037SE8B8FT	2.100

On site minimum adjustable over all height 130 cm


 6

 6,5





 77×35×27 cm

Harpe | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type *	Finish
Canopy	 _____ cm ☐	 Standard ☐	☐ white ☐ other _____
	 _____ cm ☐		
	 _____ cm ☐	 Flush ☐	
	 _____ cm ☐		
Based on your request, we will provide a solution that best meets your needs			
Height	Pendant height		
	min _____ cm max _____ cm		
Diffuser	Type of pendants		
	 ☐ matte pearl Qty _____ ☐ matte black nickel Qty _____ ☐ matte red gold Qty _____ ☐ other Qty _____	 ☐ matte pearl Qty _____ ☐ matte black nickel Qty _____ ☐ matte red gold Qty _____ ☐ other Qty _____	 ☐ matte pearl Qty _____ ☐ matte black nickel Qty _____ ☐ matte red gold Qty _____ ☐ other Qty _____
Light Source	Voltage	Type	Dimming
	☐ 120V ☐ 230V	☐ integrated led 3000K ☐ other _____	☐ IGBT / TRIAC ☐ other _____

Additional information

I Lucci Argentati | Design Dodo Arslan



Material

Metal

Finishes


Diffuser

-  white polished
-  brushed nickel plated
-  brushed gold plated


Canopy

-  white polished
-  brushed nickel plated
-  brushed gold plated

Legend



Chandelier



Wall sconce




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

I Lucci Argentati small linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white polished	white polished	clear cord + steel cable	integrated led	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0N82SM2C8FL	CE ENEC CB 4.430
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0N82SM2C8FLW	CE ENEC CB 4.430
			integrated led	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0N82SM2C8FLD	CE ENEC CB 4.560
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0N82SM2C8FLWD	CE ENEC CB 4.560
brushed nickel plated	brushed nickel plated	clear cord + steel cable	integrated led	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0N82SH4C8FL	CE ENEC CB 4.820
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0N82SH4C8FLW	CE ENEC CB 4.820
			integrated led	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0N82SH4C8FLD	CE ENEC CB 4.960
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0N82SH4C8FLWD	CE ENEC CB 4.960
brushed gold plated	brushed gold plated	clear cord + steel cable	integrated led	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0N82SL9C8FL	CE ENEC CB 6.280
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0N82SL9C8FLW	CE ENEC CB 6.280
			integrated led	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0N82SL9C8FLD	CE ENEC CB 6.430
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0N82SL9C8FLWD	CE ENEC CB 6.430

On site minimum adjustable over all height 50 cm



4,2




14,5



155×46×22 cm

I Lucci Argentati medium linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white polished white polished	clear cord + steel cable		integrated led	8 × 4,5W 5294 lm CRI 90 3000K	0-10V PWM	0N83SM2C8FL	CE ENEC CB 5.500
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	0-10V PWM	0N83SM2C8FLW	CE ENEC CB 5.500
			integrated led	8 × 4,5W 5294 lm CRI 90 3000K	PUSH DALI	0N83SM2C8FLD	CE ENEC CB 5.630
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	PUSH DALI	0N83SM2C8FLWD	CE ENEC CB 5.630
brushed nickel plated brushed nickel plated	clear cord + steel cable		integrated led	8 × 4,5W 5294 lm CRI 90 3000K	0-10V PWM	0N83SH4C8FL	CE ENEC CB 5.710
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	0-10V PWM	0N83SH4C8FLW	CE ENEC CB 5.710
			integrated led	8 × 4,5W 5294 lm CRI 90 3000K	PUSH DALI	0N83SH4C8FLD	CE ENEC CB 5.830
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	PUSH DALI	0N83SH4C8FLWD	CE ENEC CB 5.830
brushed gold plated brushed gold plated	clear cord + steel cable		integrated led	8 × 4,5W 5294 lm CRI 90 3000K	0-10V PWM	0N83SL9C8FL	CE ENEC CB 7.380
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	0-10V PWM	0N83SL9C8FLW	CE ENEC CB 7.380
			integrated led	8 × 4,5W 5294 lm CRI 90 3000K	PUSH DALI	0N83SL9C8FLD	CE ENEC CB 7.510
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	PUSH DALI	0N83SL9C8FLWD	CE ENEC CB 7.510

On site minimum adjustable overall height 50 cm


7,2

19


205×40×40 cm

I Lucci Argentati large linear chandelier


Body






Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white polished  white polished	 clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N81SM2C8FL	CE ENEC CB	6.680
		integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N81SM2C8FLW	CE ENEC CB	6.680
		integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N81SM2C8FLD	CE ENEC CB	6.810
		integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N81SM2C8FLWD	CE ENEC CB	6.810
 brushed nickel plated  brushed nickel plated	 clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N81SH4C8FL	CE ENEC CB	7.220
		integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N81SH4C8FLW	CE ENEC CB	7.220
		integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N81SH4C8FLD	CE ENEC CB	7.340
		integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N81SH4C8FLWD	CE ENEC CB	7.340
 brushed gold plated  brushed gold plated	 clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N81SL9C8FL	CE ENEC CB	9.380
		integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N81SL9C8FLW	CE ENEC CB	9.380
		integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N81SL9C8FLD	CE ENEC CB	9.510
		integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N81SL9C8FLWD	CE ENEC CB	9.510

On site minimum adjustable overall height 55 cm



9




22



241x46x22 cm

I Lucci Argentati xlarge linear chandelier


Body



Canopy




Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white polished	 white polished	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ON80SM2C8FL	CE ENEC CB 9.260
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ON80SM2C8FLW	CE ENEC CB 9.260
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ON80SM2C8FLD	CE ENEC CB 9.390
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ON80SM2C8FLWD	CE ENEC CB 9.390
 brushed nickel plated	 brushed nickel plated	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ON80SH4C8FL	CE ENEC CB 9.790
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ON80SH4C8FLW	CE ENEC CB 9.790
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ON80SH4C8FLD	CE ENEC CB 9.930
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ON80SH4C8FLWD	CE ENEC CB 9.930
 brushed gold plated	 brushed gold plated	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ON80SL9C8FL	CE ENEC CB 12.050
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ON80SL9C8FLW	CE ENEC CB 12.050
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ON80SL9C8FLD	CE ENEC CB 12.150
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ON80SL9C8FLWD	CE ENEC CB 12.150

On site minimum adjustable overall height 60 cm






I Lucci Argentati wall sconce


Body

Canopy

Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white polished  white polished	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ON85AM2C8FLB	CE ENEC 1.340
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ON85AM2C8FLBW	CE ENEC 1.340
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ON85AM2C8FLBD	CE ENEC CB 1.480
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ON85AM2C8FLBWD	CE ENEC CB 1.480
 brushed nickel plated  brushed nickel plated	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ON85AH4C8FLB	CE ENEC 1.620
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ON85AH4C8FLBW	CE ENEC 1.620
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ON85AH4C8FLBD	CE ENEC CB 1.750
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ON85AH4C8FLBWD	CE ENEC CB 1.750
 brushed gold plated  brushed gold plated	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ON85AL9C8FLB	CE ENEC 2.090
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ON85AL9C8FLBW	CE ENEC 2.090
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ON85AL9C8FLBD	CE ENEC CB 2.230
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ON85AL9C8FLBWD	CE ENEC CB 2.230







Materials

Metal and PMMA

Finishes

Diffuser




matte white |
clear diffuser

Canopy




matte white

Legend




Iceberg chandelier

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte white clear diffuser	 matte white	clear cord + steel cable	E14 + E27 dimmable led	6 × 6W + 8W	all systems	0P60SE8A9F	CE ENEC 17.750

E14 led and E27 led light bulbs are not included
On site minimum adjustable overall height 150 cm

 41 |  4x 10 1x 13  4x 77x35x26,5 cm 1x 76x76x60 cm

Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request



Material

Clear crystal

Finishes

Diffuser available in




clear crystal

Canopy available in




white


Legend



Pendants



3 Light pendant



Bespoke




Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Manta pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	see power supply options	OK011E8A9FKK	CE ENEC 765
			integrated led	1,5W 115 lm 2700K	see power supply options	OK011E8A9FWKK	CE ENEC 765

Not suitable for sloped ceilings
On site minimum adjustable overall height 180 cm
Up to minimum 30 cm on request



2,2



2,8



32x24x17 cm

Power supply options

INTEGRATED LED 2700K or 3000K






Dimming		Code	Price €
not	max 3 pendants	R1040000	32 (net)
1-10V / PUSH	min 2 max 12 pendants	R1110000	50 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	92 (net)

Manta pendant light

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	no	OK011E8A9F	CE ENEC CB 800
			integrated led	1,5W 115 lm 2700K	no	OK011E8A9FW	CE ENEC CB 800
			integrated led	1,5W 135 lm 3000K	PUSH DALI	OK011E8A9FD	CE ENEC CB 1.080

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear cord + steel cable	integrated led	1,5W 115 lm 2700K	PUSH DALI	0K011E8A9FWD	CE ENEC CB 1.080

Not suitable for sloped ceilings
On site minimum adjustable overall height 180 cm
Up to minimum 30 cm on request


 2,2 |  2,8  32x24x17 cm

Manta pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	see power supply options	0K012E8A9FKK	CE ENEC 975
			integrated led	1,5W 115 lm 2700K	see power supply options	0K012E8A9FWKK	CE ENEC 975

Not suitable for sloped ceilings
On site minimum adjustable overall height 180 cm
Up to minimum 30 cm on request

 4,2 |  5,2  41x41x21 cm


Power supply options

INTEGRATED LED 2700K or 3000K


Dimming		Code	Price €
not	max 3 pendants	R1040000	32 (net)
1-10V / PUSH	min 2 max 12 pendants	R1110000	50 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	92 (net)

Manta pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white		clear cord + steel cable	integrated led	1,5W 135 lm 3000K	no	OK012E8A9F	CE ENEC CB 1.030
			integrated led	1,5W 115 lm 2700K	no	OK012E8A9FW	CE ENEC CB 1.030
			integrated led	1,5W 135 lm 3000K	PUSH DALI	OK012E8A9FD*	CE ENEC CB 1.290
			integrated led	1,5W 115 lm 2700K	PUSH DALI	OK012E8A9FWD*	CE ENEC CB 1.290


Not suitable for sloped ceilings
On site minimum adjustable overall height 180 cm
Up to minimum 30 cm on request

 4,2 |  5,2
* 6,2 | * 8


 41×41×21 cm
* 50×50×25 cm

Manta 3 light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white		clear cord + steel cable	integrated led	3 × 1,5W 405 lm 3000K	1-10V PUSH	OK031E8A9F	CE ENEC CB 2.400
			integrated led	3 × 1,5W 345 lm 2700K	1-10V PUSH	OK031E8A9FW	CE ENEC CB 2.400
			integrated led	3 × 1,5W 405 lm 3000K	DALI	OK031E8A9FD	CE ENEC CB 2.540
			integrated led	3 × 1,5W 345 lm 2700K	DALI	OK031E8A9FWD	CE ENEC CB 2.540


Not suitable for sloped ceilings
On site minimum adjustable overall height 170 cm
Up to minimum 70 cm on request

 7 |  8,4



 48×32×28 cm

Manta | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type*	Finish
Canopy	 _____ cm ☐	 Standard ☐ available only with quick	☐ white ☐ other _____
	 _____ cm ☐	 Flush ☐ available only with quick	
	 _____ cm ☐	 Disc ☐	
	 _____ cm ☐		
Based on your request, we will provide a solution that best meets your needs			

Height	Pendant height
	min _____ cm
	max _____ cm

Diffuser	Type of pendants
 Qty _____ Ø20	 Qty _____ Ø26

Light Source	Voltage	Type	Dimming
	☐ 120V ☐ 230V	☐ integrated led 3000K ☐ integrated led 2700K ☐ other _____	☐ PUSH DALI 1-10V 0/1-10V ☐ other _____

Additional information



Materials

Clear Crystal
Metal

Finishes

Diffuser

Canopy



clear crystal



white



champagne crystal



cognac crystal



silver dust
crystal




gold crystal


IP Protection

IP65  on request


Legend



Pendants



Multi light pendant





Mizu pendant light

Body


Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8A9FKK	CE ENEC 410
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8A9FEKK	CE ENEC 440
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8A9FEWKK	CE ENEC 440
		clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8H1FKK	CE ENEC 420
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8H1FEKK	CE ENEC 460
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8H1FEWKK	CE ENEC 460
		clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8H4FKK	CE ENEC 420
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8H4FEKK	CE ENEC 460
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8H4FEWKK	CE ENEC 460
		clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8F4FKK	CE ENEC 485
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8F4FEKK	CE ENEC 545
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8F4FEWKK	CE ENEC 545
		clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8A4FKK	CE ENEC 585
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8A4FEKK	CE ENEC 620
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8A4FEWKK	CE ENEC 620

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 20 cm



Power supply options

G4 HALOGEN

Dimming		Code	Price €
IGBT	max 5 pendants	R1030000	32 (net)
DALI	max 5 pendants	KITELETDALIHALO70	168 (net)

G4 LED


Dimming		Code	Price €
IGBT	min 2 max 21 pendants	R1030000	32 (net)
100kΩ 0/1-10V PUSH - DALI	max 25 pendants	KITELETDALILED60	142 (net)
	max 43 pendants	KITELETDALILED100	168 (net)

INTEGRATED LED 2700K or 3000K


Dimming		Code	Price €
1-10V / PUSH	min 2 max 12 pendants	R1110000	50 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	92 (net)

Mizu pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white	clear	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8A9F	CE ENEC 460
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8A9FD*	CE ENEC 590
			integrated led	1,5W 174 lm 3000K	no	0R01SE8A9FE	CE ENEC 495
			integrated led	1,5W 164 lm 2700K	no	0R01SE8A9FEW	CE ENEC 495
 champagne crystal  white	clear	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8H1F	CE ENEC 480
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8H1FD*	CE ENEC 605
			integrated led	1,5W 174 lm 3000K	no	0R01SE8H1FE	CE ENEC 505
			integrated led	1,5W 164 lm 2700K	no	0R01SE8H1FEW	CE ENEC 505

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 cognac crystal	 white	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8H4F	CE ENEC 480
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8H4FD*	CE ENEC 605
			integrated led	1,5W 174 lm 3000K	no	0R01SE8H4FE	CE ENEC 505
			integrated led	1,5W 164 lm 2700K	no	0R01SE8H4FEW	CE ENEC 505
 silver dust crystal	 white	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8F4F	CE ENEC 525
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8F4FD*	CE ENEC 660
			integrated led	1,5W 174 lm 3000K	no	0R01SE8F4FE	CE ENEC 555
			integrated led	1,5W 164 lm 2700K	no	0R01SE8F4FEW	CE ENEC 555
 gold crystal	 white	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8A4F	CE ENEC 640
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8A4FD*	CE ENEC 770
			integrated led	1,5W 174 lm 3000K	no	0R01SE8A4FE	CE ENEC 670
			integrated led	1,5W 164 lm 2700K	no	0R01SE8A4FEW	CE ENEC 670



G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 30 cm
On request it is available the **CB** version no dimmable

 2 Kg * 2,8 |  2,5 Kg * 3,4  16x16x22 cm * 30x30x30 cm

Mizu 3 light pendant

Body | 3 crystals


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white	clear	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	0R03SE8A9F	CE ENEC 1.410
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	0R03SE8A9FD	CE ENEC 1.620
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	0R03SE8A9FE	CE ENEC 1.520
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	0R03SE8A9FEW	CE ENEC 1.520
			integrated led	3 × 1,5W 522 lm 3000K	DALI	0R03SE8A9FED	CE ENEC 1.710
			integrated led	3 × 1,5W 492 lm 2700K	DALI	0R03SE8A9FEWD	CE ENEC 1.710
 champagne crystal  white	clear	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	0R03SE8H1F	CE ENEC 1.450
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	0R03SE8H1FD	CE ENEC 1.650
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	0R03SE8H1FE	CE ENEC 1.560
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	0R03SE8H1FEW	CE ENEC 1.560
			integrated led	3 × 1,5W 522 lm 3000K	DALI	0R03SE8H1FED	CE ENEC 1.750
			integrated led	3 × 1,5W 492 lm 2700K	DALI	0R03SE8H1FEWD	CE ENEC 1.750
 cognac crystal  white	clear	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	0R03SE8H4F	CE ENEC 1.450
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	0R03SE8H4FD	CE ENEC 1.650
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	0R03SE8H4FE	CE ENEC 1.560
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	0R03SE8H4FEW	CE ENEC 1.560
			integrated led	3 × 1,5W 522 lm 3000K	DALI	0R03SE8H4FED	CE ENEC 1.750

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 cognac crystal	 white	clear	integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8H4FEWD	 1.750
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	OR03SE8F4F	 1.630
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	OR03SE8F4FD	 1.830
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	OR03SE8F4FE	 1.730
 silver dust crystal	 white	clear	integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	OR03SE8F4FEW	 1.730
			integrated led	3 × 1,5W 522 lm 3000K	DALI	OR03SE8F4FED	 1.930
			integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8F4FEWD	 1.930
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	OR03SE8A4F	 1.860
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	OR03SE8A4FD	 2.050
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	OR03SE8A4FE	 1.960
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	OR03SE8A4FEW	 1.960
			integrated led	3 × 1,5W 522 lm 3000K	DALI	OR03SE8A4FED	 2.160
			integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8A4FEWD	 2.160



G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 50 cm
On request it is available the **CB** version dimmable 1-10V/PWM



Mizu 5 light pendant

Body | 5 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8A9F	CE ENEC 2.350
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	0R05SE8A9FD	CE ENEC 2.620
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	0R05SE8A9FE	CE ENEC 2.710
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	0R05SE8A9FEW	CE ENEC 2.710
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8H1F	CE ENEC 2.410
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	0R05SE8H1FD	CE ENEC 2.690
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	0R05SE8H1FE	CE ENEC 2.790
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	0R05SE8H1FEW	CE ENEC 2.790
 cognac crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8H4F	CE ENEC 2.410
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	0R05SE8H4FD	CE ENEC 2.690
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	0R05SE8H4FE	CE ENEC 2.790
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	0R05SE8H4FEW	CE ENEC 2.790
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8F4F	CE ENEC 2.690
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	0R05SE8F4FD	CE ENEC 2.950
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	0R05SE8F4FE	CE ENEC 3.050
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	0R05SE8F4FEW	CE ENEC 3.050
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8A4F	CE ENEC 3.140

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	OR05SE8A4FD	CE ENEC 3.410
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	OR05SE8A4FE	CE ENEC 3.500
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	OR05SE8A4FEW	CE ENEC 3.500



G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 80 cm
On request it is available the **CB** version dimmable 1-10V/PWM

 12 |  15  48x32x28 cm

Mizu 7 light pendant

Body | 7 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	OR07SE8A9F	CE ENEC 3.290
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	OR07SE8A9FD	CE ENEC 3.560
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	OR07SE8A9FE	CE ENEC 3.730
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	OR07SE8A9FEW	CE ENEC 3.730
		clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	OR07SE8H1F	CE ENEC 3.380
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	OR07SE8H1FD	CE ENEC 3.640
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	OR07SE8H1FE	CE ENEC 3.820
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	OR07SE8H1FEW	CE ENEC 3.820
		clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	OR07SE8H4F	CE ENEC 3.380
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	OR07SE8H4FD	CE ENEC 3.640
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	OR07SE8H4FE	CE ENEC 3.820

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 cognac crystal	 white	clear	integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	0R07SE8H4FEW	CE ENEC 3.820
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	0R07SE8F4F	CE ENEC 3.750
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	0R07SE8F4FD	CE ENEC 4.030
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	0R07SE8F4FE	CE ENEC 4.190
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	0R07SE8F4FEW	CE ENEC 4.190
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	0R07SE8A4F	CE ENEC 4.360
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	0R07SE8A4FD	CE ENEC 4.620
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	0R07SE8A4FE	CE ENEC 4.800
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	0R07SE8A4FEW	CE ENEC 4.800

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 80 cm
On request it is available the **CB** version dimmable 1-10V/PWM



15



19




50×35×38 cm

Mizu 15 rectangular multi light pendant

Body | 15 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	0R15SE8A9FR	CE ENEC 8.260
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	0R15SE8A9FRD	CE ENEC 8.650
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	0R15SE8A9FRE	CE ENEC 8.750
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	0R15SE8A9FREW	CE ENEC 8.750
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	0R15SE8H1FR	CE ENEC 8.440

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8H1FRD	CE ENEC 8.860
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H1FRE	CE ENEC 8.950
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H1FREW	CE ENEC 8.950
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8H4FR	CE ENEC 8.440
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8H4FRD	CE ENEC 8.860
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H4FRE	CE ENEC 8.950
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H4FREW	CE ENEC 8.950
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8F4FR	CE ENEC 9.320
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8F4FRD	CE ENEC 9.730
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8F4FRE	CE ENEC 9.810
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8F4FREW	CE ENEC 9.810
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8A4FR	CE ENEC 10.700
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8A4FRD	CE ENEC 11.100
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8A4FRE	CE ENEC 11.200
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8A4FREW	CE ENEC 11.200


G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 30 cm
On request it is available the **CB** version dimmable 1-10V/PWM



36



40





77×77×30 cm

Mizu 15 round multi light pendant

Body | 15 crystals


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8A9FT	CE ENEC 8.260
			G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	DALI	OR15SE8A9FTD	CE ENEC 8.650
			integrated led	15 x 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8A9FTE	CE ENEC 8.750
			integrated led	15 x 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8A9FTEW	CE ENEC 8.750
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8H1FT	CE ENEC 8.440
			G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	DALI	OR15SE8H1FTD	CE ENEC 8.860
			integrated led	15 x 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H1FTE	CE ENEC 8.950
			integrated led	15 x 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H1FTEW	CE ENEC 8.950
 cognac crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8H4FT	CE ENEC 8.440
			G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	DALI	OR15SE8H4FTD	CE ENEC 8.860
			integrated led	15 x 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H4FTE	CE ENEC 8.950
			integrated led	15 x 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H4FTEW	CE ENEC 8.950
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8F4FT	CE ENEC 9.320
			G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	DALI	OR15SE8F4FTD	CE ENEC 9.730
			integrated led	15 x 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8F4FTE	CE ENEC 9.810
			integrated led	15 x 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8F4FTEW	CE ENEC 9.810
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8A4FT	CE ENEC 10.700

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	0R15SE8A4FTD	CE ENEC 11.100
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	0R15SE8A4FTE	CE ENEC 11.200
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	0R15SE8A4FTEW	CE ENEC 11.200


G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 70 cm
On request it is available the **CB** version dimmable 1-10V/PWM



Mizu 26 square multi light pendant

Body | 26 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A9FQ	CE ENEC 13.950
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A9FQD	CE ENEC 14.450
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A9FQE	CE ENEC 14.800
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A9FQEW	CE ENEC 14.800
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8H1FQ	CE ENEC 14.300
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8H1FQD	CE ENEC 14.800
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8H1FQE	CE ENEC 15.150
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8H1FQEW	CE ENEC 15.150
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8H4FQ	CE ENEC 14.300
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8H4FQD	CE ENEC 14.800
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8H4FQE	CE ENEC 15.150

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 cognac crystal	 white	clear	integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8H4FQEW	CE ENEC 15.150
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8F4FQ	CE ENEC 15.750
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8F4FQD	CE ENEC 16.350
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8F4FQE	CE ENEC 16.650
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8F4FQEW	CE ENEC 16.650
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A4FQ	CE ENEC 17.850
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A4FQD	CE ENEC 18.400
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A4FQE	CE ENEC 18.700
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A4FQEW	CE ENEC 18.700


G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 30 cm
On request it is available the **CB** version dimmable 1-10V/PWM



Mizu 26 round multi light pendant

Body | 26 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A9FT	CE ENEC 13.950
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A9FTD	CE ENEC 14.450
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A9FTE	CE ENEC 14.800
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A9FTEW	CE ENEC 14.800
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8H1FT	CE ENEC 14.300

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8H1FTD	CE ENEC 14.800
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8H1FTE	CE ENEC 15.150
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8H1FTEW	CE ENEC 15.150
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8H4FT	CE ENEC 14.300
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8H4FTD	CE ENEC 14.800
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8H4FTE	CE ENEC 15.150
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8H4FTEW	CE ENEC 15.150
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8F4FT	CE ENEC 15.750
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8F4FTD	CE ENEC 16.350
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8F4FTE	CE ENEC 16.650
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8F4FTEW	CE ENEC 16.650
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A4FT	CE ENEC 17.850
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A4FTD	CE ENEC 18.400
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A4FTE	CE ENEC 18.700
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A4FTEW	CE ENEC 18.700


G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 105 cm







Mizu | Bespoke


Please furnish the details for your design request by utilizing the request form



Various customizations are available on request.

For further information, please feel free to contact our customer service or download the price calculator from our reserved area:
<https://www.terzani.com/en/reserved-area>

	Size	Type *	Finish
Canopy	 _____ cm ☐	 Standard ☐	☐ white ☐ mirror stainless steel ☐ brushed stainless steel ☐ other _____
	 _____ cm ☐	 Flush ☐	
	 _____ cm ☐	 Radial system ☐	
	 _____ cm ☐	 Disc ☐	
Based on your request, we will provide a solution that best meets your needs			

	Pendant height
Height	 min _____ cm max _____ cm

	Finish	Number of pendants
Diffuser	☐ clear ☐ champagne ☐ cognac ☐ silver dust ☐ gold	

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	bulb ☐ halogen ☐ led integrated led ☐ 3000K ☐ 3000K IP65 ☐ 2700K ☐ 2700K IP65	☐ IGBT ☐ 1-10V ☐ TRIAC ☐ PUSH ☐ DALI ☐ other _____

Additional information



Material

Metal

Finishes

Diffuser



nickel plated



gold plated

Canopy




nickel plated




gold plated

Legend




Moiré pendant light

Body



Canopy





Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + steel cable	integrated led	15W 1952 lm 3000K	1-10V PUSH	0M10SE7C8F	CE ENEC 6.640
			integrated led	15W 1952 lm 3000K	DALI	0M10SE7C8FD	CE ENEC 6.840
 gold plated	 gold plated	clear cord + steel cable	integrated led	15W 1952 lm 3000K	1-10V PUSH	0M10SL6C8F	CE ENEC 7.850
			integrated led	15W 1952 lm 3000K	DALI	0M10SL6C8FD	CE ENEC 8.050

On site minimum adjustable overall height 90 cm

 10,5 |  25  83×78×95 cm

Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request



Materials

Brass and glass

Legend



Finishes

Structure

Diffuser



nickel plated



satin white



satin brass



black



white




gold plated



rose gold plated

Oscar table lamp

Body



Diffuser	Structure	Cord	Source	Max power	Dimming	Code	Price €
 satin white	 nickel plated	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BE7F5F	CE ENEC 490
	 satin brass	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BN9F5F	CE ENEC 490
	 black	black fabric	E14 dimmable led	7W	integrated dimmer	0C02BG2F5F	CE ENEC 490
	 white	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BM2F5F	CE ENEC 490
	 gold plated	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BL6F5F	CE ENEC 550
	 rose gold plated	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BN4F5F	CE ENEC 550

E14 led light bulbs are not included

 1,2

|

 2,8

|


 41×41×41 cm



Materials

Brass chains and metal structure plated

Legend



Finishes

Diffuser

Canopy



nickel plated |
brushed nickel plated



nickel plated



brushed bronze



brushed bronze



gold plated |
brushed gold plated



gold plated




champagne plated |
brushed champagne
plated




champagne
plated

Chandelier



Ceiling lamp




Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Soscik small chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated brushed nickel plated	nickel plated	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SH4C8F	CE ENEC 11.750
brushed bronze	brushed bronze	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SF7C8F	CE ENEC 14.250
gold plated brushed gold plated	gold plated	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SL8C8F	CE ENEC 14.700
champagne plated brushed champagne	champagne plated	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SN1C8F	CE ENEC 14.700


G9 led light bulbs are not included
On site minimum adjustable overall height 115 cm



Soscik medium chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated brushed nickel plated	nickel plated	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SH4C8F	CE ENEC 24.300
brushed bronze	brushed bronze	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SF7C8F	CE ENEC 28.000
gold plated brushed gold plated	gold plated	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SL8C8F	CE ENEC 29.950
champagne plated brushed champagne	champagne plated	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SN1C8F	CE ENEC 29.950


G9 led light bulbs are not included
Not adjustable on site



Soscik large chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated brushed nickel plated	nickel plated	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SH4C8F	CE ENEC 41.300
brushed bronze	brushed bronze	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SF7C8F	CE ENEC 48.000
gold plated brushed gold plated	gold plated	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SL8C8F	CE ENEC 50.950
champagne plated brushed champagne	champagne plated	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SN1C8F	CE ENEC 50.950


G9 led light bulbs are not included
Not adjustable on site

133 | 387 185×185×224 cm

Soscik small ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated brushed nickel plated	nickel plated	-	G9 dimmable led	8 × 3,5W	all systems	OG60LH4C8F	CE ENEC 4.960
brushed bronze	brushed bronze	-	G9 dimmable led	8 × 3,5W	all systems	OG60LF7C8F	CE ENEC 6.240
gold plated brushed gold plated	gold plated	-	G9 dimmable led	8 × 3,5W	all systems	OG60LL8C8F	CE ENEC 6.510
champagne plated brushed champagne	champagne plated	-	G9 dimmable led	8 × 3,5W	all systems	OG60LN1C8F	CE ENEC 6.510


G9 led light bulbs are not included

11,5 | 16 77×77×30 cm

Soscik medium ceiling light


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated brushed nickel plated	 nickel plated	-	G9 dimmable led	10 × 3,5W	all systems	OG61LH4C8F	CE ENEC 13.250
 brushed bronze	 brushed bronze	-	G9 dimmable led	10 × 3,5W	all systems	OG61LF7C8F	CE ENEC 16.350
 gold plated brushed gold plated	 gold plated	-	G9 dimmable led	10 × 3,5W	all systems	OG61LL8C8F	CE ENEC 17.000
 champagne plated brushed champagne	 champagne plated	-	G9 dimmable led	10 × 3,5W	all systems	OG61LN1C8F	CE ENEC 17.000


G9 led light bulbs are not included



Soscik large ceiling light


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated brushed nickel plated	 nickel plated	-	G9 dimmable led	12 × 3,5W	all systems	OG62LH4C8F	CE ENEC 22.300
 brushed bronze	 brushed bronze	-	G9 dimmable led	12 × 3,5W	all systems	OG62LF7C8F	CE ENEC 26.400
 gold plated brushed gold plated	 gold plated	-	G9 dimmable led	12 × 3,5W	all systems	OG62LL8C8F	CE ENEC 27.400
 champagne plated brushed champagne	 champagne plated	-	G9 dimmable led	12 × 3,5W	all systems	OG62LN1C8F	CE ENEC 27.400

G9 led light bulbs are not included







Material


Stainless steel

Finish




brushed stainless steel

Legend




Stanley floor lamp

Body



Top view



Structure	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brushed stainless steel	-	black	integrated leds	top: 21W edges: 3 × 39W total: 138W 15750 lm 3000K CRI>80	Casambi Xpress wireless switch	0C06PH2C8F	€ 5.310

Casambi technology | Xpress-LR remote control
Each light source can be dimmed independently or in programmable groups
Light sources are replaceable

 50

|

 66

|

 212×64×62 cm

Stream | Design Christian Lava



Materials

Brass chains and metal structure plated

Finishes


Diffuser

-  nickel plated
-  black nickel plated
-  gold plated


Canopy

-  nickel plated
-  black nickel plated
-  gold plated


Legend




Chandelier




Ceiling lamp



Wall sconce



Floor lamp




Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Stream mini chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	G9 + GU10 dimmable led	4 × 3,5W + 5W	all systems	OJ54SE7C8F	CE ENEC 3.490
black nickel plated	black nickel plated	clear cord + chain	G9 + GU10 dimmable led	4 × 3,5W + 5W	all systems	OJ54SE9C8F	CE ENEC 3.800
gold plated	gold plated	clear cord + chain	G9 + GU10 dimmable led	4 × 3,5W + 5W	all systems	OJ54SL6C8F	CE ENEC 4.290

G9 led and GU10 led light bulbs are not included
On site minimum adjustable overall height 80 cm



5,5



6,5




46×39×32 cm

Stream small chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	18 × 4W + 5W	all systems	OJ51SE7C8F	CE ENEC 25.950
black nickel plated	black nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	18 × 4W + 5W	all systems	OJ51SE9C8F	CE ENEC 29.050
gold plated	gold plated	clear cord + steel rope	E14 + GU10 dimmable led	18 × 4W + 5W	all systems	OJ51SL6C8F	CE ENEC 32.900

E14 led and GU10 led light bulbs are not included
Not adjustable on site



40



93





115×115×124 cm

Stream large chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	20 × 4W + 5W	all systems	0J50SE7C8F	CE ENEC 32.200
black nickel plated	black nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	20 × 4W + 5W	all systems	0J50SE9C8F	CE ENEC 35.900
gold plated	gold plated	clear cord + steel rope	E14 + GU10 dimmable led	20 × 4W + 5W	all systems	0J50SL6C8F	CE ENEC 38.700



E14 led and GU10 led light bulbs are not included
Not adjustable on site



Stream linear chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	G9 + GU10 dimmable led	12 × 3,5W + 3 × 5W	all systems	0J52SE7C8F	CE ENEC 21.000
black nickel plated	black nickel plated	clear cord + chain	G9 + GU10 dimmable led	12 × 3,5W + 3 × 5W	all systems	0J52SE9C8F	CE ENEC 23.050
gold plated	gold plated	clear cord + chain	G9 + GU10 dimmable led	12 × 3,5W + 3 × 5W	all systems	0J52SL6C8F	CE ENEC 25.800


G9 led and GU10 led light bulbs are not included
On site minimum adjustable overall height 100 cm



Stream ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	G9 + GU10 dimmable led	8 × 3,5W + 5W	all systems	OJ70LE7C8F	CE ENEC 11.750
black nickel plated	black nickel plated	-	G9 + GU10 dimmable led	8 × 3,5W + 5W	all systems	OJ70LE9C8F	CE ENEC 13.000
gold plated	gold plated	-	G9 + GU10 dimmable led	8 × 3,5W + 5W	all systems	OJ70LL6C8F	CE ENEC 14.250

G9 led and GU10 led light bulbs are not included
Not adjustable on site

17


30

83×78×95 cm

Stream wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ60AE7C8F	CE ENEC 1.330
black nickel plated	black nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ60AE9C8F	CE ENEC 1.480
gold plated	gold plated	-	E14 dimmable led	2 × 6W	all systems	OJ60AL6C8F	CE ENEC 1.680

E14 led light bulbs are not included

2


3

42×24×20 cm

Stream floor lamp

Body

Base



Diffuser	Base	Cord	Source	Max power	Dimming	Code		Price €
nickel plated	nickel plated	black	E14 dimmable led	6 × 6W	all systems	0J65PE7C8F	CE ENEC	5.310
black nickel plated	black nickel plated	black	E14 dimmable led	6 × 6W	all systems	0J65PE9C8F	CE ENEC	5.830
gold plated	gold plated	black	E14 dimmable led	6 × 6W	all systems	0J65PL6C8F	CE ENEC	6.640

E14 led light bulbs are not included

16,5 | 23,5 191×46×46 cm




Materials

Brass chains and metal structure plated


Finishes

Diffuser	Canopy
 nickel plated	 nickel plated
 black nickel plated	 black nickel plated
 brushed bronze	 brushed bronze
 gold plated	 gold plated

Legend



Chandelier




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Volver small linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0L63SE7C8F	CE ENEC CB 10.050
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0L63SE7C8FW	CE ENEC CB 10.050
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0L63SE7C8FD	CE ENEC CB 10.200
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0L63SE7C8FWD	CE ENEC CB 10.200
black nickel plated	black nickel plated	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0L63SE9C8F	CE ENEC CB 11.150
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0L63SE9C8FW	CE ENEC CB 11.150
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0L63SE9C8FD	CE ENEC CB 11.250
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0L63SE9C8FWD	CE ENEC CB 11.250
brushed bronze	brushed bronze	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0L63SF7C8F	CE ENEC CB 12.050
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0L63SF7C8FW	CE ENEC CB 12.050
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0L63SF7C8FD	CE ENEC CB 12.150
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0L63SF7C8FWD	CE ENEC CB 12.150
gold plated	gold plated	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0L63SL6C8F	CE ENEC CB 12.450
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0L63SL6C8FW	CE ENEC CB 12.450
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0L63SL6C8FD	CE ENEC CB 12.600
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0L63SL6C8FWD	CE ENEC CB 12.600

On site minimum adjustable overall height 95 cm




Volver medium linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + steel cable	integrated led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SE7C8F	CE ENEC CB 20.400
			integrated led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SE7C8FW	CE ENEC CB 20.400
			integrated led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SE7C8FD	CE ENEC CB 20.500
			integrated led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SE7C8FWD	CE ENEC CB 20.500
 black nickel plated	 black nickel plated	clear cord + steel cable	integrated led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SE9C8F	CE ENEC CB 23.050
			integrated led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SE9C8FW	CE ENEC CB 23.050
			integrated led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SE9C8FD	CE ENEC CB 23.200
			integrated led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SE9C8FWD	CE ENEC CB 23.200
 brushed bronze	 brushed bronze	clear cord + steel cable	integrated led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SF7C8F	CE ENEC CB 25.000
			integrated led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SF7C8FW	CE ENEC CB 25.000
			integrated led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SF7C8FD	CE ENEC CB 25.100
			integrated led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SF7C8FWD	CE ENEC CB 25.100
 gold plated	 gold plated	clear cord + steel cable	integrated led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SL6C8F	CE ENEC CB 25.500
			integrated led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SL6C8FW	CE ENEC CB 25.500
			integrated led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SL6C8FD	CE ENEC CB 25.650
			integrated led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SL6C8FWD	CE ENEC CB 25.650

On site minimum adjustable overall height 95 cm



36,5




72




148x55x99 cm

Volver large linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SE7C8F	CE ENEC CB 27.700
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SE7C8FW	CE ENEC CB 27.700
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SE7C8FD	CE ENEC CB 27.900
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SE7C8FWD	CE ENEC CB 27.900
		clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SE9C8F	CE ENEC CB 31.350
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SE9C8FW	CE ENEC CB 31.350
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SE9C8FD	CE ENEC CB 31.600
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SE9C8FWD	CE ENEC CB 31.600
		clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SF7C8F	CE ENEC CB 34.150
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SF7C8FW	CE ENEC CB 34.150
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SF7C8FD	CE ENEC CB 34.450
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SF7C8FWD	CE ENEC CB 34.450
		clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SL6C8F	CE ENEC CB 35.500
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SL6C8FW	CE ENEC CB 35.500
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SL6C8FD	CE ENEC CB 35.700
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SL6C8FWD	CE ENEC CB 35.700


On site minimum adjustable overall height 95 cm

Volver round chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SE7C8F	CE ENEC CB 24.250
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SE7C8FW	CE ENEC CB 24.250
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SE7C8FD	CE ENEC CB 24.450
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SE7C8FWD	CE ENEC CB 24.450
		clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SE9C8F	CE ENEC CB 26.800
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SE9C8FW	CE ENEC CB 26.800
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SE9C8FD	CE ENEC CB 27.000
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SE9C8FWD	CE ENEC CB 27.000
		clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SF7C8F	CE ENEC CB 28.450
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SF7C8FW	CE ENEC CB 28.450
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SF7C8FD	CE ENEC CB 28.550
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SF7C8FWD	CE ENEC CB 28.550
		clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SL6C8F	CE ENEC CB 29.700
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SL6C8FW	CE ENEC CB 29.700
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SL6C8FD	CE ENEC CB 29.850
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SL6C8FWD	CE ENEC CB 29.850

On site minimum adjustable overall height 95 cm




Canopy types |


Mechanical




Flush



Radial




Disc




Canopy types |

Magnetic



Covered disc



Glasses&Components





Glasses and Components

Item	Description	Code	€	Item	Description	Code	€
Abacus	white glass	W389V6CV	34	Manta	Clear Ø20	W379V6G0	441
Angel Falls	Clear	W349V6G0	242		Clear Ø26	W380V6G0	662
Argent Mon Bijou	kit led 3000K susp.	KITLED1.530	95	Mizu	Clear	W341V000	271
	kit led 2700K susp.	KITLED1.527	95		Champagne	W341V8N0	289
	kit led 3000K wall sc. nickel	KITLEDMBE730	125		Cognac	W395V6J0	289
	kit led 3000K wall sc. gold	KITLEDMBP730	125		Silver dust	W366V8M0	347
	kit led 3000K wall sc. rose gold	KITLEDMBN430	125		Gold	W351V8L0	494
	kit led 3000K wall sc. champagne	KITLEDMBQ130	125	Oscar	Satin white	W390V6CA	263
Calle	Clear	W356V6G0	651	Pug	Clear	W391V000	126
Frame	Clear Ø7 wall sc.	W406V000	226		Satin white	W392V6CA	195
	Clear Ø7 susp.	W344V000	258				
	Clear Ø10 susp.	W343V000	378				
	Clear cone susp.	W352V000	436				
Glamour	Glass	W325V6A0	153				
Harpe	kit led 3000K susp.	KITLEDHAR30	105				
Iceberg	"A" module	X287P000	87				
	"B" module	X288P000	87				
	"C" module	X292P000	87				
	"F" module	X290P000	87				
	"E" module	X289P000	87				
	"G" module	X291P000	87				

Condizioni Generali di vendita e consegna

Validità

Il presente listino annulla e sostituisce il precedente. La Terzani Srl si riserva il diritto di apportare modifiche al listino in qualunque momento e senza preavviso e declina ogni responsabilità per eventuali inesattezze in esso contenute derivanti da errori di stampa o trascrizione.

Prezzi

Tutti i prezzi indicati su questo listino sono espressi in euro e sono al pubblico I.V.A. esclusa. Sui prezzi netti (net) presenti nel listino non sono applicabili sconti commerciali. Le offerte emesse da Terzani srl hanno una validità di 30 giorni. Decorso detto termine la Terzani srl si riserva il diritto di apportare eventuali modifiche ai prezzi senza preavviso.

Modifiche e annullamento ordini

La modifica o la cancellazione dell'ordine dopo la data di conferma non è valida se non previa accettazione scritta da parte di Terzani. Non è comunque in ogni caso ammesso l'annullamento di ordini per prodotti su misura.

Consegna

I termini eventualmente fissati per la consegna della merce sono puramente indicativi.

La loro mancata osservanza non darà luogo a penalità di sorta né potrà originare richieste di risarcimento danni.

Garanzia & Responsabilità

La garanzia ha la durata di 2 anni a decorrere dalla data di fatturazione della merce. Durante il periodo di validità, la garanzia dà diritto alla riparazione o sostituzione della merce o parte di essa. La presente garanzia non si applica ai danni derivanti da incidenti, alterazioni, manomissioni, uso improprio, negligenza o abuso. Terzani Srl non fornisce garanzie in caso di utilizzo errato o inappropriato, installazione/disinstallazione errata, uso improprio e manutenzione errata, pertanto nessuna responsabilità può essere attribuita alla società e nessuna richiesta di risarcimento sarà accettata.

Limitazione di Responsabilità

TERZANI SRL NON E' RESPONSABILE PER DANNI INDIRETTI, SPECIALI, ACCIDENTALI O CONSEGUENZIALI DI QUALSIASI NATURA.

Inoltre, Terzani Srl non è responsabile per quanto segue:

- Eventuali costi relativi all'installazione, reinstallazione, rimozione o riparazione
- Danni causati da installazione o assemblaggio improprio da parte dell'acquirente o di terzi
- Danni causati dall'esposizione alle intemperie o da un ambiente improprio
- Danni causati da soluzioni o metodi di pulizia impropri
- Qualsiasi cambiamento nell'aspetto o patina causato dall'usura naturale

Spese di Trasporto

Per le spedizioni in Italia di importo

superiori o uguali a € 750 il trasporto è franco destino

inferiore a € 750 sarà addebitato in fattura un contributo di € 35.

Rotture Trasporto

Terzani srl non è responsabile per danni alle merci che si verificano durante il trasporto o lo stoccaggio. Al momento della consegna il destinatario deve accertarsi che i colli siano integri; in caso di colli scondizionati, manomessi, mancanti o quanto altro possa far intuire un danno o una rottura, la merce deve essere accettata annotando sul documento di trasporto: "Riserva di controllo del contenuto". Specificando la motivazione per cui è posta la riserva al fine di presentare eventuale reclamo per iscritto alla Terzani srl entro 8 giorni lavorativi dalla data dell'accettazione con riserva della merce.

Contestazioni

Eventuali contestazioni sulla qualità e quantità della merce ricevuta dovranno essere notificate dall'acquirente alla Terzani Srl esclusivamente in forma scritta o per e-mail entro 8 giorni dall'avenuta consegna. Non si accettano contestazioni per prodotti già installati o manomessi.

Resi

Non sarà accettata la restituzione dei prodotti senza il consenso scritto e le istruzioni di spedizione di Terzani Srl. Qualsiasi operazione di reso si intende "Franco nostro stabilimento". La merce deve essere perfettamente imballata, possibilmente nell'imballo originale. La Terzani Srl non sarà responsabile per danni o rotture avvenuti durante il trasporto per merce non adeguatamente imballata. La restituzione della merce installata non sarà accettata. La restituzione di beni non difettosi, una volta approvata, sarà soggetta ad un costo pari al 30% del prezzo di acquisto sostenuto dal cliente.

Caratteristiche del prodotto | Prodotti e Modifiche

Tutti i prodotti sono fatti a mano e sono tutti oggetti unici. I vetri soffiati e o rifiniti a mano possono presentare bolle d'aria, strisce leggere o scoloriture. Questi aspetti sono tipici dell'alta qualità dei prodotti in vetro soffiato e rifinito a mano e non possono essere considerati difetti di lavorazione e non possono essere oggetto di reclamo.

In aree con condizioni ambientali particolarmente aggressive (come umidità, salsedine o inquinamento), alcuni materiali e finiture possono deteriorarsi più rapidamente, anche se conformi ai nostri standard di qualità. Una corretta cura e manutenzione dell'ambiente è quindi essenziale per garantirne il corretto funzionamento e la durata nel tempo del prodotto.

Per motivi di produzione e/o miglioramento, Terzani Srl si riserva il diritto di modificare, in qualsiasi momento e senza preavviso, le specifiche tecniche e/o progettuali di qualsiasi prodotto illustrato nel catalogo. Questo non potrà essere oggetto di rivalsa su prodotti già forniti.

Unità di misura

Tutte le misure nel listino prezzi sono in centimetri.

OAH (overall height) – Soltanto un elettricista certificato può aggiustare/accorciare l'altezza totale del/dei pendente/i.

Il voltaggio di tutti i prodotti presenti in questo listino è 220-240V. Il voltaggio 110V è disponibile su richiesta.

Lampadine

Le lampadine non sono incluse ad eccezione dei led integrati.

Foro Competente

Per qualsiasi contestazione si considera competente soltanto l'Autorità Giudiziaria di Firenze.

General terms and conditions of sales and delivery

Validity

This price list cancels out the previous one and replaces it. Terzani Srl reserves the right to make changes to the price list at any time and without prior notice, and assumes no liability for inaccuracies contained therein due to printing or transcription errors.

Prices

All prices indicated on this price list are expressed in euros and exclude VAT for the general public. No commercial discounts can be applied to the net prices on the price list. The quotes issued by Terzani srl are valid for 30 days. After the term mentioned above, Terzani srl reserves the right to make any changes to the prices without prior notice.

Changes and cancellation of orders

Changes in or cancellation of orders after the confirmation date are not valid unless prior written acceptance has been provided by Terzani. In any case, orders for customized products cannot be cancelled.

Delivery

Any terms established for the delivery of the goods are purely indicative.

Failure to meet these terms will not result in penalties of any kind or lead to claims for damages.

Warranty & Liability

Terzani SRL warrants that the goods will be free from material defects, are made with workmanlike quality, and will conform, within normal commercial tolerances, to the applicable specifications for a period of 2 years from the date the goods are invoiced, subject to the notice and exclusions below. The sole remedy for breach of this limited warranty will be Terzani SRL repairing, replacing, or providing replacement parts, at Terzani SRL's discretion. Purchaser shall notify Terzani SRL of any such defect or nonconformity immediately after delivery or discovery, if not readily apparent on delivery. This limited warranty does not extend to any goods purchaser improperly uses, installs, or uninstalls, or otherwise modifies, alters, tampers with, abuses, neglects, improperly maintains, or otherwise misuses according to the applicable documentation or specifications, or to any goods purchaser has had repaired or altered by a person other than Terzani SRL.

Limitation on Liability

TERZANI SRL HEREBY EXPRESSLY EXCLUDES ANY LIABILITY FOR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY NATURE UNDER THE TERMS OF THIS WARRANTY.

Additionally, Terzani Srl is not responsible for the following:

- Any costs related to installation, re-installation, removal, or repair
- Damage caused by improper installation or assembly by the purchaser or a third party
- Damage caused by exposure to weather or improper environment
- Damage caused by improper cleaning solutions or methods

Any change in appearance or patina caused by natural wear

Shipping charges

For shipments in Austria, Belgium, France, Germany, Greece, Luxemburg, Netherland, Poland, Spain amounting to

More than € 750, transport is DAP

less than € 750, there will be a charge € 50 added to the invoice.

Breakages during Transport

Terzani srl is not liable for damage to goods that occurs during transport or storage. At the time of delivery, the recipient must ascertain that the packages are intact; in the case of packages that, on arrival, are in bad condition, tampered with, missing, or anything else that might suggest damage or breakage, the goods must be accepted, and on the transport document, in writing, there must be the words: "Riserva di controllo del contenuto (With reservations - subject to inspection)", specifying the reason for the reservations, for the purposes of lodging a complaint in writing to Terzani srl within 8 working days from the date that the goods are accepted with reservations.

Complaints

In regard to any complaints over the quality and quantity of the goods received, the purchaser must notify Terzani Srl exclusively in writing or by e-mail within 8 days of delivery. Complaints about products already installed or tampered with will not be accepted.

Returns

Products may not be returned without written consent and shipping instructions from Terzani Srl. Any return operation is understood as "free from our factory". The goods must be packed perfectly, preferably in the original packaging. Terzani Srl will not be liable for damages or breakages that take place during the transport of goods that are not properly packed. The return of already installed goods will not be accepted. The return of non-defective goods, once approved, will be subject to a cost equal to 30% of the purchase price paid by the customer.

Product features | Products and modifications

All the products are made by hand and unique. Blown glass and/or hand-finished glass may have air bubbles, light stripes or discolouration. These are typical features in high-quality blown glass and hand-finished glass products and cannot be considered manufacturing defects and nor may be subject to complaints. In areas with particularly aggressive environmental conditions (such as humidity, salinity, or pollution), some materials and finishes may deteriorate more quickly, even if they comply with our quality standards. Proper care and a controlled environment are essential to ensure both proper functioning and long-term durability. Terzani SRL reserves the right to modify the technical and/or design specifications of any product illustrated in the catalogue at any time and without notice for product production reasons and/or product improvement. Any such modifications shall not be grounds for returning a product once such product is delivered.

Units of measurement

All measurements in the price list are in centimeters.

OAH (overall height) - The total height of the pendant (s) may only be adjusted/shortened by a certified electrician.

The voltage of all products listed in this catalog is 220-240V. The 110V voltage is available upon request.

Light bulbs

Light bulbs, except for the integrated leds, are not included.

Place of jurisdiction

The judicial authorities in Florence shall have exclusive jurisdiction in any dispute.

TERZANI

All products in the Terzani collections are inspired by a return to noble artisan traditions. Every object is carefully created using craft techniques and for this reason certain details may vary from product to product. These variations are not imperfections but characteristic peculiarities of the production process. Terzani reserves the right to modify its products in order to improve its features. Product reproduction on paper may result in a misrepresentation of some colors. For updated technical data please refer to our current price list or our website. For informations about Patent & Design Registration please visit: www.terzani.com/patents


Headquarter & Showroom Terzani srl

Via Castelpulci Int.9
50018 Scandicci Firenze Italy
Office +39 055 722021
info@terzani.com

Creative Direction Terzani
Art Direction Camilla Cordella
Photos Leonardo Beglieri
Digital imaging Fulvio Gallotti
Printed on eco-friendly paper
Eu (Italy) 2025
© terzani 2025

terzani.com





TERZANI

terzani.com