

tossB novelties 2019


boomer line	2
bow	4
cone	8
dice	10
float	12
hoola	14
ico	18
mobi	20
reach	22
round control	24
thin	26
tribes	30
victor	36

boomer line

design by jos muller

Boomer's minimalistic shape looks like a frozen movement. Its waved shape creates an elegant contrast with the architectural lines of interiors and objects. It can be hung horizontally in balance or at an angle out of balance. A group of lamps enhances the characteristic curves. Boomer can be placed directly above a dining table, home or office workspace. The highly efficient led-light smoothly curves along with the lamp shape.

boomer line 1200



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	230V
lumen	1400
class	1
gear	incorporated
length	1200 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H7DWL
black	T86H7DZL

order code 3000K

white	T86H8DWL
black	T86H8DZL

boomer line 1200 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	230V
lumen	1400
class	1
gear	incorporated (dimmable)
length	1200 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H7DWLD
black	T86H7DZLD

order code 3000K

white	T86H8DWLD
black	T86H8DZLD

boomer line UP 1200



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	230V
lumen	1400
class	1
gear	incorporated
length	1200 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H16DWL
black	T86H16DZL

order code 3000K

white	T86H17DWL
black	T86H17DZL

boomer line UP 1200 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	24W
voltage	230V
lumen	1400
class	1
gear	incorporated (dimmable)
length	1200 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H16DWLD
black	T86H16DZLD

order code 3000K

white	T86H17DWLD
black	T86H17DZLD

boomer line 1800



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	230V
lumen	1920
class	1
gear	incorporated
length	1800 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H9DWL
black	T86H9DZL

order code 3000K

white	T86H10DWL
black	T86H10DZL

boomer line 1800 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	230V
lumen	1920
class	1
gear	incorporated (dimmmable)
length	1800 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H9DWLD
black	T86H9DZLD

order code 3000K

white	T86H10DWLD
black	T86H10DZLD

boomer line UP 1800



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	230V
lumen	1920
class	1
gear	incorporated
length	1800 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H18DWL
black	T86H18DZL

order code 3000K

white	T86H19DWL
black	T86H19DZL

boomer line UP 1800 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	36W
voltage	230V
lumen	1920
class	1
gear	incorporated (dimmmable)
length	1800 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H18DWLD
black	T86H18DZLD

order code 3000K

white	T86H19DWLD
black	T86H19DZLD

boomer line 2400



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	230V
lumen	2680
class	1
gear	incorporated
length	2400 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H11DWL
black	T86H11DZL

order code 3000K

white	T86H12DWL
black	T86H12DZL

boomer line 2400 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	230V
lumen	2680
class	1
gear	incorporated (dimmmable)
length	2400 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H11DWLD
black	T86H11DZLD

order code 3000K

white	T86H12DWLD
black	T86H12DZLD

boomer line UP 2400



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	230V
lumen	2680
class	1
gear	incorporated
length	2400 mm
width	25 mm
height	25 (max 2500) mm


order code 2700K

white	T86H20DWL
black	T86H20DZL

order code 3000K

white	T86H21DWL
black	T86H21DZL

boomer line UP 2400 dim



lamp type	LED
colour temp.	2700K/3000K
max. watt	48W
voltage	230V
lumen	2680
class	1
gear	incorporated (dimmmable)
length	2400 mm
width	25 mm
height	25 (max 2500) mm

order code 2700K

white	T86H20DWLD
black	T86H20DZLD

order code 3000K


white	T86H21DWLD
black	T86H21DZLD

bow

design by david dolcini

Since Roman times, the 'arch' is one of the basics in architecture. It's part of our daily life (even if we don't notice it), and it expresses at the same time deepness, strength and equilibrium. 'bow' tries to translate the essence of the arch into a minimalistic luminaire. Gravity and balance, combined with the arch, are the other ingredients involved in the design of this product.

It is a small family composed by a floor/hanging lamp, and 7 different chandeliers (2, 4 or 6 bulbs).






bow


design by david dolcini



bow mini detail



bow I S



lamp type	retrofit LED
fitting	E27
max. watt	2x15W
voltage	230V
class	1
diameter	480 mm
width	80 mm
height	360 (max 2500) mm


order code bow classic

black **T97H1IZL**

order code bow mini

black **T97H8IZL**

bow I M



lamp type	retrofit LED
fitting	E27
max. watt	2x15W
voltage	230V
class	1
diameter	680 mm
width	80 mm
height	460 (max 2500) mm


order code bow classic

black **T97H2IZL**

order code bow mini

black **T97H9IZL**

bow I L



lamp type	retrofit LED
fitting	E27
max. watt	2x15W
voltage	230V
class	1
diameter	880 mm
width	80 mm
height	560 (max 2500) mm


order code bow classic

black **T97H3IZL**

order code bow mini

black **T97H10IZL**

bow floor



lamp type	retrofit LED
fitting	E27
max. watt	15W
voltage	230V
class	1
diameter	1300 mm
width	100 mm
height	800 (max 2500) mm


order code bow classic

black **T97F1IZL**

order code bow mini

black **T97F3IZL**

bow XL floor



lamp type	retrofit LED
fitting	E27
max. watt	15W
voltage	230V
class	1
diameter	1700 mm
width	100 mm
height	800 (max 2500) mm


order code bow classic

black **T97F2IZL**

order code bow mini

black **T97F4IZL**

bow II S+M



lamp type	retrofit LED
fitting	E27
max. watt	4x15W
voltage	230V
class	1
diameter	680 mm
width	480 mm
height	460 (max 2500) mm


order code bow classic

black **T97H4IZL**

order code bow mini

black **T97H11IZL**

bow II M+L



lamp type	retrofit LED
fitting	E27
max. watt	4x15W
voltage	230V
class	1
diameter	880 mm
width	680 mm
height	560 (max 2500) mm


order code bow classic

black **T97H6IZL**

order code bow mini

black **T97H13IZL**

bow II L+S



lamp type	retrofit LED
fitting	E27
max. watt	4x15W
voltage	230V
class	1
diameter	880 mm
width	480 mm
height	560 (max 2500) mm

order code bow classic

black **T97H5IZL**

order code bow mini

black **T97H12IZL**

bow III S+M+L



lamp type	retrofit LED
fitting	E27
max. watt	6x15W
voltage	230V
class	1
diameter	880 mm
width	680 mm
height	560 (max 2500) mm

order code bow classic

black **T97H7IZL**

order code bow mini

black **T97H14IZL**

cone


design by alain monnens



The inspiration for the 'cone' comes from the conical-shaped distribution of light which seems to shine directly from the ceiling. The armature is also a physical representation of this cone-like beam. The 'cone' is available as a ceiling and hang light.

The aluminium shade can be made in all available RAL colours, with the possibility to have different colours on the inside and outside of the shade cap.

cone S ceiling




lamp type	retrofit LED
fitting	E27
max. watt	3x15W
voltage	230V
class	1
diameter	600 mm
height	400 mm

order code

white	T48C4IXOO
* other colours possible on request	

cone M ceiling




lamp type	retrofit LED
fitting	E27
max. watt	3x15W
voltage	230V
class	1
diameter	800 mm
height	580 mm

order code

white	T48C3IXOO
* other colours possible on request	



cone L ceiling




lamp type	retrofit LED
fitting	E27
max. watt	3x15W
voltage	230V
class	1
diameter	1000 mm
height	750 mm

order code

white	T48C2IXOO
* other colours possible on request	

cone S hanging




lamp type	retrofit LED
fitting	E27
max. watt	3x15W
voltage	230V
class	1
diameter	600 mm
height	400 (3000) mm

order code

white	T48H4IXOO
* other colours possible on request	

cone M hanging




lamp type	retrofit LED
fitting	E27
max. watt	3x15W
voltage	230V
class	1
diameter	800 mm
height	580 (3000) mm

order code

white	T48H3IXOO
* other colours possible on request	

cone L hanging



lamp type	retrofit LED
fitting	E27
max. watt	3x15W
voltage	230V
class	1
diameter	1000 mm
height	750 (3000) mm

order code

white	T48H2IXOO
* other colours possible on request	

dice


design by bart van houcke

A playful collection consisting of glass opal white spheres and an aluminium housing. Because of the different lengths of the housing, you can play with the numbers of spheres. It gives you a freedom of making a nice composition for each room. Available in white and black. The dice can be used as a ceiling, wall or hanging fixture.


Be creative and just roll the dice to take a chance.




dice surface S-1




dice surface S-2



dice surface M-2



dice surface M-3



lamp type	LED
colour temp.	2700K
max. watt	6W
voltage	230V
class	1
length	230 mm
width	120 mm
height	130 mm

order code

white	T105C1DWL
black	T105C1DZL

lamp type	LED
colour temp.	2700K
max. watt	2x6W
voltage	230V
class	1
length	230 mm
width	120 mm
height	130 mm

order code

white	T105C2DWL
black	T105C2DZL

lamp type	LED
colour temp.	2700K
max. watt	2x6W
voltage	230V
class	1
length	340 mm
width	120 mm
height	130 mm

order code


white	T105C3DWL
black	T105C3DZL

lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
class	1
length	340 mm
width	120 mm
height	130 mm

order code

white	T105C4DWL
black	T105C4DZL

dice surface L-3




lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
class	1
length	450 mm
width	120 mm
height	130 mm

order code

white	T105C5DWL
black	T105C5DZL

dice surface L-4




lamp type	LED
colour temp.	2700K
max. watt	4x6W
voltage	230V
class	1
length	450 mm
width	120 mm
height	130 mm

order code

white	T105C6DWL
black	T105C6DZL

dice suspension S-1




lamp type	LED
colour temp.	2700K
max. watt	6W
voltage	230V
class	1
length	230 mm
width	120 mm
height	130 (max 2500) mm

order code

white	T105H1DWL
black	T105H1DZL

dice suspension S-2




lamp type	LED
colour temp.	2700K
max. watt	2x6W
voltage	230V
class	1
length	230 mm
width	120 mm
height	130 (max 2500) mm

order code

white	T105H2DWL
black	T105H2DZL

dice suspension M-2




lamp type	LED
colour temp.	2700K
max. watt	2x6W
voltage	230V
class	1
length	340 mm
width	120 mm
height	130 (max 2500) mm

order code

white	T105H3DWL
black	T105H3DZL

dice suspension M-3




lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
class	1
length	340 mm
width	120 mm
height	130 (max 2500) mm

order code

white	T105H4DWL
black	T105H4DZL

dice suspension L-3




lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
class	1
length	450 mm
width	120 mm
height	130 (max 2500) mm

order code

white	T105H5DWL
black	T105H5DZL

dice suspension L-4




lamp type	LED
colour temp.	2700K
max. watt	4x6W
voltage	230V
class	1
length	450 mm
width	120 mm
height	130 (max 2500) mm

order code

white	T105H6DWL
black	T105H6DZL

float

design by glenn marys



Float is a ceiling mounted system that provides a pleasant indirect lighting. The vertical structure is reminiscent of classical columns and is available in different lengths.

The powder coated round disk that functions as a diffuser is available in different diameters and floats between the vertical rods. The position of the disk can easily be adjusted to create different lighting effects and different variations in the design. The dim to warm LED module is hidden inside the cooling volume and the electrical cable is discretely placed so that the design exists of 2 shapes only; a cylindrical structure and a disk.

Floats' shapes are timeless, pure and minimal and therefore float is easily applicable, single or combined, in various environments.

float S



lamp type	LED
colour temp.	2200K ~ 2850K
max. watt	10W
voltage	230V
class	1
gear	incorporated (TRIAC)
height	550 mm
diameter	160 mm

order code	
white	T106H1DWL
black	T106H1DZL

float M



lamp type	LED
colour temp.	2200K ~ 2850K
max. watt	10W
voltage	230V
class	1
gear	incorporated (TRIAC)
height	800 mm
diameter	160 mm

order code	
white	T106H2DWL
black	T106H2DZL


float L



lamp type	LED
colour temp.	2200K ~ 2850K
max. watt	10W
voltage	230V
class	1
gear	incorporated (TRIAC)
height	1050 mm
diameter	160 mm

order code	
white	T106H3DWL
black	T106H3DZL


float disk 400



diameter	400 mm
----------	---------------

order code	
white	T106P1WL


float disk 600



diameter	600 mm
----------	---------------

order code	
white	T106P2WL

float disk 800



diameter	800 mm
----------	---------------

order code	
white	T106P3WL




hoola

design by jos muller

With its very light and minimal design hoola creates an archetypical light circle. The soft light is directed upwards and downwards while its highly efficient led-light curves along with the lamp shape. Hoola is available in 60, 100 and 140cm diameter. Hoola will be a real eyecatcher when different diameters are combined. It can be arranged in horizontal, angled or even vertical positions. The lamps can be place close to a ceiling, in free open spaces or vertically along the wall.



hoola 60 wall



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	36W
voltage	230V
lumen	2120
class	1
gear	incorporated (touch dim)
diameter	600 mm
height	60 mm

order code 2400K

white	T92A7DWL
black	T92A7DZL


order code 2700K

white	T92A1DWL
black	T92A1DZL

order code 3000K

white	T92A4DWL
black	T92A4DZL

hoola 100 wall



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	60W
voltage	230V
lumen	3540
class	1
gear	incorporated (touch dim)
diameter	1000 mm
height	60 mm

order code 2400K

white	T92A8DWL
black	T92A8DZL


order code 2700K

white	T92A2DWL
black	T92A2DZL

order code 3000K

white	T92A5DWL
black	T92A5DZL

hoola 140 wall



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	90W
voltage	230V
lumen	4950
class	1
gear	incorporated (touch dim)
diameter	1400 mm
height	60 mm

order code 2400K

white	T92A9DWL
black	T92A9DZL

order code 2700K

white	T92A3DWL
black	T92A3DZL

order code 3000K


white	T92A6DWL
black	T92A6DZL

hoola

design by jos muller



hoola 60



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	36W
voltage	230V
lumen	2120
class	1
gear	incorporated
diameter	600 mm
height	25 (max 2500) mm

order code 2400K

white	T92H3DWL
black	T92H3DZL


order code 2700K

white	T92H9DWL
black	T92H9DZL

order code 3000K

white	T92H1DWL
black	T92H1DZL

hoola 100



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	60W
voltage	230V
lumen	3540
class	1
gear	incorporated
diameter	1000 mm
height	25 (max 2500) mm

order code 2400K

white	T92H4DWL
black	T92H4DZL


order code 2700K

white	T92H10DWL
black	T92H10DZL

order code 3000K

white	T92H2DWL
black	T92H2DZL

hoola 140



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	90W
voltage	230V
lumen	4950
class	1
gear	incorporated
diameter	1400 mm
height	25 (max 2500) mm

order code 2400K

white	T92H7DWL
black	T92H7DZL


order code 2700K

white	T92H14DWL
black	T92H14DZL

order code 3000K

white	T92H3DWL
black	T92H3DZL

hoola 60 dim



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	36W
voltage	230V
lumen	2120
class	1
gear	incorporated (dimmable)
diameter	600 mm
height	25 (max 2500) mm

order code 2400K

white	T92H3DWLD
black	T92H3DZLD


order code 2700K

white	T92H9DWLD
black	T92H9DZLD

order code 3000K

white	T92H1DWLD
black	T92H1DZLD

hoola 100 dim



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	60W
voltage	230V
lumen	3540
class	1
gear	incorporated (dimmable)
diameter	1000 mm
height	25 (max 2500) mm

order code 2400K

white	T92H4DWLD
black	T92H4DZLD


order code 2700K

white	T92H10DWLD
black	T92H10DZLD

order code 3000K

white	T92H2DWLD
black	T92H2DZLD

hoola 140 dim



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	90W
voltage	230V
lumen	4950
class	1
gear	incorporated (dimmable)
diameter	1400 mm
height	25 (max 2500) mm

order code 2400K

white	T92H17DWLD
black	T92H17DZLD


order code 2700K

white	T92H14DWLD
black	T92H14DZLD

order code 3000K

white	T92H3DWLD
black	T92H3DZLD

hoola 60 without base & driver



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	36W
voltage	24V
lumen	2120
class	1
gear	not incorporated
diameter	600 mm
height	25 (max 2500) mm

order code 2400K

white	T92H7DWL
black	T92H7DZL


order code 2700K

white	T92H11DWL
black	T92H11DZL

order code 3000K

white	T92H5DWL
black	T92H5DZL

hoola 100 without base & driver



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	60W
voltage	24V
lumen	3540
class	1
gear	not incorporated
diameter	1000 mm
height	25 (max 2500) mm

order code 2400K

white	T92H8DWL
black	T92H8DZL


order code 2700K

white	T92H12DWL
black	T92H12DZL

order code 3000K

white	T92H6DWL
black	T92H6DZL

hoola 140 without base & driver



lamp type	LED
colour temp.	2400K / 2700K / 3000K
max. watt	90W
voltage	24V
lumen	4950
class	1
gear	not incorporated
diameter	1400 mm
height	25 (max 2500) mm

order code 2400K

white	T92H18DWL
black	T92H18DZL

order code 2700K

white	T92H16DWL
black	T92H16DZL

order code 3000K

white	T92H15DWL
black	T92H15DZL

hoola driver & driver box

order code drivers not dimmable

60W	MW60
100W	MW90

order code drivers dimmable

40W	MW40DIM
60W	MW60DIM
90W	MW90DIM
120W	MW120DIM

driver box S

diameter	270 mm
height	55 mm

order code

white	TP36PWL
black	TP36PZL

driver box L

diameter	400 mm
height	55 mm

order code

white	TP37PWL
black	TP37PZL

ico



design by jos muller



Ico is a conical shaped table light that offers functional up and down lighting. The tripod stand is available in two heights and each model has its own character. Ico is provided with an integrated cord dimmer that you can set the right lighting intensity needed.

ico table

ico table big



lamp type	retrofit LED
fitting	E27
max. watt	15W
voltage	230V
class	1
width	250 mm
height	300 mm


lamp type	retrofit LED
fitting	E27
max. watt	15W
voltage	230V
class	1
width	300 mm
height	460 mm

order code	
black	T102T1IZL

order code	
black	T102T2IZL


mobi

design by glenn marys



Each “mobi” has 2 circular LED sources that are connected with a thin tube and is balanced by 2 cables. Every LED cylinder is rotatable and makes it easy to control and direct the light wherever necessary. At the basis of the design of mobi are a highly functional, dim to warm LED module and optimal light diffusion through precisely calculated optical diffusors. Mobi can be used as a single or double installation to create a graphic and minimalistic character, but combined together they will transform into an eye-catching chandelier. Its simple and timeless shapes make mobi adaptable for all spaces.

mobi 1 base




voltage	230V
gear	incorporated (TRIAC)
diameter	170 mm
height	42 mm

order code

white	T101H1DWL
black	T101H1DZL

mobi 2 base




voltage	230V
gear	incorporated (TRIAC)
diameter	240 mm
height	42 mm

order code

white	T101H2DWL
black	T101H2DZL

mobi 3 base



voltage	230V
gear	incorporated (TRIAC)
diameter	240 mm
height	42 mm

order code

white	T101H3DWL
black	T101H3DZL

mobi S arm




lamp type	LED
colour temp.	2200K ~ 2850K
max. watt	2x10W
voltage	350mA
class	1
gear	not incorporated
length	960 mm
diameter	170 mm LED

order code

white	T100P1DWL
black	T100P1DZL

mobi M arm




lamp type	LED
colour temp.	2200K ~ 2850K
max. watt	2x10W
voltage	350mA
class	1
gear	not incorporated
length	1160 mm
diameter	170 mm LED

order code

white	T100P2DWL
black	T100P2DZL

mobi L arm



lamp type	LED
colour temp.	2200K ~ 2850K
max. watt	2x10W
voltage	350mA
class	1
gear	not incorporated
length	1360 mm
diameter	170 mm LED

order code

white	T100P3DWL
black	T100P3DZL

reach

design by jos muller



The highly positioned spotlight of this elegant floor-lamp offers a wide area of lighting. Reach can easily be placed in both residential and professional environments where a functional lighting is needed or just to create a comfortable atmosphere. Of course Reach can be delivered in various heights, complete with an integrated cord dimmer that always allows you to set the right lighting intensity needed.

reach 160 floor



lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
gear	cord dimmer
width	250 mm
height	1600 mm

order code	
white	T103F1HWL
black	T103F1HZL

reach 200 floor



lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
gear	cord dimmer
width	250 mm
height	2000 mm

order code	
white	T103F2HWL
black	T103F2HZL

reach 240 floor



lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
gear	cord dimmer
width	250 mm
height	2400 mm

order code	
white	T103F3HWL
black	T103F3HZL

round control


design by glenn marys



Round control is designed as a ceiling- and wall surface mounted system. During the installation, it can be adapted to any architectural concept due to countless variations in the design. The graphic character of the minimalistic design reveals its functions very honestly. Round control is devised for lighting rooms in commercial areas, board rooms and lounge areas as well as residential rooms. The indirect lighting – with high power LED modules - creates a soft and comfortable atmosphere when dimmed and provides a functional lighting at full power.



round control 1/2/3 base



voltage	230V
gear	incorporated (TRIAC)
diameter	120 mm
height	160 mm

order code base 1

white	T100H1DWL
black	T100H1DZL


order code base 2

white	T100H2DWL
black	T100H2DZL

order code base 3

white	T100H3DWL
black	T100H3DZL


round control arm 1




lamp type	LED
colour temp.	2700K
max. watt	13W
voltage	350mA
class	1
gear	not incorporated
length	370 mm
height	230 mm

order code

white	T100P1DWL
black	T100P1DZL




round control arm 2



lamp type	LED
colour temp.	2700K
max. watt	13W
voltage	350mA
class	1
gear	not incorporated
length	510 mm
height	230 mm

order code	
white	T100P2DWL
black	T100P2DZL


round control arm 3



lamp type	LED
colour temp.	2700K
max. watt	13W
voltage	350mA
class	1
gear	not incorporated
length	660 mm
height	230 mm

order code	
white	T100P3DWL
black	T100P3DZL


round control arm 4



lamp type	LED
colour temp.	2700K
max. watt	13W
voltage	350mA
class	1
gear	not incorporated
length	810 mm
height	230 mm

order code	
white	T100P4DWL
black	T100P4DZL

round control arm 5



lamp type	LED
colour temp.	2700K
max. watt	13W
voltage	350mA
class	1
gear	not incorporated
length	960 mm
height	230 mm

order code	
white	T100P5DWL
black	T100P5DZL


thin

design by alain berteau






thin



thin big



The thin lamps can be described as a flattened reimagining of traditional lamp typologies. Their innovative layered design allows perfect cooling of the powerful LED's components while the archetypal silhouettes offer a very distinctive yet familiar presence. Scalable and versatile, suitable for both residential and public uses, thin is available in various sizes and finishes.

lamp type	LED
colour temp.	2700K
max. watt	13W
voltage	230V
class	1
gear	incorporated (TRIAC)
length	150 mm
width	12 mm
height	200 (max.2500) mm


order code	
white	T99H1DWL
black	T99H1DZL

lamp type	LED
colour temp.	2700K
max. watt	13W
voltage	230V
class	1
gear	incorporated (TRIAC)
length	190 mm
width	12 mm
height	200 (max.2500) mm

order code	
white	T99H2DWL
black	T99H2DZL

tribes

design by david abad



Inspired by the 'Calumet', those sacred pipes that are smoked by the indigenous tribes of North America. Tribes is a family of pendant luminaries with a very graphic and minimalist design and is equipped with two direct and one indirect LED spot modules. Tribes can create a unique and dynamic atmosphere. It is manufactured in two versions; individual with a clean graphic image and the triple version with a marked personality that creates a chandelier effect, which fits perfectly in the most contemporary spaces as well as classic or vintage interiors.




tribes


design by david abad




tribes wall L up




tribes wall R up



tribes wall L down



tribes wall R down



lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
length	400 mm
width	88 mm
height	136 mm

order code

white	T98A1HWL
black	T98A1HZL
white / gold	T98A1HWLLB
black / gold	T98A1HZLLB

lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
length	400 mm
width	88 mm
height	136 mm

order code

white	T98A2HWL
black	T98A2HZL
white / gold	T98A2HWLLB
black / gold	T98A2HZLLB

lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
length	400 mm
width	88 mm
height	136 mm

order code


white	T98A3HWL
black	T98A3HZL
white / gold	T98A3HWLLB
black / gold	T98A3HZLLB

lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
length	400 mm
width	88 mm
height	136 mm

order code

white	T98A4HWL
black	T98A4HZL
white / gold	T98A4HWLLB
black / gold	T98A4HZLLB


tribes LED 1 base



voltage	230V
class	1
gear	incorporated (TRIAC)
diameter	170 mm
height	90 mm

order code	
white	T98H1DWL
black	T98H1DZL


tribes LED 2 base



voltage	230V
class	1
gear	incorporated (TRIAC)
diameter	170 mm
height	90 mm

order code	
white	T98H3DWL
black	T98H3DZL


tribes LED 3 base



voltage	230V
class	1
gear	incorporated (TRIAC)
diameter	280 mm
height	90 mm

order code	
white	T98H2DWL
black	T98H2DZL


tribes globe 1 base



diameter	170 mm
height	90 mm

order code	
white	T98H1HWL
black	T98H1HZL


tribes globe 2 base



diameter	170 mm
height	90 mm

order code	
white	T98H3HWL
black	T98H3HZL

tribes globe 3 base



diameter	280 mm
height	90 mm


order code	
white	T98H2HWL
black	T98H2HZL

tribes

design by david abad



tribes LED H1 - 60cm




lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	600 mm

order code

white	T98P1DWL
black	T98P1DZL
white / gold	T98P1DWLLB
black / gold	T98P1DZLLB

tribes LED H2 - 70cm




lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	700 mm

order code

white	T98P2DWL
black	T98P2DZL
white / gold	T98P2DWLLB
black / gold	T98P2DZLLB

tribes LED H3 - 80cm




lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	800 mm

order code

white	T98P3DWL
black	T98P3DZL
white / gold	T98P3DWLLB
black / gold	T98P3DZLLB

tribes LED H4 - 100cm




lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1000 mm

order code

white	T98P4DWL
black	T98P4DZL
white / gold	T98P4DWLLB
black / gold	T98P4DZLLB

tribes LED H5 - 110cm




lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1100 mm

order code

white	T98P5DWL
black	T98P5DZL
white / gold	T98P5DWLLB
black / gold	T98P5DZLLB

tribes LED H6 - 120cm




lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1200 mm

order code

white	T98P6DWL
black	T98P6DZL
white / gold	T98P6DWLLB
black / gold	T98P6DZLLB

tribes LED H7 - 130cm




lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1300 mm

order code

white	T98P7DWL
black	T98P7DZL
white / gold	T98P7DWLLB
black / gold	T98P7DZLLB

tribes LED H8 - 140cm



lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1400 mm


order code

white	T98P8DWL
black	T98P8DZL
white / gold	T98P8DWLLB
black / gold	T98P8DZLLB

tribes

design by david abad


tribes LED H1 - 60cm DOWN



lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	600 mm

order code	
white	T98DP1DWL
black	T98DP1DZL
white / gold	T98DP1DWLLB
black / gold	T98DP1DZLLB


tribes LED H2 - 70cm DOWN



lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	700 mm

order code	
white	T98DP2DWL
black	T98DP2DZL
white / gold	T98DP2DWLLB
black / gold	T98DP2DZLLB


tribes LED H3 - 80cm DOWN



lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	800 mm

order code	
white	T98DP3DWL
black	T98DP3DZL
white / gold	T98DP3DWLLB
black / gold	T98DP3DZLLB


tribes LED H4 - 100cm DOWN



lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1000 mm

order code	
white	T98DP4DWL
black	T98DP4DZL
white / gold	T98DP4DWLLB
black / gold	T98DP4DZLLB


tribes LED H5 - 110cm DOWN



lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1100 mm

order code	
white	T98DP5DWL
black	T98DP5DZL
white / gold	T98DP5DWLLB
black / gold	T98DP5DZLLB


tribes LED H6 - 120cm DOWN



lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1200 mm

order code	
white	T98DP6DWL
black	T98DP6DZL
white / gold	T98DP6DWLLB
black / gold	T98DP6DZLLB


tribes LED H7 - 130cm DOWN



lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1300 mm

order code	
white	T98DP7DWL
black	T98DP7DZL
white / gold	T98DP7DWLLB
black / gold	T98DP7DZLLB


tribes LED H8 - 140cm DOWN



lamp type	LED
colour temp.	2700K
max. watt	3x7W
voltage	350mA
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1400 mm

order code	
white	T98DP8DWL
black	T98DP8DZL
white / gold	T98DP8DWLLB
black / gold	T98DP8DZLLB


tribes globe L1 - 60cm



lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	600 mm

order code	
white	T98SP1DWL
black	T98SP1DZL
white / gold	T98SP1DWLLB
black / gold	T98SP1DZLLB


tribes globe L2 - 70cm



lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	700 mm

order code	
white	T98SP2DWL
black	T98SP2DZL
white / gold	T98SP2DWLLB
black / gold	T98SP2DZLLB


tribes globe L3 - 80cm



lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	800 mm

order code	
white	T98SP3DWL
black	T98SP3DZL
white / gold	T98SP3DWLLB
black / gold	T98SP3DZLLB


tribes globe L4 - 100cm



lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1000 mm

order code	
white	T98SP4DWL
black	T98SP4DZL
white / gold	T98SP4DWLLB
black / gold	T98SP4DZLLB


tribes globe L5 - 110cm



lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1100 mm

order code	
white	T98SP5DWL
black	T98SP5DZL
white / gold	T98SP5DWLLB
black / gold	T98SP5DZLLB


tribes globe L6 - 120cm



lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1200 mm

order code	
white	T98SP6DWL
black	T98SP6DZL
white / gold	T98SP6DWLLB
black / gold	T98SP6DZLLB


tribes globe L7 - 130cm



lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1300 mm

order code	
white	T98SP7DWL
black	T98SP7DZL
white / gold	T98SP7DWLLB
black / gold	T98SP7DZLLB

tribes globe L8 - 140cm



lamp type	LED
colour temp.	2700K
max. watt	3x6W
voltage	230V
lumen	3 x 600
class	1
gear	-
length	1400 mm
width	55 mm
height	1400 mm

order code	
white	T98SP8DWL
black	T98SP8DZL
white / gold	T98SP8DWLLB
black / gold	T98SP8DZLLB


victor

design by nosta



The Victor is designed to obtain a versatile accent lighting solution with a discrete elegant design. The version with GU10 is perfectly suited for LED retrofit bulbs as the Victor with the LED module has a hybrid optic system for a perfect lightbeam and avoids dazzle while improving light performance.


tossB victor

victor GU10 C1

lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
diameter	80 mm
height	150 mm

order code


white	T104S1HWL
black	T104S1HZL
brass	T104S1HLB

victor GU10 C1B

lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
diameter	90 mm
height	150 mm

order code


white	T104S30HWL
black	T104S30HZL
brass	T104S30HLB

victor GU10 SB 5,5

lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
diameter	55 mm
height	152,5 mm

order code


white	T104S90HWL
black	T104S90HZL

victor GU10 SB 10

lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
diameter	100 mm
height	152,5 mm

order code


white	T104S91HWL
black	T104S91HZL

victor LED C1

lamp type	LED
colour temp.	2700K
max. watt	6W
voltage	350mA
lumen	740lm
class	3
gear	not incorporated
diameter	80 mm
height	150 mm

order code


white	T104S1DWL
black	T104S1DZL
brass	T104S1DLB

victor LED C1B

lamp type	LED
colour temp.	2700K
max. watt	6W
voltage	350mA
lumen	740lm
class	3
gear	not incorporated
diameter	90 mm
height	150 mm

order code


white	T104S30DWL
black	T104S30DZL
brass	T104S30DLB

victor LED SB 5,5

lamp type	LED
colour temp.	2700K
max. watt	6W
voltage	350mA
lumen	740lm
class	1
gear	not incorporated
diameter	55 mm
height	152,7 mm

order code

white	T104S90DWL
black	T104S90DZL

victor LED SB 10

lamp type	LED
colour temp.	2700K
max. watt	6W
voltage	350mA
lumen	740lm
class	1
gear	incorporated (TRIAC)
diameter	100 mm
height	152,7 mm

order code


white	T104S91DWL
black	T104S91DZL

victor

design by nosta



victor GU10 FB2




lamp type	retrofit LED
fitting	GU10
max. watt	2x10W
voltage	230V
class	1
gear	-
length	180 mm
width	79 mm
height	190 mm

order code

white	T104S82HWL
black	T104S82HZL
brass	T104S82HLB

victor LED FB2



lamp type	LED
colour temp.	2700K
max. watt	2x6W
voltage	230V
lumen	2x740lm
class	1
gear	incorporated (TRIAC)
length	180 mm
width	79 mm
height	190 mm

order code

white	T104S82DWL
black	T104S82DZL
brass	T104S82DLB





victor 120 ceiling



lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
gear	-
diameter	55 mm
height	120 mm

order code

white	T104C1HWL
black	T104C1HZL
brass	T104C1HLB

victor 200 ceiling



lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
gear	-
diameter	55 mm
height	200 mm

order code

white	T104C2HWL
black	T104C2HZL
brass	T104C2HLB

victor 295 ceiling



lamp type	retrofit LED
fitting	GU10
max. watt	10W
voltage	230V
class	1
gear	-
diameter	55 mm
height	295 mm

order code

white	T104C3HWL
black	T104C3HZL
brass	T104C3HLB

tossB karveelstraat 2
8380 zeebrugge
belgium

info@tossb.com

www.tossb.com

