



Collection

		Specs
2Thirty	p. 6	p. 120
Aude	p. 20	p. 124
Audette	p. 28	p. 124
Audy	p. 36	p. 130
Aust-In	p. 44	p. 132
Austere	p. 46	p. 133
Bily	p. 82	p. 140
Bouly	p. 84	p. 142
Code	p. 90	p. 144
Kwa-Kwa	p. 94	p. 148
Mini-Pi	p. 96	p. 149
Naga	p. 102	p. 150
Pin	p. 104	p. 151
R-Range	p. 108	p. 152
Scar-Led	p. 112	p. 156
Scar-Lite	p. 114	p. 158
Sirens	p. 116	p. 159





2Thirty-Floor 1

design by
Bruno Van Meenen



2Thirty-Floor 2

design by
Bruno Van Meenen



2Thirty-W1

design by
Bruno Van Meenen



photo by Annick Vermeulen, project by JUMA Architects





photo by Annick Vermeulen, project by JUMA Architects

2Thirty-WV2


design by
Bruno Van Meenen



photo by Arneek Vermeulen, project by JUMA Architects







2Thirty-Track _____
 design by
 Bruno Van Meenen



Aude-Floor

design by
Bruno Van Meenen





Aude-Floor

design by
Bruno Van Meenen



Aude-Table

design by
Bruno Van Meenen






Aude-Table

design by
Bruno Van Meenen




Audette in _____

design by
Bruno Van Meenen





Audette up _____
 design by
 Bruno Van Meenen





Audette W1

design by
Bruno Van Meenen





project by Candela

Audette Track


design by
Bruno Van Meenen



Audy up Rounded

design by
Bruno Van Meenen






Audy-Solitaire RF Track

design by
Bruno Van Meenen



project by Cordoba





Audy-Wall

design by
Bruno Van Meenen

Aust-In

design by
Hans Verstuyft




photo by Stéphane Melles Photography, project by Houselighting






photo by Vincent Lenoir, project by Studio Razavi

Austere-Chandelier 1Y/1X

design by
Hans Verstuyft



photo by Vincent Lenoir, project by Studio Razavi

Austere-Chandelier 2X

design by
Hans Verstuyft



photo by Collette, project by Blower Interior



project by Carston

Austere-Chandelier 2Y

design by
Hans Verstuyft





photo by Annick Vermeiren, project by Alm Architecten, A&S bouwteam

Austere-Chandelier 2Y

design by
Hans Verstuyft

Austere-Chandelier 3Y/3X

design by
Hans Verstuyft




photo by Annet Vermeulen, project by JUMA Architects



photo by Oded Smadar, project by YONG Interior Design Studio

Austere-Elements

Design your Austere-Elements composition with the application: www.elements-configurator.trizo21.com

design by
Hans Verstuyft



project by fedaithome

Austere-Elements

design by
Hans Verstuyft



photo by Coloma, project by Van Damme-Vandepuutle architecten

Design your Austere-Elements composition with the application:

www.elements-configurator.trizo21.com

Austere-Elements

design by
Hans Verstuyft







photo by Roland Kier Fotografie

Austere-Elements custom

design by
Hans Verstuyft



Austere-Floor

design by
Hans Verstuyft



photo by Annek Vermeiren, project by Ann Architects, ABS bouwfarm

Austere-Solitaire

design by
Hans Verstuyft




photo by Colina, Project by Anjo Visser



Austere-Solitaire

design by
Hans Verstuyft



photo by Bert Demouere, project by Laura Colleville

Austere-Suspension

design by
Hans Verstuyft



photo by Corbis

Austere-Suspension custom

design by
Hans Verstuyft

Austere-Table

design by
Hans Verstuyft





photo by David Cousin-Mary



photo by David Cousin-Mary



photo by David Cousin-Mary

Austere-Table custom

design by
Hans Verstuyft

Austere-Wall

design by
Hans Verstuyft



photo by Viola Epler fotografie



photo by Takt





photo by Dimitris Katsouris

Austere-Wall

design by
Hans Verstuyft



Bily 16 up

design by
Bruno Van Meenen

Bouly 16 in

design by
Bruno Van Meenen




photo by T.T. Fotografie




photo by Pley Shoofs



Bouly 16 BATHROOM


design by
Bruno Van Meenen





Bouly 4 OUT

design by
Bruno Van Meenen






Code 1

design by
Bruno Van Meenen

Code-Wall IN & OUT

design by
Bruno Van Meenen





project by Stefan Outhoorn

Kwa-Kwa


design by
Bruno Van Meenen

Mini-Pi in

design by
Bruno Van Meenen



photo by Tibbo



Mini-Pi in _____

design by
Bruno Van Meenen






Mini-Pi up


design by
Bruno Van Meenen

Naga

design by
Bruno Van Meenen








R-Range in _____

design by
Bruno Van Meenen





R-Range up _____
 design by
 Bruno Van Meenen






Scar-Led

design by
Bruno Van Meenen

Scar-Lite

design by
Bruno Van Meenen




Sirens

design by
Olga Bielawska



Specifications


www.trizo21.com



2Thirty-C1

230V (110V on demand) - TRIAC dimmable
1 x 10W (LED incl.) - 1000lm
2700K - CRI >90


- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-CH2

230V (110V on demand) - TRIAC dimmable
2 x 10W (LED incl.) - 2 x 1000lm
2700K - CRI >90

- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-C1 in

230V (110V on demand) - TRIAC dimmable
1 x 10W (LED incl.) - 1000lm
2700K - CRI >90


- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-C1 in 350mA

350mA - dimmable
1 x 11,8W (LED incl.) - 1241lm
2700K - CRI >97


- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-Floor 1

110V-230V/350mA - PUSH-DIM on armature
1 x 11,8W (LED incl.) - 1 x 1241lm
2700K - CRI >97

- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-CV2

230V (110V on demand) - TRIAC dimmable
2 x 10W (LED incl.) - 2 x 1000lm
2700K - CRI >90

- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-C2 in

230V (110V on demand) - TRIAC dimmable
2 x 10W (LED incl.) - 2 x 1000lm
2700K - CRI >90


- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-C2 in 350mA

350mA - dimmable
2 x 11,8W (LED incl.) - 2 x 1241lm
2700K - CRI >97

- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-Floor 2

110V-230V/350mA - PUSH-DIM on armature
2 x 11,8W (LED incl.) - 2 x 1241lm
2700K - CRI >97

- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-W1

230V (110V on demand) - ON/OFF on armature
TRIAC dimmable
1 x 10W (LED incl.) - 1000lm
2700K - CRI >90

- Ring:
- black
 - bronze
 - gold
 - alu



2Thirty-W1 in

230V (110V on demand) - ON/OFF on armature
TRIAC dimmable
1 x 10W (LED incl.) - 1000lm
2700K - CRI >90

Ring:
black
bronze
gold
alu



2Thirty-W1 in 350mA

350mA - PUSH-DIM on armature
1 x 11,8W (LED incl.) - 1241lm
2700K - CRI >97

Ring:
black
bronze
gold
alu



2Thirty-W1 plug

230V (110V on demand) - ON/OFF on armature
1 x 10W (LED incl.) - 1000lm
2700K - CRI >97

Ring:
black
bronze
gold
alu



2Thirty-WH2

230V (110V on demand) - ON/OFF on armature
TRIAC dimmable
2 x 10W (LED incl.) - 2 x 1000lm
2700K - CRI >90 - TRIAC dimmable


Ring:
black
bronze
gold
alu



2Thirty-WV2

230V (110V on demand) - ON/OFF on armature
TRIAC dimmable
2 x 10W (LED incl.) - 2 x 1000lm
2700K - CRI >90

Ring:
black
bronze
gold
alu



2Thirty Track 48V

48V/350mA
1 x 11,8W (LED incl.) - 1241lm
2700K - CRI >97


Ring:
black
bronze
gold
alu



2Thirty Track 230V

230V - TRIAC/IGBT dimmable
1 x 10W (LED incl.) - 1000lm
2700K - CRI >97


Ring:
black
bronze
gold
alu



7Ty in

350mA
1 x 11,8W (LED incl.) - 1241lm
2700K - CRI >97


black
white
bronze
gold
alu



7Ty up

230V/250mA - TRIAC/IGBT dimmable
1 x 11,8W (LED incl.) - 913lm
2700K - CRI >97


black
white
bronze
gold
alu



7Ty up BATHROOM

230V/250mA - TRIAC/IGBT dimmable
1 x 11,8W (LED incl.) - 913lm
2700K - CRI >97

black
white
bronze
gold
alu




7Ty up OUT

230V/250mA - TRIAC/IGBT dimmable
1 x 11,8W (LED incl.) - 913lm
2700K - CRI >97

black
white
bronze
gold
alu






Aude-Floor

100V-240V/500mA - PUSH-DIM button on cable
1 x 4,32W (LED incl.) -
2700K (487lm) or 3000K (517lm) - CRI >95


brass
gunmetal
bronze
nickel



Aude-Table

100V-240V/500mA - PUSH-DIM button on cable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95


brass
black
gunmetal
bronze
nickel



Aude-Wall L

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

brass
gunmetal
bronze
nickel



Aude-Wall L plug

100V-240V/500mA - PUSH-DIM button on cable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

brass
gunmetal
bronze
nickel



Audette in

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

brass
black
white
gunmetal
bronze
nickel



Audette-Duo in

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


brass
black
white



Audette-Varié in

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

brass
black
white



Audette R6

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


brass
black
white
gunmetal
bronze
nickel



Audette-Duo R6

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


brass
black
white



Audette 1 up

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

brass
black
white




Audette 2 up

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

brass
black
white






Audette 3 up

230V/350mA - TRIAC/IGBT dimmable
3 x 6,25W (LED incl.)
2700K (3 x 633lm) or 3000K (3 x 673lm) - CRI >95


brass
black
white



Audette 4 up

230V/350mA - TRIAC/IGBT dimmable
4 x 6,25W (LED incl.)
2700K (4 x 633lm) or 3000K (4 x 673lm) - CRI >95


brass
black
white



Audette-Duo 1 up

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

brass
black
white



Audette-Duo 2 up

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95


brass
black
white



Audette-Duo 3 up

230V/350mA - TRIAC/IGBT dimmable
3 x 6,25W (LED incl.)
2700K (3 x 633lm) or 3000K (3 x 673lm) - CRI >95

brass
black
white



Audette-Duo 4 up

230V/350mA - TRIAC/IGBT dimmable
4 x 6,25W (LED incl.)
2700K (4 x 633lm) or 3000K (4 x 673lm) - CRI >95


brass
black
white



Audette-Varié 1 up

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

brass
black
white



Audette-Varié 2 up

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95


brass
black
white



Audette-Varié 3 up

230V/350mA - TRIAC/IGBT dimmable
3 x 6,25W (LED incl.)
2700K (3 x 633lm) or 3000K (3 x 673lm) - CRI >95


brass
black
white



Audette-Varié 4 up

230V/350mA - TRIAC/IGBT dimmable
4 x 6,25W (LED incl.)
2700K (4 x 633lm) or 3000K (4 x 673lm) - CRI >95

brass
black
white



Audette 1 up Rounded

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


brass
black
white
gunmetal
bronze
nickel



Audette 2 up Rounded

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

brass
black
white
gunmetal
bronze
nickel



Audette-Duo 1 up Rounded

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


- brass
- black
- white



Audette-Varié W1 in Rounded

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95


- brass
- black
- white



Audette-Duo 2 up Rounded

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95


- brass
- black
- white



Audette WD1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

- brass
- black
- white
- gunmetal
- bronze
- nickel



Audette-Varié 1 up Rounded

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

- brass
- black
- white



Audette-Duo WD1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

- brass
- black
- white



Audette-Varié 2 up Rounded

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

- brass
- black
- white



Audette-Varié WD1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

- brass
- black
- white



Audette W1 in Rounded

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

- brass
- black
- white
- gunmetal
- bronze
- nickel



Audette Track 48V

48V/350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

- brass
- black
- white
- gunmetal
- bronze
- nickel



Audette-Duo W1 in Rounded

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

- brass
- black
- white



Audette-Duo Track 48V

48V/350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

- brass
- black
- white



Audette-Varié Track 48V

48V/350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


- brass
- black
- white



Audy 1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95


- brass
- black
- white
- gunmetal
- bronze
- nickel



Audy 2 up Rounded

230V/500mA - TRIAC/IGBT dimmable
2 x 4,32W (LED incl.)
2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95


- brass
- black
- white
- gunmetal
- bronze
- nickel



Audy-Duo 1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95


- brass
- black
- white



Audy-Duo 2 up Rounded

230V/500mA - TRIAC/IGBT dimmable
2 x 4,32W (LED incl.)
2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95

- brass
- black
- white



Audy-In

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

- brass
- black
- white
- gunmetal
- bronze
- nickel



Audy-In BATHROOM

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - 3000K - CRI >95


- brass
- black
- white
- gunmetal
- bronze
- nickel



Audy-In OUT

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - 3000K - CRI >95

- black
- white




Audy-Solitaire RF

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

Possibility to shorten rod with tube cutter

- brass
- black
- white
- gunmetal
- bronze
- nickel




Audy-Solitaire RF D+B

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

Possibility to shorten rod with tube cutter

- brass
- black
- white
- gunmetal
- bronze
- nickel




Audy-Solitaire RL

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

Longer cable lengths available on demand.

- brass
- black
- white
- gunmetal
- bronze
- nickel



Audy-Solitaire RL D+B

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

Longer cable lengths available on demand.

- brass
- black
- white
- gunmetal
- bronze
- nickel



Audy-Solitaire RF 75 / RF 100 Track 48V

48V/350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

- brass
- black
- white
- gunmetal
- bronze
- nickel



Audy-Wall 1S

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95


- brass
- black
- white
- gunmetal
- bronze
- nickel



Audy-Wall 1S Duo

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

- brass
- black
- white
- gunmetal
- bronze



Audy-Wall 2S

500mA
2 x 4,32W (LED incl.)
2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95

- brass
- black
- white
- gunmetal
- bronze
- nickel



Audy-Wall 2S Duo

500mA
2 x 4,32W (LED incl.)
2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95


- brass
- black
- white
- gunmetal
- bronze



Aust-In

350mA
1 x 6W (LED incl.) 634lm
2700K - CRI >93


- brass
- black
- white
- gunmetal
- bronze
- nickel



Aust-In Adjustable

350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


- brass
- black
- white
- gunmetal
- bronze
- nickel



Aust-In Adjustable Track 48V

48V/350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

- brass
- black
- white
- gunmetal
- bronze
- nickel




Austere-Chandelier 1Y RF 75/ RF 100

350mA
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93

- brass
- black
- gunmetal
- bronze
- nickel

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.




Austere-Chandelier 1Y RS 16

350mA
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93

- brass
- black
- gunmetal
- bronze
- nickel

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.




Austere-Chandelier 1Y RL 79

350mA
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93

- brass
- black
- gunmetal
- bronze
- nickel

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.




Austere-Chandelier 2Y RF 75 / RF 100

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

- brass
- black
- gunmetal
- bronze
- nickel

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.




Austere-Chandelier 2Y RS 16

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 2Y RL 79

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 3Y RF 75 / RF 100

350mA
9 x 6W (LED incl.) - 9 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 3Y RS 16

350mA
9 x 6W (LED incl.) - 9 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 3Y RL 79

350mA
9 x 6W (LED incl.) - 9 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 1X RF 75 / RF 100

350mA
4 x 6W (LED incl.) - 4 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 1X RS 16

350mA
4 x 6W (LED incl.) - 4 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 1X RL 79

350mA
4 x 6W (LED incl.) - 4 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 2X RF 75 / RF 100

350mA
8 x 6W (LED incl.) - 8 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 2X RS 16

350mA
8 x 6W (LED incl.) - 8 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 2X RL 79

350mA
8 x 6W (LED incl.) - 8 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 3X RF 75 / RF 100

350mA
12 x 6W (LED incl.) - 12 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm

brass
black
gunmetal
bronze
nickel




Austere-Chandelier 3X RS 16

350mA
12 x 6W (LED incl.) - 12 x 634lm
2700K - CRI >93

brass
black
gunmetal
bronze
nickel

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm




Austere-Chandelier 3X RL 79

350mA
12 x 6W (LED incl.) - 12 x 634lm
2700K - CRI >93

brass
black
gunmetal
bronze
nickel


Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm



Austere-D1 3 RF 75 / RF 100

230V/350mA - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93


brass
black
white
gunmetal
bronze
nickel



Austere-D2 5 RF 75 / RF 100

230V/350mA - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable
5 x 6W (LED incl.) - 5 x 634lm
2700K - CRI >93

brass
black
white
gunmetal
bronze
nickel




Austere-D1 3 RL 79

230V/350mA - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93

brass
black
white
gunmetal
bronze
nickel

Longer cable lengths available on demand.



Austere-D2 5 RL 79

230V/350mA - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable
5 x 6W (LED incl.) - 5 x 634lm
2700K - CRI >93

brass
black
white
gunmetal
bronze
nickel


Longer cable lengths available on demand.



Austere-Elements

350mA
per light-element: 6W (LED incl.) - 634lm
2700K - CRI >93


brass
black
gunmetal
bronze
nickel



Austere-Elements SU

350mA
per light-element: 6W (LED incl.) - 634lm
2700K - CRI >93

brass
black
gunmetal
bronze
nickel



Austere-Floor

100V-240V/350mA - PUSH-DIM button on cable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

brass
black
white
gunmetal
bronze
nickel




Austere-Solitaire RF

350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

brass
black
white
gunmetal
bronze
nickel

Possibility to shorten rod with tube cutter




Austere-Solitaire RF D*B

230V/350mA - TRIAC/IGBT dimmable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

brass
black
white
gunmetal
bronze
nickel

Possibility to shorten rod with tube cutter




Austere-Solitaire RL

350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

Longer cable lengths available on demand.

brass
black
white
gunmetal
bronze
nickel



Austere-Solitaire RL D+B

230V/350mA - TRIAC/IGBT dimmable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

Longer cable lengths available on demand.

brass
black
white
gunmetal
bronze
nickel



Austere-Solitaire RF 75/ RF 100 Track 48V

48V/350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

brass
black
white
gunmetal
bronze
nickel




Austere-Suspension 1+ RF 75 / RF 100

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

L : 1120 mm / 1370 mm / 1620 mm / 1870 mm
W : 590 mm / 1090 mm

brass
black
gunmetal
bronze
nickel




Austere-Suspension 1+ RS 16

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

L : 1120 mm / 1370 mm / 1620 mm / 1870 mm
W : 590 mm / 1090 mm

brass
black
gunmetal
bronze
nickel




Austere-Suspension 1+ RL 79

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

L : 1120 mm / 1370 mm / 1620 mm / 1870 mm
W : 590 mm / 1090 mm


brass
black
gunmetal
bronze
nickel



Austere-Table

100V-240V/350mA - PUSH-DIM button on cable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


brass
black
white
gunmetal
bronze
nickel



Austere-Wall built-in

350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


brass
black
white
gunmetal
bronze
nickel



Austere-Wall plug

100V-240V/350mA - PUSH-DIM button dimmer on cable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


brass
black
white
gunmetal
bronze
nickel



Austere-Wall push built-in

350mA - PUSH-DIM button on base
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


brass
black
white
gunmetal
bronze
nickel



Bily 16 BATHROOM

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


black
white
bronze
gold
alu



Bily 16 BATHROOM Sandblasted

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97

black
white
bronze
gold
alu



Bily 16 OUT

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


black
white
bronze
gold
alu



Bily 16 OUT Sandblasted

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


black
white
bronze
gold
alu



Austere-Wall push plug

100V-240V/350mA - PUSH-DIM button on base
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


brass
black
white
gunmetal
bronze
nickel



Bily 16 in

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


black
white
bronze
gold
alu



Bily 16 up

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


black
white
bronze
gold
alu



Bily 16 in Sandblasted

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97

black
white
bronze
gold
alu




Bily 16 up Sandblasted

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97

black
white
bronze
gold
alu






Bily 16 up BATHROOM

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


black
white
bronze
gold
alu



Bily 16 up BATHROOM Sandblasted

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


black
white
bronze
gold
alu



Bily 16 up OUT

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


black
white
bronze
gold
alu



Bily 16 up OUT Sandblasted

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


black
white
bronze
gold
alu



Bouly 4

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93


LED holder:
silver



Bouly 4 BATHROOM

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93


LED holder:
silver



Bouly 4 OUT

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93


LED holder:
silver



Bouly 16

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


LED holder:
silver
gold



Bouly 16 Sandblasted

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


LED holder:
silver
gold



Bouly 16 BATHROOM

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97

LED holder:
silver
gold



Bouly 16 BATHROOM Sandblasted

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97

LED holder:
silver
gold




Bouly 16 OUT

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97

LED holder:
silver
gold





Bouly 16 OUT Sandblasted

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


LED holder:
silver 
gold 



Bouly Table

230V/350mA - PUSH-DIM button on cable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
grey 
chrome 



Bouly W/C

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
grey 
chrome 



Bouly W/C D+B

230V/350mA - non-dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
grey 
chrome 



Code 1 GU10

230V - GU10
1 x QPAR16 max. 50W or 1 x GU10 LED

black 
white 
alu 
bronze 
chrome 



Code 1 GU10 BATHROOM

230V - GU10
1 x HALO QPAR16 max. 35W or 1 x GU10 LED

black 
white 
alu 



Code 1 GU10 OUT

230V - GU10 - 1
x HALO QPAR16 max. 35W or 1 x GU10 LED

black 
white 
alu 



Code 1 LED

230V/350mA - non-dimmable or IGBT dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
alu 
bronze 
chrome 



Code 1 LED BATHROOM

230V/350mA - non-dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
alu 



Code 1 LED OUT

230V/350mA - non-dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
alu 



Code 2 GU10

230V - GU10
2 x QPAR16 max. 50W or 2 x GU10 LED

black 
white 
alu 
bronze 
chrome 



Code 2 GU10 BATHROOM

230V - GU10
2 x HALO QPAR16 max. 35W or 2 x GU10 LED

black 
white 
alu 



Code 2 GU10 OUT

230V - GU10
2 x HALO QPAR16 max. 35W or 2 x GU10 LED


black ●
white ○
alu ○



Code 2 LED

230V/350mA - TRIAC/IGBT dimmable
8 x 0.96W (LED incl.) - 912lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●
chrome ○



Code 2 LED BATHROOM

230V/350mA - non-dimmable
8 x 0.96W (LED incl.) - 912lm
2700K - CRI >93


black ●
white ○
alu ○



Code 2 LED OUT

230V/350mA - non-dimmable
8 x 0.96W (LED incl.) - 912lm
2700K - CRI >93

black ●
white ○
alu ○



Code W G9

230V - G9
1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)

black ●
white ○
alu ○
bronze ●
chrome ○



Code W G9 BATHROOM

230V - G9
1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)


black ●
white ○
alu ○



Code W G9 OUT

230V - G9
1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)


black ●
white ○
alu ○



Code W LED

350mA
1 lighting side : 4 x 0.96W (LED incl.) - 456lm
2 lighting sides : 8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black ●
white ○
alu ○



Code W LED BATHROOM

350mA
1 lighting side : 4 x 0.96W (LED incl.) - 456lm
2 lighting sides : 8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black ●
white ○
alu ○



Code W LED OUT

350mA
1 lighting side : 4 x 0.96W (LED incl.) - 456lm
2 lighting sides : 8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black ●
white ○
alu ○



I-Tro

24Vdc
1 lighting side : 120 x 30W (LED incl.) - 2280lm
2 lighting sides : 240 x 60W (LED incl.) - 4560lm
2850K - CRI >90


black ●
white ○



I-Tro D*B

100V-240V/24Vdc - 1-10V dimmable
1 lighting side : 120 x 30W (LED incl.) - 2280lm
2 lighting sides : 240 x 60W (LED incl.) - 4560lm
2850K - CRI >90


black ●
white ○



Kwa-Kwa 1F Round

12V - G53
1 x R111 HALO max. 75W or R111 LED


alu 



Kwa-Kwa 1F Square

12V - G53
1 x R111 HALO max. 75W or R111 LED


alu 



Kwa-Kwa 1F +B round

12V - G53
1 x R111 HALO max. 75W or R111 LED


alu 



Kwa-Kwa 1FT rounded LED

230V - IGBT dimmable - G53
1 x R111 LED max. 60W


alu 



Kwa-Kwa 1FT rectangular LED

230V - TRIAC/IGBT dimmable - G53
1 x R111 LED max. 60W


alu 



Kwa-Kwa 2FT rounded LED

230V - TRIAC/IGBT dimmable - G53
2 x R111 LED max. 45W

alu 



Kwa-Kwa 2FT rectangular LED

230V - TRIAC/IGBT dimmable - G53
2 x R111 LED max. 45W

alu 



Kwa-Kwa 4FT rounded LED

230V - TRIAC/IGBT dimmable - G53
4 x R111 LED max. 45W

alu 



Mini-Pi 1 in

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
alu 
bronze 



Mini-Pi 1 up

230V/350mA - non-dimmable or IGBT dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
alu 
bronze 



Mini-Pi 1 up round

230V/350mA - non-dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
alu 
bronze 



Mini-Pi 2 in

350mA
8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black 
white 
alu 
bronze 



Mini-Pi 2 up

230V/350mA - TRIAC/IGBT dimmable
8 x 0,96W (LED incl.) - 2 x 456lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



N-Tro D+B

100V-240V/24Vdc - 1-10V dimmable
240 x 60W (LED incl.) - 4560lm
2850K - CRI >90


black ●
white ○



Mini-Pi 3 up

230V/350mA - TRIAC/IGBT dimmable or
110V-230V/350mA - 1-10V or PUSH-DIM dimmable
12 x 0,96W (LED incl.) - 3 x 456lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



Pin-In 1

12V - G53
1 x R111 max. 100W or R111 LED

black ●
white ○
alu ○
bronze ●
chrome ○



Mini-Pi 1 Track 48V

48V/350mA
4 x 0,96W (LED incl.) - 456lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



Pin-In 2

12V - G53
2 x R111 max. 100W or R111 LED

black ●
white ○
alu ○
bronze ●
chrome ○



Mini-Pi 2 Track 48V

48V/350mA
8 x 0,96W (LED incl.) - 2 x 456lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



Pin-Up 1 Round LED

230V - IGBT dimmable - G53
1 x R111 LED max. 60W

black ●
white ○
alu ○
bronze ●
chrome ○



Naga

110V-230V - GU10 LED


black ●
white ○
bronze ●
gold ○



Pin-Up 1 Square LED

230V - IGBT dimmable - G53
1 x R111 LED max. 60W

black ●
white ○
alu ○
bronze ●
chrome ○



N-Tro

24Vdc
240 x 60W (LED incl.) - 4560lm
2850K - CRI >90

black ●
white ○



Pin-Up 2 LED

230V - TRIAC/IGBT dimmable - G53
2 x R111 LED max. 45W


black ●
white ○
alu ○
bronze ●
chrome ○



Pin-Up 4 LED

230V - TRIAC/IGBT dimmable - G53
4 x R111 LED max. 45W

black ●
white ○
alu ○
bronze ○
chrome ○



Pin-Up 6 LED

230V - TRIAC/IGBT dimmable - G53
6 x R111 LED max. 45W


black ●
white ○
alu ○
bronze ○
chrome ○



R51 in GU10

230V - GU10
1 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
1 x GU10 LED

black ●
white ○
chrome ○



R51 in LED

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black ●
white ○
chrome ○



R51 Rimless LED

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black ●
white ○



R51 up GU10

230V - GU10
1 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
1 x GU10 LED max. 20W


black ●
white ○
chrome ○



R51 up LED

230V/350mA - non-dimmable or IGBT dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93


black ●
white ○



R52 in GU10

230V - GU10
2 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
2 x GU10 LED

black ●
white ○
chrome ○



R52 in LED

350mA
8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93

black ●
white ○
chrome ○



R52 Rimless LED

350mA
8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93

black ●
white ○



R52 up GU10

230V - GU10
2 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
2 x GU10 LED max. 20W


black ●
white ○
chrome ○



R52 up LED

230V/350mA - TRIAC/IGBT or 1-10V, PUSH-DIM dimmable
8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black ●
white ○



R54 in GU10

230V - GU10
4 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
4 x GU10 LED


black ●
white ○
chrome ○



R54 in LED

350mA
16 x 0.96W (LED incl.) - 4 x 456lm
2700K - CRI >93

black ●
white ○
chrome ○



R54 Rimless LED

350mA
16 x 0.96W (LED incl.) - 4 x 456lm
2700K - CRI >93

black ●
white ○



R54 up GU10

230V - GU10
4 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
4 x GU10 LED max. 20W

black ●
white ○
chrome ○



R54 up LED

230V/350mA - TRIAC/IGBT or 1-10V, PUSH-DIM dimmable
16 x 0.96W (LED incl.) - 4 x 456lm
2700K - CRI >93

black ●
white ○



R07 in

12V
BA15d - 1 x QR70 max. 50W. LED version available on demand.

black ●
white ○
chrome ○



R07 Rimless

12V
BA15d - 1 x QR70 max. 50W. LED version available on demand.


black ●
white ○
chrome ○



R07 up

230V - non-dimmable
BA15d - 1 x QR70 max. 50W

black ●
white ○
chrome ○



R70 in

12V
BA15d - 2 x QR70 max. 50W. LED version available on demand.

black ●
white ○
chrome ○



R70 Rimless

12V
BA15d - 2 x QR70 max. 50W. LED version available on demand.

black ●
white ○
chrome ○



R70 up

230V - TRIAC/IGBT dimmable
BA15d - 2 x QR70 max. 50W

black ●
white ○
chrome ○



R110 in G53

12V - G53
1 x R111 max. 100W or R111 LED

black ●
white ○
chrome ○



R110 Rimless

12V - G53
1 x R111 max. 100W or R111 LED

black ●
white ○
chrome ○



Scar-Led 1FD built-in 60

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - 1-10V or PUSH-DIM or DALI dimmable
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



R110 up G53 LED

230V - TRIAC/IGBT dimmable
G53 - 1 x R111 LED max. 60W

black ●
white ○
chrome ○



Scar-Led 1FD built-in 95

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - 1-10V or PUSH-DIM or DALI dimmable
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



R111 in G53

12V - G53
2 x R111 max. 100W or R111 LED

black ●
white ○
chrome ○



Scar-Led 1FD built-up

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



R111 Rimless

12V - G53
2 x R111 max. 100W or R111 LED

black ●
white ○
chrome ○



Scar-Led 1FDS built-in 60

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



R111 up G53 LED

230V - TRIAC/IGBT dimmable - G53
2 x R111 LED max. 45W

black ●
white ○
chrome ○



Scar-Led 1FDS built-in 95

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



Scar-Led 1FD built-in 45

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - 1-10V or PUSH-DIM or DALI dimmable
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



Scar-Led 1FDS built-up

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



Scar-Led 1FDS built-up plug

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
2700K - CRI >93


black
white
alu
bronze



Scar-Led Table

230V/350mA - EU-plugdriver with switch on cable
1 x 0.96W (LED incl.) - 114lm
2700K - CRI >93

black
white
alu
bronze



Scar-Lite 1FD built-in

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - 1-10V or PUSH-DIM or DALI dimmable
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black
white
bronze



Scar-Lite 1FDS built-in

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93

black
white
bronze



Scar-Lite 1FDS built-up

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black
white
bronze



Scar-Lite 1FDS built-up plug

110V-230V/350mA - EU-plug - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - EU-plug - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93

black
white
bronze



Scar-Lite 1FDS USB built-up

110V-230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93
USB charger 5V incl. - compatible with tablets/smartphones and other USB chargeable devices

black
white
bronze



Sirens SU diffuser glass

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm

black
white
copper



Sirens SU frosted glass big mirror + edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm

black
white
copper



Sirens SU frosted glass edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm

black
white
copper



Sirens SU frosted glass small mirror + edge mirror


110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm

black
white
copper



Sirens SU mirror

black
white
copper



Sirens W/C diffuser glass

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm


- black
- white
- copper



Sirens W/C frosted glass big mirror + edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm


- black
- white
- copper



Sirens W/C frosted glass edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm


- black
- white
- copper



Sirens W/C frosted glass small mirror + edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm

- black
- white
- copper



Sirens W/C mirror

- black
- white
- copper



Trizo21 | Kerrebroek 52 | B-9850 Deinze | Belgium

T +32 (0)9 380 43 43

E info@trizo21.com

W www.trizo21.com

W www.elements-configurator.trizo21.com

 [instagram.com/trizo21](https://www.instagram.com/trizo21)

 [facebook.com/trizo21](https://www.facebook.com/trizo21)

All models | Copyright & all rights reserved © Trizo21 & Bruno Van Meenen

All products | Handmade in Belgium

Catalogue | 2023

All information in this catalogue is without engagement, replaces all preceding information and can always be modified.

Trizo21 bvba has the right to change the technical aspects of its products at any time without prior notice.

All our product carry the CE logo. The CE logo represents an implicit quality assurance.

For further technical information, please visit **www.trizo21.com**

No part of this catalogue may be reproduced without written authorisation of Trizo21 bvba.

